ASTRONOMY AND ASTROPHYSICS

A European Journal

Author -Title and Subject Indexes 1992
pp. 651–842

Main Journal: Vols. 253–266
Supplement Series: Vols. 92–96

Published by Springer International on behalf of the Board of Directors

Astronomy and Astrophysics A European Journal

Board of Directors

Chairman: G. Contopoulos
(Greece)

Vice Chairman: A. G. Hearn
(The Netherlands)

D. Alloin
(France)

R. Canal
(Spain)

M. Crézé
(France)

H. Haupt
(Austria)

P. Harmanec
(Czechoslovakia)

A. Maeder
(Switzerland)

K. Mattila
(Finland)

P. G. Mezger
(Fed. Rep. of Germany)

P. E. Nissen
(Denmark)

Aa. Sandqvist
(Sweden)

G. Setti
(Italy)

P. Smeyers
(Belgium)

B. Szeidl
(Hungary)

H. van der Laan
(ESO)

R. Wielen
(Fed. Rep. of Germany)

Editors-in-Chief

J. Lequeux
Astronomy and Astrophysics
Editorial Office
Observatoire de Meudon
92 195 Meudon Principal Cedex
(France)

Tel. (33-1) 45-07-06-30
Telex (42) 63 41 03 obsastr
Telefax (33-1) 46 26 62 93
E-Mail:
EARN AANDA @ FRMEU 51
SPAN MESIOA::AANDA

M. Grewing
Astronomy and Astrophysics
Editorial Office
c/o Astronomisches Institut
Waldhäuserstrasse 64
7400 Tübingen
(Fed. Rep. of Germany)
Tel. (49-70 71) 29 49 82
Telefax (49-0 70 71) 29 34 58
Telex (41) 7 262 714 ait d
E-Mail:
DatexP 0262-45707130039
SPAN AITMVX::AAPTUE

Letter Editor

S. R. Pottasch
Kapteyn Astronomical Institute
P. O. Box 800
9700 AV Groningen
(The Netherlands)
Tel. (31-50) 63 40 93
Telex (44) 53 572 stars nl
Telefax (31-50) 63 61 00

Editorial secretaries

Miss B. Perche
Mrs. M. Rougeot

Mr. W. M. Wettlaufer

Mrs. B. J. Boersma-Reed

The exclusive copyright © for all languages and countries, including the right for photomechanical and any other reproduction, also in microform, is vested in European Southern Observatory (ESO).
The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer International 1992
Printed in Germany
Printer: Saladruck Steinkopf & Sohn, Berlin
Bookbinder: Lüderitz & Bauer, Berlin

Annual Author-Title Index

Astronomy and Astrophysics, Volumes 253–266 (1992)

Supplement Series, Volumes 92–96 (1992)

Volume and page numbers of articles published in the Supplement Series are printed in italics

Aalto, S., see Bergman, P., et al. **265**, 403

Abgrall, H., Le Bourlot, J., Pineau des Forêts, G., Roueff, E., Flower, D.R., Heck, L.: Photodissociation of H_2 and the H/H_2 transition in interstellar clouds **253**, 525

Aboudarham, J., Berrington, K., Callaway, J., Feautrier, N., Hénoux, J.-C., Peach, G., Saraph, H.E.: Line polarization observed in chromospheric flares: calculations for electron impact excitation of Hα **262**, 302

Abraham, Z., Kokubun, F.: Calibration of radioastronomical observations in the presence of a radome **257**, 831

Acharya, B.S., Bhat, P.N., Gandhi, V.N., Ramana Murthy, P.V., Sathyanarayana, G.P., Vishwanath, P.R.: Another TeV gamma-ray burst from the Crab pulsar **258**, 412

Achmad, L., Lamers, H.J.G.L.M., Nieuwenhuijzen, H., van Genderen, A.M.: A photometric study on the G0-4 Ia^+ hypergiant HD 96918 (V 382 Carinae) **259**, 600

Achmad, L., see Lobel, A., et al. **256**, 159

Achmad, L., see Lobel, A., et al. **264**, 147

Achterberg, A., Krülls, W.M.: A fast simulation method for particle acceleration **265**, L13

Achterberg, A., see Geertsema, G.T. **255**, 427

Acker, A., Cuisinier, F., Stenholm, B., Terzan, A.: New planetary nebulae in the galactic bulge **264**, 217

Acker, A., see Jasniewicz, G., et al. **261**, 314

Acker, A., see Samland, M., et al. **264**, 184

Acker, A., see Stasińska, G., et al. **266**, 486

Acker, A., see Tylenda, R., et al. **266**, 632 *(95, 337)*

Adelman, J.: A multiplet table for lines of Co II **266**, 634 *(95, 415)*

Adorf, H.-M., see Boller, T., et al. **259**, 101

Adorf, H.-M., see Boller, T., et al. **261**, 57

Adorf, H.-M., see Prusti, T., et al. **261**, 685

Aerts, C., De Pauw, M., Waelkens, C.: Mode identification of pulsating stars from line profile variations with the moment method. An example: the β Cephei star δ Ceti **266**, 294

Afanasyev, V.L., see Amram, P., et al. **263**, 69

Afanasyev, V.L., Balega, Y.Y., Orlov, V.G., Vasyuk, V.A.: Kinematics of the [O III]-emitting gas in the 1-arcsecond circumnuclear core of the Seyfert galaxy NGC 1068 **266**, 15

Aggarwal, K.M., see Doyle, J.G., et al. **261**, 285

Ahn, Y.S., Hill, G., Khalesseh, B.: Studies of late-type binaries. V. The orbit and physical parameters of V 1073 Cygni **265**, 597

Ahrens, B., Stix, M., Thorn, M.: On the depletion of lithium in the Sun **264**, 673

Akabane, T., Iwasaki, K., Saito, Y., Narumi, Y.: Opacities of the 1973 dust storm over the Solis Lacus, Hellas, and Syrtis Major areas of Mars **255**, 377

Akalin, A., see Aslan, Z., et al. **257**, 580

Akan, M.C., see Pavlovski, K., et al. **258**, 329

Akujor, C.E.: 3C 179: a high fidelity image of the double-lobed superluminal quasar at 5 GHz **259**, L61

Akujor, C.E., see Fejes, I., et al. **257**, 459

Alberdi, A., see Krichbaum, T.P., et al. **260**, 33

Alberdi, A., see Marcaide, J.M., et al. **258**, 295

Alberdi, A., see Quirrenbach, A., et al. **258**, 279

Albinson, J.S., see Shenton, M., et al. **262**, 138

Albrecht, R., see Boksenberg, A., et al. **261**, 393

Albrecht, R., see Paresce, F., et al. **262**, 617

Alcolea, J., Bujarrabal, V.: *Erratum:* The post-AGB evolution of low-mass stars **253**, 333

Alcolea, J., Bujarrabal, V.: ^{29}SiO and ^{30}SiO maser emission from evolved stars **253**, 475

Alcolea, J., see Bujarrabal, V., et al. **257**, 701

Alcolea, J., see Colomer, F., et al. **254**, L17

Alecian, G., see Ducloux, E., et al. **257**, 425

Alef, W., see Krichbaum, T.P., et al. **260**, 33

Alissandrakis, C.E., see Preka-Papadema, P. **257**, 307

Alissandrakis, C.E., see Tsiropoula, G., et al. **262**, 587

Allard, N.F., Koester, D.: Theoretical profiles of Lyman α satellites and application to synthetic spectra of DA white dwarfs **258**, 464

Allen, D.A., see Hillier, D.J. **262**, 153

Alloin, D., Barvainis, R., Gordon, M.A., Antonucci, R.R.J.: CO emission from radio quiet quasars: new detections support a thermal origin for the FIR emission **265**, 429

Alloin, D., Bica, E., Bonatto, C., Prugniel, P.: ESO 138 G1: a high excitation Seyfert 2 nucleus in a low luminosity early-type galaxy **266**, 117

Alloin, D., see Baribaud, T., et al. **256**, 375

Alloin, D., see Bica, E., et al. **260**, 109

Alloin, D., see Jablonka, P., et al. **260**, 97

Alloin, D., see Jackson, N., et al. **262**, 17

Alpar, M.A., Hasinger, G., Shaham, J., Yancopoulos, S.: 6 Hz quasiperiodic oscillations from low-mass X-ray binaries: the sound of an accretion disk? **257**, 627

Altamore, A., Rossi, C., Viotti, R., Baratta, G.B.: The spectrum of the VV Cephei star KQ Puppis (Boss 1985). II. Atlas of the optical and ultraviolet spectrum **257**, 410 *(92, 685)*

Altamore, A., see Rossi, C., et al. **256**, 133

Altrock, R.C., see Koutchmy, S., et al. **266**, 641 *(96, 169)*

Altschuler, D.R., see Klein, U., et al. **255**, 49

Alvarez, H., Aparici, J., May, J., Olmos, F.: Upper limit to the 45-MHz flux density of SN 1987A **257**, 575

Alvarez, M., see Michel, E., et al. **255**, 139

Alvarez, M., see Sareyan, J.P., et al. **257**, 567

Aly, J.J., see Amari, T. **265**, 791

Amari, T., Aly, J.J.: Extended massive current sheet in a two-dimensional constant-α force-free field: a model for quiescent prominences. II. Existence and properties of inverse configurations **265**, 791

Amata, E., see Formisano, V., et al. **256**, 723

Ambrosini, R., see Bertotti, B., et al. **255**, 502 *(92, 431)*

Amram, P., Le Coarer, E., Marcelin, M., Balkowski, C., Sullivan III, W.T., Cayatte, V.: Hα velocity fields and rotation curves of galaxies in clusters **262**, 384 *(94, 175)*

Amram, P., Marcelin, M., Bonnarel, F., Boulesteix, J., Afanasyev, V.L., Dodonov, S.N.: Is NGC 931 (Markarian 1040) a barred galaxy? **263**, 69

Amram, P., Marcelin, M., Boulesteix, J., Le Coarer, E.: The velocity field of the ionized gas in NGC 4038/39 (the Antennae) **266**, 106

Amram, P., see Le Coarer, E., et al. **257**, 389

Andernach, H., Feretti, L., Giovannini, G., Klein, U., Rossetti, E., Schnaubelt, J.: The large-scale radio structure of 3C 31 and 3C 449 **259**, 724 *(93, 331)*
Andersen, B.N., see Andreassen, Ø., et al. **257**, 763
Andersen, J., see Duquennoy, A., et al. **254**, L13
Anderson, K.A., see Lanzerotti, L.J., et al. **255**, 500 *(92, 349)*
Anderson, M.D., see Landecker, T.L., et al. **258**, 495
Andersson, B.-G., Roger, R.S., Wannier, P.G.: Warm neutral halos around molecular clouds. IV. H I and continuum: aperture synthesis observations towards the molecular cloud B 5 **260**, 355
Andreani, P., Franceschini, A.: Galaxy photometry at millimetric wavelengths **260**, 89
Andreasen, G.K., see Bässgen, G., et al. **258**, 186
Andreasen, G.K., see Lindegren, L., et al. **258**, 18
Andreasen, G.K., see Scales, D.R., et al. **258**, 211
Andreassen, Ø., Andersen, B.N., Wasberg, C.E.: Gravity wave and convection interaction in the solar interior **257**, 763
Andredakis, Y.C., van der Kruit, P.C.: Photometry of the spiral pair NGC 450/UGC 807 and the optical thickness of galactic disks **265**, 396
Andreon, S., Garilli, B., Maccagni, D., Gregorini, L., Vettolani, G.: Multicolor surface photometry of brightest cluster galaxies **266**, 127
Andrillat, Y., Vreux, J.-M.: The surprising presence of an O I line in a Wolf-Rayet spectrum **253**, L37
Anglin, J.D., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Anguera Gubau, M., Pallé, P.L., Pérez Hernández, F., Régulo, C., Roca Cortés, T.: The low *l* solar p-mode spectrum at maximum and minimum solar activity **255**, 363
Anosova, J.P., Orlov, V.V.: The types of motion in hierarchical and non-hierarchical triple systems: numerical experiments **260**, 473
Ansari, S.G.: An investigation of the effects of rotational broadening on abundance determinations. I. HgMn stars **259**, 211
Antonello, E., see Mantegazza, L., et al. **256**, 459
Antonopoulou, E., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Antonucci, R.R.J., see Alloin, D., et al. **265**, 429
Anttila, R., see Jetsu, L., et al. **262**, 188
Anupama, G.C., Duerbeck, H.W., Prabhu, T.P., Jain, S.K.: Spectral evolution of nova V 443 Scuti 1989 **263**, 87
Aparici, J., see Alvarez, H., et al. **257**, 575
Aparicio, A., Rodriguez-Ulloa, J.A.: H II regions in Sextans A **260**, 77
Apparao, K.M.V.: Origin of PeV gamma rays from Cygnus X-3 **261**, 565
Appenzeller, I., see Bouvier, J. **256**, 324 *(92, 481)*
Appenzeller, I., see Mauder, W., et al. **264**, L9
Appl, S., Camenzind, M.: The stability of current-carrying jets **256**, 354
Arai, K., Hashimoto, M.: Nucleosynthesis in a thick accretion disk around a 10 $M_\odot$ black hole **254**, 191
Arcoragi, J.-P., see Zinnecker, H., et al. **265**, 726
Arenou, F., Grenon, M., Gómez, A.: A tridimensional model of the galactic interstellar extinction **258**, 104
Arenou, F., see Crifo, F., et al. **258**, 116
Arenou, F., see Turon, C., et al. **258**, 125
Arenou, F., see Turon, C., et al. **258**, 74
Argue, A.N., see Jahreiß, H., et al. **258**, 82
Argyle, R.W., see Lagerkvist, C.-I., et al. **262**, 383 *(94, 43)*
Arimoto, N., see Bounatiro, L. **260**, 112
Arimoto, N., see Jablonka, J. **255**, 63
Arimoto, N., see Josey, S.A. **255**, 105
Arimoto, N., Yoshii, Y., Takahara, F.: Luminosity evolution of disc galaxies **253**, 21
Arlot, J.E., Thuillot, W., Barroso Jr., J., Bergeal, L., Blanco, C., Boninsegna, R., Bouchet, P., Bourgeois, J., Briot, D., Bulder, H., Burchi, R., Cano, J.A., Colas, F., D'Ambrosio, V., Di Paolantonio, A., Dourneau, G., Dumont, M., Ferrand, S., Figer, A., Francou, G., Francou, G., Froeschlé, M., Gomez-Forrellad, J.M., Gouiffes, C., Helmer, G., Jablonsky, F.J., Laques, P., Le Campion, J.F., Lecacheux, J., Lecontel, J.M., Manfroid, J., Meyer, C., Morando, B., Quast, G.R., Rémis, J., Renaudineau, J., Rouan, D., Ruatti, C., Sareyan, J.P., Schmieder, F.X., Sèvre, F., Souchay, J., Valtier, J.C., Vu, D.T., Wahiche, J.D.: A catalogue of the observations of the mutual phenomena of the Galilean satellites of Jupiter made in 1985 during the PHEMU85 campaign **255**, 497 *(92, 151)*
Armand, C., Deharveng, L., Caplan, J.: The stellar content of the Large Magellanic Cloud H II region N 59 A **265**, 504
Armand, C., see Milliard, B., et al. **257**, 24
Armstrong, J.T., see Quirrenbach, A., et al. **259**, L19
Armstrong, T.P., see Lanzerotti, L.J., et al. **255**, 500 *(92, 349)*
Arnal, E.M.: Cavities around progenitors of Ib SNe: Effelsberg H I observations towards six galactic Wolf-Rayet stars **254**, 305
Arnal, E.M., see Reich, W., et al. **256**, 214
Arnaud, K.A., see Masnou, J.L., et al. **253**, 35
Arnaud, M., Rothenflug, R., Boulade, O., Vigroux, L., Vangioni-Flam, E.: Some constraints on the origin of the iron enriched intra-cluster medium **254**, 49
Arnaud, M., see Elbaz, D., et al. **265**, L29
Arnett, D., see Müller, E., et al. **256**, 322
Arnould, M., Paulus, G., Jorissen, A.: Astrophysical implications of the direct measurement of the $^{13}N(p, \gamma)^{14}O$ cross section **254**, L9
Arnould, M., see Barbuy, B., et al. **262**, 216
Arnould, M., see Forestini, M., et al. **261**, 157
Arnould, M., see Goriely, S. **262**, 73
Aruga, T., see Souchay, J., et al. **264**, 314
Asaoka, I., see Kaastra, J.S., et al. **264**, 654
Aslan, Z., Derman, E., Akalin, A., Özdemir, T.: Long-term photometric variations in DH Leonis **257**, 580
Asmar, S.W., see Bertotti, B., et al. **255**, 502 *(92, 431)*
Asmar, S.W., see Bird, M.K., et al. **255**, 502 *(92, 425)*
Aspin, C.: Near-IR observations of the bipolar outflow sources IRAS 03271+3013 and IRAS 03282+3035 **266**, 416
Aspin, C., Geballe, T.R.: Mid–IR spectroscopy of GGD 27-IRS: evidence for a PMS stellar cluster **266**, 219
Assafin, M., Vieira Martins, R.: Optical astrometric positions of southern quasars **259**, 722 *(93, 247)*
Assendorp, R., see Prusti, T., et al. **260**, 151
Atoyan, A.M.: Relativistic neutrons in active galactic nuclei. I. Energy transport from the core **257**, 465
Atoyan, A.M.: Relativistic neutrons in active galactic nuclei. II. Gamma-rays of high and very high energies **257**, 476
Atteia, J.-L., see Hurley, K., et al. **255**, 501 *(92, 401)*
Augarde, R., see van Driel, W., et al. **259**, 71
Augusteijn, T., Karatasos, K., Papadakis, M., Paterakis, G., Kikuchi, S., Brosch, N., Leibowitz, E., Hertz, P., Mitsuda, K., Dotani, T., Lewin, W.H.G., van der Klis, M., van Paradijs, J.: Coordinated X-ray and optical observations of Scorpius X-1 **265**, 177
Aurière, M., Coupinot, G., Hecquet, J.: New globular clusters in the bulge of M31 **256**, 95

Aurière, M., Koch-Miramond, L.: NTT observations of the globular cluster X-ray binary NGC 6712:S/X 1850–086 **263**, 82
Aurière, M., see Coupinot, G., et al. **259**, 701
Aurière, M., see Lauzeral, C., et al. **262**, 63
Auvergne, M., see Michel, E., et al. **255**, 139
Auvergne, M., see Serre, T., et al. **259**, 404
Avgoloupis, S., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Avrett, E.H., see Chang, E.S., et al. **256**, 724
Axon, D.J., see Jackson, N., et al. **262**, 17
Azzopardi, M., see Westerlund, B.E., et al. **256**, 326 *(92, 683)*
Azzopardi, M., see Westerlund, B.E., et al. **260**, L4
Baan, W.A., see van Driel, W., et al. **259**, 71
Baars, J.W.M., see Gordon, M.A., et al. **264**, 337
Bååth, L.B., Rogers, A.E.E., Inoue, M., Padin, S., Wright, M.C.H., Zensus, A., Kus, A.J., Backer, D.C., Booth, R.S., Carlstrom, J.E., Dickman, R.L., Emerson, D.T., Hirabayashi, H., Hodges, M.W., Kobayashi, H., Lamb, J., Moran, J.M., Morimoto, M., Plambeck, R.L., Predmore, C.R., Rönnäng, B., Woody, D.: VLBI observations of active galactic nuclei at 3 mm **257**, 31
Bååth, L.B., see Rantakyrö, F.T., et al. **259**, 8
Bååth, L.B., Zhang, F.J.: Images of the BL Lacertae object 1749+701 at 5 GHz **262**, 1
Babel, J.: Magnetically confined wind on the Ap star 53 Camelopardalis? **258**, 449
Babel, J., Lanz, T.: Stratification of chemical elements in the atmosphere of the Ap star 53 Camelopardalis **263**, 232
Bachiller, R., Huggins, P.J., Martín-Pintado, J., Cox, P.: Millimeter recombination lines in the planetary nebula BD+30° 3639 **256**, 231
Bachiller, R., see Cernicharo, J., et al. **261**, 589
Bachiller, R., see Cox, P., et al. **266**, 420
Bachiller, R., see Guilloteau, S., et al. **265**, L49
Bachiller, R., see Lucas, R., et al. **262**, 491
Bachiller, R., see Martín-Pintado, J., et al. **254**, 315
Bachiller, R., see Thum, C., et al. **256**, 507
Backer, D.C., see Bååth, L.B., et al. **257**, 31
Bacon, R., see Monnet, G., et al. **253**, 366
Bade, N., Engels, D., Fink, H.H., Hagen, H.-J., Reimers, D., Voges, W., Wisotzki, L.: ROSAT active galactic nuclei identified on objective prism plates **254**, L21
Badiali, M., see Kovalevsky, J., et al. **258**, 7
Badiali, M., see Mignard, F., et al. **258**, 165
Bässgen, G., see Høg, E., et al. **258**, 177
Bässgen, G., see Wicenec, A. **258**, 206
Bässgen, G., Wicenec, A., Andreasen, G.K., Høg, E., Wagner, K., Wesselius, P.: Tycho transit detection **258**, 186
Baganoff, F., see Ulrich, M.-H., et al. **266**, 183
Baglin, A., see Michel, E., et al. **255**, 139
Bailey, M.E., Chambers, J.E., Hahn, G.: Origin of sungrazers: a frequent cometary end-state **257**, 315
Bailloux, N., see Horn, J., et al. **259**, L5
Baize, P.: Orbital elements of seventeen double stars (Text in French) **255**, 496 *(92, 31)*
Balázs, L.G., Eislöffel, J., Holl, A., Kelemen, J., Kun, M.: The optical counterpart of the IRAS point source 22343+7501 in L 1251 **255**, 281
Balega, Y.Y., see Afanasyev, V.L., et al. **266**, 15
Balick, B., see Icke, V., et al. **253**, 224
Balke, A.C., see Schrijver, C.J., et al. **253**, L1
Balkowski, C., see Amram, P., et al. **262**, 384 *(94, 175)*
Ballester, J.L., see Carbonell, M. **255**, 350
Ballester, J.L., see Carbonell, M., et al. **264**, 350
Ballet, J., see Jourdain, E., et al. **256**, L38
Ballet, J., see Lebrun, F., et al. **264**, 22
Ballet, J., see Salotti, L., et al. **253**, 145
Balm, S.P., Jura, M.: Identification of CH^+ emission in the Red Rectangle **261**, L25
Balogh, A., Beek, T.J., Forsyth, R.J., Hedgecock, P.C., Marquedant, R.J., Smith, E.J., Southwood, D.J., Tsurutani, B.T.: The magnetic field investigation on the Ulysses mission: instrumentation and preliminary scientific results **255**, 498 *(92, 221)*
Balogh, A., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Balona, L.A., Cuypers, J., Marang, F.: Intensive photometry of southern Be variables. II. Summer objects **256**, 324 *(92, 553)*
Balsiger, H., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Balsiger, H., see Neugebauer, M., et al. **258**, 549
Balthasar, H., see Schmidt, W., et al. **264**, L27
Baluteau, J.-P., see Zavagno, A., et al. **259**, 241
Bame, S.J., McComas, D.J., Barraclough, B.L., Phillips, J.L., Sofaly, K.J., Chavez, J.C., Goldstein, B.E., Sakurai, R.K.: The Ulysses solar wind plasma experiment **255**, 498 *(92, 237)*
Bao, G.: The signature of corotating spots in accretion disks **257**, 594
Bao, G., see Karas, V. **257**, 531
Bar-Nun, A., see Prialnik, D. **258**, L9
Baraffe, I., El Eid, M.F., Prantzos, N.: The s-process in massive stars of variable composition **258**, 357
Baranov, V.B., Fahr, H.J., Ruderman, M.S.: Investigation of macroscopic instabilities at the heliopause boundary surface **261**, 341
Baratta, G.A., see Strazzulla, G. **266**, 434
Baratta, G.B., see Altamore, A., et al. **257**, 410 *(92, 685)*
Baratta, G.B., see Muratorio, G., et al. **258**, 423
Baratta, G.B., see Rossi, C., et al. **256**, 133
Barbieri, C., see Boksenberg, A., et al. **261**, 393
Barbieri, C., see Cremonese, G., et al. **256**, 286
Barbieri, C., see Paresce, F., et al. **262**, 617
Barbuy, B., Castro, S., Ortolani, S., Bica, E.: Metallicity of the star III-17 in the bulge globular cluster NGC 6553 **259**, 607
Barbuy, B., Erdelyi-Mendes, M., Milone, A.: Synthetic Mg_1, Mg_2 and Mgb indices: relative intensities of molecular bands as a function of stellar parameters **259**, 722 *(93, 235)*
Barbuy, B., Jorissen, A., Rossi, S.C.F., Arnould, M.: Light element abundances in barium stars **262**, 216
Barbuy, B., see Milone, A., et al. **261**, 551
Barbuy, B., see Ortolani, S., et al. **256**, 323 *(92, 441)*
Barcia, A., see Colomer, F., et al. **254**, L17
Baribaud, T., Alloin, D., Glass, I., Pelat, D.: Variability pattern from X-ray to IR wavelengths in the active nucleus of NGC 1566 **256**, 375
Barone, P., see Fiore, F., et al. **261**, 405
Barraclough, B.L., see Bame, S.J., et al. **255**, 498 *(92, 237)*
Barret, D., see Laurent, P., et al. **260**, 237
Barrett, P., see Shenton, M., et al. **262**, 138
Barroso Jr., J., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Bartel, N., see Krichbaum, T.P., et al. **260**, 33
Bartel, N., see Marcaide, J.M., et al. **258**, 295
Bartelmann, M., Schneider, P.: A large-scale structure model for gravitational lensing **259**, 413
Barthel, P.D., see Gurvits, L.I., et al. **260**, 82
Barthel, P.D., see Hooimeyer, J.R.A., et al. **261**, 1
Barthel, P.D., see Hooimeyer, J.R.A., et al. **261**, 5

Barthel, P.D., see Hooimeyer, J.R.A., et al. **261**, 18
Barthel, P.D., see Hooimeyer, J.R.A., et al. **261**, 25
Barthés, D., see Mennessier, M.O., et al. **258**, 99
Bartunov, O.S., Makarova, I.N., Tsvetkov, D.Y.: The radial distribution of supernovae in galaxies **264**, 428
Barucci, M.A., Cellino, A., De Sanctis, C., Fulchignoni, M., Lumme, K., Zappala, V., Magnusson, P.: Ground-based Gaspra modelling: comparison with the first Galileo image **266**, 385
Barucci, M.A., see Dotto, E., et al. **266**, 630 *(**95**, 195)*
Barvainis, R., see Alloin, D., et al. **265**, 429
Barwig, H., Mantel, K.H., Ritter, H.: HV Virginis: a new WZ-Sge-type dwarf nova **266**, L5
Barwig, H., see Hessman, F.V., et al. **263**, 147
Basili, A., see Cardini, D., et al. **257**, 824
Bassani, L., see Jourdain, E., et al. **256**, L38
Bassani, L., see Lebrun, F., et al. **264**, 22
Bastiaansen, P.A.: Narrow band multicolor photometry of reddened and unreddened early-type stars **260**, 557 *(**93**, 449)*
Bastian, U., see Halbwachs, J.L., et al. **258**, 193
Bastian, U., see Høg, E., et al. **258**, 177
Bastian, U., see Høg, E., et al. **258**, 201
Bastien, P., see Zinnecker, H., et al. **265**, 726
Basu, S., see Rana, N.C. **265**, 499
Batria, W., see Zylka, R., et al. **266**, 647 *(**96**, 525)*
Battaner, E., Florido, E., Sanchez-Saavedra, M.L.: Intergalactic magnetic fields and the periphery of spiral galaxies **253**, 89
Battinelli, P.: OB associations in four stellar fields of M 31 **258**, 269
Battinelli, P., Capuzzo-Dolcetta, R., Di Fazio, A., Urpin, V.A., Vereshchagin, S.V.: Evolution of a self-gravitating protocloud with turbulence **254**, 331
Baudrand, J., Böhm, T.: MUSICOS: a fiber-fed spectrograph for multi-site observations **259**, 711
Baudry, A., see Brouillet, N., et al. **262**, L5
Baudry, A., see Colomer, F., et al. **254**, L17
Baudry, A., see Lucas, R., et al. **262**, 491
Baum, E., Hamann, W.-R., Koesterke, L., Wessolowski, U.: A semi-empirical model for the X-ray emission from single Wolf-Rayet stars **266**, 402
Baxter, D., see Boksenberg, A., et al. **261**, 393
Baxter, D., see Paresce, F., et al. **262**, 617
Bec-Borsenberger, A.: Ephemerides of the 48 Hipparcos minor planets for the year 1992 **257**, 844 *(**93**, 11)*
Bec-Borsenberger, A.: Solar system objects observed by Hipparcos **258**, 94
Beck, H.K.B., Gail, H.-P., Henkel, R., Sedlmayr, E.: Chemistry in circumstellar shells. I. Chromospheric radiation fields and dust formation in optically thin shells of M-giants **265**, 626
Beck, R.: *Erratum:* Magnetic fields and interstellar gas clouds in the spiral galaxy NGC 6946 **258**, 605
Beck, R., see Elstner, D., et al. **264**, 723 *(**94**, 587)*
Beck, R., see Horellou, C., et al. **265**, 417
Beck, R., see Hummel, E., et al. **258**, 605
Becker, S.R., Butler, K.: Non-LTE line formation for iron group elements. I. Fe v **265**, 647
Beckman, J.E., see García López, R.J., et al. **262**, 195
Beckman, J.E., see Prieto, M., et al. **257**, 85
Beckman, J.E., see Prieto, M., et al. **260**, 559 *(**93**, 557)*
Beckmann, U., see Schulz, A., et al. **264**, 629
Bedini, P., see Gloeckler, G., et al. **255**, 499 *(**92**, 267)*
Bednarek, W.: The emission mechanism of neutral particles from discrete sources in the TeV–EeV energy range **264**, 331
Beech, M., Mitalas, R.: Mass–luminosity relation for Wolf–Rayet stars **262**, 483
Beek, T.J., see Balogh, A., et al. **255**, 498 *(**92**, 221)*
Belforte, P., see Kovalevsky, J., et al. **258**, 7
Bellin, A.D., see Elmegreen, D.M., et al. **257**, 17
Belloni, T., see Finley, J.P., et al. **262**, L25
Belloni, T., see Mereghetti, S., et al. **259**, 205
Belmonte, J.A., see Michel, E., et al. **255**, 139
Belmonte, J.A., see Vauclair, G., et al. **264**, 547
Belvedere, G.: Surface distribution of active regions as a probe of internal stellar rotation **261**, 475
Bely-Dubau, F., see Cornille, M., et al. **259**, 669
Benayoun, J.J., see Eidelsberg, M., et al. **265**, 839
Bender, R., see Möllenhoff, C., et al. **255**, 35
Bender, R., see Nieto, J.-L., et al. **257**, 97
Bender, R., Surma, P.: Mg_2 line-strength profiles of elliptical galaxies with kinematically decoupled cores **258**, 250
Bendlin, C., Volkmer, R., Kneer, F.: A new instrument for high resolution, two-dimensional solar spectroscopy **257**, 817
Benetti, S., see Rosino, L., et al. **257**, 603
Benevides-Soares, P., see Teixeira, R., et al. **264**, 307
Benevides-Soares, P., Teixeira, R.: On the relationship between conventional and overlap reduction techniques in positional astronomy **253**, 307
Bengtsson, G.J., Berzinsh, U., Larsson, J., Svanberg, S.: Determination of radiative lifetimes in neutral arsenic using time-resolved laser spectroscopy in the VUV region **263**, 440
Bennett, K., see Winkler, C., et al. **255**, L9
Bentolila, C., see Chmielewski, Y., et al. **263**, 219
Benvenuti, P., see Porceddu, I., et al. **257**, 745
Benvenuti, P., see Porceddu, I., et al. **260**, 391
Benz, A.O., Su, H., Magun, A., Stehling, W.: Millisecond microwave spikes at 8 GHz during solar flares **260**, 558 *(**93**, 539)*
Bercovitch, M., see Simpson, J.A., et al. **255**, 501 *(**92**, 365)*
Berdyugin, A., Breger, M., Poiosukhina, N.: A search for polarization variability in Babcock's star **255**, 149
Bergeal, L., see Arlot, J.E., et al. **255**, 497 *(**92**, 151)*
Bergeron, J., Cristiani, S., Shaver, P.A.: Discovery of $z \sim 1$ galaxies causing quasar absorption lines **257**, 417
Bergeron, J., see Cristiani, S., et al. **259**, 63
Bergeron, J., see Petitjean, P., et al. **265**, 375
Bergman, P., Aalto, S., Black, J.H., Rydbeck, G.: Deducing a molecular ring structure in the nucleus of NGC 4945 from CO line profiles **265**, 403
Berkhuijsen, E.M., see Horellou, C., et al. **265**, 417
Bernacca, P.L., see Høg, E., et al. **258**, 177
Bernacca, P.L., see Kovalevsky, J., et al. **258**, 7
Bernacca, P.L., see Perryman, M.A.C., et al. **258**, 1
Bernacca, P.L., see Pezzuto, S., et al. **257**, 523
Bernard, J.P., Boulanger, F., Desert, F.X., Puget, J.L.: Modelling of IR emission of interstellar clouds. I. Emission of isolated clouds and dust abundance variations **263**, 258
Bernard, J.P., see Giard, M., et al. **264**, 610
Bernardeau, F., Schaeffer, R.: Galaxy correlations, matter correlations and biasing **255**, 1
Bernlöhr, K.: Models and observations of starbursts. I. Methods of evolutionary models and the starburst in M 82 **263**, 54
Bernstein, H.H., see Kovalevsky, J., et al. **258**, 7
Berrington, K., see Aboudarham, J., et al. **262**, 302
Bertaux, J.L., see Quémerais, E., et al. **265**, 806
Berthet, S.: Which evolution for an Am star? **253**, 451
Berthier, G., see Parisel, O., et al. **266**, L1
Bertin, P., see Lallement, R. **266**, 479

Bertola, F., Galletta, G., Zeilinger, W.W.: The minor-axis dust-lane elliptical NGC 1947 **254**, 89
Bertotti, B., Ambrosini, R., Asmar, S.W., Brenkle, J.P., Comoretto, G., Giampieri, G., Iess, L., Messeri, A., Wahlquist, H.D.: The gravitational wave experiment **255**, 502 *(92, 431)*
Bertout, C., see Bouvier, J. **263**, 113
Bertout, C., see Cabrit, S. **261**, 274
Bertsch, D.L., see Schneid, E.J., et al. **255**, L13
Berzinsh, U., see Bengtsson, G.J., et al. **263**, 440
Betlem, H., see Jenniskens, P., et al. **255**, 373
Bettoni, D.: Dynamics of four E galaxies **266**, 643 *(96, 333)*
Bettonvil, F., see Jenniskens, P., et al. **255**, 373
Beuermann, K., see Woelk, U. **256**, 498
Beuermann, K., Stasiewski, U., Schwope, A.D.: Phase-resolved spectroscopy of the novalike cataclysmic variable RW Sextantis **256**, 433
Beuermann, K., Thorstensen, J.R., Schwope, A.D., Ringwald, F.A., Sahin, H.: A spectroscopic study of the cataclysmic variable WX Arietis = PG0244+103 **256**, 442
Beust, H., see Lagrange-Henri, A.M., et al. **264**, 637
Beyersdorfer, S., see Reimann, H.-G., et al. **265**, 360
Bhat, C.L., see Rannot, R.C., et al. **262**, L41
Bhat, P.N., see Acharya, B.S., et al. **258**, 412
Bhatt, H.C., Sagar, R.: Optical CCD imaging of some Herbig Ae/Be stars **256**, 323 *(93, 473)*
Bhatt, H.C., see Parthasarathy, M., et al. **266**, 202
Bhattacharya, D., see van den Heuvel, E.P.J., et al. **262**, 97
Bhattacharya, D., Wijers, R.A.M.J., Hartman, J.W., Verbunt, F.: On the decay of the magnetic fields of single radio pulsars **254**, 198
Bi, H.G., Börner, G., Chu, Y.: An alternative model for the Lyα absorption forest **266**, 1
Bianchi, L.: Kinematics of planetary nebulae: expansion velocities **260**, 314
Bianchi, L.: Mass loss from central stars of Planetary Nebulae. II. NGC 40 **253**, 447
Bianchini, A., Friedjung, M., Brinkmann, W.: New light on post-maximum oscillations of novae **257**, 599
Bianchini, A., see Della Valle, M., et al. **266**, 232
Bianchini, A., see Iijima, T., et al. **265**, L25
Bibo, E.A., Thé, P.S., Dawanas, D.N.: The evolutionary stage of the Herbig Ae/Be stars in the R Coronae Australis star-forming region **260**, 293
Bica, E., Jablonka, P., Santos Jr., J.F.C., Alloin, D., Dottori, H.: Super metal-rich clusters G 158 and G 177 in M 31: clues on the inner bulge/disc transition **260**, 109
Bica, E., see Alloin, D., et al. **266**, 117
Bica, E., see Barbuy, B., et al. **259**, 607
Bica, E., see Jablonka, P., et al. **260**, 97
Bica, E., see Ortolani, S., et al. **256**, 323 *(92, 441)*
Bida, T., see Johannesson, A., et al. **258**, 572
Biémont, E., Zeippen, C.J.: Electric dipole transitions in atomic oxygen and the lifetimes of the $2p^3(^4S^0)3s\,^5S^0$ and $^3S^0$ states **265**, 850
Bienaymé, O., Mohan, V., Crézé, M., Considère, S., Robin, A.C.: A magnitude, colour, and proper-motion probe of the Galaxy at an intermediate galactic latitude **253**, 389
Biermann, P.L., Chini, R., Haslam, C.G.T., Kreysa, E., Lemke, R., Sievers, A.: Evidence for heavy element clumps from the increasing 1300 μm emission from Supernova 987 A **255**, L5
Biermann, P.L., Schaaf, R., Pietsch, W., Schmutzler, T., Witzel, A., Kühr, H.: X-ray observations of flat spectrum radio sources with the HEAO-A, Einstein and EXOSAT observatories **266**, 643 *(96, 339)*
Biermann, P.L., see Mannheim, K. **253**, L21
Biermann, P.L., see Mannheim, K., et al. **260**, L1
Bignami, G.F., see Mereghetti, S., et al. **259**, 205
Bignami, G.F., see Mereghetti, S., et al. **263**, 172
Bildhauer, S., Buchert, T., Kasai, M.: Solutions in Newtonian cosmology: the pancake theory with cosmological constant **263**, 23
Bilkina, B.I., see Georgiev, T.B., et al. **266**, 637 *(95, 581)*
Bilkina, B.I., see Georgiev, T.B., et al. **266**, 648 *(96, 569)*
Billaud, G., see Vigouroux, G., et al. **266**, 646 *(96, 477)*
Billebaud, F., Maillard, J.P., Lellouch, E., Encrenaz, T.: The spectrum of Mars in the (1–0) vibrational band of CO **261**, 647
Biraud, F., see Sagdeyev, R.Z., et al. **254**, 387
Bird, M.K., Asmar, S.W., Brenkle, J.P., Edenhofer, P., Pätzold, M., Volland, H.: The coronal-sounding experiment **255**, 502 *(92, 425)*
Bird, M.K., see Pätzold, M., et al. **259**, L15
Black, J.H., see Bergman, P., et al. **265**, 403
Black, J.H., see Gredel, R., et al. **257**, 245
Black, J.H., see Levshakov, S.A., et al. **262**, 385
Blades, J.C., see Boksenberg, A., et al. **261**, 393
Blades, J.C., see Paresce, F., et al. **262**, 617
Blake, G.A., see van Dishoeck, E.F., et al. **261**, L13
Blake, J.B., see Keppler, E., et al. **255**, 500 *(92, 317)*
Blamont, J.E., see Sagdeyev, R.Z., et al. **254**, 387
Blanchard, A., see Oukbir, J. **262**, L21
Blanchard, A., see Treyer, M.A., et al. **264**, 11
Blanchard, A., Valls-Gabaud, D., Mamon, G.A.: The origin of the galaxy luminosity function and the thermal evolution of the intergalactic medium **264**, 365
Blanco, C., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Bleeker, J.A.M., see in 't Zand, J.J.M., et al. **266**, 283
Bloemen, H., see Winkler, C., et al. **255**, L9
Blondel, J., see Guilloteau, S., et al. **262**, 624
Blum, J., see Kozasa, T., et al. **263**, 423
Blum, J., see Mukai, T., et al. **262**, 315
Boche, R., see Vigouroux, G., et al. **266**, 646 *(96, 477)*
Bockelée-Morvan, D., Crovisier, J.: Formaldehyde in comets. II. Excitation of the rotational lines **264**, 282
Bockelée-Morvan, D., see Colom, P., et al. **264**, 270
Bockelée-Morvan, D., see Crovisier, J., et al. **253**, 286
Bodo, G., Curir, A.: Models of self-gravitating accretion disks **253**, 318
Bodo, G., Ferrari, A., Massaglia, S., Rossi, P., Shibata, K., Uchida, Y.: Non-linear evolution of synchrotron thermal instabilities **256**, 689
Bodo, G., see Massaglia, S., et al. **260**, 243
Boehm, C., see Hack, M., et al. **266**, 637 *(95, 589)*
Böhm, T., see Baudrand, J. **259**, 711
Böhringer, H., see Briel, U.G., et al. **259**, L31
Böhringer, H., see Schwarz, R.A., et al. **256**, L11
Boer, B., Schulz, H., Keel, W.C.: Extranuclear high-excitation gas in the starburst galaxy NGC 2782 **260**, 67
Boer, M., see Hurley, K., et al. **255**, 501 *(92, 401)*
Börner, G., see Bi, H.G., et al. **266**, 1
Börner, G., see Mo, H.J., et al. **256**, L23
Börner, G., see Mo, H.J., et al. **257**, 1
Börner, P., Kneer, F.: High resolution observations of the Evershed flow **259**, 307
Bohannan, B., see Vreux, J.-M., et al. **256**, 148

Boischot, A., see Sagdeyev, R.Z., et al. **254**, 387
Boissé, P., Boulade, O., Kunth, D., Tytler, D., Vigroux, L.: A survey of very low redshift Mg II absorption systems in quasar spectra **262**, 401
Boisson, C., see Rokaki, E., et al. **253**, 57
Boksenberg, A., Macchetto, F., Albrecht, R., Barbieri, C., Blades, J.C., Crane, P., Deharveng, J.M., Disney, M.J., Jakobsen, P., Kamperman, T.M., King, I.R., Mackay, C.D., Paresce, F., Weigelt, G., Baxter, D., Greenfield, P., Jedrzejewski, R., Nota, A., Sparks, W.B.: Faint object camera observations of M 87: the jet and nucleus **261**, 393
Boksenberg, A., see Paresce, F., et al. **262**, 617
Boller, T., Meurs, E.J.A., Adorf, H.-M.: Supervised selection of galaxy candidates from the IRAS PSC: the quality of the selection and the infrared properties of the galaxy candidates **259**, 101
Boller, T., Meurs, E.J.A., Brinkmann, W., Fink, H.H., Zimmermann, U., Adorf, H.-M.: ROSAT All Sky Survey observations of IRAS galaxies **261**, 57
Boloh, L., see Sagdeyev, R.Z., et al. **254**, 387
Bonatto, C., see Alloin, D., et al. **266**, 117
Bonazzola, S., see Salotti, L., et al. **253**, 145
Bonet, J.A., see Sobotka, M., et al. **257**, 757
Bonet, J.A., see Sobotka, M., et al. **260**, 437
Bonev, T., see Jockers, K., et al. **260**, 455
Boninsegna, R., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Bonnarel, F., see Amram, P., et al. **263**, 69
Bono, G., Castellani, V.: A theoretical investigation of population II red giant clumps **258**, 385
Bònoli, F., Delpino, F., Federici, L., Fusi Pecci, F., Longmore, A.J.: Near-infrared photometry of globular clusters in the outer halo of M 31. II. New TIRGO and UKIRT data **266**, 641 *(96, 163)*
Booth, R.S., see Bååth, L.B., et al. **257**, 31
Booth, R.S., see Colomer, F., et al. **254**, L17
Booth, R.S., see Krichbaum, T.P., et al. **260**, 33
Booth, R.S., see Nyman, L.-Å, et al. **257**, 845 *(93, 121)*
Booth, R.S., see Olberg, M., et al. **259**, 252
Bopp, B.W., see Strassmeier, K.G. **259**, 183
Boratyn, D.A., see Pigulski, A. **253**, 178
Borde, S., see Cayrel de Strobel, G., et al. **266**, 632 *(95, 273)*
Borg, H., see Formisano, V., et al. **256**, 723
Borisov, G.V.: Detection of a photometric periodicity of the nova-like variable MV Lyrae at "active state" **261**, 154
Borovička, J., see Jenniskens, P., et al. **255**, 373
Borovička, J., Ceplecha, Z.: Earth-grazing fireball of October 13, 1990 **257**, 323
Borovička, J., Hudec, R., Dědoch, A.: HDE 249119 and its possible relation to the 1979 Sep 29 γ-ray burst **258**, 379
Borriello, L., see Kovalevsky, J., et al. **258**, 7
Boselli, A., see Gavazzi, G., et al. **258**, 265
Boselli, A., see Scodeggio, M., et al. **264**, 719 *(94, 299)*
Bossi, M., see Guerrero, G., et al. **260**, 311
Bossi, M., see Mantegazza, L., et al. **256**, 459
Bottema, R.: The stellar velocity dispersion of the spiral galaxies NGC 1566 and NGC 2815 **257**, 69
Bottinelli, L., Durand, N., Fouqué, P., Garnier, R., Gouguenheim, L., Paturel, G., Teerikorpi, P.: Observational data for the kinematics of the local universe. I. Radial velocity measurements **257**, 846 *(93, 173)*
Bottinelli, L., see Garcia, A.M., et al. **266**, 645 *(96, 435)*
Bottinelli, L., see Teerikorpi, P., et al. **260**, 17
Bottinelli, L., see van Driel, W., et al. **259**, 71
Bouchet, F.R., see Colombi, S., et al. **263**, 1
Bouchet, L., see Jourdain, E., et al. **256**, L38
Bouchet, L., see Laurent, P., et al. **260**, 237
Bouchet, P., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Bouchet, P., see Courvoisier, T.J.-L., et al. **258**, 272
Bougeard, M.L.: Statistical analysis and separation of systematic errors in astrometric data **255**, 388
Bougeret, J.L., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Boughaleb, H., see Mennessier, M.O., et al. **258**, 99
Boulade, O., see Arnaud, M., et al. **254**, 49
Boulade, O., see Boissé, P., et al. **262**, 401
Boulanger, F., see Bernard, J.P., et al. **263**, 258
Boulanger, F., see Gry, C., et al. **266**, 457
Boulanger, F., see Viallefond, F., et al. **265**, 437
Boulanger, F., Viallefond, F.: Observational study of the spiral galaxy NGC 6946. I. H I and radio-continuum observations **266**, 37
Boulesteix, J., see Amram, P., et al. **263**, 69
Boulesteix, J., see Amram, P., et al. **266**, 106
Boulesteix, J., see Laval, A., et al. **253**, 213
Boulesteix, J., see Le Coarer, E., et al. **257**, 389
Bouman, J.M., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Bounatiro, L., Arimoto, N.: The initial mass function on the Coma Berenices open cluster (MEL 111) **260**, 112
Bourgeois, J., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Bourgois, G., see Crovisier, J., et al. **253**, 286
Bouvier, J., Appenzeller, I.: A magnitude-limited spectroscopic and photometric survey of ϱ Ophiuchus X-ray sources **256**, 324 *(92, 481)*
Bouvier, J., Bertout, C.: Accretion disks around T Tauri stars. III. A χ^2 analysis of disk parameters **263**, 113
Bouvier, J., Tessier, E., Cabrit, S.: Sub-arsecond images of the young star DD Tauri at optical and near-IR wavelengths **261**, 451
Bowell, E., see Kaasalainen, M., et al. **259**, 318
Boyer, R., see Sotirovski, P., et al. **262**, 597
Boyle, R.P., Dasgupta, A.K., Smriglio, F., Straižys, V., Nandy, K.: CCD photometry in the Vilnius photometric system. IV. Interstellar reddening in the direction of the globular cluster M 71 **266**, 629 *(95, 51)*
Boyle, R.P., see Smriglio, F., et al. **266**, 634 *(95, 417)*
Braine J., Combes, F.: A CO(1-0) and CO(2-1) survey of nearby spiral galaxies. II. Physical conditions in the nuclear gas **264**, 433
Braine, J., see Combes, F., et al. **259**, L65
Brand, J., see Wouterloot, J.G.A. **265**, 144
Brandenburg, A., Donner, K.J., Moss, D., Shukurov, A., Sokoloff, D.D., Tuominen, I.: Dynamos in discs and halos of galaxies **259**, 453
Brandenburg, A., Moss, D., Tuominen, I.: Stratification and thermodynamics in mean-field dynamos **265**, 328
Brandenburg, A., see Moss, D. **256**, 371
Brandenburg, A., see Moss, D., et al. **265**, 843
Brandt, S., Castro-Tirado, A.J., Lund, N., Dremin, V., Lapshov, I., Sunyaev, R.: Detection of a type-I X-ray burst from 4U 0614+09 **262**, L15
Brandt, S., Castro-Tirado, A.J., Lund, N., Dremin, V., Lapshov, I., Sunyaev, R.: Discovery and early X-ray lightcurve of the transient GRS 1124–68 (Nova Muscae 1991) **254**, L39
Braun, R., see Walterbos, R.A.M. **256**, 326 *(92, 625)*
Bravo, E., Isern, J., Canal, R., Labay, J.: On the contribution of ^{22}Ne to the synthesis of ^{54}Fe and ^{58}Ni in thermonuclear supernovae **257**, 534

Breger, M., see Berdyugin, A., et al. **255**, 149
Brenkle, J.P., see Bertotti, B., et al. **255**, 502 *(92, 431)*
Brenkle, J.P., see Bird, M.K., et al. **255**, 502 *(92, 425)*
Bretagnon, P., see Simon, J.L., et al. **265**, 308
Brett, J.M., see Plez, B., et al. **256**, 551
Breukers, R., see Ehrenfreund, P., et al. **260**, 431
Breysacher, J., see Westerlund, B.E., et al. **256**, 326 *(92, 683)*
Breysacher, J., see Westerlund, B.E., et al. **260**, L4
Briel, U.G., Henry, J.P., Böhringer, H.: Observation of the Coma cluster of galaxies with ROSAT during the All-Sky Survey **259**, L31
Briel, U.G., see Schwarz, R.A., et al. **256**, L11
Brieva, E., see Gieren, W.P. **253**, 126
Briggs, F., see Kamphuis, J. **253**, 335
Brigljević, V., see Solanki, S.K. **262**, L29
Brinkmann, W.: Non-equilibrium, non-LTE ionization in supernova remnants **254**, 460
Brinkmann, W., see Bianchini, A., et al. **257**, 599
Brinkmann, W., see Boller, T., et al. **261**, 57
Briot, D., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Brocato, E., Castellani, V.: Core overshooting and stellar evolution **258**, 397
Brocato, E., see Pasquini, L. **266**, 340
Broeils, A.H.: The mass distribution of the dwarf spiral NGC 1560 **256**, 19
Broglia, P., Manara, A.: A study of the polarimetric lightcurve of the asteroid 16 Psyche **257**, 770
Bromage, B.J.I., see Pearce, G., et al. **253**, 601
Bromage, G.E., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Brosch, N., see Augusteijn, T., et al. **265**, 177
Brosche, P., Denis-Karafistan, A.I., Sinachopoulos, D.: On the nature and kinematics of wide visual binaries **253**, 113
Brouillet, N., Henkel, C., Baudry, A.: Detection of an intergalactic molecular complex? **262**, L5
Brouillet, N., see Fuente, A., et al. **260**, 341
Brouw, W.N., see Kovalevsky, J., et al. **258**, 7
Brown, A., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Brown, A.G.A., see van Langevelde, H.J., et al. **261**, L17
Brown, D.N., see North, P., et al. **258**, 389
Brown, J.C., Fletcher, L.: Hα polarization of wind-heated optical bullets in SS 433 **259**, L43
Brown, J.C., see Thompson, A.M., et al. **265**, 278
Brown, J.C., Wood, K.: Derivation of episodic mass loss functions for hot stars from polarimetric and absorption line data **265**, 663
Brown, S.F., see Donati, J.-F., et al. **265**, 682
Bruch, A.: Flickering in cataclysmic variables: its properties and origins **266**, 237
Bruch, A., Meijer, J., Naumann, M., Schimpke, T., Ungruhe, R., Vogt, N.: An astrometric catalogue of southern and equatorial dwarf novae **260**, 557 *(93, 463)*
Bruch, A., Schimpke, T.: Spectroscopy of poorly known northern dwarf novae. Part II **260**, 556 *(93, 419)*
Bruch, A., see Schimpke, T. **266**, 225
Bruls, J.H.M.J., Rutten, R.J.: The formation of helioseismology lines. II. Modeling of alkali resonance lines with granulation **265**, 257
Bruls, J.H.M.J., Rutten, R.J., Shchukina, N.G.: The formation of helioseismology lines. I. NLTE effects in alkali spectra **265**, 237
Bruls, J.H.M.J., see Uitenbroek, H. **265**, 268
Bruma, C., see Cuperman, S., et al. **265**, 785
Brumberg, V.A.: Relativistic geocentric satellite equations of motion in closed form **257**, 777
Brunini, A.: On the ephemerides of Uranus **255**, 401
Brunini, A.: Would a collision on Uranus explain its systematic residuals? **264**, 292
Brunswig, W., see Steppe, H., et al. **266**, 646 *(96, 441)*
Buat, V.: Global recent star formation in normal galaxies from a multiwavelength study. Comparison with their gas content **264**, 444
Bucciarelli, B., see Kovalevsky, J., et al. **258**, 7
Buchert, T., see Bildhauer, S., et al. **263**, 23
Buchler, J.R., see Kovács, G., et al. **259**, L46
Budzinski, E.E., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Bues, I., see Cristiani, S., et al. **259**, 63
Buil, C., see Colas, F. **262**, L13
Bujarrabal, V., Alcolea, J., Planesas, P.: The molecular emission of young preplanetary nebulae **257**, 701
Bujarrabal, V., see Alcolea, J. **253**, 333
Bujarrabal, V., see Alcolea, J. **253**, 475
Bujarrabal, V., see Lucas, R., et al. **262**, 491
Bulder, H., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Buonanno, R., see Buzzoni, A., et al. **254**, 110
Buontempo, M.E., see Lagerkvist, C.-I., et al. **262**, 383 *(94, 43)*
Buontempo, M.E., see Morrison, L.V., et al. **262**, 347
Burchi, R., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Burchi, R., see Dotto, E., et al. **266**, 630 *(95, 195)*
Burda, P., Feitzinger, J.V.: Galaxy classification using pattern recognition methods **261**, 697
Burdyuzha, V.V., Kauts, V.L., Yudin, N.P.: The possibility of observation of the Lα-line of positronium (e^+e^-) from astronomical objects **255**, 459
Burg, R., Giacconi, R., Huchra, J., MacKenty, J., McLean, B., Geller, M., Hasinger, G., Marzke, R., Schmidt, M., Trümper, J.: Discovery of intermediate redshift galaxy clusters in the ROSAT NEP field **259**, L9
Burgarella, D., see Laget, M., et al. **259**, 510
Burgarella, D., Vogel, M., Paresce, F.: R Aquarii: an attempt at a unified model **262**, 83
Burgess, A., Tully, J.A.: On the analysis of collision strengths and rate coefficients **254**, 436
Burke, B.F., see Krichbaum, T.P., et al. **260**, 33
Burkert, A., see Theis, C., et al. **265**, 465
Burkhart, C., see Coupry, M.F. **266**, 628 *(95, 41)*
Burki, G., Kvíz, Z., North, P.: A photometric survey of the eclipsing RS CVn-type system RZ Eridani: starspot variability, circumstellar matter, tidal evolution **256**, 463
Burki, G., see Meurs, E.J.A., et al. **265**, L41
Burnage, R., see Duflot, M., et al. **264**, 721 *(94, 479)*
Burnage, R., see Fehrenbach, C., et al. **266**, 637 *(95, 541)*
Burnet, M., see Jasniewicz, G., et al. **261**, 314
Burrows, J.R., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Bursov, N.N., see Parijskij, Y.N., et al. **266**, 649 *(96, 583)*
Burton, W.B., Liszt, H.S.: The gas distribution in the central region of the Galaxy. V. ^{12}CO in the direction of the Sagittarius source complex **266**, 628 *(95, 9)*
Busarello, G., Longo, G., Feoli, A.: The role played by rotation and random motions in elliptical galaxies **262**, 52
Buser, R., Kurucz, R.L.: A library of theoretical stellar flux spectra. I. Synthetic *UBVRI* photometry and the metallicity scale for F- to K-type stars **264**, 557
Buser, R., see Malagnini, M.L., et al. **261**, 558
Buson, L., see Cristiani, S., et al. **259**, 63

Buson, L.M., see Munari, U. **255**, 158
Bußhoff, J., see Wünsch, J. **266**, 588
Butcher, H.R., see Mighell, K.J. **255**, 26
Butcher, H.R., see Morell, O., et al. **259**, 543
Butcher, H.R., see Pottasch, E.M., et al. **264**, 138
Butler, C.J., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Butler, K., see Becker, S.R. **265**, 647
Butler, K., see Herrero, A., et al. **261**, 209
Butler, K., see Mazzali, P.A., et al. **258**, 399
Buzaši, J., Klocok, Ľ., Rybanský, M.: The white-light coronograph for KORONAS-I **257**, L7
Buzzoni, A., Cacciari, C., Fusi Pecci, F., Buonanno, R., Corsi, C.E.: IUE observations of UV-bright stars in M3 **254**, 110
Byrne, P.B., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Cabrit, S., Bertout, C.: CO line formation in bipolar flows. III. The energetics of molecular flows and ionized winds **261**, 274
Cabrit, S., see Bouvier, J., et al. **261**, 451
Cacciari, C., see Buzzoni, A., et al. **254**, 110
Caes, M., see Rigaut, F., et al. **259**, L57
Cahn, J.H., Kaler, J.B., Stanghellini, L.: A catalogue of absolute fluxes and distances of planetary nebulae **264**, 721 *(94, 399)*
Cain, J.C., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Calamai, G., see Richichi, A., et al. **265**, 535
Caldwell, J., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Callaway, J., see Aboudarham, J., et al. **262**, 302
Camenzind, M., Krockenberger, M.: The lighthouse effect of relativistic jets in blazars. A geometric origin of intraday variability **255**, 59
Camenzind, M., see Appl, S. **256**, 354
Camenzind, M., see Khanna, R. **263**, 401
Campeanu, A., Schlickeiser, R.: Alfvén wave transmission and stochastic particle acceleration at parallel astrophysical shock waves **263**, 413
Canal, R., see Bravo, E., et al. **257**, 534
Cananzi, K.: Massive star population in M 31 OB associations **259**, 17
Cano, J.A., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Canu, P., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Canuto, E., see Donati, F., et al. **258**, 41
Canuto, E., see Kovalevsky, J., et al. **258**, 7
Capaccioli, M., see Zaggia, S.R., et al. **258**, 302
Capaccioli, M., see Zaggia, S.R., et al. **265**, 43
Caparrós, R., see Muiños, J.L., et al. **266**, 632 *(95, 269)*
Capelato, H.V., see Proust, D., et al. **258**, 243
Caplan, J., see Armand, C., et al. **265**, 504
Caplan, J., see Deharveng, L. **259**, 480
Caplan, J., see Deharveng, L., et al. **264**, 720 *(94, 359)*
Caplan, J., see Deharveng, L., et al. **266**, 000 *(95, 601)*
Cappa de Nicolau, C., see Dubner, G., et al. **266**, 647 *(96, 505)*
Cappellaro, E., see Cristiani, S., et al. **259**, 63
Cappi, A., Maurogordato, S.: The spatial distribution of nearby galaxy clusters in the northern and southern galactic hemispheres **259**, 423
Capuzzo-Dolcetta, R., see Battinelli, P., et al. **254**, 331
Caraveo, P., see Mereghetti, S., et al. **259**, 205
Caraveo, P., see Mereghetti, S., et al. **263**, 172
Carballo, R., Eiroa, C.: A Herbig-Haro flow associated with the T Tauri star Bretz 4 in GGD 17 **262**, 295
Carballo, R., Wesselius, P.R., Whittet, D.C.B.: Identification of IRAS point sources in Scorpio-Centaurus-Lupus **262**, 106
Carbone, V., Veltri, P.: Relaxation processes in magnetohydrodynamics: a triad-interaction model **259**, 359
Carbonell, M., Ballester, J.L.: The periodic behaviour of solar activity: the near 155-day periodicity in sunspot areas **255**, 350
Carbonell, M., Oliver, R., Ballester, J.L.: Power spectra of gapped time series: a comparison of several methods **264**, 350
Cardini, D., Poulsen, J.M., Costa, E., Dal Fiume, D., Emanuele, A., Frontera, F., Basili, A., Franceschini, T., Frutti, M., Landini, G., Silvestri, S.: A Fourier-Bessel telescope for hard X-ray astronomy **257**, 824
Cardini, D., see Kovalevsky, J., et al. **258**, 7
Cardini, D., see Mignard, F., et al. **258**, 165
Carlsson, M., Rutten, R.J.: Solar hydrogen lines in the infrared **259**, L53
Carlsson, M., Rutten, R.J., Shchukina, N.G.: The formation of the Mg I emission features near 12 μm **253**, 567
Carlsson, M., see Jørgensen, U.G., et al. **254**, 258
Carlström, U., see Nyman, L.-Å, et al. **257**, 845 *(93, 121)*
Carlström, U., see Olofsson, H., et al. **253**, L17
Carlstrom, J.E., see Bååth, L.B., et al. **257**, 31
Carquillat, J.-M., see Duquennoy, A., et al. **254**, L13
Carramiñana, A.: Pair absorption of TeV γ-rays in accreting binaries **264**, 127
Carrasco, G., Loyola, P.: Santiago Fundamental Catalogue. A catalogue of 1105 FK5 stars (equinox J2000.0) **266**, 633 *(95, 355)*
Carruthers, G.R., see McCoy, R.P., et al. **258**, 555
Carvalho, J.C.: Dynamo effect at high order approximation **261**, 348
Carvell, R., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Casali, M.M., see Eiroa, C. **262**, 468
Casoli, F., Dupraz, C., Combes, F.: A molecular line survey of the merger NGC 3256 **264**, 49
Casoli, F., Dupraz, C., Combes, F.: The case of missing ^{13}CO in mergers **264**, 55
Casoli, F., see Combes, F., et al. **259**, L65
Cassatella, A., Fernández-Castro, T., González-Riestra, R., Fuensalida, J.J.: The active phase of the symbiotic star BF Cygni **258**, 368
Cassatella, A., Gonzalez-Riestra, R., Imhoff, C., Oliversen, N., Lloyd, C.: Photometric calibration of the International Ultraviolet Explorer (IUE) at low resolution: the LWP camera **256**, 309
Cassé, M., see Elbaz, D., et al. **265**, L29
Cassinelli, J.P., see Finley, J.P., et al. **262**, L25
Castañeda, H.O., Vilchez, J.M., Copetti, M.V.F.: Density studies on giant extragalactic H II regions **260**, 370
Castellani, V., see Bono, G. **258**, 385
Castellani, V., see Brocato, E. **258**, 397
Castelli, F., see Singh, J. **253**, 431
Castro-Tirado, A.J., see Brandt, S., et al. **254**, L39
Castro-Tirado, A.J., see Brandt, S., et al. **262**, L15
Castro, S., see Barbuy, B., et al. **259**, 607
Catala, C., see Lanz, T. **257**, 663
Catalano, F.A., Kroll, R., Leone, F.: The near-infrared variation of the magnetic star HD 125248 **263**, 203
Catalano, S., see Marilli, E., et al. **265**, 643
Catelan, M.: The reconciliation of the several calibrations of the horizontal-branch absolute magnitude as a function of metallicity: a progress report **261**, 443
Catelan, M.: The Sandage effect revisited **261**, 457

Catelan, M., de Freitas Pacheco, J.A.: A new age–metallicity relation for Galactic globular clusters in the α-enhanced scenario: cosmological implications **258**, L5
Cattaneo, M.B., see Formisano, V., et al. **256**, 723
Caux, E., see Mauron, N. **265**, 711
Cavallini, F., Ceppatelli, G., Righini, A.: About spectroscopic measurements of the solar meridional motion **254**, 381
Cayatte, V., see Amram, P., et al. **262**, 384 *(94, 175)*
Cayetano, J.M., see Muiños, J.L., et al. **266**, 632 *(95, 269)*
Cayrel de Strobel, G., Hauck, B., François, P., Thévenin, F., Friel, E., Mermilliod, M., Borde, S.: A catalogue of [Fe/H] determinations: 1991 edition **266**, 632 *(95, 273)*
Cayrel de Strobel, G., see Chmielewski, Y., et al. **263**, 219
Cellino, A., see Barucci, M.A., et al. **266**, 385
Cellino, A., see Farinella, P., et al. **253**, 604
Cellino, A., see Farinella, P., et al. **257**, 329
Cepa, J., see Prieto, M., et al. **257**, 85
Cepa, J., see Prieto, M., et al. **260**, 559 *(93, 557)*
Ceplecha, Z.: Influx of interplanetary bodies onto Earth **263**, 361
Ceplecha, Z., see Borovička, J. **257**, 323
Ceppatelli, G., see Cavallini, F., et al. **254**, 381
Cernicharo, J., Bachiller, R., Duvert, G., González-Alfonso, E., Gómez-González, J.: The physical structure of the small and isolated cometary globule Orion-I-2 **261**, 589
Cernicharo, J., see Fuente, A., et al. **260**, 341
Cernicharo, J., see García-Burillo, S., et al. **266**, 21
Cernicharo, J., see Guilloteau, S., et al. **262**, 624
Cernicharo, J., see Kahane, C., et al. **256**, 235
Cernicharo, J., see Lucas, R., et al. **262**, 491
Cernicharo, J., see Neri, R., et al. **262**, 544
Cerruti-Sola, M., Cheng, C.-C., Pallavicini, R.: Mg II absolute line profiles for late-type stars and for spatially-resolved solar regions **256**, 185
Cesaroni, R., see Henning, T., et al. **260**, 558 *(93, 525)*
Cesaroni, R., Walmsley, C.M., Churchwell, E.: Hot ammonia toward ultracompact H II regions **256**, 618
Chaboyer, B., Zahn, J.-P.: Effect of horizontal turbulent diffusion on transport by meridional circulation **253**, 173
Chaffee, F.H., see Levshakov, S.A., et al. **262**, 385
Chakrabarti, S.K., Krishna Swamy, K.S.: Is there a comet cloud around PSR 1257+12? **263**, L1
Chamaraux, P., see Fouqué, P., et al. **259**, 722 *(93, 211)*
Chamaraux, P., see Gourgoulhon, E., et al. **255**, 69
Chambers, J.E., see Bailey, M.E., et al. **257**, 315
Chandra, S., Tarafdar, S.P.: Energy loss rates for water in molecular clouds **253**, 537
Chang, E.S., Avrett, E.H., Loeser, R.: *Erratum:* **(RN)** Electron collisional rates for atomic hydrogen, revisited **256**, 724
Chanmugam, G., see Väth, H.M. **260**, 250
Chapellier, E., Valtier, J.C.: Pulsation and binarity in β Cephei Stars. I. σ Scorpii **257**, 587
Charbonneau, P.: Numerical experiments on the effects of horizontal turbulent diffusion on transport by meridional circulation **259**, 134
Charbonnel, C., Vauclair, S.: New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars and subgiants **265**, 55
Charbonnel, C., Vauclair, S., Zahn, J.-P.: Rotation-induced mixing and lithium depletion in galactic clusters **255**, 191
Chareton, M., see Turon, C., et al. **258**, 74
Chaudret, B., see Serra, G., et al. **260**, 489
Chauvet, F., see Le Campion, J.F., et al. **266**, 568
Chauville, J., see Sareyan, J.P., et al. **257**, 567
Chauvineau, B., see Vigouroux, G., et al. **266**, 646 *(96, 477)*
Chavarría-K, C., see Covino, E., et al. **264**, 719 *(94, 273)*
Chavarría-K, C., see Franchini, M., et al. **256**, 525
Chavarría-K, C., see Márquez-Limón, A., et al. **266**, 633 *(95, 391)*
Chavez, J.C., see Bame, S.J., et al. **255**, 498 *(92, 237)*
Chen, Q.L., see Xiong, D.R. **254**, 362
Cheng, C.-C., see Cerruti-Sola, M., et al. **256**, 185
Cheng, J.: An integral on the shape of isolated magnetic loops **259**, 296
Cheng, J.: Equations for the motion of an isolated thin magnetic flux tube **264**, 243
Cheng, Q.,-Q.: Fluid motions in the solar atmosphere. I. On the origin and decay of spicules **266**, 537
Cheng, Q.,-Q.: Fluid motions in the solar atmosphere. II. A spicule model with emission lines **266**, 549
Chepurnov, A.V., see Parijskij, Y.N., et al. **266**, 649 *(96, 583)*
Chevreton, M., see Michel, E., et al. **255**, 139
Chevreton, M., see Vauclair, G., et al. **264**, 547
Chini, R., Krügel, E., Kreysa, E.: Star formation efficiency in active galaxies **266**, 177
Chini, R., Krügel, E., Steppe, H.: Carbon monoxide in active galaxies **255**, 87
Chini, R., Krügel, E., Wargau, W.F.: A cluster of infrared sources towards M 16 **265**, 45
Chini, R., see Biermann, P.L., et al. **255**, L5
Chini, R., see Henning, T., et al. **263**, 285
Chiu, H.-Y., Paternò, L.: The maintenance of the Sun's differential rotation and its temporal variations **260**, 441
Chiuderi-Drago, F., see Massi, M. **253**, 403
Chiumiento, G., see Pannunzio, R., et al. **266**, 640 *(96, 143)*
Chmielewski, Y., Friel, E., Cayrel de Strobel, G., Bentolila, C.: The 1992 detailed analyses of α Centauri A and α Centauri B **263**, 219
Chollet, F., Najid, N.-E.: A quasi-global reduction method for astrolabe observations (Text in French) **262**, 341
Choudhuri, A.R.: Stochastic fluctuations of the solar dynamo **253**, 277
Christensen-Dalsgaard, J., Gough, D.O., Thompson, M.J.: On the rate of destruction of lithium in late-type main-sequence stars **264**, 518
Chu, Y., see Bi, H.G., et al. **266**, 1
Chulkov, I., see Jourdain, E., et al. **256**, L38
Chulkov, I., see Laurent, P., et al. **260**, 237
Chulkov, I., see Salotti, L., et al. **253**, 145
Chupp, E.L., see Hulot, E., et al. **256**, 273
Churazov, E., see Jourdain, E., et al. **256**, L38
Churazov, E., see Laurent, P., et al. **260**, 237
Churazov, E., see Lebrun, F., et al. **264**, 22
Churazov, E., see Salotti, L., et al. **253**, 145
Churchwell, E., see Cesaroni, R., et al. **256**, 618
Churchwell, E., Walmsley, C.M., Wood, D.O.S.: Hot, dense, molecular gas associated with ultracompact H II regions **253**, 541
Ciarlo, A., see Heck, A., et al. **266**, 648 *(96, 565)*
Cieslinski, D., see Jablonski, F.J. **259**, 198
Civelek, R., see Kiziloğlu, N. **260**, 255
Claret, A., Giménez, A.: Evolutionary stellar models using Rogers & Iglesias opacities, with particular attention to internal structure constants **266**, 642 *(96, 255)*

Claret, A., Giménez, A.: The effect of irradiation in Algol-type binaries: metallicity and position in the HR diagram **256**, 572
Claria, J.J., Mermilliod, J.-C.: Membership, binarity and metallicity of red giants in the open cluster NGC 6134 **266**, 635 *(95, 429)*
Clark, F.O., see Prusti, T., et al. **259**, 537
Clark, T.A., see Marcaide, J.M., et al. **258**, 295
Clavel, J., see Jackson, N., et al. **262**, 17
Clay, R.W., Meyhandan, R., Horton, L., Ulrichs, J., Winn, M.M.: Neutral particle emission from the X-ray binary 2A 1822–37 at energies above 10^{17} eV **255**, 167
Clegg, R.E.S., see Esteban, C., et al. **259**, 629
Clement, R., see Fabregat, J., et al. **259**, 522
Cline, D.B., Gao, Y.T.: Cosmological γ-rays from the decay of fourth family neutrinos: possibility and constraints **256**, 351
Cline, T., see Hurley, K., et al. **255**, 501 *(92, 401)*
Clocchiatti, A., see Maronna, R., et al. **260**, 525
Coates, A., see Formisano, V., et al. **256**, 723
Cocke, W.J., see Gordon, M.A., et al. **264**, 337
Coddens, G., see Sourisseau, C., et al. **254**, L1
Coe, M.J., see Fabregat, J., et al. **259**, 522
Cohen, M.H., see Sagdeyev, R.Z., et al. **254**, 387
Colas, F.: Astrometric observations of Phobos and Deimos during the 1988 opposition of Mars **266**, 646 *(96, 485)*
Colas, F., Buil, C.: First Earth-based observations of Neptune's satellite Proteus **262**, L13
Colas, F., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Colavita, M.M., see Quirrenbach, A., et al. **259**, L19
Colavita, M.M., see Shao, M. **262**, 353
Colin, J., see Le Campion, J.-F., et al. **266**, 568
Colin, J., see Le Campion, J.-F., et al. **266**, 631 *(95, 233)*
Collados, M., see Rodríguez Hidalgo, I., et al. **254**, 371
Collados, M., see Rodríguez Hidalgo, I., et al. **264**, 661
Collier Cameron, A., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Collin-Souffrin, S., see Rokaki, E., et al. **253**, 57
Collmar, W., see Winkler, C., et al. **255**, L9
Colom, P., Crovisier, J., Bockelée-Morvan, D., Despois, D., Paubert, G.: Formaldehyde in comets. I. Microwave observations of P/Brorsen-Metcalf (1989 X), Austin (1990 V) and Levy (1990 XX) **264**, 270
Colombi, S., Bouchet, F.R., Schaeffer, R.: Multifractal analysis of a cold dark matter universe **263**, 1
Colomer, F., Graham, D.A., Krichbaum, T.P., Rönnäng, B.O., de Vicente, P., Witzel, A., Barcia, A., Baudry, A., Booth, R.S., Gómez-González, J., Alcolea, J., Daigne, G.: Detection of compact SiO maser emission at 43 GHz using a European very long baseline interferometer **254**, L17
Combes, F., Braine, J., Casoli, F., Gerin, M., van Driel, W.: Molecular clouds in a polar ring **259**, L65
Combes, F., Gerin, M., Nakai, N., Kawabe, R., Shaw, M.A.: Decreasing diameter of a molecular ring **259**, L27
Combes, F., see Braine J. **264**, 433
Combes, F., see Casoli, F., et al. **264**, 49
Combes, F., see Casoli, F., et al. **264**, 55
Combes, F., see Elmegreen, B.G. **259**, 232
Combes, F., see Elmegreen, D.M., et al. **257**, 17
Combes, F., see Gerin, M., et al. **253**, L29
Combes, F., see Gerin, M., et al. **259**, L35
Combes, F., see Prugniel, P. **259**, 25
Combes, F., see Wootten, A., et al. **257**, 740
Comerón, F., Torra, J.: The oblique impact of a high velocity cloud on the galactic disk **261**, 94
Comoretto, G., see Bertotti, B., et al. **255**, 502 *(92, 431)*
Connell, J.J., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Connors, A., see Winkler, C., et al. **255**, L9
Considère, S., see Bienaymé, O., et al. **253**, 389
Conti, P., see Vreux, J.-M., et al. **256**, 148
Contopoulos, G., Kaufmann, D.: Types of escapes in a simple Hamiltonian system **253**, 379
Copetti, M.V.F., see Castañeda, H.O., et al. **260**, 370
Cordier, B., see Salotti, L., et al. **253**, 145
Cordis, L., see Hagen, H.-J., et al. **253**, L5
Corey, B.E., see Marcaide, J.M., et al. **258**, 295
Cornille, M., Dubau, J., Loulergue, M., Bely-Dubau, F., Faucher, P.: Theoretical analysis of the Fe XVIII X-ray spectrum and application to solar coronal observations **259**, 669
Cornilleau-Wehrlin, N., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Cornwell, T.J., Perley, R.A.: Radio-interferometric imaging of very large fields. The problem of non-coplanar arrays **261**, 353
Cornwell, T.J., Uson, J.M., Haddad, N.: Radio-interferometric imaging of spectral lines. The problem of continuum subtraction **258**, 583
Corradi, R.L.M., see Schwarz, H.E. **265**, L37
Corradi, R.L.M., see Schwarz, H.E., et al. **266**, 639 *(96, 23)*
Corsi, C.E., see Buzzoni, A., et al. **254**, 110
Costa, E., Loyola, P.: Optical astrometry of Benchmark radio sources. I **266**, 641 *(96, 183)*
Costa, E., see Cardini, D., et al. **257**, 824
Costa, R.D.D., see de Freitas Pacheco, J.A. **257**, 619
Costa, R.D.D., see de Freitas Pacheco, J.A., et al. **261**, 579
Costa, R.D.D., see de Freitas Pacheco, J.A., et al. **266**, 360
Coté, J., see Meurs, E.J.A., et al. **265**, L41
Cotin, F., see Hurley, K., et al. **255**, 501 *(92, 401)*
Coupinot, G., Hecquet, J., Aurière, M., Futaully, R.: Photometric analysis of astronomical images by the wavelet transform **259**, 701
Coupinot, G., see Aurière, M., et al. **256**, 95
Coupry, M.F., Burkhart, C.: The A and Am-Fm stars. II. Equivalent widths for the Li region, microturbulence, and comments on curious-looking line profiles **266**, 628 *(95, 41)*
Courvoisier, T.J.-L., Bouchet, P., Robson, E.I.: Near-infrared emission of the bright quasar IR 0914–62 **258**, 272
Courvoisier, T.J.-L., see Walter, R. **258**, 255
Courvoisier, T.J.-L., see Walter, R. **266**, 57
Courvoisier, T.J.-L., see Walter, R. **266**, 65
Couteau, P., see Ling, J. **266**, 635 *(95, 423)*
Covino, E., see Franchini, M., et al. **256**, 525
Covino, E., Terranegra, L., Franchini, M., Chavarría-K, C., Stalio, R.: $UBV(RI)_c$ photometric monitoring of Orion population stars in the southern hemisphere **264**, 719 *(94, 273)*
Cowley, C.R., see Mathys, G. **253**, 199
Cox, A., see Zavagno, A., et al. **259**, 241
Cox, P., Omont, A., Huggins, P.J., Bachiller, R., Forveille, T.: Chemistry in the molecular envelopes of the planetary nebulae NGC 6072 and IC 4406 **266**, 420
Cox, P., see Bachiller, R., et al. **256**, 231
Cox, P., see Viallefond, F., et al. **265**, 437
Craig, I.J.D., see Thompson, A.M. **262**, 359
Craig, I.J.D., see Thompson, A.M., et al. **265**, 278
Crane, P., see Boksenberg, A., et al. **261**, 393
Crane, P., see Paresce, F., et al. **262**, 617
Cremonese, G., see Fulle, M., et al. **253**, 615

Cremonese, G., Thomas, N., Barbieri, C., Pernechele, C.: High resolution spectra of Io's neutral sodium cloud **256**, 286
Crézé, M., see Bienaymé, O., et al. **253**, 389
Crézé, M., see Perryman, M.A.C., et al. **258**, 1
Crézé, M., see Robin, A.C., et al. **265**, 32
Crézé, M., see Turon, C., et al. **258**, 74
Crifo, F., Gómez, A., Arenou, F., Morin, D., Schrijver, H.: Reliability of the Hipparcos Input Catalogue tested by the ' First look' **258**, 116
Crifo, F., see Turon, C., et al. **258**, 74
Cristiani, S., Cappellaro, E., Turatto, M., Bergeron, J., Bues, I., Buson, L., Danziger, J., Di Serego-Alighieri, S., Duerbeck, H.W., Heydari-Malayeri, M., Krautter, J., Schmutz, W., Schulte-Ladbeck, R.E.: The SN 1986 G in Centaurus A **259**, 63
Cristiani, S., see Bergeron, J., et al. **257**, 417
Crivellari, L., see García López, R.J., et al. **262**, 195
Crovisier, J., Bockelée-Morvan, D., Bourgois, G., Gérard, E.: Observation of the OH radio lines in comet Okazaki-Levy-Rudenko 1989 XIX during the occultation of a point radio source **253**, 286
Crovisier, J., see Bockelée-Morvan, D. **264**, 282
Crovisier, J., see Colom, P., et al. **264**, 270
Crowe, R., see Mathias, P., et al. **257**, 681
Cruise, A.M., see Lindegren, L., et al. **258**, 18
Cuby, J.G., see Rigaut, F., et al. **259**, L57
Cuisinier, F., see Acker, A., et al. **264**, 217
Cuperman, S., Detman, T.R., Bruma, C., Dryer, M.: Towards a consistent treatment of thermally conductive magnetohydrodynamic flows in helmet-streamer coronal structures **265**, 785
Cuperman, S., Li, J., Semel, M.: Magnetic shear-based removal of the 180° ambiguity in the observed transverse photospheric magnetic field: feasibility and limitations **265**, 296
Cuperman, S., see Démoulin, P., et al. **263**, 351
Curir, A., see Bodo, G. **253**, 318
Cutispoto, G.: Long-term monitoring of active stars. II. *UBV* $(RI)_c$ observations at ESO during January-March 1989 **266**, 634 *(95, 397)*
Cutispoto, G., Pagano, I., Rodonò, M.: A long-duration optical flare on the FK Comae-type star HD 32918 (= YY Mensae) **263**, L3
Cutispoto, G., see Lagerkvist, C.-I., et al. **266**, 636 *(95, 461)*
Cutispoto, G., see Rodonó, M. **266**, 629 *(95, 55)*
Cuypers, J., see Balona, L.A., et al. **256**, 324 *(92, 553)*
Cvetković, Z.: A preliminary compilation of DS-programme star positions **266**, 641 *(96, 191)*
Cvetković, Z., see Sadžakov, S., et al. **256**, 325 *(92, 605)*
da Souza, R., see Proust, D., et al. **258**, 243
Dachs, J., Hummel, W., Hanuschik, R.W.: A study of high-resolution emission-line profiles for Be stars **266**, 635 *(95, 437)*
Dachs, J., see Hummel, W. **262**, L17
Dačić, M., see Sadžakov, S., et al. **256**, 325 *(92, 605)*
Dadonas, V., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Dahlem, M.: NGC 1792: surprising radio properties **264**, 483
Dahlem, M., see García-Burillo, S., et al. **266**, 21
Dahlem, M., see Hummel, E., et al. **258**, 605
Daigne, G., see Colomer, F., et al. **254**, L17
Dal Fiume, D., see Cardini, D., et al. **257**, 824
D'Ambrosio, V., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
D'Ambrosio, V., see Rosino, L., et al. **257**, 603
Damgaard, P.H., Hjorth, P.G., Thejll, P.A.: A note on positivity of equilibrium populations in radiative transfer theory **254**, 422
Damineli Neto, A., see de Freitas Pacheco, J.A., et al. **266**, 360
Damineli Neto, A., see Lopes, D.F., et al. **261**, 482
D'Antona, F., Mazzitelli, I., Gratton, R.G.: Tests of the CM model for turbulent convection. I. Application to M 67 **257**, 539
Danziger, J., see Cristiani, S., et al. **259**, 63
Darvann, T.A., see Koutchmy, S., et al. **266**, 641 *(96, 169)*
Dasgupta, A.K., see Boyle, R.P., et al. **266**, 629 *(95, 51)*
Dasgupta, A.K., see Smriglio, F., et al. **266**, 634 *(95, 417)*
David, P., Papoular, R.: The circumstellar silicate dust as seen by IRAS. II. Evolution of circumstellar envelopes **265**, 195
David, P., see Le Squeren, A.M., et al. **254**, 133
Davidson, M.D., Snoek, L.C., Volten, H., Dönszelmann, A.: Oscillator strengths and branching ratios of transitions between low-lying levels in the barium II spectrum **255**, 457
Davies, J.K., see Shenton, M., et al. **262**, 138
Davis, D.R., see Farinella, P., et al. **253**, 604
Davis, D.R., see Farinella, P., et al. **257**, 329
Davoust, E., see Poulain, P., et al. **266**, 630 *(95, 129)*
Dawanas, D.N., see Bibo, E.A., et al. **260**, 293
Day, C.S.R., see Haberl, F. **263**, 241
De Boeck, I., Van Hoolst, T., Smeyers, P.: The subseismic approximation for low-frequency modes of the Earth applied to low-degree, low-frequency g-modes of non-rotating stars **259**, 167
de Boer, C.R., Kneer, F.: Speckle observations of abnormal solar granulation **264**, L24
de Boer, C.R., Kneer, F., Nesis, A.: Speckle observations of solar granulation **257**, L4
de Boer, K.S., see Grebel, E.K., et al. **254**, L5
de Boer, K.S., see Lilienthal, D., et al. **255**, 323
de Bruyn, A.G., see Jackson, N., et al. **262**, 17
de Bruyn, A.G., see Wieringa, M.H., et al. **256**, 331
De Campos, A., see Lagerkvist, C.-I., et al. **266**, 636 *(95, 461)*
de Conchy, Y., see Stone, R.G., et al. **255**, 499 *(92, 291)*
de Diego, J.-A., see Sillanpää, A., et al. **254**, L33
de Diego, J.A., see Kidger, M., et al. **254**, 65
de Diego, J.A., see Kidger, M., et al. **260**, 556 *(93, 391)*
de Diego, J.A., see Takalo, L.O., et al. **261**, 415
de Diego, J.A., see Takalo, L.O., et al. **262**, 382 *(94, 37)*
de Freitas Pacheco, J.A., Costa, R.D.D.: Chemical abundances in symbiotic nebulae **257**, 619
de Freitas Pacheco, J.A., Damineli Neto, A., Costa, R.D.D., Viotti, R.: The AG Carinae nebula revisited **266**, 360
de Freitas Pacheco, J.A., Maciel, W.J., Costa, R.D.D.: Chemical abundances of disk planetary nebulae **261**, 579
de Freitas Pacheco, J.A., see Catelan, M. **258**, L5
de Freitas Pacheco, J.A., see Lopes, D.F., et al. **261**, 482
de Geus, E.J.: Interactions of stars and interstellar matter in Scorpio Centaurus **262**, 258
De Greve, J.P., de Loore, C.: Evolution of massive close binaries **266**, 650 *(96, 653)*
De Greve, J.P., see de Loore, C. **264**, 721 *(94, 453)*
de Grijp, M.H.K., Keel, W.C., Miley, G.K., Goudfrooij, P., Lub, J.: Warm IRAS sources. II. Optical spectroscopy of objects from the Point Source Catalog **266**, 645 *(96, 389)*
de Groot, M.J.H., see Lamers, H.J.G.L.M. **257**, 153
de Jager, C., see Lobel, A., et al. **256**, 159
de Jager, C., see Lobel, A., et al. **264**, 147
de Jong, J.P., see van Genderen, A.M., et al. **259**, 574

de Jong, P.J., see van Genderen, A.M., et al. **258**, 316
de Jong, T., see Groenewegen, M.A.T., et al. **253**, 150
de Jong, T., see Zijlstra, A.A., et al. **265**, L5
de Kool, M.: Statistics of cataclysmic variable formation **261**, 188
de Loore, C., De Greve, J.P.: Evolutionary sequences for binary stars in the mass range 9 to 40 $M_\odot$ **264**, 721 *(94, 453)*
de Loore, C., see De Greve, J.P. **266**, 650 *(96, 653)*
de Loore, C., Vanbeveren, D.: A binary evolutionary model for the progenitor of SN 1987 A **260**, 273
de Martino, D., see Meurs, E.J.A., et al. **265**, L41
de Martino, D., Vittone, A.A., Rossi, C., Giovannelli, F.: High resolution spectroscopic observations of the massive binary RY Scuti **254**, 266
de Medeiros, J.R., Lèbre, A.: Lithium observations for two extremely active giant stars **264**, L21
de Medeiros, J.R., Mayor, M., Simon, T.: An extremely active giant star: HD 218153 **254**, L36
De Pauw, M., see Aerts, C., et al. **266**, 294
de Ruiter, H.R., see Gregorini, L., et al. **266**, 628 *(95, 1)*
de Ruiter, H.R., see Lub, J. **256**, 33
De Rújula, A., Jetzer, P., Massó, E.: On the nature of the dark halo of our Galaxy **254**, 99
De Sanctis, C., see Barucci, M.A., et al. **266**, 385
de Vegt, C., see Jahreiß, H., et al. **258**, 82
de Vegt, C., see Zacharias, N., et al. **254**, 397
de Vicente, P., see Colomer, F., et al. **254**, L17
de Villedary, C., see Stone, R.G., et al. **255**, 499 *(92, 291)*
de Vries, C., see Winkler, C., et al. **255**, L9
de Vries, C.P., see Gredel, R., et al. **257**, 245
de Vries, M., Kuijpers, J.: A magnetic flare model for X-ray variability in AGN **266**, 77
de Waard, G.J., see Hooimeyer, J.R.A., et al. **261**, 9
de Winter, D., Pérez, M.R., Hu, J.Y., Thé, P.S.: A study of the optical and ultraviolet spectral characteristics and of the circumstellar material around the new luminous blue variable WRA 751 **257**, 632
de Winter, D., see van Genderen, A.M., et al. **258**, 316
de Zeeuw, P.T., see van Langevelde, H.J., et al. **261**, L17
De Zotti, G., see Mazzei, P., et al. **256**, 45
Débarbat, S., see Noël, F. **266**, 648 *(96, 567)*
Débarbat, S., see Sanchez, M. **266**, 633 *(95, 371)*
Debehogne, H., see Lagerkvist, C.-I., et al. **266**, 636 *(95, 461)*
Defourneau, D., see Ehrenfreund, P., et al. **259**, 257
Degenhardt, D., Kneer, F.: Stokes V asymmetry due to stationary siphon flows **260**, 411
Degenhardt, D., see Wiehr, E. **259**, 313
Degryse, K., Noels, A., Gabriel, M., Waelkens, C., Smeyers, P.: Vibrational stability of an evolved 5 $M_\odot$ star towards higher-order g-modes **263**, 137
Deharveng, J.M., see Boksenberg, A., et al. **261**, 393
Deharveng, J.M., see Paresce, F., et al. **262**, 617
Deharveng, L., Caplan, J.: Photometry of the LMC H II region N 159 A and of its stellar content. II. Young stars, gas, and dust **259**, 480
Deharveng, L., Caplan, J., Lombard, J.: Photometry of the LMC HII region N159A and of its stellar content. I. Stellar observations and reductions **264**, 720 *(94, 359)*
Deharveng, L., Caplan, J., Lombard, J.: *Erratum:* Photometry of the LMC HII region N 159A and of its stellar content. I. Stellar observations and reductions **266**, 000 *(95, 601)*
Deharveng, L., see Armand, C., et al. **265**, 504
Dehghani, M.H., see Sobouti, Y. **259**, 128
Delannoy, J., see Guilloteau, S., et al. **262**, 624
Delannoy, J., see Lucas, R., et al. **262**, 491
Deleuil, M., Viton, M.: The Spacelab-1 very wide field survey of UV-excess objects. III. Analysis of the IUE high-resolution spectra of two very hot sdO stars **263**, 190
Della Valle, M., Bianchini, A., Livio, M., Orio, M.: On the possible existence of two classes of progenitors for classical novae **266**, 232
Della Valle, M., Melnick, J.: The distance to NGC 5253 and the absolute magnitude at maximum of SN 1972 E **257**, L1
Delpino, F., see Bònoli, F., et al. **266**, 641 *(96, 163)*
Demarque, P., Lee, Y.-W.: The metal-rich globular cluster NGC 6553: clump morphology and age **265**, 40
Demircan, O., Derman, E., Dündar, H.: *UBV* photometry of the contact binary AM Leonis **266**, 631 *(95, 213)*
Demircan, O., Derman, E., Müyesseroğlu, Z.: A period study of AW Ursae Majoris **263**, 165
Demircan, O., Selam, S.O.: A long-period eclipsing binary τ Persei **259**, 577
Démoulin, P., Cuperman, S., Semel, M.: Determination of force-free magnetic fields above the photosphere using three-component boundary conditions. II. Analysis and minimization of scale-related growing modes and of computational induced singularities **263**, 351
Démoulin, P., Priest, E.R.: The properties of sources and sinks of a linear force-free field **258**, 535
Démoulin, P., Raadu, M.A., Malherbe, J.M.: Linear force-free magnetic field around quiescent solar prominences computed from observable boundary conditions **257**, 278
Dempsey, R.C., see Donati, J.-F., et al. **265**, 682
den Herder, J.W., see Winkler, C., et al. **255**, L9
Deng, Z.G., see Mo, H.J., et al. **256**, L23
Deng, Z.G., see Mo, H.J., et al. **257**, 1
Denis-Karafistan, A.I., see Brosche, P., et al. **253**, 113
Dennefeld, M., see Giard, M., et al. **264**, 610
Dennefeld, M., see Le Squeren, A.M., et al. **254**, 133
Dennefeld, M., see Ratag, M.A., et al. **255**, 255
Dennis, B.R., see Hulot, E., et al. **256**, 273
DePoy, D.L., see Forbes, D.A. **259**, 97
Derman, E., see Aslan, Z., et al. **257**, 580
Derman, E., see Demircan, O., et al. **263**, 165
Derman, E., see Demircan, O., et al. **266**, 631 *(95, 213)*
Dermer, C.D., Schlickeiser, R., Mastichiadis, A.: High-energy gamma radiation from extragalactic radio sources **256**, L27
DeRobertis, M.M., see Wanders, I., et al. **266**, 72
Desbat, L., see Monin, J.-L., et al. **260**, 510
Desbats, J.M., see Le Campion, J.F., et al. **266**, 568
Descamps, P., see Souchay, J., et al. **264**, 314
Desch, M.D., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Désert, F.-X., see Bernard, J.P., et al. **263**, 258
Désert, F.-X., see Jenniskens, P., et al. **265**, L1
Despois, D., see Colom, P., et al. **264**, 270
Dessing, F., see van Genderen, A.M., et al. **259**, 574
Dessing, F., see van Genderen, A.M., et al. **264**, 88
Destombes, J.L., see Pagani, L., et al. **258**, 472
Detman, T.R., see Cuperman, S., et al. **265**, 785
Dettmar, R.-J., Schulz, H.: The ionization of the diffuse gas in NGC 891 and the decaying dark matter theory **254**, L25
Deubner, F.-L., Fleck, B., Schmitz, F., Straus, T.: Dynamics of the solar atmosphere. V. Partial reflection and forced oscillation, and their signature in phase diagrams **266**, 560
Deubner, F.-L., see Straus, T., et al. **256**, 652

Devaney, M.N.: Photometric techniques for close binary and multiple systems **257**, 835
Dědoch, A., see Borovička, J., et al. **258**, 379
Dgani, R., Janka, H.-T.: Artificial opacity – numerical implementation into flux-limited neutrino diffusion **256**, 428
Dgani, R., see Janka, H.-T., et al. **265**, 345
Dhawan, V., see Krichbaum, T.P., et al. **260**, 33
d'Hendecourt, L., see Ehrenfreund, P., et al. **259**, 257
d'Hendecourt, L., see Ehrenfreund, P., et al. **260**, 431
d'Hendecourt, L., see Ehrenfreund, P., et al. **266**, 429
Dhillon, V.S., see Rutten, R.G.M. **253**, 139
Di Fazio, A., see Battinelli, P., et al. **254**, 331
Di Giacomo, A., see Richichi, A., et al. **254**, 149
Di Giacomo, A., see Richichi, A., et al. **265**, 535
Di Martino, M., see Dotto, E., et al. **266**, 630 *(95, 195)*
Di Martino, M., see Gonano-Beurer, M., et al. **254**, 393
Di Paolantonio, A., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Di Paolantonio, A., see Dotto, E., et al. **266**, 630 *(95, 195)*
Di Paolantonio, A., see Rosino, L., et al. **257**, 603
Di Serego-Alighieri, S., see Cristiani, S., et al. **259**, 63
Díaz-Cordovés, J., Giménez, A.: A new nonlinear approximation to the limb-darkening of hot stars **259**, 227
Dickman, R.L., see Bååth, L.B., et al. **257**, 31
Didelon, P., see Egret, D., et al. **258**, 217
Diego, J.A., see Kidger, M.R. **257**, 844 *(93, 1)*
Diehl, R., see Winkler, C., et al. **255**, L9
Diesch, C., see Kreysing, H.C., et al. **264**, 623
Dietrich, M., see Jackson, N., et al. **262**, 17
Dietrich, M., see Kollatschny, W., et al. **264**, L5
Dimitrijević, M.S., Sahal-Bréchot, S.: Stark broadening of spectral lines of multicharged ions of astrophysical interest. III. O VI lines **259**, 724 *(93, 359)*
Dimitrijevic, M.S., Sahal-Bréchot, S.: Stark broadening of spectral lines of multicharged ions of astrophysical interest. IV. N V lines **266**, 630 *(95, 109)*
Dimitrijevic, M.S., Sahal-Bréchot, S.: Stark broadening of spectral lines of multicharged ions of astrophysical interest. V. Sc III and Ti IV lines **266**, 630 *(95, 121)*
Dimitrijevic, M.S., Sahal-Bréchot, S.: Stark broadening of spectral lines of multicharged ions of astrophysical interest. VI. C IV lines of large principal quantum number **266**, 649 *(96, 613)*
Dimitrijević, M.S., see Mihajlov, A.A. **256**, 305
Disney, M.J., see Boksenberg, A., et al. **261**, 393
Disney, M.J., see Paresce, F., et al. **262**, 617
Djeniže, S., Srećković, A., Labat, J.: Stark shifts of singly-ionized nitrogen spectral lines **253**, 632
Dmitrienko, E., see Jetsu, L., et al. **262**, 188
Dobson, A.K., see Schrijver, C.J., et al. **258**, 432
Dodonov, S.N., see Amram, P., et al. **263**, 69
Doebereiner, S., see Maisack, M., et al. **262**, 433
Doel, R.C., see Gray, M.D., et al. **262**, 555
Doel, R.C., see Jones, K.N., et al. **264**, 220
Dönszelmann, A., see Davidson, M.D., et al. **255**, 457
Dolez, N., see Michel, E., et al. **255**, 139
Dolez, N., see Vauclair, G., et al. **264**, 547
Dolginov, A.Z., Smel'chakova, E.V.: Dynamical theory of viscous tides in binary systems **257**, 783
Domgörgen, H., see Richtler, T., et al. **264**, 25
Dommanget, J., see Jahreiß, H., et al. **258**, 82
Donas, J., see Laget, M., et al. **259**, 510
Donas, J., see Milliard, B., et al. **257**, 24
Donat, R., see Marquina, A., et al. **258**, 566
Donati, F., Froeschlé, M., Falin, J.L., Canuto, E., Kovalevsky, J.: Attitude determination in the Hipparcos revised mission **258**, 41
Donati, F., Sechi, G.: Method of comparison between determinations of the Hipparcos attitude **258**, 46
Donati, F., see Høg, E., et al. **258**, 177
Donati, F., see Kovalevsky, J., et al. **258**, 7
Donati, F., see Perryman, M.A.C., et al. **258**, 1
Donati, J.-F., Brown, S.F., Semel, M., Rees, D.E., Dempsey, R.C., Matthews, J.M., Henry, G.W., Hall, D.S.: Photospheric imaging of the RS CVn system HR 1099 **265**, 682
Donati, J.-F., Semel, M., Rees, D.E.: Circularly polarized spectroscopic observations of RS CVn systems **265**, 669
Donner, K.J., see Brandenburg, A., et al. **259**, 453
Dorfi, A., see Mair, G., et al. **266**, 266
Dorfi, E.A., see Höfner, S. **265**, 207
Dotani, T., see Augusteijn, T., et al. **265**, 177
Dotto, E., Barucci, M.A., Fulchignoni, M., Di Martino, M., Rotundi, A., Burchi, R., Di Paolantonio, A.: M-type asteroids: rotational properties of 16 objects **266**, 630 *(95, 195)*
Dottori, H., see Bica, E., et al. **260**, 109
Dottori, H., see Mirabel, I.F., et al. **256**, L19
Dottori, H.A., see Puerari, I. **260**, 557 *(93, 469)*
Dougados, C., Rouan, D., Léna, P.: Measure of the grain velocity structure in the circumstellar envelope "Frosty Leo" **253**, 464
Douglas, N.G., Radford, S.J.E., Roland, J., Webb, J.K.: A search for moderate redshift CO absorption **262**, 8
Dourneau, G., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Dourneau, G., see Le Campion, J.F., et al. **266**, 568
Dourneau, G., see Veillet, C. **264**, 719 *(94, 291)*
Downes, D., Radford, S.J.E., Guilloteau, S., Guélin, M., Greve, A., Morris, D.: HCN in the center of the galaxy IC 342 *(Plateau de Bure Series, Paper 4)* **262**, 424
Downes, D., see Guilloteau, S., et al. **262**, 624
Downes, D., see Olmi, L. **262**, 634
Doyle, J.G., Keenan, F.P.: A recalculation of the line emissivities for the strongest UV and extreme-UV lines in the 400–2800 Å wavelength range **264**, 173
Doyle, J.G., Keenan, F.P., Harra, L.K., Aggarwal, K.M., Tayal, S.S.: Al II as an electron density diagnostic for the upper chromosphere/lower transition region in late-type stars **261**, 285
Doyle, J.G., Kellett, B.J., Butler, C.J., Byrne, P.B., Neff, J.E., Brown, A., Fox, D., Linsky, J.E., Bromage, G.E., Avgoloupis, S., Mavridis, L.N., Seiradakis, J.H., Mathioudakis, M., Murphy, H.M., Krzesinski, J., Pajdosz, G., Dadonas, V., Sperauskas, J., van Wyk, F., Marang, F., Olah, K., Collier Cameron, A., Antonopoulou, E., Rovithis, P., Rovithis-Livaniou, H.: Dynamic phenomena on the RS Canum Venaticorum binary II Pegasi in August 1989. I. Observational data **266**, 644 *(96, 351)*
Doyle, J.G., Phillips, K.J.H.: Excitation of the solar flare far-ultraviolet continuum by line irradiation **257**, 773
Doyle, J.G., see Mathioudakis, M. **262**, 523
Doyle, J.G., van den Oord, G.H.J., Kellett, B.J.: Dynamic phenomena on the RS Canum Venaticorum binary II Pegasi in August 1989. II. An interpretation **262**, 533
Dremin, V., see Brandt, S., et al. **254**, L39
Dremin, V., see Brandt, S., et al. **262**, L15
Dryer, M., see Cuperman, S., et al. **265**, 785
Dubau, J., see Cornille, M., et al. **259**, 669
Dubernet, M.L., Gargaud, M., McCarroll, R.: Reaction rates of C^+ with OH at low interstellar temperatures **259**, 373

Dubner, G., Giacani, E., Cappa de Nicolau, C., Reynoso, E.: A study of the neutral hydrogen in direction to the Gum nebula **266**, 647 *(96, 505)*
Dubrulle, B.: A turbulent closure model for thin accretion disks **266**, 592
Dubrulle, B., Knobloch, E.: On the local stability of accretion disks **256**, 673
Dubrulle, B., Valdettaro, L.: Consequences of rotation in energetics of accretion disks **263**, 387
Ducloux, E., Léorat, J., Gerbal, D., Alecian, G.: Numerical simulation for cosmological fluid flows **257**, 425
Ducros, R., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Duemmler, R.: The Hubble constant free from local velocity effects **264**, 1
Dündar, H., see Demircan, O., et al. **266**, 631 *(95, 213)*
Duerbeck, H.W., see Anupama, G.C., et al. **263**, 87
Duerbeck, H.W., see Cristiani, S., et al. **259**, 63
Duerbeck, H.W., see Niarchos, P., et al. **258**, 323
Duffett-Smith, P.J., see Hook, I.M., et al. **255**, 285
Duffy, P.: The self-consistent acceleration of cosmic rays in modified shocks with Bohm-type diffusion **262**, 281
Duflot, M., Fehrenbach, C., Mannone, C., Burnage, R., Genty, V.: Radial velocities. V. Ground based measurements for Hipparcos (*Text in French*) **264**, 721 *(94, 479)*
Dufton, P.L., see Lennon, D.J., et al. **264**, 722 *(94, 569)*
Dulk, G.A., Lecacheux, A., Leblanc, Y.: The complete polarization state of a storm of millisecond bursts from Jupiter **253**, 292
Dulou, M.R., see Le Campion, J.-F., et al. **266**, 631 *(95, 233)*
Dumont, A.M.: Cooling functions for hot dense gas: application to accretion discs in close binaries **254**, 454
Dumont, A.M., Joly, M.: Statistical properties of AGN emission lines in relation to the accretion disc model **263**, 75
Dumont, M., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Dung, R.: The influence of Alfvénic cross and magnetic helicity on the phase space distribution of charged particles. I. The spatial convection term of the anisotropy **263**, 433
Dupraz, C., see Casoli, F., et al. **264**, 49
Dupraz, C., see Casoli, F., et al. **264**, 55
Duquennoy, A., Mayor, M., Andersen, J., Carquillat, J.-M., North, P.: Duplicity in the solar neighbourhood. VI. The highly eccentric spectroscopic binary Gl 586A and associated multiple system **254**, L13
Duquennoy, A., see Mermilliod, J.-C., et al. **265**, 513
Durand, N., see Bottinelli, L., et al. **257**, 846 *(93, 173)*
Duriez, L., see Vienne, A. **257**, 331
Durret, F., see Gerbal, D., et al. **253**, 77
Durret, F., see Gerbal, D., et al. **262**, 395
Dutra, C.M., see Maciel, W.J. **262**, 271
Duvert, G., see Cernicharo, J., et al. **261**, 589
Duvert, G., see Fuente, A., et al. **260**, 341
Dyachkov, A., see Jourdain, E., et al. **256**, L38
Dyachkov, A., see Laurent, P., et al. **260**, 237
Dyachkov, A., see Salotti, L., et al. **253**, 145
Dyson, J.E., see Henney, W.J. **261**, 301
Dzhalilov, N.S., Zhugzhda, Y.D., Staude, J.: Radiation – hydrodynamic waves in an optically gray atmosphere. I. Homogeneous model **257**, 359
Dziembowski, W.A., see Moskalik, P. **256**, L5
Dzubenko, N., see Zirker, J.B., et al. **258**, L1
Dzubenko, N.I., see Koutchmy, S., et al. **266**, 641 *(96, 169)*
Ebeling, H., see Schwarz, R.A., et al. **256**, L11
Eckart, A., see Wild, W., et al. **265**, 447
Edenhofer, P., see Bird, M.K., et al. **255**, 502 *(92, 425)*
Edenhofer, P., see Pätzold, M., et al. **259**, L15
Edge, A.C., see Schwarz, R.A., et al. **256**, L11
Edvardsson, B., see Nissen, P.E. **261**, 255
Efremo, Y.N., see Ivanov, G.R., et al. **266**, 650 *(96, 645)*
Efremov, V., see Maisack, M., et al. **262**, 433
Egret, D., Didelon, P., McLean, B.J., Russell, J.L., Turon, C.: The Tycho Input Catalogue. Cross-matching the Guide Star Catalog with the Hipparcos INCA Data Base **258**, 217
Egret, D., see Høg, E., et al. **258**, 177
Egret, D., see Turon, C., et al. **258**, 74
Ehgamberdiev, S., Khalikov, S., Lazrek, M., Fossat, E.: Amplitude modulation of low-degree solar p-modes **253**, 252
Ehgamberdiev, S., see Fossat, E., et al. **266**, 532
Ehrenfreund, P., Breukers, R., d'Hendecourt, L., Greenberg, J.M.: On the possibility of detecting solid O_2 in interstellar grain mantles **260**, 431
Ehrenfreund, P., d'Hendecourt, L., Joblin, C., Léger, A.: Visible absorption bands of coal pitch extract – implications for the diffuse interstellar bands **266**, 429
Ehrenfreund, P., d'Hendecourt, L., Verstraete, L., Léger, A., Schmidt, W., Defourneau, D.: Search for the 4430 Å DIB in the spectra of coronene cation and neutral ovalene **259**, 257
Ehrenfreund, P., see Jenniskens, P., et al. **265**, L1
Eidelsberg, M., Benayoun, J.J., Viala, Y., Rostas, F., Smith, P.L., Yoshino, K., Stark, G., Shettle, C.A.: Recalibration of the absorption/photodissociation spectra of CO and its isotopes between 91 and 115 nm **265**, 839
Eiroa, C., Casali, M.M.: Near-infrared images of the Serpens cloud core: the stellar cluster **262**, 468
Eiroa, C., Gómez de Castro, A.I., Miranda, L.F.: Herbig-Haro objects in the star formation region NGC 7129 **257**, 410 *(92, 721)*
Eiroa, C., see Carballo, R. **262**, 295
Eiroa, C., see Reipurth, B. **256**, L1
Eislöffel, J., Mundt, R.: Proper motion measurements in the HH 34 jet and its associated bow shocks **263**, 292
Eislöffel, J., see Balázs, L.G., et al. **255**, 281
Eissner, W.B., Tully, J.A.: Spectral lines in the beryllium sequence **253**, 625
El Eid, M.F., see Baraffe, I., et al. **258**, 357
Elbaz, D., Arnaud, M., Cassé, M., Mirabel, I.F., Prantzos, N., Vangioni-Flam, E.: IRAS 10214+4724: an elliptical galaxy in formation? **265**, L29
Ellinger, Y., see Gerin, M., et al. **266**, 463
Ellinger, Y., see Parisel, O., et al. **266**, L1
Elmegreen, B.G., Combes, F.: Magnetic diffusion in clumpy molecular clouds **259**, 232
Elmegreen, B.G., see Elmegreen, D.M., et al. **257**, 17
Elmegreen, D.M., Elmegreen, B.G., Combes, F., Bellin, A.D.: The influence of environment on outer rings and pseudo-rings in galaxies **257**, 17
Elósegui, P., see Marcaide, J.M., et al. **258**, 295
Elstner, D., Meinel, R., Beck, R.: Galactic dynamos and their radio signatures **264**, 723 *(94, 587)*
Elton, N., see Lindegren, L., et al. **258**, 18
Elvis, M., see Masnou, J.L., et al. **253**, 35
Emanuele, A., see Cardini, D., et al. **257**, 824
Emanuele, A., see Kovalevsky, J., et al. **258**, 7
Emanuele, A., see Mignard, F., et al. **258**, 165
Emerson, D.T., see Bååth, L.B., et al. **257**, 31
Emsellem, E., see Monnet, G., et al. **253**, 366
Encrenaz, P., see Gerin, M., et al. **253**, L29

Encrenaz, P., see Gerin, M., et al. **259**, L35
Encrenaz, P.J., see Pagani, L., et al. **258**, 472
Encrenaz, P.J., see Wootten, A., et al. **257**, 740
Encrenaz, T., see Billebaud, F., et al. **261**, 647
Engels, D., see Bade, N., et al. **254**, L21
Engels, D., see Hagen, H.-J., et al. **253**, L5
Engelsmann, E., see Oudmaijer, R.D., et al. **266**, 650 *(**96**, 625)*
Engin, S., see Hack, M., et al. **266**, 637 *(**95**, 589)*
Englhauser, J., see Maisack, M., et al. **262**, 433
Epchtein, N., see Fouqué, P., et al. **257**, 846 *(**93**, 151)*
Erdelyi-Mendes, M., see Barbuy, B., et al. **259**, 722 *(**93**, 235)*
Ergma, E., Fedorova, A.V.: Orbital evolution of binaries with ultra-rapid pulsars **265**, 65
Erickson, W.C., see Jacobson, A.R. **257**, 401
Erikson, A., see Lagerkvist, C.-I., et al. **266**, 636 *(**95**, 461)*
Eriksson, K., see Olofsson, H., et al. **253**, L17
Escalera, E., see Proust, D., et al. **258**, 243
Escalera, E., Slezak, E., Mazure, A.: New evidence for subclustering in the Coma cluster using the wavelet analysis **264**, 379
Essaïfi, N., see Vondrák, J., et al. **262**, 329
Estalella, R., see Martí, J., et al. **258**, 309
Esteban, C., Vilchez, J.M., Smith, L.J., Clegg, R.E.S.: Spatially resolved spectroscopy of WR ring nebulae. III. New results and chemical properties of the sample **259**, 629
Evans, A., see Shenton, M., et al. **262**, 138
Evans, D.W., see Lindegren, L., et al. **258**, 18
Evans, D.W., see Söderhjelm, S., et al. **258**, 157
Evans, D.W., see Turon, C., et al. **258**, 125
Evans, D.W., see van Leeuwen, F., et al. **258**, 119
Evans, D.W., see van Leeuwen, F., et al. **258**, 53
Evans, D.W., van Leeuwen, F., Penston, M.J., Ramamani, N., Høg, E.: Hipparcos photometry: NDAC reductions **258**, 149
Fabbri, R.: Statistical properties of the sky distribution of extragalactic infrared sources: source-number fluctuations and density peaks **259**, 1
Fabbri, R., Ruffini, R.: Anisotropies of the cosmic background radiation and characteristic scale of a cellular-fractal universe **254**, 7
Fabiani Bendicho, P., Kneer, F., Trujillo Bueno, J.: On the photospheric temperature in small-scale magnetic flux concentrations **264**, 229
Fabregat, J., Reglero, V., Coe, M.J., Clement, R., Gorrod, M.J., Norton, A.J., Roche, P.D., Suso, J., Unger, S.J.: Astrophysical parameters of X Persei **259**, 522
Fabregat, J., see Reglero, V., et al. **256**, 324 *(**92**, 565)*
Fabricius, C., see Morrison, L.V., et al. **262**, 347
Fadeyev, Y.A., Muthsam, H.: Fourier analysis of the hydrodynamic models of classical Cepheids **260**, 195
Fahr, H.J., see Witte, M., et al. **255**, 500 *(**92**, 333)*
Fahr, H.J., see Baranov, V.B., et al. **261**, 341
Fahr, H.J., see Osterbart, R. **264**, 260
Fainberg, J., see Stone, R.G., et al. **255**, 499 *(**92**, 291)*
Falchi, A., Falciani, R., Smaldone, L.A.: Analysis of the optical spectra of the solar flares. VI. Velocity field in the 13 June 1980 flare area **256**, 255
Falciani, R., see Falchi, A., et al. **256**, 255
Falgarone, E., Puget, J.-L., Pérault, M.: The small-scale density and velocity structure of quiescent molecular clouds **257**, 715
Falin, J.L., see Donati, F., et al. **258**, 41
Falin, J.L., see Kovalevsky, J., et al. **258**, 7
Falin, J.L., see Mignard, F., et al. **258**, 142
Falin, J.L., see Mignard, F., et al. **258**, 165
Falomo, R., Melnick, J., Tanzi, E.G.: PKS 0537-441: an elusive case of a gravitationally lensed blazar **255**, L17
Fang, C., see Gan, W.Q., et al. **266**, 573
Fang, L.Z., see Mo, H.J., et al. **256**, L23
Fanti, C., see van Breugel, W.J.M., et al. **256**, 56
Fanti, R., see Feretti, L., et al. **265**, 9
Fanti, R., see van Breugel, W.J.M., et al. **256**, 56
Farinella, P., Davis, D.R., Cellino, A., Zappalà, V.: The collisional lifetime of asteroid 951 Gaspra **257**, 329
Farinella, P., Davis, D.R., Paolicchi, P., Cellino, A., Zappalà, V.: Asteroid collisional evolution: An integrated model for the evolution of asteroid rotation rates **253**, 604
Farmer, C.B., see Sauval, A.J., et al. **265**, 355
Farrenq, R., see Sauval, A.J., et al. **265**, 355
Fassino, B., see Kovalevsky, J., et al. **258**, 7
Fatianov, M., see Zirker, J.B., et al. **258**, L1
Faucher, P., see Cornille, M., et al. **259**, 669
Faúndes-Abans, M., Hertling, G., Ramírez, A.C.: The visual appearance of the nuclei of ring-shaped galaxies as an alternative classification criterion **264**, 718 *(**94**, 245)*
Faurobert-Scholl, M.: Hanle effect with partial frequency redistribution. II. Linear polarization of the solar Ca I 4227 Å line **258**, 521
Favata, F., Micela, G., Sciortino, S., Vaiana, G.S.: The stellar coronal component of the Galaxy. I. The X-COUNT numerical model **256**, 86
Feautrier, N., see Aboudarham, J., et al. **262**, 302
Fechtig, H., see Grün, E., et al. **255**, 502 *(**92**, 411)*
Federici, L., see Bònoli, F., et al. **266**, 641 *(**96**, 163)*
Fedorov, Y.I., Katz, M.E., Kichatinov, L.L., Stehlik, M.: Cosmic-ray kinetics in a random anisotropic reflective non-invariant magnetic field **260**, 499
Fedorova, A.V., see Ergma, E. **265**, 65
Fehmers, G.C., see van Genderen, A.M., et al. **264**, 88
Fehrenbach, C., Burnage, R., Figuière, J.: Radial velocities. VI. Ground based measurements for Hipparcos (*Text in French*) **266**, 637 *(**95**, 541)*
Fehrenbach, C., see Duflot, M., et al. **264**, 721 *(**94**, 479)*
Feinstein, A., see Vázquez, R.A. **257**, 411 *(**92**, 863)*
Feinstein, C., see Maronna, R., et al. **260**, 525
Feissel, M., see Vondrák, J., et al. **262**, 329
Feitzinger, J.V., see Burda, P. **261**, 697
Fejes, I., Porcas, R.W., Akujor, C.E.: The curved jets in 3C216 and 3C446 **257**, 459
Felli, M., Palagi, F., Tofani, G.: Molecular outflows and H_2O masers: what type of connection? **255**, 293
Feoli, A., see Busarello, G., et al. **262**, 52
Feretti, L., Perola, G.C., Fanti, R.: Tailed radio sources as probes of the intergalactic medium pressure **265**, 9
Feretti, L., see Andernach, H., et al. **259**, 724 *(**93**, 331)*
Ferlet, R., see Lagrange-Henri, A.M., et al. **264**, 637
Fernández-Castro, T., see Cassatella, A., et al. **258**, 368
Ferrand, S., see Arlot, J.E., et al. **255**, 497 *(**92**, 151)*
Ferrando, P., see Simpson, J.A., et al. **255**, 501 *(**92**, 365)*
Ferrari, A., see Bodo, G., et al. **256**, 689
Ferrari, A., see Massaglia, S., et al. **260**, 243
Ferriz Mas, A., see Moreno-Insertis, F., et al. **264**, 686
Fichtel, C.E., see Schneid, E.J., et al. **255**, L13
Field, D., see Gray, M.D., et al. **262**, 555
Field, D., see Jones, K.N., et al. **264**, 220
Figer, A., see Arlot, J.E., et al. **255**, 497 *(**92**, 151)*
Figueras, F., see Luri, X., et al. **259**, 382

Figueras, F., see Mennessier, M.O., et al. **258**, 99
Figuière, J., see Fehrenbach, C., et al. **266**, 637 *(95, 541)*
Fink, H.H., see Bade, N., et al. **254**, L21
Fink, H.H., see Boller, T., et al. **261**, 57
Fink, H.H., see Ulrich, M.-H., et al. **266**, 183
Finley, J.P., Belloni, T., Cassinelli, J.P.: Periodic outbursts in the peculiar X-ray binary 2S 0114+65 **262**, L25
Finogenov, A., see Lebrun, F., et al. **264**, 22
Finzi, A.: RR Lyrae variables in dwarf galaxies **255**, 115
Fiore, F., Massaro, E., Barone, P.: The X-ray variability of the Seyfert galaxy NGC 6814 **261**, 405
Fiore, F., Perola, G.C., Matsuoka, M., Yamauchi, M., Piro, L.: Time-resolved spectral analysis of three Seyfert galaxies observed with Ginga **262**, 37
Firmani, C., Tutukov, A.: Evolutionary models for disk galaxies **264**, 37
Firth, J., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Fischer, J., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Fisk, L.A., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Fitzsimmons, A., see Lennon, D.J., et al. **264**, 722 *(94, 569)*
Fleck, B., see Deubner, F.-L., et al. **266**, 560
Fleck, B., see Schmitz, F. **260**, 447
Fleck, B., see Straus, T., et al. **256**, 652
Fleischer, A.J., Gauger, A., Sedlmayr, E.: Circumstellar dust shells around long-period variables. I. Dynamical models of C-stars including dust formation, growth and evaporation **266**, 321
Fletcher, L., see Brown, J.C. **259**, L43
Flin, P., see Trèvese, D., et al. **264**, 720 *(94, 327)*
Floquet, M., Hubert, A.M., Janot-Pacheco, E., Mekkas, A., Hubert, H., Leister, N.V.: Short-term spectroscopic variability of the Be star EW Lacertae (HD 217050) **264**, 177
Florentin-Nielsen, R., see Hjorth, P.G., et al. **255**, L20
Florido, E., see Battaner, E., et al. **253**, 89
Flower, D.R., see Abgrall, H., et al. **253**, 525
Flower, D.R., see Schilke, P., et al. **256**, 595
Fluks, M.A., Thé, P.S.: On the correction of stellar spectra for the loss of radiation during its passage through the Earth's atmosphere and through the spectrograph-slit **255**, 477
Flynn, C., see Gould, A. **254**, 105
Foing, B.H., see Jankov, S. **256**, 533
Foltz, C.B., see Levshakov, S.A., et al. **262**, 385
Forbes, D.A.: The mass-to-light ratio in spiral galaxies **256**, 325 *(92, 583)*
Forbes, D.A., DePoy, D.L.: Near-infrared surface photometry of NGC 253 **259**, 97
Forestini, M., Goriely, S., Jorissen, A., Arnould, M.: Fluorine production in thermal pulses on the asymptotic giant branch **261**, 157
Formiggini, L., see Leibowitz, E.M. **265**, 605
Formisano, V., Amata, E., Cattaneo, M.B., Torrente, P., Johnstone, A., Coates, A., Wilken, B., Jockers, K., Borg, H.: *Erratum:* Plasma flow inside comet P/Halley **256**, 723
Forsyth, R.J., see Balogh, A., et al. **255**, 498 *(92, 221)*
Fort, B., see Mathez, G., et al. **256**, 343
Fort, B., see Pelló, R., et al. **266**, 6
Forveille, T., see Cox, P., et al. **266**, 420
Forveille, T., see Guilloteau, S., et al. **262**, 624
Forveille, T., see Lucas, R., et al. **262**, 491
Fossat, E.: IRIS data merging. I. A solution to minimize the low and intermediate frequency noise **263**, 443
Fossat, E., Régulo, C., Roca Cortés, T., Ehgamberdiev, S., Gelly, B., Grec, G., Khalikov, S., Khamitov, I., Lazrek, M., Pallé, P.L., Sánchez Duarte, L.: On the acoustic cut-off frequency of the Sun **266**, 532
Fossat, E., see Ehgamberdiev, S., et al. **253**, 252
Fountain, J.W., see Smith, B.A., et al. **261**, 499
Fouqué, P., Gourgoulhon, E., Chamaraux, P., Paturel, G.: Groups of galaxies within 80 Mpc. II. The catalogue of groups and group members **259**, 722 *(93, 211)*
Fouqué, P., Le Bertre, T., Epchtein, N., Guglielmo, F., Kerschbaum, F.: Near-infrared photometry of a sample of IRAS point sources **257**, 846 *(93, 151)*
Fouqué, P., see Bottinelli, L., et al. **257**, 846 *(93, 173)*
Fouqué, P., see Gourgoulhon, E., et al. **255**, 69
Fox, D., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Frain, W.E., see Lanzerotti, L.J., et al. **255**, 500 *(92, 349)*
Fraix-Burnet, D.: The jet/interstellar medium interaction and the radiation properties of extragalactic jets **259**, 445
Franceschini, A., see Andreani, P. **260**, 89
Franceschini, T., see Cardini, D., et al. **257**, 824
Franchini, M., Covino, E., Stalio, R., Terranegra, L., Chavarría-K, C.: A high-resolution spectroscopic study of southern T Tauri stars **256**, 525
Franchini, M., see Covino, E., et al. **264**, 719 *(94, 273)*
Franco, G.A.P.: Four-colour *uvby* and Hβ photometry of all stars earlier than G0 and brighter than $m_{pg} \approx 10^{m}$ 7 in Selected Area 203 towards the Chamealeon-Musca dark clouds **259**, 725 *(93, 373)*
Francou, G., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
François, P., see Cayrel de Strobel, G., et al. **266**, 632 *(95, 273)*
Frank, A., see Icke, V., et al. **253**, 224
Frank, A., see Icke, V., et al. **258**, 341
Frank, Z.A., see Schmidt, W., et al. **264**, L27
Franx, M., see Jørgensen, I., et al. **266**, 636 *(95, 489)*
François, P., see Matteuci, F. **262**, L1
Freire Ferrero, R., see Jasniewicz, G., et al. **261**, 314
Freire Ferrero, R., see Marilli, E., et al. **265**, 643
Frerking, M.A., see Pagani, L., et al. **258**, 472
Friberg, P., see Minh, Y.C., et al. **258**, 489
Fricke, K.J., see Krüger, H., et al. **259**, L73
Fridlung, C.V.M., see White, G.J. **266**, 452
Fried, J.W.: A search for excess galaxies around distant flat-spectrum radio quasars **254**, 39
Friedemann, C., Reimann, H.-G., Gürtler, J.: A cloudy circumstellar dust shell around SV Cephei **255**, 246
Friedjung, M.: The unusual nature of nova HR Delphini 1967 **262**, 487
Friedjung, M., see Bianchini, A., et al. **257**, 599
Friedjung, M., see Muratorio, G., et al. **258**, 423
Friedjung, M., see Rossi, C., et al. **256**, 133
Friedrich, S., see Östreicher, R., et al. **257**, 353
Friel, E., see Cayrel de Strobel, G., et al. **266**, 632 *(95, 273)*
Friel, E., see Chmielewski, Y., et al. **263**, 219
Friend, D.B., see MacGregor, K.B., et al. **256**, 141
Fritze-v. Alvensleben, U., see Krüger, H., et al. **259**, L73
Fröhlich, C., see Toutain, T. **257**, 287
Froeschlé, M. see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Froeschlé, M., Meyer, C., Mignard, F.: Observations of mutual phenomena of the Galilean satellites of Jupiter made at the Observatoire de la Côte d'Azur **262**, 308
Froeschlé, M., see Donati, F., et al. **258**, 41
Froeschlé, M., see Kovalevsky, J., et al. **258**, 7
Froeschlé, M., see Mignard, F., et al. **258**, 142
Froeschlé, M., see Mignard, F., et al. **258**, 165

Frontera, F., see Cardini, D., et al. **257**, 824
Frutti, M., see Cardini, D., et al. **257**, 824
Fryxell, B., see Müller, E., et al. **256**, 322
Fu, J.N., see Michel, E., et al. **255**, 139
Fuensalida, J.J., see Cassatella, A., et al. **258**, 368
Fuente, A., Martín-Pintado, J., Cernicharo, J., Brouillet, N., Duvert, G.: Physical conditions of the molecular gas and dust associated with the Herbig Ae/Be stars **260**, 341
Fuente, A., see Guilloteau, S., et al. **265**, L49
Fuente, A., see Martín-Pintado, J., et al. **254**, 315
Fürst, E., see Junkes, N., et al. **261**, 289
Fürst, E., see Junkes, N., et al. **266**, 638 *(96, 1)*
Fürst, E., see Reich, W., et al. **256**, 214
Fukui, T.: Effects of Wesson's 5D-STM theory of gravity on the 4D Universe model **253**, 1
Fukushima, T., see Seidelmann, P.K. **265**, 833
Fulber, C., see Thompson, A.M., et al. **265**, 278
Fulchignoni, M., see Barucci, M.A., et al. **266**, 385
Fulchignoni, M., see Dotto, E., et al. **266**, 630 *(95, 195)*
Fulle, M.: A dust-tail model based on Maxwellian velocity distribution **265**, 817
Fulle, M., Cremonese, G., Jockers, K., Rauer, H.: The dust tail of Comet Liller 1988 V **253**, 615
Furia, M., see Vigouroux, G., et al. **266**, 646 *(96, 477)*
Fuselier, S.A., see Neugebauer, M., et al. **258**, 549
Fusi Pecci, F., see Bònoli, F., et al. **266**, 641 *(96, 163)*
Fusi Pecci, F., see Buzzoni, A., et al. **254**, 110
Futaully, R., see Coupinot, G., et al. **259**, 701
Gabler, A., see Gabler, R., et al. **265**, 656
Gabler, R., Gabler, A., Kudritzki, R.P., Méndez, R.H.: Unified NLTE model atmospheres including spherical extension and stellar winds. III. The EUV fluxes of hot massive stars and He II emission in extragalactic giant H II regions **265**, 656
Gabriel, M.: On the solar p-mode spectrum excited by convection **265**, 771
Gabriel, M., see Degryse, K., et al. **263**, 137
Gabuzda, D.C., see Lestrade, J.-F., et al. **258**, 112
Gail, H.-P., see Beck, H.K.B., et al. **265**, 626
Galletta, G., see Bertola, F., et al. **254**, 89
Galligani, I., see Kovalevsky, J., et al. **258**, 7
Galt, J., see Sagdeyev, R.Z., et al. **254**, 387
Galvin, A.B., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Gan, W.Q., Rieger, E., Fang, C., Zhang, H.Q.: Spectral diagnostics for a thermal hydrodynamical model of a solar flare loop **266**, 573
Gandhi, V.N., see Acharya, B.S., et al. **258**, 412
Gao, Y.T., see Cline, D.B. **256**, 351
Garay, G., see Gómez, Y., et al. **258**, 469
García Lario, P., see Kidger, M., et al. **260**, 556 *(93, 391)*
García Lario, P., see Parthasarathy, M., et al. **264**, 159
García López, R.J., Crivellari, L., Beckman, J.E., Rebolo, R.: Chromospheres of late-type active and quiescent dwarfs. III. Variability of Ca II H emission profiles **262**, 195
García-Burillo, S., Guélin, M., Cernicharo, J., Dahlem, M.: Molecular gas distribution and dynamics of the edge-on spiral galaxy NGC 891. Discovery of a molecular halo **266**, 21
García-Burillo, S., see Guilloteau, S., et al. **262**, 624
García-Burillo, S., see Neri, R., et al. **262**, 544
García-Lobo, E., see Rodríguez, E., et al. **257**, 846 *(93, 189)*
Garcia-Munoz, M., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Garcia, A.M., Bottinelli, L., Garnier, R., Gouguenheim, L., Paturel, G.: New H I observations for some edge-on spiral galaxies **266**, 645 *(96, 435)*
Garcia, A.M., Morenas, V., Paturel, G.: A search for a quantitative comparison of galaxy clustering algorithms **253**, 74
Garcia, B.: *Erratum:* The interstellar lines catalogue **257**, 412 *(92, 885)*
García, J., see Rubio, M., et al. **261**, L29
Gargaud, M., see Dubernet, M.L., et al. **259**, 373
Garilli, B., see Andreon, S., et al. **266**, 127
Garilli, B., see Scodeggio, M., et al. **264**, 719 *(94, 299)*
Garmany, C.D., Stencel, R.E.: Galactic OB associations in the northern Milky Way galaxy. Longitudes 55° to 150° **264**, 718 *(94, 211)*
Garnier, R., see Bottinelli, L., et al. **257**, 846 *(93, 173)*
Garnier, R., see Garcia, A.M., et al. **266**, 645 *(96, 435)*
Garnier, R., see Paturel, G. **254**, 93
Garrido, R., see Rodriguez, E., et al. **266**, 645 *(96, 429)*
Gauger, A., see Fleischer, A.J., et al. **266**, 321
Gaume, R., see Mauersberger, R., et al. **256**, 640
Gautschy, A.: Nonradial, nonadiabatic pulsations of evolving massive stars **260**, 175
Gavazzi, G., Scodeggio, M., Boselli, A., Trinchieri, G.: Peculiar velocities in the A 262 cluster **258**, 265
Geballe, T.R., see Aspin, C. **266**, 219
Geertsema, G.T., Achterberg, A.: Turbulence in differentially rotating thin disks: a multi-component cascade model **255**, 427
Geertsema, G.T., Kuperus, M.: The effect of coupling of a corona to the turbulence in an accretion disk **254**, 426
Geffert, M., see Le Campion, J.-F., et al. **266**, 631 *(95, 233)*
Gehmeyr, M., Winkler, K.-H.A.: On a new, one-dimensional, time-dependent model for turbulence and convection. II. An elementary comparison of the old and the new model **253**, 101
Gehmeyr, M., Winkler, K.-H.A.: On a new, one-dimensional, time-dependent model for turbulence and convection. I. A basic discussion of the mathematical model **253**, 92
Geiss, J., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Geller, M., see Burg, R., et al. **259**, L9
Gellera, D., see Scardia, M. **266**, 640 *(96, 157)*
Gelly, B., see Fossat, E., et al. **266**, 532
Gendron, E., see Rigaut, F. **261**, 677
Genty, V., see Duflot, M., et al. **264**, 721 *(94, 479)*
Genzel, R., see Wild, W., et al. **265**, 447
Georgakilas, A.A., see Tsiropoula, G., et al. **262**, 587
Georgelin, Y.M., see Le Coarer, E., et al. **257**, 389
Georgelin, Y.P., see Laval, A., et al. **253**, 213
Georgelin, Y.P., see Le Coarer, E., et al. **257**, 389
Georgiev, T.B., Bilkina, B.I., Tikhonov, N.A.: The brightest blue and red stars in the galaxy M 81 **266**, 637 *(95, 581)*
Georgiev, T.B., Bilkina, B.I., Tikhonov, N.A.: The distribution of blue and red stars around the M 81 galaxy **266**, 648 *(96, 569)*
Geppert, U., see Wiebicke, H.-J. **262**, 125
Geppert, U., Wiebicke, H.-J.: Decay of weak poloidal magnetic fields in the liquid layer of neutron star envelopes **256**, L9
Gérard, E., see Crovisier, J., et al. **253**, 286

Gerbal, D., Durret, F., Lachièze-Rey, M., Lima-Neto, G.: Analysis of X-ray galaxy clusters in the framework of modified Newtonian dynamics **262**, 395
Gerbal, D., Durret, F., Lima-Neto, G., Lachièze-Rey, M.: Physical and dynamical properties of two clusters of galaxies derived from X-ray data **253**, 77
Gerbal, D., see Ducloux, E., et al. **257**, 425
Gerin, M., Combes, F., Wlodarczak, G., Encrenaz, P., Laurent, C.: Interstellar detection of deuterated methyl acetylene **253**, L29
Gerin, M., Combes, F., Wlodarczak, G., Jacq, T., Guélin, M., Encrenaz, P., Laurent, C.: Interstellar detection of deuterated methyl cyanide **259**, L35
Gerin, M., see Combes, F., et al. **259**, L27
Gerin, M., see Combes, F., et al. **259**, L65
Gerin, M., see Wootten, A., et al. **257**, 740
Gerin, M., Viala, Y., Pauzat, F., Ellinger, Y.: The abundance of nitric oxide in molecular clouds **266**, 463
Gesicki, K.: A modelling of circumstellar Ba II lines for the hypergiant ϱ Cassiopeiae **254**, 280
Geyer, F., see Ventura, J., et al. **261**, 235
Ghez, P., see Mariotti, J.-M., et al. **255**, 462
Ghez, P., see Monin, J.-L., et al. **260**, 510
Ghosh, K.K., Soundararajaperumal, S.: First X-ray spectrum of the most luminous quasar PKS 2126–158 **265**, 413
Ghosh, K.K., Soundararajaperumal, S., Kalai Selvi, M., Sivarani, T.: X-ray spectrum of NGC 3783: detection of soft excess and an emission line **255**, 119
Ghosh, T., Rao, A.P.: Low-frequency variability and the galactic distribution of electron-density fluctuation **264**, 203
Giacani, E., see Dubner, G., et al. **266**, 647 *(96, 505)*
Giacconi, R., see Burg, R., et al. **259**, L9
Giampapa, M.S., see Pallavicini, R., et al. **253**, 185
Giampieri, G., see Bertotti, B., et al. **255**, 502 *(92, 431)*
Giard, M., Bernard, J.P., Dennefeld, M.: The 3.3 μm emission in M 17 **264**, 610
Giard, M., see Rouan, D., et al. **253**, 498
Gieren, W.P., Brieva, E.: On the binary status of the Cepheid SV Persei **253**, 126
Gierens, K.M., Stutzki, J., Winnewisser, G.: UV irradiated clumps in the Orion A molecular cloud: interpretation of low-*J* CO observations **259**, 271
Giese, R.H., see Grün, E., et al. **255**, 502 *(92, 411)*
Gil, J., Kijak, J.: Geometry of pulsar emission regions **256**, 477
Gil, J.A.: Curvature radiation and subpulse polarization characteristics in the observed emission of PSR 2303+30 **256**, 495
Gil, J.A., Lyne, A.G., Rankin, J.M., Snakowski, J.K., Stinebring, D.R.: Separation of the polarization modes in several pulsars **255**, 181
Gilden, D.L., see Torbett, M.V. **256**, 686
Gilfanov, M., see Jourdain, E., et al. **256**, L38
Gilfanov, M., see Laurent, P., et al. **260**, 237
Gilfanov, M., see Lebrun, F., et al. **264**, 22
Gilfanov, M., see Salotti, L., et al. **253**, 145
Gilfanov, M.R., see in 't Zand, J.J.M., et al. **266**, 283
Gillet, D.: On the origin of the alternating deep and shallow light minima in RV Tauri stars: R Scuti and AC Herculis **259**, 219
Gillet, D., see Huguet, E., et al. **255**, 233
Gillet, D., see Lèbre, A. **255**, 221
Gillet, D., see Mathias, P., et al. **257**, 681
Gilliland, R.L., see MacGregor, K.B., et al. **256**, 141
Giménez, A., Quintana, J.M.: Apsidal motion and revised photometric elements of the eccentric eclipsing binary V 477 Cygni **260**, 227
Giménez, A., see Claret, A. **256**, 572
Giménez, A., see Claret, A. **266**, 642 *(96, 255)*
Giménez, A., see Díaz-Cordovés, J. **259**, 227
Gioia, I.M., see Luppino, G.A. **265**, L9
Giovanardi, C., see Klein, U., et al. **255**, 49
Giovannelli, F., see de Martino, D., et al. **254**, 266
Giovannelli, F., see Villada, M., et al. **259**, L1
Giovannini, G., see Andernach, H., et al. **259**, 724 *(93, 331)*
Giraud, E.: A luminosity variation detected in a new pair of arclets in a cluster of galaxies at $z=0.424$ **259**, L49
Giraud, E.: Morphology of faint blue galaxies **257**, 501
Giraud, E., see Gopal-Krishna, et al. **254**, 42
Glass, I., see Baribaud, T., et al. **256**, 375
Glassgold, A.E., see Wilson, T.L., et al. **262**, 248
Gliem, F., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Gloeckler, G., Geiss, J., Balsiger, H., Bedini, P., Cain, J.C., Fischer, J., Fisk, L.A., Galvin, A.B., Gliem, F., Hamilton, D.C., Hollweg, J.V., Ipavich, F.M., Joos, R., Livi, S., Lundgren, R., Mall, U., McKenzie, J.F., Ogilvie, K.W., Ottens, F., Rieck, W., Tums, E.O., von Steiger, R., Weiss, W., Wilken, B.: The Solar Wind Ion Composition Spectrometer **255**, 499 *(92, 267)*
Glushneva, I.N., Kharitonov, A.V., Knyazeva, L.N., Shenavrin, V.I.: Secondary spectrophotometric standards **255**, 496 *(92, 1)*
Goad, M., see Jackson, N., et al. **262**, 17
Goeres, A., Sedlmayr, E.: The envelopes of R Coronae Borealis stars. I. A physical model of the decline events due to dust formation **265**, 216
Goetz, K., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Götz, M., Köppen, J.: On abundance gradients in spiral galaxies **262**, 455
Goicoechea, L.J., Martin-Mirones, J.M.: The candidates for the Great Attractor and the fluctuations in the microwave background radiation **254**, 1
Goicoechea, L.J., see Martín-Mirones, J.M. **253**, 3
Gold, R.E., see Lanzerotti, L.J., et al. **255**, 500 *(92, 349)*
Goldbach, C., Lüdtke, T., Martin, M., Nollez, G.: Oscillator strength measurements in the vacuum-ultraviolet. V. Neutral nitrogen lines in the 950–1200 Å range **266**, 605
Goldsmith, M.J., see Shenton, M., et al. **262**, 138
Goldstein, B.E., see Bame, S.J., et al. **255**, 498 *(92, 237)*
Goldstein, B.E., see Neugebauer, M., et al. **258**, 549
Goldstein, M.L., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Goldstein, R., see Neugebauer, M., et al. **258**, 549
Goldwurm, A., see Laurent, P., et al. **260**, 237
Gómez de Castro, A.I., see Eiroa, C., et al. **257**, 410 *(92, 721)*
Gomez-Forrellad, J.M., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Gómez-González, J., see Cernicharo, J., et al. **261**, 589
Gómez-González, J., see Colomer, F., et al. **254**, L17
Gómez-González, J., see Kahane, C., et al. **256**, 235
Gómez-González, J., see Rodríguez-Franco, A., et al. **264**, 592
Gómez, A., see Arenou, F., et al. **258**, 104
Gómez, A., see Crifo, F., et al. **258**, 116

Gómez, A., see Turon, C., et al. **258**, 74
Gómez, Y., Rodríguez, L.F., Garay, G.: Carbon monoxide emission from the planetary nebula M 3–28 **258**, 469
Gonano-Beurer, M., Di Martino, M., Mottola, S., Neukum, G.: Physical study of the asteroid 243 Ida, second fly-by target of the Galileo spacecraft **254**, 393
Gondhalekar, P.M., see Jackson, N., et al. **262**, 17
González-Alfonso, E., see Cernicharo, J., et al. **261**, 589
Gonzalez-Bedolla, S., see Sareyan, J.P., et al. **257**, 567
Gonzalez-Bedolla, S.F., see Rodriguez, E., et al. **266**, 645 *(96, 429)*
González-Riestra, R.: The 1990 outburst of the recurrent nova V 3890 Sgr observed with IUE **265**, 71
Gonzalez-Riestra, R., see Cassatella, A., et al. **256**, 309
González-Riestra, R., see Cassatella, A., et al. **258**, 368
Good, A.R., see Morgan, D.H. **256**, 325 *(92, 571)*
Gopal-Krishna, Giraud, E., Melnick, J., Steppe, H.: A powerful, ultra-steep spectrum radio galaxy having an extremely low-excitation emission line spectrum **254**, 42
Gopal-Krishna, Kulkarni, V.K.: The unification of radio galaxies and quasars and their linear size evolution **257**, 11
Gopal-Krishna, Wiita, P.J.: Swinging jets and the variability of active galactic nuclei **259**, 109
Gordon, M.A., Baars, J.W.M., Cocke, W.J.: Observations of radio lines from unresolved sources: telescope coupling, Doppler effects, and cosmological corrections **264**, 337
Gordon, M.A., see Alloin, D., et al. **265**, 429
Gorenstein, M.V., see Marcaide, J.M., et al. **258**, 295
Goriely, S., Arnould, M.: The r-process in the light of a microscopic model for nuclear masses **262**, 73
Goriely, S., see Forestini, M., et al. **261**, 157
Gorrod, M.J., see Fabregat, J., et al. **259**, 522
Gosset, E., see Lagrange-Henri, A.M., et al. **264**, 637
Gosset, E., see Manfroid, J., et al. **264**, 345
Gosset, E., see Vreux, J.-M., et al. **256**, 148
Goudfrooij, P., see de Grijp, M.H.K., et al. **266**, 645 *(96, 389)*
Goudfrooij, P., see van Driel, W., et al. **259**, 71
Gough, D.O., see Christensen-Dalsgaard, J., et al. **264**, 518
Gouguenheim, L., see Bottinelli, L., et al. **257**, 846 *(93, 173)*
Gouguenheim, L., see Garcia, A.M., et al. **266**, 645 *(96, 435)*
Gouguenheim, L., see Teerikorpi, P., et al. **260**, 17
Gouguenheim, L., see van Driel, W., et al. **259**, 71
Gouiffes, C., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Gould, A., Flynn, C.: K giant magnitude calibration from parallaxes **254**, 105
Goupil, M.J., see Michel, E., et al. **255**, 139
Goupil, M.J., see Serre, T., et al. **259**, 404
Gourgoulhon, E., Chamaraux, P., Fouqué, P.: Groups of galaxies within 80 Mpc. I. Grouping hierarchical method and statistical properties **255**, 69
Gourgoulhon, E., see Fouqué, P., et al. **259**, 722 *(93, 211)*
Gouttebroze, P., see Marilli, E., et al. **265**, 643
Graf, U.U., see Wild, W., et al. **265**, 447
Graham, D.A., see Colomer, F., et al. **254**, L17
Graham, D.A., see Krichbaum, T.P., et al. **260**, 33
Grankin, K.N., see Jetsu, L., et al. **262**, 188
Grasdalen, G, see Landau, R., et al. **259**, 696
Gratton, R.G., see D'Antona, F., et al. **257**, 539
Grauer, A.D., see Vauclair, G., et al. **264**, 547
Gravazzi, G., see Scodeggio, M., et al. **264**, 719 *(94, 299)*
Gray, A.D., see Haynes, R.F., et al. **264**, 500
Gray, M.D., Field, D., Doel, R.C.: An analysis of intense OH maser emission in star-forming regions **262**, 555
Gray, M.D., see Jones, K.N., et al. **264**, 220
Gray, R.O.: The calibration of Strömgren photometry for A, F and early G supergiants. III. The A and early F supergiants **265**, 704
Greaves, J.S., White, G.J., Ohishi, M., Hasegawa, T., Sunada, K.: Observations of five molecular species in absorption towards Sagittarius B2 **260**, 381
Greaves, J.S., White, G.J., Williams, P.G.: Isotopic CO observations of M 17(SW) **257**, 731
Grebel, E.K., Richtler, T.: Metallicities from CCD Strömgren photometry of the young cluster NGC 330 and nearby field stars in the Small Magellanic Cloud **253**, 359
Grebel, E.K., Richtler, T., de Boer, K.S.: Be star surveys with CCD photometry. I. NGC 330 and its high Be star content **254**, L5
Grebel, E.K., see Richtler, T., et al. **264**, 25
Grec, G., see Fossat, E., et al. **266**, 532
Gredel, R., Reipurth, B., Heathcote, S.: An optical/infrared/millimetre study of HH 90/91 **266**, 439
Gredel, R., van Dishoeck, E.F., de Vries, C.P., Black, J.H.: The structure of the high-latitude molecular cloud toward HD 210121 **257**, 245
Green, D.A., see Normandeau, M., et al. **255**, 497 *(92, 63)*
Greenberg, J.M., see Ehrenfreund, P., et al. **260**, 431
Greenberg, J.M., see Mukai, T., et al. **262**, 315
Greenfield, P., see Boksenberg, A., et al. **261**, 393
Greenfield, P., see Jakobsen, P., et al. **253**, 329
Greenfield, P., see Paresce, F., et al. **262**, 617
Gregorini, L., Klein, U., Parma, P., Schlickeiser, R., Wielebinski, R.: High-frequency radio continuum observations of low-luminosity radio galaxies. I. A sample of sources with angular sizes $> 4'$ **262**, 382 *(94, 13)*
Gregorini, L., see Andreon, S., et al. **266**, 127
Gregorini, L., Vettolani, G., de Ruiter, H.R., Parma, P.: Samples of dumb-bell galaxies in southern rich clusters **266**, 628 *(95, 1)*
Greidanus, H., Strom, R.G.: Optical kinematics in the Cygnus Loop. II. Interpretation **257**, 265
Greiner, J.: Rejection of archival photographic objects as optical counterparts of γ-ray bursters **264**, 121
Grenon, M., Mermilliod, M., Mermilliod, J.C.: The Hipparcos Input Catalogue. III. Photometry **258**, 88
Grenon, M., see Arenou, F., et al. **258**, 104
Grenon, M., see Perryman, M.A.C., et al. **258**, 1
Grenon, M., see Scales, D.R., et al. **258**, 211
Greve, A., see Downes, D., et al. **262**, 424
Greve, A., see Guilloteau, S., et al. **262**, 624
Grevesse, N., see Hannaford, P., et al. **259**, 301
Grevesse, N., see Sauval, A.J., et al. **265**, 355
Grewing, M., see Høg, E., et al. **258**, 177
Grewing, M., see Kreysing, H.C., et al. **264**, 623
Grewing, M., see Perryman, M.A.C., et al. **258**, 1
Grewing, M., see Scales, D.R., et al. **258**, 211
Griffin, R.E.M., Schröder, K.-P., Misch, A., Griffin, R.F.: Optical spectra of ζ Aurigae binary systems. III. The 1989 eclipse of τ Persei **254**, 289
Griffin, R.F., see Griffin, R.E.M., et al. **254**, 289
Grishmanovskiy, V.A., see Sagdeyev, R.Z., et al. **254**, 387

Groenewegen, M.A.T., de Jong, T., van der Bliek, N.S., Slijkhuis, S., Willems, F.J.: A flux-limited sample of galactic carbon stars **253**, 150
Groenewegen, M.A.T., see van Driel, W., et al. **259**, 71
Groote, D., see Hagen, H.-J., et al. **253**, L5
Grossmann-Doerth, U., Schmidt, W.: Chromospheric fine structure revisited **264**, 236
Großmann, V., Heithausen, A.: The physical and chemical state of a dense core in the high-latitude cloud MCLD 123.5+24.9 **264**, 195
Grün, E., Fechtig, H., Giese, R.H., Kissel, J., Linkert, D., Maas, D., McDonnell, J.A.M., Morfill, G.E., Schwehm, G., Zook, H.A.: The Ulysses dust experiment **255**, 502 *(92, 411)*
Grupe, D., see Stellmacher, G., et al. **265**, 781
Gry, C., Lequeux, J., Boulanger, F.: Fine structure lines of C^+ and N^+ in the galaxy **266**, 457
Güdel, M.: Radio and X-ray emission from main-sequence K stars **264**, L31
Guelachvili, G., see Sauval, A.J., et al. **265**, 355
Guélin, M., see Downes, D., et al. **262**, 424
Guélin, M., see García-Burillo, S., et al. **266**, 21
Guélin, M., see Gerin, M., et al. **259**, L35
Guélin, M., see Guilloteau, S., et al. **262**, 624
Guélin, M., see Kahane, C., et al. **256**, 235
Guélin, M., see Lucas, R., et al. **262**, 491
Guélin, M., see Neri, R., et al. **262**, 544
Guerrero, G., Bossi, M., Scardia, M.: Photometric short-term variations of the Be star θ Coronae Borealis **260**, 311
Guerry, A., see Kovalevsky, J., et al. **258**, 7
Gürtler, J., see Friedemann, C., et al. **255**, 246
Güsten, R., see Schilke, P., et al. **261**, L5
Güsten, R., see Zylka, R., et al. **266**, 647 *(96, 525)*
Guglielmo, F., see Fouqué, P., et al. **257**, 846 *(93, 151)*
Guilloteau, S., Bachiller, R., Fuente, A., Lucas, R.: First observations of young bipolar outflows with the IRAM interferometer: 2″ resolution SiO images of the molecular jet in L 1448 **265**, L49
Guilloteau, S., Delannoy, J., Downes, D., Greve, A., Guélin, M., Lucas, R., Morris, D., Radford, S.J.E., Wink, J., Cernicharo, J., Forveille, T., García-Burillo, S., Neri, R., Blondel, J., Perrigouard, A., Plathner, D., Torres, M.: The IRAM interferometer on Plateau de Bure *(Plateau de Bure Series, Paper 1)* **262**, 624
Guilloteau, S., see Downes, D., et al. **262**, 424
Guilloteau, S., see Lucas, R. **259**, L23
Guilloteau, S., see Lucas, R., et al. **262**, 491
Guilloteau, S., see Neri, R., et al. **262**, 544
Guilloteau, S., see Schilke, P., et al. **256**, 595
Guilloteau, S., see Vallée, J.P., et al. **266**, 520
Guirado, J.C., see Marcaide, J.M., et al. **258**, 295
Gulkis, S., see Pagani, L., et al. **258**, 472
Gurvits, L.I., Kardashev, N.S., Popov, M.V., Schilizzi, R.T., Barthel, P.D., Pauliny-Toth, I.I.K., Kellermann, K.I.: The compact radio structure of the high redshift quasars 642 + 449, 1402 + 044, 1614 + 051 **260**, 82
Gur'yanov, A.E., Kallistratova, M.A., Kutyrev, A.S., Petenko, I.V., Shcheglov, P.V., Tokovinin, A.A.: The contribution of the lower atmospheric layers to the seeing at some mountain observatories **262**, 373
Gurzadyan, V.G., Kocharyan, A.A.: On the problem of isotropization of cosmic microwave background radiation **260**, 14
Gustafsson, B., see Olofsson, H., et al. **253**, L17
Guthrie, B.N.G.: Axial ratios of edge-on spirals **259**, 723 *(93, 255)*
Gutiérrez, F., see Muiños, J.L., et al. **266**, 632 *(95, 269)*
Haas, M., Leinert, C., Lenzen, R.: On the polarization of GL 490 **261**, 130
Haberl, F., Day, C.S.R.: A Ginga observation of the supergiant X-ray binary system 4U 1700–37/HD 153919 **263**, 241
Habing, H.J., see Lindqvist, M., et al. **255**, 496 *(92, 43)*
Habing, H.J., see Lindqvist, M., et al. **259**, 118
Habing, H.J., see Nyman, L.-Å, et al. **257**, 845 *(93, 121)*
Habing, H.J., see van Langevelde, H.J., et al. **261**, L17
Hack, M., Engin, S., Yilmaz, N., Sedmak, L., Rusconi, L., Boehm, C.: Spectroscopic study of the atmospheric eclipsing binary VV Cephei **266**, 637 *(95, 589)*
Hack, M., see Kotnik-Karuza, D., et al. **264**, 718 *(94, 251)*
Haddad, N., see Cornwell, T.J., et al. **258**, 583
Hadrava, P.: Radiative transfer in rotating stars **256**, 519
Hadrava, P.: Reflection with limb darkening **257**, 218
Haensel, P.: Non-equilibrium neutrino emissivities and opacities of neutron star matter **262**, 131
Hagen, H.-J., Cordis, L., Engels, D., Groote, D., Haug, U., Heber, U., Köhler, T., Wiskotzki, L., Reimers, D.: HS 1946+7658: the most luminous QSO so far **253**, L5
Hagen, H.-J., see Bade, N., et al. **254**, L21
Hagen, H., see Kollatschny, W., et al. **264**, L5
Hahn, G., see Bailey, M.E., et al. **257**, 315
Hainaut, O., see Sekanina, Z., et al. **263**, 367
Hajivassiliou, C.A.: An analysis of the influence of interstellar scattering on interplanetary scintillation observations **253**, 244
Halbwachs, J.L., Høg, E., Bastian, U., Hansen, P.C., Schwekendiek, P.: Tycho star recognition **258**, 193
Halbwachs, J.L., see Høg, E., et al. **258**, 177
Hall, D.S., see Donati, J.-F., et al. **265**, 682
Hamabe, M., see van Driel, W., et al. **259**, 71
Hamann, W.-R., Leuenhagen, U., Koesterke, L., Wessolowski, U.: Modelling the spectrum of WC-type Wolf-Rayet stars **255**, 200
Hamann, W.-R., Schwarz, E.: The eclipsing Wolf-Rayet binary V444 Cygni: modelling the light curve and the helium spectrum consistently **261**, 523
Hamann, W.-R., see Baum, E., et al. **266**, 402
Hamann, W.-R., see Koesterke, L., et al. **255**, 490
Hamann, W.-R., see Koesterke, L., et al. **261**, 535
Hamann, W.-R., see Werner, K., et al. **259**, L69
Hamilton, D.C., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Hammer, F., see Le Fèvre, O. **254**, L29
Hammer, R., see Nesis, A., et al. **253**, 561
Han, Z.W., see Huang, R.Q., et al. **256**, 438
Hannaford, P., Lowe, R.M., Grevesse, N., Noels, A.: Lifetimes in Fe II and the solar abundance of iron **259**, 301
Hansen, P.C., see Halbwachs, J.L., et al. **258**, 193
Hansen, P.C., see Høg, E., et al. **258**, 201
Hanslmeier, A., see Nesis, A., et al. **253**, 561
Hanuschik, R.W., see Dachs, J., et al. **266**, 635 *(95, 437)*
Harmanec, P.: One less puzzle in β Lyrae? **266**, 307
Harra, L.K., see Doyle, J.G., et al. **261**, 285
Harris, A.I., see Wild, W., et al. **265**, 447
Harrison, R.A., see Pearce, G., et al. **253**, 601
Hartl, H., see Saurer, W., et al. **260**, 559 *(93, 553)*
Hartman, J.W., see Bhattacharya, D., et al. **254**, 198

Hartman, R.C., see Schneid, E.J., et al. **255**, L13
Harvey, C.C., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Hasegawa, T., see Greaves, J.S., et al. **260**, 381
Haser, S., see Herrero, A., et al. **261**, 209
Hashimoto, M., see Arai, K. **254**, 191
Hasinger, G., see Alpar, M.A., et al. **257**, 627
Hasinger, G., see Burg, R., et al. **259**, L9
Hasinger, G., see Kreysing, H.C., et al. **264**, 623
Hasinger, G., see Magnier, E.A., et al. **266**, 644 *(96, 379)*
Haslam, C.G.T., see Biermann, P.L., et al. **255**, L5
Haslam, C.G.T., see Mezger, P.G., et al. **256**, 631
Haslam, C.G.T., see Mezger, P.G., et al. **265**, 743
Hauck, B., see Cayrel de Strobel, G., et al. **266**, 632 *(95, 273)*
Haug, U., see Hagen, H.-J., et al. **253**, L5
Haynes, R.F., see Xu, C., et al. **257**, 47
Haynes, R.F., Stewart, R.T., Gray, A.D., Reich, W., Reich, P., Mebold, U.: Polarized arcs near the galactic centre **264**, 500
Hearn, A.G., see Koninx, J.P.M. **263**, 208
Heathcote, S., see Gredel, R., et al. **266**, 439
Heathcote, S., see Reipurth, B. **257**, 693
Heathcote, S., see Reipurth, B., et al. **256**, 225
Heber, U., see Hagen, H.-J., et al. **253**, L5
Heber, U., see Jeffery, C.S. **260**, 133
Heber, U., see Werner, K., et al. **259**, L69
Heck, A., Ciarlo, A., Stokke, H.: StarWays. A database of astronomy, space sciences and related organisations of the world (Announcement of a database) **266**, 648 *(96, 565)*
Heck, L., see Abgrall, H., et al. **253**, 525
Hecquet, J., see Aurière, M., et al. **256**, 95
Hecquet, J., see Coupinot, G., et al. **259**, 701
Hedgecock, P.C., see Balogh, A., et al. **255**, 498 *(92, 221)*
Heemskerk, M.H.M., Papaloizou, J.C., Savonije, G.J.: Non-linear development of $m=1$ instabilities in a self-gravitating gaseous disc **260**, 161
Heidt, J., see Ulrich, M.-H., et al. **266**, 183
Heinlein, D., see Jenniskens, P., et al. **255**, 373
Heinzel, P., see Wiik, J.E., et al. **260**, 419
Heithausen, A., see Großmann, V. **264**, 195
Helmer, G., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Helmer, L., see Morrison, L.V., et al. **262**, 347
Hemmerich, P., see Witte, M., et al. **255**, 500 *(92, 333)*
Henkel, C., see Brouillet, N., et al. **262**, L5
Henkel, C., see Sage, L.J., et al. **265**, 19
Henkel, C., see Wiklind, T. **257**, 437
Henkel, C., see Zylka, R., et al. **266**, 647 *(96, 525)*
Henkel, R., see Beck, H.K.B., et al. **265**, 626
Henney, W.J., Dyson, J.E.: A dynamical model for the outer nebula of R Aquarii **261**, 301
Henning, T., Cesaroni, R., Walmsley, M., Pfau, W.: Maser search towards young stellar objects **260**, 558 *(93, 525)*
Henning, T., Chini, R., Pfau, W.: Submm/mm observations of the Monoceros R2 cloud core **263**, 285
Henning, T., see Ossenkopf, V., et al. **261**, 567
Henoux, J.-C., see Hurley, K., et al. **255**, 501 *(92, 401)*
Hénoux, J.-C., see Karlický, M. **264**, 679
Hénoux, J.-C., see Aboudarham, J., et al. **262**, 302
Henrichs, H.F., see Papaloizou, J.C., et al. **265**, L45
Henriksen, R.N., see Rauzy, S., et al. **256**, 1
Henrion, J., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Henry, G.W., see Donati, J.-F., et al. **265**, 682
Henry, J.P., see Briel, U.G., et al. **259**, L31
Henry, T.J., Johnson, D.S., McCarthy Jr., D.W., Kirkpatrick, J.D.: Red/infrared observations of Wolf 424 AB: are the components substellar? **254**, 116
Henry, T.W., see Koutchmy, S., et al. **266**, 641 *(96, 169)*
Hensler, G., see Theis, C., et al. **265**, 465
Herbstmeier, U., see Wennmacher, A., et al. **261**, L9
Hering, R., see Kovalevsky, J., et al. **258**, 7
Hermsen, W., see Winkler, C., et al. **255**, L9
Hernichel, J., Krause, D., Röhrig, R., Stutzki, J., Winnewisser, G.: Atomic carbon near the molecular cloud/H II region interface in S 140 **259**, L77
Herold, H., see Ventura, J., et al. **261**, 235
Herpe, G., see Vauclair, G., et al. **264**, 547
Herrero, A., Kudritzki, R.P., Vilchez, J.M., Kunze, D., Butler, K., Haser, S.: Intrinsic parameters of galactic luminous OB stars **261**, 209
Herrero, A., see Méndez, R.H., et al. **260**, 329
Hertling, G., see Faúndes-Abans, M., et al. **264**, 718 *(94, 245)*
Hertz, P., see Augusteijn, T., et al. **265**, 177
Heske, A., see Icke, V., et al. **258**, 341
Heske, A., see Nyman, L.-Å, et al. **257**, 845 *(93, 121)*
Hessman, F.V., Mantel, K.-H., Barwig, H., Schoembs, R.: OY Carinae: the secrets of the super-humps revealed **263**, 147
Heydari-Malayeri, M., Melnick, J.: Discovery of a peculiar Of?-like star in the LMC **258**, L13
Heydari-Malayeri, M., see Cristiani, S., et al. **259**, 63
Heydari-Malayeri, M., see Melnick, J., et al. **253**, 16
Heynderickx, D.: A photometric study of β Cephei stars. I. Frequency analysis of new and previously published data **266**, 642 *(96, 207)*
Hickson, P., see Trèvese, D., et al. **264**, 720 *(94, 327)*
Hiei, E., see Sotirovski, P., et al. **262**, 597
Hildebrand, C.E., see Sagdeyev, R.Z., et al. **254**, 387
Hilker, M., see Richtler, T., et al. **264**, 25
Hill, G., see Ahn, Y.S., et al. **265**, 597
Hill, G., see Khalesseh, B. **257**, 199
Hill, G., see Perry, C.L. **257**, 128
Hillebrandt, W., see Mair, G., et al. **266**, 266
Hillebrandt, W., see Steinmetz, M., et al. **254**, 177
Hillier, D.J., Allen, D.A.: A spectroscopic investigation of η Carinae and the Homunculus Nebula. I. Overview of the spectra **262**, 153
Hilton, J., see Lahulla, J.F. **264**, 719 *(94, 265)*
Hippelein, H., Meisenheimer, K.: The extended line-emission from 3C 352 **264**, 472
Hippelein, H., see Meisenheimer, K. **264**, 455
Hirabayashi, H., see Bååth, L.B., et al. **257**, 31
Hirabayashi, H., see Krichbaum, T.P., et al. **260**, 33
Hiromoto, N., see Souchay, J., et al. **264**, 314
Hirth, W., see Lilienthal, D., et al. **255**, 323
Hjorth, P.G., see Damgaard, P.H., et al. **254**, 422
Hjorth, P.G., Villemoes, L.F., Teuber, J., Florentin-Nielsen, R.: Wavelet analysis of "double quasar" flux data **255**, L20
Hoang, S., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Hodges, M.W., see Bååth, L.B., et al. **257**, 31
Höflich, P., Khokhlov, A., Müller, E.: Gamma-ray light curves and spectra for Type Ia supernovae **259**, 549
Höflich, P., see Khokhlov, A., et al. **253**, L9
Höflich, P., see Mair, G., et al. **266**, 266
Höflich, P., see Steinmetz, M. **257**, 641

Höfner, S., Dorfi, E.A.: Dust formation in winds of long-period variables. II. Dust energetics, optical properties, chemistry, time scales **265**, 207
Hoekzema, N.M., Lamers, H.J.G.L.M., van Genderen, A.M.: The distance and reddening of stars near the luminous blue variable AG Carinae **257**, 118
Hoell, J., see Liebscher, D.-E., et al. **261**, 377
Hörtnagl, A.M., Kimeswenger, S., Weinberger, R.: Image diameter-magnitude relations for stars on ESO/SERC *R* and *J* films **262**, 369
Hoffmann, M., see Lagerkvist, C.-I., et al. **266**, 636 *(95, 461)*
Hoffmann, M., see Niarchos, P., et al. **258**, 323
Hofmann, A., see Schmidt, W., et al. **264**, L27
Hofmann, K.-H., see Mauder, W., et al. **264**, L9
Hofmann, K.-H., see Pehlemann, E., et al. **256**, 701
Høg, E., Bastian, U., Egret, D., Grewing, M., Halbwachs, J.L., Wicenec, A., Bässgen, G., Bernacca, P.L., Donati, F., Kovalevsky, J., van Leeuwen, F., Lindegren, L., Pedersen, H., Perryman, M.A.C., Petersen, C., Scales, D., Snijders, M.A.J., Wesselius, P.R.: Tycho data analysis. Overview of the adopted reduction software and first results **258**, 177
Høg, E., Bastian, U., Hansen, P.C., van Leeuwen, F., Lindegren, L., Pedersen, H., Saust, A.B., Schwekendiek, P., Wagner, K.: Tycho astrometry calibration **258**, 201
Høg, E., see Bässgen, G., et al. **258**, 186
Høg, E., see Evans, D.W., et al. **258**, 149
Høg, E., see Halbwachs, J.L., et al. **258**, 193
Høg, E., see Lindegren, L., et al. **258**, 18
Høg, E., see Perryman, M.A.C., et al. **258**, 1
Høg, E., see Scales, D.R., et al. **258**, 211
Holenstein, A.P., Schenker, G., Huguenin, D., Kneubühl, F.K.: Balloon-borne far-infrared imaging of the Cygnus-X region **266**, 639 *(96, 115)*
Holl, A., see Balázs, L.G., et al. **255**, 281
Hollander, A., see van Genderen, A.M., et al. **258**, 316
Hollander, A., van Paradijs, J.: Quasi-periodic oscillations in TT Arietis **265**, 77
Hollweg, J.V., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Hooimeyer, J.R.A., Barthel, P.D., Schilizzi, R.T., Miley, G.K.: Monitoring of the superluminal quasar 4C 34.47 **261**, 1
Hooimeyer, J.R.A., Barthel, P.D., Schilizzi, R.T., Miley, G.K.: The radio structure of extended quasars. I. A VLBI survey of the nuclear emission **261**, 18
Hooimeyer, J.R.A., Miley, G.K., de Waard, G.J., Schilizzi, R.T.: Spectral monitoring of powerful radio sources **261**, 9
Hooimeyer, J.R.A., Schilizzi, R.T., Miley, G.K., Barthel, P.D.: The radio structure of extended quasars. II. The radio emission on pc- and kpc-scales **261**, 25
Hooimeyer, J.R.A., Schilizzi, R.T., Miley, G.K., Barthel, P.D.: Two new candidate superluminal quasars: 4C 28.45 and 4C 21.35 **261**, 5
Hook, I.M., Duffett-Smith, P.J., Shakeshaft, J.R.: The rate of decrease of the flux density of Cassiopeia A at 81.5 MHz **255**, 285
Horani, M., Vervloet, M.: Improved determination of the ground state molecular constants of the CS^+ cation to aid possible astrophysical detection **256**, 683
Horellou, C., Beck, R., Berkhuijsen, E.M., Krause, M., Klein, U.: Faraday effects in the spiral galaxy M 51 **265**, 417
Horn, J., Hubert, A.M., Hubert, H., Koubský, P., Bailloux, N.: CX Draconis: the orbit parameters for both components **259**, L5
Horton, L., see Clay, R.W., et al. **255**, 167
Hovenier, J.W., see Wauben, W.M.F. **261**, 640
Hovestadt, D., see Keppler, E., et al. **255**, 500 *(92, 317)*
Howard, R., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Howarth, I.D., Schmutz, W.: Near-infrared spectroscopy of Galactic Wolf-Rayet stars **261**, 503
Howarth, N., see Israel, F.P., et al. **261**, 47
Hron, J., see Kerschbaum, F. **263**, 97
Hu, J.Y., see de Winter, D., et al. **257**, 632
Huang, R.Q., Yu, K.N., Han, Z.W.: The effect of angular momentum exchange in the evolution of binary systems **256**, 438
Hubeny, I., Lanz, T.: Accelerated complete-linearization method for calculating NLTE model stellar atmospheres **262**, 501
Hubert, A.M., see Floquet, M., et al. **264**, 177
Hubert, A.M., see Horn, J., et al. **259**, L5
Hubert, H., see Floquet, M., et al. **264**, 177
Hubert, H., see Horn, J., et al. **259**, L5
Huc, C., see Kovalevsky, J., et al. **258**, 7
Huchra, J., see Burg, R., et al. **259**, L9
Huchtmeier, W.K., see Kraan-Korteweg, R.C. **266**, 150
Huchtmeier, W.K., Tammann, G.A.: The detection of the CO emission of the elliptical galaxy NGC 7176 **257**, 455
Hudec, R., see Borovička, J., et al. **258**, 379
Hudec, R., see Varady, M. **261**, 365
Hühnermann, H., see Stüwe, J.A., et al. **261**, 382
Hünsch, M., see Schröder, K.-P. **257**, 219
Huggins, P.J., see Bachiller, R., et al. **256**, 231
Huggins, P.J., see Cox, P., et al. **266**, 420
Huguenin, D., see Holenstein, A.P., et al. **266**, 639 *(96, 115)*
Huguet, E., Gillet, D., Lafon, J.-P.J.: Radiative shocks in atomic and molecular stellar-like atmospheres. V. Influence of the excited level of the hydrogen atom: the precursor structure **255**, 233
Hulot, E., Vilmer, N., Chupp, E.L., Dennis, B.R., Kane, S.R.: γ-ray and X-ray time profiles expected from a trap-plus-precipitation model for the 7 June 1980 and 27 April 1981 solar flares **256**, 273
Hummel, C.A., Muxlow, T.W.B., Krichbaum, T.P., Quirrenbach, A., Schalinski, C.J., Witzel, A., Johnston, K.J.: MERLIN and VLBI observations of the quasar 0836+710: morphology of a parsec-kiloparsec scale jet **266**, 93
Hummel, C.A., Schalinski, C.J., Krichbaum, T.P., Rioja, M.J., Quirrenbach, A., Witzel, A., Muxlow, T.W.B., Johnston, K.J., Matveyenko, L.I., Shevchenko, A.: The jets of quasar 1928+738: superluminal motion and large-scale structure **257**, 489
Hummel, C.A., see Krichbaum, T.P., et al. **260**, 33
Hummel, C.A., see Quirrenbach, A., et al. **258**, 279
Hummel, E., Beck, R., Dahlem, M.: *Erratum:* The magnetic field structure in the radio halos of NGC 891 and NGC 4631 **258**, 605
Hummel, E., Jörsäter, S.: The central region of NGC 613 revisited **261**, 85
Hummel, E., see Möllenhoff, C., et al. **255**, 35
Hummel, W., Dachs, J.: Non-coherent scattering in vertically extended Be star disks: winebottle-type emission-line profiles **262**, L17

Hummel, W., see Dachs, J., et al. **266**, 635 *(95, 437)*
Hummer, D.G., see Kudritzki, R.-P., et al. **257**, 655
Hummer, D.G., see Rybicki, G.B. **262**, 209
Hunt, L.K., Mannucci, F., Salvati, M., Stanga, R.M.: High time resolution monitoring at 2.2 μm of the Seyfert 1 galaxy NGC 4051 **257**, 434
Hunter, S.D., see Schneid, E.J., et al. **255**, L13
Huovelin, J., see Jetsu, L., et al. **262**, 188
Hurley, K., Sommer, M., Atteia, J.-L., Boer, M., Cline, T., Cotin, F., Henoux, J.-C., Kane, S., Lowes, P., Niel, M., Van Rooijen, J., Vedrenne, G.: The solar X-ray/cosmic gamma-ray burst experiment aboard Ulysses **255**, 501 *(92, 401)*
Hutchinson, M.G., see Shenton, M., et al. **262**, 138
Hutsemékers, D., see Magain, P., et al. **253**, L13
Hynds, R.J., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Ibáñez, J.M., see Marquina, A., et al. **258**, 566
Icke, V., Balick, B., Frank, A.: The hydrodynamics of aspherical planetary nebulae. II. Numerical modelling of the early evolution **253**, 224
Icke, V., Frank, A., Heske, A.: Weak chaos in long-period variables **258**, 341
Iess, L., see Bertotti, B., et al. **255**, 502 *(92, 431)*
Iglesias, C.A., see Kovács, G., et al. **259**, L46
Iijima, T., Rafanelli, P., Bianchini, A.: On the disappearance of the broad emission component of Hβ of NGC 5548 in May 1992 **265**, L25
Iijima, T., see Rosino, L., et al. **257**, 603
Imhoff, C., see Cassatella, A., et al. **256**, 309
Imhoff, J., see Kudritzki, R.-P., et al. **257**, 655
in 't Zand, J.J.M., Pan, H.C., Bleeker, J.A.M., Skinner, G.K., Gilfanov, M.R., Sunyaev, R.: The spectral variability in 2–28 keV of GS2023+338 during its 1989 outburst **266**, 283
Ingrosso, G., Merafina, M., Ruffini, R., Strafella, F.: System of self-gravitating semidegenerate fermions with a cutoff of energy and angular momentum in their distribution function **258**, 223
Innes, D.E.: Dynamics and spectra of magnetically cushioned radiative shocks **256**, 660
Inoue, M., see Bååth, L.B., et al. **257**, 31
Inoue, M., see Krichbaum, T.P., et al. **260**, 33
Inoue, M., see Taylor, G.B., et al. **264**, 415
Inoue, M., see Taylor, G.B., et al. **264**, 421
Iorio-Fili, D., see Kovalevsky, J., et al. **258**, 7
Ip, W.-H., see Neugebauer, M., et al. **258**, 549
Ipavich, F.M., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Irvine, W.M., see Minh, Y.C., et al. **258**, 489
Isern, J., see Bravo, E., et al. **257**, 534
Ishikawa, S., Yamada, S., Kiguchi, M., Sato, K.: Asymmetric explosion in SN 1987 A **258**, 415
Ishimoto, H., see Mukai, T., et al. **262**, 315
Ismailov, R.M.: Interferometric observations of double stars in 1986–1990 **266**, 644 *(96, 375)*
Israel, F.P.: Molecular-line emission from the centres of Centaurus A and other southern galaxies **265**, 487
Israel, F.P., Mahoney, M.J., Howarth, N.: The integrated radio continuum spectrum of M 33: evidence for free-free absorption by cool ionized gas **261**, 47
Itkina, M.A., Levin, B.N.: A computer simulation study of Type III radio burst propagation through the solar corona **253**, 521
Ivanov, G.R., Popravko, G., Efremo, Y.N., Tikhonov, N.A., Karachentsev, I.D.: Stellar associations and aggregates in NGC 628 **266**, 650 *(96, 645)*
Ivanova, V., see Jockers, K., et al. **260**, 455
Iwasaki, K., see Akabane, T., et al. **255**, 377
Iwers, B., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Jablonka, J., Arimoto, N.: Dark-to-luminous mass ratio in spiral galaxies **255**, 63
Jablonka, P., Alloin, D., Bica, E.: Ages and metallicities of M 31 star clusters **260**, 97
Jablonka, P., see Bica, E., et al. **260**, 109
Jablonski, F.J., Cieslinski, D.: V1159 Orionis: a dwarf nova with very short outburst cycle **259**, 198
Jablonsky, F.J., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Jackson, J.M., see Wild, W., et al. **265**, 447
Jackson, N., O'Brien, P.T., Goad, M., Alloin, D., Axon, D.J., de Bruyn, A.G., Clavel, J., Dietrich, M., Gondhalekar, P.M., van Groningen, E., Kollatschny, W., Laurikainen, E., Lawrence, A., McHardy, I.M., Penston, M.V., Pérez, E., Pérez-Fournon, I., Robinson, A., Stirpe, G.M., Tadhunter, C.N., Terlevich, R.J., Wagner, S.: Monitoring of active galactic nuclei. I. The quasars 1302−102 and 1217+023 **262**, 17
Jacobson, A.R., Erickson, W.C.: A method for characterizing transient ionospheric disturbances using a large radiotelescope array **257**, 401
Jacobson, R.A.: Astrographic observations of the major Uranian satellites from Voyager 2 **266**, 648 *(96, 549)*
Jacq, T., see Gerin, M., et al. **259**, L35
Jacquet, R., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Jahreiß, H., Réquième, Y., Argue, A.N., Dommanget, J., Rousseau, M., Lederle, T., Le Poole, R.S., Mazurier, J.M., Morrison, L.V., Nys, O., Penston, M.J., Périé, J.P., Prévot, L., Tucholke, H.-J., de Vegt, C.: The Hipparcos Input Catalogue. II. Astrometric data **258**, 82
Jain, A., see Magnier, E.A., et al. **266**, 644 *(96, 379)*
Jain, S.K., see Anupama, G.C., et al. **263**, 87
Jain, S.K., see Parthasarathy, M., et al. **266**, 202
Jakimiec, J., Sylwester, B., Sylwester, J., Serio, S., Peres, G., Reale, F.: Dynamics of flaring loops. II. Flare evolution in the density-temperature diagram **253**, 269
Jakobsen, P., Greenfield, P., Jedrzejewski, R.: The Cramér-Rao lower bound and stellar photometry with aberrated HST images **253**, 329
Jakobsen, P., see Boksenberg, A., et al. **261**, 393
Jakobsen, P., see Paresce, F., et al. **262**, 617
Janka, H.-T.: Flux-limited neutrino diffusion versus Monte Carlo neutrino transport **256**, 452
Janka, H.-T., Dgani, R., van den Horn, L.J.: Fermion angular distribution and maximum entropy Eddington factors **265**, 345
Janka, H.-T., see Dgani, R. **256**, 428
Janka, H.-T., see Körner, A. **266**, 613
Jankov, S., Foing, B.H.: Tomographic imaging of late-type stars from spectroscopic and photometric rotational modulation. I. Principle and mathematical formulation of the method **256**, 533
Janot-Pacheco, E., see Floquet, M., et al. **264**, 177
Janssens, A.M., see van Genderen, A.M., et al. **264**, 88
Jaschek, C., Jaschek, M.: A southern Be star survey: spectra and envelope radii **266**, 637 *(95, 535)*
Jaschek, C., Valbousquet, A.: The solar motion. II. From proper motions **255**, 124

Jaschek, M., see Jaschek, C. **266**, 637 *(95, 535)*
Jasniewicz, G., Acker, A., Freire Ferrero, R., Burnet, M.: New photometric and spectroscopic observations of the central star of Abell 35 **261**, 314
Jasniewicz, G., see Thévenin, F. **266**, 85
Jatskiv, J.S., see Sagdeyev, R.Z., et al. **254**, 387
Jedrzejewski, R., see Boksenberg, A., et al. **261**, 393
Jedrzejewski, R., see Jakobsen, P., et al. **253**, 329
Jedrzejewski, R., see Paresce, F., et al. **262**, 617
Jeffery, C.S., Heber, U.: The extreme helium star BD−9° 4395 **260**, 133
Jenniskens, P., Borovicka, J., Betlem, H., ter Kuile, C., Bettonvil, F., Heinlein, D.: Orbits of meteorite producing fireballs. The Glanerbrug – a case study **255**, 373
Jenniskens, P., Ehrenfreund, P., Désert, F.-X.: Far UV nonlinear rise extinction in relation to CH and CH^+ abundances **265**, L1
Jerzykiewicz, M., Sterken, C.: Three periodic variables of early B spectral type **261**, 477
Jetsu, L., Anttila, R., Dmitrienko, E., Grankin, K.N., Huovelin, J., Melnikov, S.Y., Shevchenko, V.S., Tuominen, I.: The FK Comae-type candidate 1E 1751+7046: *UBVRI* photometry **262**, 188
Jetsu, L., Kokko, M., Tuominen, I.: Long-term stability of the light curves of CQ Ursae Majoris **265**, 547
Jetzer, P., see De Rújula, A., et al. **254**, 99
Jian Min Liu, see Long Long Feng **264**, 385
Jian-Sheng Chen, see Zhong-Yong Zhang **261**, 493
Jiang Shiyiang, see Li Zhiping **257**, 845 *(93, 87)*
Jiang Shiyiang, see Li Zhiping **260**, 557 *(93, 441)*
Jiang, S.Y., see Michel, E., et al. **255**, 139
Jiménez, A., see Vauclair, G., et al. **264**, 547
Joarder, P.S., Roberts, B.: The modes of oscillation of a prominence. II. The slab with transverse magnetic field **261**, 625
Joarder, P.S., Roberts, B.: The modes of oscillation of a prominence. I. The slab with longitudinal magnetic field **256**, 264
Joblin, C., see Ehrenfreund, P., et al. **266**, 429
Jockers, K., Bonev, T., Ivanova, V., Rauer, H.: First images of a possible CO^+-tail of comet P/Schwassmann-Wachmann 1 observed against the dust coma background **260**, 455
Jockers, K., see Formisano, V., et al. **256**, 723
Jockers, K., see Fulle, M., et al. **253**, 615
Jörsäter, S., see Hummel, E. **261**, 85
Johannesson, A., Bida, T., Lites, B., Scharmer, G.B.: Very high spatial resolution two-dimensional solar spectroscopy with video CCDs **258**, 572
Johnson, D.S., see Henry, T.J., et al. **254**, 116
Johnson, H.R., see Jørgensen, U.G. **265**, 168
Johnson, H.R., see Jørgensen, U.G., et al. **254**, 258
Johnson, H.R., see Jørgensen, U.G., et al. **261**, 263
Johnston, K.J., see Hummel, C.A., et al. **257**, 489
Johnston, K.J., see Hummel, C.A., et al. **266**, 93
Johnston, K.J., see Krichbaum, T.P., et al. **260**, 33
Johnston, K.J., see Mauersberger, R., et al. **256**, 640
Johnston, K.J., see Quirrenbach, A., et al. **259**, L19
Johnstone, A., see Formisano, V., et al. **256**, 723
Joly, M., see Dumont, A.M. **263**, 75
Joncas, G., see Normandeau, M., et al. **255**, 497 *(92, 63)*
Jones, K.N., Doel, R.C., Field, D., Gray, M.D., Walker, R.N.F.: An analysis of OH excited state absorption lines in DR 21 and K 3-50 **264**, 220
Joos, R., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Jordan, S.: Models of white dwarfs with high magnetic fields **265**, 570
Jordi, C., Trullols, E., Rosselló, G., Lahulla, F.: A photometric analysis of the Cepheus OB3 region **264**, 722 *(94, 519)*
Jørgensen, I., Franx, M., Kjærgaard, P.: CCD surface photometry for E and S0 galaxies in the Coma cluster **266**, 636 *(95, 489)*
Jørgensen, U.G., Carlsson, M., Johnson, H.R.: The calcium infrared triplet lines in stellar spectra **254**, 258
Jørgensen, U.G., Johnson, H.R.: Radiative force on molecules and its possible role for mass loss in evolved AGB stars **265**, 168
Jørgensen, U.G., Johnson, H.R., Nordlund, Å.: Effects of sphericity in carbon star atmospheres **261**, 263
Jorissen, A., Manfroid, J., Sterken, C.: Photometric variability of barium stars **253**, 407
Jorissen, A., Mayor, M.: Orbital elements of S stars: revisiting the evolutionary status of S stars **260**, 115
Jorissen, A., see Arnould, M., et al. **254**, L9
Jorissen, A., see Barbuy, B., et al. **262**, 216
Jorissen, A., see Forestini, M., et al. **261**, 157
Jorissen, A., Smith, V.V., Lambert, D.L.: Fluorine in red giant stars: evidence for nucleosynthesis **261**, 164
Josey, S.A., Arimoto, N.: The colour gradient in M 31: evidence for disc formation by biased infall? **255**, 105
Joshi, Y.N., see Raassen, A.J.J., et al. **266**, 631 *(95, 223)*
Joulié, P., see Le Coarer, E., et al. **257**, 389
Jourdain, E., Bassani, L., Bouchet, L., Mandrou, P., Ballet, J., Lebrun, F., Paul, J., Laurent, P., Churazov, E., Gilfanov, M., Sunyaev, R., Dyachkov, A., Khavenson, N., Chulkov, I., Kuznetsov, A., Novikov, B.: SIGMA observation of a steep spectral shape in NGC 4151 above 35 keV **256**, L38
Jourdain, E., see Lebrun, F., et al. **264**, 22
Journet, A., see Vigouroux, G., et al. **266**, 646 *(96, 477)*
Joutel, F., see Simon, J.L., et al. **265**, 308
Junkes, N., Fürst, E., Reich, W.: G54.4–0.3: CO shell and star formation region surrounding a shell-type supernova remnant. II. Compact CO clouds and the star formation scenario **261**, 289
Junkes, N., Fürst, E., Reich, W.: G54.4–0.3: CO shell and star formation region surrounding a shell-type supernova remnant. I. Properties of the CO shell **266**, 638 *(96, 1)*
Jura, M., see Balm, S.P. **261**, L25
Jura, M., see Kroto, H.W. **263**, 275
Jurdana, R., see Kotnik-Karuza, D., et al. **264**, 718 *(94, 251)*
Kaasalainen, M., Lamberg, L., Lumme, K.: Interpretation of lightcurves of atmosphereless bodies. II. Practical aspects of inversion **259**, 333
Kaasalainen, M., Lamberg, L., Lumme, K., Bowell, E.: Interpretation of lightcurves of atmosphereless bodies. I. General theory and new inversion schemes **259**, 318
Kaastra, J.S., Asaoka, I., Koyama, K., Yamauchi, S.: X-ray spectroscopy of the young supernova remnant RCW 86 **264**, 654
Kaastra, J.S., Roos, N.: Massive binary black holes and wiggling jets **254**, 96

Källander, D., see Morell, O., et al. **259**, 543
Kämper, B.-C., see Kallrath, J. **265**, 613
Kahane, C., Cernicharo, J., Gómez-González, J., Guélin, M.: Isotopic abundances in carbon-rich circumstellar envelopes: a further iteration on the oxygen isotope puzzle **256**, 235
Kaiser, M.L., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Kalai Selvi, M., see Ghosh, K.K., et al. **255**, 119
Kaler, J.B., see Cahn, J.H., et al. **264**, 721 *(94, 399)*
Kallistratova, M.A., see Gur'yanov, A.E., et al. **262**, 373
Kallrath, J., Kämper, B.-C.: Another look at the early-type eclipsing binary BF Aurigae **265**, 613
Kalter, R., see van Genderen, A.M., et al. **264**, 88
Kamél, L.: The comet light curve atlas. (The comet light curve catalogue/atlas. III. The atlas) **255**, 497 *(92, 85)*
Kamperman, T.M., see Boksenberg, A., et al. **261**, 393
Kamperman, T.M., see Paresce, F., et al. **262**, 617
Kamphuis, J., Briggs, F.: Kinematics of the extended H I disk of NGC 628. High velocity gas and deviations from circular rotation **253**, 335
Kanbach, G., see Schneid, E.J., et al. **255**, L13
Kanbur, S.M.: Equations of state and bump Cepheids. II. Non-linear results **259**, 175
Kane, S., see Hurley, K., et al. **255**, 501 *(92, 401)*
Kane, S.R., see Hulot, E., et al. **256**, 273
Kaniovsky, S., see Maisack, M., et al. **262**, 433
Karachentsev, I.D., see Ivanov, G.R., et al. **266**, 650 *(96, 645)*
Karas, V., Bao, G.: On the light curve of an orbiting spot **257**, 531
Karatasos, K., see Augusteijn, T., et al. **265**, 177
Kardashev, N., see Marcaide, J.M., et al. **258**, 295
Kardashev, N.S., see Gurvits, L.I., et al. **260**, 82
Karlický, M., Hénoux, J.-C.: Return current losses in pulse beam heating of the solar atmosphere **264**, 679
Karovska, M., Nisenson, P.: The effects of limb variation on the diameter measurements of SN 1987 A **253**, 210
Kasai, M., see Bildhauer, S., et al. **263**, 23
Katgert, P., see Wieringa, M.H. **260**, 556 *(93, 399)*
Katgert, P., see Wieringa, M.H., et al. **256**, 331
Katz, M.E., see Fedorov, Y.I., et al. **260**, 499
Kaufmann, D., see Contopoulos, G. **253**, 379
Kaufmann, P., see Sagdeyev, R.Z., et al. **254**, 387
Kaul, R.K., see Rannot, R.C., et al. **262**, L41
Kauts, V.L., see Burdyuzha, V.V., et al. **255**, 459
Kawabe, R., see Combes, F., et al. **259**, L27
Keel, W.C., see Boer, B., et al. **260**, 67
Keel, W.C., see de Grijp, M.H.K., et al. **266**, 645 *(96, 389)*
Keel, W.C., van Soest, E.T.M.: Pairing properties of Markarian starburst galaxies **264**, 722 *(94, 553)*
Keenan, F.P., see Doyle, J.G. **264**, 173
Keenan, F.P., see Doyle, J.G., et al. **261**, 285
Keene, J., see van Dishoeck, E.F., et al. **261**, L13
Kelemen, J., see Balázs, L.G., et al. **255**, 281
Keller, C.U., Stenflo, J.O., von der Lühe, O.: High spatial resolution magnetograms of solar active regions **254**, 355
Keller, C.U., von der Lühe, O.: Solar speckle polarimetry **261**, 321
Keller, H.U., see McCoy, R.P., et al. **258**, 555
Kellermann, K.I., see Gurvits, L.I., et al. **260**, 82
Kellett, B.J., see Doyle, J.G., et al. **262**, 533
Kellett, B.J., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Kellogg, P.J., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Kendziorra, E., see Maisack, M., et al. **262**, 433
Keppler, E., Blake, J.B., Hovestadt, D., Korth, A., Quenby, J., Umlauft, G., Woch, J.: The ULYSSES energetic particle composition experiment EPAC **255**, 500 *(92, 317)*
Keppler, E., see Witte, M., et al. **255**, 500 *(92, 333)*
Kerschbaum, F., Hron, J.: Semiregular variables of types SRa and SRb. Basic properties in the visual and the IRAS-range **263**, 97
Kerschbaum, F., see Fouqué, P., et al. **257**, 846 *(93, 151)*
Kerzhanovitch, V.V., see Sagdeyev, R.Z., et al. **254**, 387
Kesteven, M.J., see Storey, M.C., et al. **265**, 752
Khalesseh, B., Hill, G.: Studies of early-type variable stars. VII. The orbit and physical parameters for TV Cassiopeiae **257**, 199
Khalesseh, B., see Ahn, Y.S., et al. **265**, 597
Khalikov, S., see Ehgamberdiev, S., et al. **253**, 252
Khalikov, S., see Fossat, E., et al. **266**, 532
Khamitov, I., see Fossat, E., et al. **266**, 532
Khanna, R., Camenzind, M.: Magnetized thin accretion disks in active galactic nuclei. A quantitative analysis of field topologies and their dynamic importance **263**, 401
Kharitonov, A.V., see Glushneva, I.N., et al. **255**, 496 *(92, 1)*
Khavenson, N., see Jourdain, E., et al. **256**, L38
Khavenson, N., see Laurent, P., et al. **260**, 237
Khavenson, N., see Lebrun, F., et al. **264**, 22
Khavenson, N., see Salotti, L., et al. **253**, 145
Khokhlov, A., Müller, E., Höflich, P.: Type Ia supernovae: theoretical light curves with a slow pre-maximum rise **253**, L9
Khokhlov, A., see Höflich, P., et al. **259**, 549
Khudyakova, T.N., see Mikołajewski, M., et al. **254**, 127
Kichatinov, L.L., Rüdiger, G.: Magnetic-field advection in inhomogeneous turbulence **260**, 494
Kichatinov, L.L., see Fedorov, Y.I., et al. **260**, 499
Kidger, M., García Lario, P., de Diego, J.A.: Visible and near-infrared monitoring of 3C 279 in 1988–89 **260**, 556 *(93, 391)*
Kidger, M., see Sillanpää, A., et al. **254**, L33
Kidger, M., see Takalo, L.O., et al. **262**, 382 *(94, 37)*
Kidger, M., Takalo, L., de Diego, J.A.: Rapid variations and a large infrared antiflare in the light curve of Markarian 501 **254**, 65
Kidger, M., Takalo, L., Sillanpää, A.: A new analysis of the 11-year period in OJ 287: confirmation of its existence **264**, 32
Kidger, M.R., Diego, J.A.: Coordinated visible and infrared monitoring of rapid variations of Markarian 501-first results with FOVIA **257**, 844 *(93, 1)*
Kidger, M.R., see Takalo, L.O., et al. **261**, 415
Kiguchi, M., see Ishikawa, S., et al. **258**, 415
Kijak, J., see Gil, J. **256**, 477
Kikuchi, S., see Augusteijn, T., et al. **265**, 177
Kilian, J.: Chemical abundances in early B-type stars. IV. He, CNO, and Si abundances **262**, 171
Kim, I., see Koutchmy, S., et al. **266**, 641 *(96, 169)*
Kim, I., see Zirker, J.B., et al. **258**, L1
Kimeswenger, S., see Hörtnagl, A.M., et al. **262**, 369
King, I.R., see Boksenberg, A., et al. **261**, 393
King, I.R., see Paresce, F., et al. **262**, 617
Kippen, M., see Winkler, C., et al. **255**, L9

Kirk, J.G., Wassmann, M.: Electron acceleration at a supernova blast wave. A model for the prompt radio flare from SN 1987 A **254**, 167
Kirkpatrick, J.D., see Henry, T.J., et al. **254**, 116
Kissel, J., see Grün, E., et al. **255**, 502 *(92, 411)*
Kissler, M., see Richtler, T., et al. **264**, 25
Kiziloğlu, N., Civelek, R.: Solar evolution with anisotropic mixing length theory **260**, 255
Kjærgaard, P., see Møller, P. **258**, 234
Kjærgaard, P., see Jørgensen, I., et al. **266**, 636 *(95, 489)*
Klein, B., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Klein, U., Giovanardi, C., Altschuler, D.R., Wunderlich, E.: A sensitive radio continuum survey of low surface brightness dwarf galaxies **255**, 49
Klein, U., see Andernach, H., et al. **259**, 724 *(93, 331)*
Klein, U., see Gregorini, L., et al. **262**, 382 *(94, 13)*
Klein, U., see Horellou, C., et al. **265**, 417
Klein, U., see Reuter, H.-P., et al. **256**, 10
Klein, U., see Xu, C., et al. **257**, 47
Klocok, L., see Zirker, J.B., et al. **258**, L1
Klocok, Ľ., see Buzaši, J., et al. **257**, L7
Klose, S.: Hydrogen chemisorption on a graphite surface **260**, 321
Klotz, A., see Serra, G., et al. **260**, 489
Knee, L.B.G.: Molecular outflows associated with HH 52–54 and IRAS 12496–7650 **259**, 283
Kneer, F., see Bendlin, C., et al. **257**, 817
Kneer, F., see Börner, P. **259**, 307
Kneer, F., see de Boer, C.R. **264**, L24
Kneer, F., see de Boer, C.R., et al. **257**, L4
Kneer, F., see Degenhardt, D. **260**, 411
Kneer, F., see Fabiani Bendicho, P., et al. **264**, 229
Kneubühl, F.K., see Holenstein, A.P., et al. **266**, 639 *(96, 115)*
Kniffen, D.A., see Schneid, E.J., et al. **255**, L13
Knobloch, E., see Dubrulle, B. **256**, 673
Knoll, R., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Knude, J.: *uvbyβ* observations of 528 type *B* stars with *V* between the 8th and 9th magnitude **257**, 411 *(92, 841)*
Knyazeva, L.N., see Glushneva, I.N., et al. **255**, 496 *(92, 1)*
Ko, C.-M.: A note on the hydrodynamical description of cosmic ray propagation **259**, 377
Kobayashi, H., see Bååth, L.B., et al. **257**, 31
Koch-Miramond, L., see Aurière, M. **263**, 82
Kocharyan, A.A., see Gurzadyan, V.G. **260**, 14
Köhler, T., see Hagen, H.-J., et al. **253**, L5
Kömpe, C., see Steppe, H., et al. **266**, 646 *(96, 441)*
Köppen, J., see Götz, M. **262**, 455
Köppen, J., see Samland, M., et al. **264**, 184
Köppen, J., see Tylenda, R., et al. **266**, 632 *(95, 337)*
Körner, A., Janka, H.-T.: Approximate radiative transfer by two-moment closure – when is it possible? **266**, 613
Koester, D., see Allard, N.F. **258**, 464
Koesterke, L., Hamann, W.-R., Kosmol, P.: Upgrading the Accelerated Lambda Iteration technique by means of "least change secant methods" **255**, 490
Koesterke, L., Hamann, W.-R., Wessolowski, U.: A grid of models for Wolf-Rayet stars of the carbon sequence (WC) **261**, 535
Koesterke, L., see Baum, E., et al. **266**, 402
Koesterke, L., see Hamann, W.-R., et al. **255**, 200
Kogan, L.R., see Sagdeyev, R.Z., et al. **254**, 387
Kokko, M., see Jetsu, L., et al. **265**, 547
Kokubun, F., see Abraham, Z. **257**, 831
Kolb, U., Ritter, H.: Advantages and limitations of the bipolytrope model for computing the secular evolution of cataclysmic binaries **254**, 213
Kolb, U., see Ritter, H. **259**, 159
Kolkman, O.M., see van Genderen, A.M., et al. **258**, 316
Kollatschny, W., Dietrich, M., Hagen, H.: Absorption line variability in Markarian 231 **264**, L5
Kollatschny, W., see Jackson, N., et al. **262**, 17
Kolotilov, E.A., see Rosino, L., et al. **257**, 603
Komm, R., see Nesis, A., et al. **253**, 561
Koninx, J.-P.M., Pijpers, F.P.: The applicability of the linearized theory of sound-wave driven winds **265**, 183
Koninx, J.P.M., Hearn, A.G.: The role of sound waves in Be-star winds **263**, 208
Korth, A., see Keppler, E., et al. **255**, 500 *(92, 317)*
Kosmol, P., see Koesterke, L., et al. **255**, 490
Kostenko, V.I., see Sagdeyev, R.Z., et al. **254**, 387
Kotilainen, J., see Teräsranta, H., et al. **262**, 384 *(94, 121)*
Kotnik-Karuza, D., Jurdana, R., Hack, M.: The quiescent phase of CH Cygni during the period 1987–1989 **264**, 718 *(94, 251)*
Koubský, P., see Horn, J., et al. **259**, L5
Koutchmy, O., see Koutchmy, S., et al. **266**, 641 *(96, 169)*
Koutchmy, S., Altrock, R.C., Darvann, T.A., Dzubenko, N.I., Henry, T.W., Kim, I., Koutchmy, O., Martinez, P., Nitschelm, C., Rubo, G.A., Vial, J.C.: Coronal photometry and analysis of the eclipse corona of July 22, 1990 **266**, 641 *(96, 169)*
Koutchmy, S., see Zirker, J.B., et al. **258**, L1
Kovács, G., Buchler, J.R., Marom, A., Iglesias, C.A., Rogers, F.J.: Chemical composition effects and double-mode RR Lyrae masses **259**, L46
Kovalenko, I.G., Levy, V.V.: Steady gas flow with a shock wave in a potential well **264**, 406
Kovalevsky, J., Falin, J.L., Pieplu, J.L., Bernacca, P.L., Donati, F., Froeschlé, M., Galligani, I., Mignard, F., Morando, B., Perryman, M.A.C., Schrijver, H., van Daalen, D.T., van der Marel, H., Villenave, M., Walter, H.G., Badiali, M., Borriello, L., Brouw, W.N., Canuto, E., Guerry, A., Hering, R., Huc, C., Iorio-Fili, D., Lacroute, P., Lattanzi, M., Le Poole, R.S., Murgolo, F.P., Preston, R.A., Röser, S., Sansò, F., Wielen, R., Belforte, P., Bernstein, H.H., Bucciarelli, B., Cardini, D., Emanuele, A., Fassino, B., Lenhart, H., Lestrade, J.F., Prezioso, G., Tommasini Montanari, T.: The FAST Hipparcos Data Reduction Consortium: overview of the reduction software **258**, 7
Kovalevsky, J., see Donati, F., et al. **258**, 41
Kovalevsky, J., see Høg, E., et al. **258**, 177
Kovalevsky, J., see Mignard, F., et al. **258**, 165
Kovalevsky, J., see Perryman, M.A.C., et al. **258**, 1
Kovalevsky, J., see Vigouroux, G., et al. **266**, 646 *(96, 477)*
Kovtunenko, V., see Lebrun, F., et al. **264**, 22
Koyama, K., see Kaastra, J.S., et al. **264**, 654
Kozasa, T., Blum, J., Mukai, T.: Optical properties of dust aggregates. I. Wavelength dependence **263**, 423
Kozasa, T., see Mukai, T., et al. **262**, 315
Kozlov, A.N., see Sagdeyev, R.Z., et al. **254**, 387
Kraan-Korteweg, R.C., Huchtmeier, W.K.: H I-observations of galaxies in the zone of avoidance in Puppis **266**, 150
Krause, D., see Hernichel, J., et al. **259**, L77
Krause, M., see Horellou, C., et al. **265**, 417

Krause, M., see Sokoloff, D., et al. **264**, 396
Krautter, J., see Cristiani, S., et al. **259**, 63
Kreidl, T.J., see Schneider, H., et al. **257**, 130
Krelowski, J., see Porceddu, I., et al. **257**, 745
Krelowski, J., see Porceddu, I., et al. **260**, 391
Kremnev, R., see Lebrun, F., et al. **264**, 22
Kresák, Ľ.: Are there any comets coming from interstellar space? **259**, 682
Kresák, Ľ.: The peculiar orbit of comet 1976 I Sato **259**, 692
Kreysa, E., see Biermann, P.L., et al. **255**, L5
Kreysa, E., see Chini, R., et al. **266**, 177
Kreysa, E., see Mezger, P.G., et al. **256**, 631
Kreysa, E., see Mezger, P.G., et al. **265**, 743
Kreysing, H.C., Diesch, C., Zweigle, J., Staubert, R., Grewing, M., Hasinger, G.: Extended X-ray emission from planetary nebulae **264**, 623
Krichbaum, T.P., see Colomer, F., et al. **254**, L17
Krichbaum, T.P., see Hummel, C.A., et al. **257**, 489
Krichbaum, T.P., see Hummel, C.A., et al. **266**, 93
Krichbaum, T.P., see Quirrenbach, A., et al. **258**, 279
Krichbaum, T.P., Witzel, A., Graham, D.A., Alef, W., Pauliny-Toth, I.I.K., Hummel, C.A., Quirrenbach, A., Inoue, M., Hirabayashi, H., Morimoto, M., Rogers, A.E.E., Zensus, J.A., Lawrence, C.R., Readhead, A.C.S., Booth, R.S., Rönnäng, B.O., Kus, A.J., Johnston, K.J., Spencer, J.H., Burke, B.F., Dhawan, V., Bartel, N., Shapiro, I.I., Alberdi, A., Marcaide, J.M.: The evolution of the sub-parsec structure of 3C 84 at 43 GHz **260**, 33
Krimigis, S.M., see Lanzerotti, L.J., et al. **255**, 500 *(92, 349)*
Krishna Swamy, K.S., see Chakrabarti, S.K. **263**, L1
Kristensen, L.K.: The identification problem in asteroid surveys **262**, 606
Kritsuk, A.G.: On the possibility of cyclic phase changes in the interstellar medium of elliptical galaxies **261**, 78
Krockenberger, M., see Camenzind, M. **255**, 59
Królikowska, M.: Theoretical model of the binary system 9^2 Tauri. I. Evolutionary status of 9^2 Tauri and its implications for Hyades chemical composition **260**, 183
Kroll, R., see Catalano, F.A., et al. **263**, 203
Kronberg, P.P., see Reuter, H.-P., et al. **256**, 10
Kroto, H.W., Jura, M.: Circumstellar and interstellar fullerenes and their analogues **263**, 275
Krügel, E., see Chini, R., et al. **255**, 87
Krügel, E., see Chini, R., et al. **265**, 45
Krügel, E., see Chini, R., et al. **266**, 177
Krügel, E., see Schulz, A., et al. **264**, 629
Krügel, E., see Siebenmorgen, R. **259**, 614
Krügel, E., see Siebenmorgen, R., et al. **266**, 501
Krüger, H., Fritze-v. Alvensleben, U., Fricke, K.J., Loose, H.-H.: Spectroscopic evolutionary synthesis of the emission lines He II λ4686 and C III λ4650 in Wolf-Rayet galaxies **259**, L73
Krülls, W.M.: Combined first- and second-order Fermi acceleration in radio galaxy hot spots **260**, 49
Krülls, W.M., see Achterberg, A. **265**, L13
Krzesinski, J., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Kudritzki, R.P., Hummer, D.G., Pauldrach, A.W.A., Puls, J., Najarro, F., Imhoff, J.: Radiation-driven winds of hot luminous stars. X. The determination of stellar masses, radii and distances from terminal velocities and mass-loss rates **257**, 655
Kudritzki, R.P.: The formation of weak metal lines in the atmospheres of O-stars. The role of microturbulence and transonic matter outflow **266**, 395
Kudritzki, R.P., see Gabler, R., et al. **265**, 656
Kudritzki, R.P., see Herrero, A., et al. **261**, 209
Kudritzki, R.P., see Méndez, R.H., et al. **260**, 329
Kühr, H., see Biermann, P.L., et al. **266**, 643 *(96, 339)*
Kühr, H., see Stickel, M. **264**, 68
Kuijpers, J., see de Vries, M. **266**, 77
Kuiper, L., see Winkler, C., et al. **255**, L9
Kuiper, T.B.H., see Pagani, L., et al. **258**, 472
Kulaczewski, J.: Oscillations of the solar chromosphere **261**, 602
Kulkarni, V.K., see Gopal-Krishna **257**, 11
Kumai, Y., Tosa, M.: Metallicity and gas mass fraction in irregulars and blue compact galaxies: the effect of dark matter **257**, 511
Kun, M.: A search for Hα emission stars in regions of high latitude molecular clouds **257**, 412 *(92, 875)*
Kun, M., see Balázs, L.G., et al. **255**, 281
Kundu, M.R., see White, S.M., et al. **257**, 557
Kundu, M.R., see White, S.M., et al. **259**, 149
Kunow, H., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Kunth, D., see Boissé, P., et al. **262**, 401
Kunze, D., see Herrero, A., et al. **261**, 209
Kuperus, M., see Geertsema, G.T. **254**, 426
Kurochka, L., see Zirker, J.B., et al. **258**, L1
Kurtz, J.: Laboratory spectra of gas-phase coronene at elevated temperatures **255**, L1
Kurucz, R.L., see Buser, R. **264**, 557
Kus, A.J., see Bååth, L.B., et al. **257**, 31
Kus, A.J., see Krichbaum, T.P., et al. **260**, 33
Kusnetzov, A., see Maisack, M., et al. **262**, 433
Kusz, J.: Intensities and transition probabilities for selected Dy I and Dy II lines emitted from a ferroelectric plasma source **256**, 324 *(92, 517)*
Kutyrev, A.S., see Gur'yanov, A.E., et al. **262**, 373
Kuulkers, E., see Rutten, R.G.M., et al. **265**, 159
Kuznetsov, A., see Jourdain, E., et al. **256**, L38
Kuznetsov, A., see Salotti, L., et al. **253**, 145
Kuznetzov, A., see Laurent, P., et al. **260**, 237
Kvíz, Z., see Burki, G., et al. **256**, 463
Kwok, P.W., see Schneid, E.J., et al. **255**, L13
Kwok, S., see Leahy, D.A., et al. **259**, 209
Labat, J., see Djeniže, S., et al. **253**, 632
Labay, J., see Bravo, E., et al. **257**, 534
Labhardt, L., Spaenhauer, A., Schwengeler, H.: Two *BV* and *GR* CCD stellar sequences in the galactic open clusters Haffner 18ab and 19 **265**, 869
Lachièze-Rey, M., see Gerbal, D., et al. **253**, 77
Lachièze-Rey, M., see Gerbal, D., et al. **262**, 395
Lachièze-Rey, M., see Rauzy, S., et al. **256**, 1
Lacroute, P., see Kovalevsky, J., et al. **258**, 7
Lada, E.A., see Magnani, L., et al. **260**, 558 *(93, 509)*
Lähteenmäki, A., see Valtaoja, E., et al. **266**, 629 *(95, 73)*
Lafon, J.-P.J., see Huguet, E., et al. **255**, 233
Lagerkvist, C.-I., Magnusson, P., Debehogne, H., Hoffmann, M., Erikson, A., De Campos, A., Cutispoto, G.: Physical studies of asteroids. XXV. Photoelectric photometry of asteroids obtained at ESO and Hoher List Observatory **266**, 636 *(95, 461)*
Lagerkvist, C.-I., Magnusson, P., Williams, I.P., Buontempo, M.E., Argyle, R.W., Morrison, L.V.: Physical studies aste-

roids. XXIV. Phase relations for 48 asteroids obtained with the Carlsberg Meridian Circle **262**, 383 *(94, 43)*
Laget, M., Burgarella, D., Milliard, B., Donas, J.: UV-(2000 Å) imaging of globular clusters. I. The projected radial distributions and counts of the blue horizontal-branch stars in M 3, M 5, M 13 and M 92 **259**, 510
Laget, M., see Milliard, B., et al. **257**, 24
Lagrange-Henri, A.M., Gosset, E., Beust, H., Ferlet, R., Vidal-Madjar, A.: The β Pictoris circumstellar disk. XIII. Survey of the variable Ca II lines **264**, 637
Lahulla, F., see Jordi, C., et al. **264**, 722 *(94, 519)*
Lahulla, J.F., Hilton, J.: *UBV* photometry in the vicinity of L 379 **264**, 719 *(94, 265)*
Laine, S., see Teräsranta, H., et al. **262**, 384 *(94, 121)*
Lainela, M., see Teräsranta, H., et al. **262**, 384 *(94, 121)*
Lainela, M., see Valtaoja, E., et al. **254**, 71
Lainela, M., see Valtaoja, E., et al. **254**, 80
Lallement, R., Bertin, P.: Northern-hemisphere observations of nearby interstellar gas. Possible detection of the local cloud **266**, 479
Lallement, R., see Quémerais, E., et al. **265**, 806
Lamb, J., see Bååth, L.B., et al. **257**, 31
Lamberg, L., see Kaasalainen, M., et al. **259**, 318
Lamberg, L., see Kaasalainen, M., et al. **259**, 333
Lambert, A., see Salotti, L., et al. **253**, 145
Lambert, D.L., see Jorissen, A., et al. **261**, 164
Lambert, D.L., see Smith, G., et al. **263**, 249
Lamers H.J.G.L.M., see Mathis, J.S. **259**, L39
Lamers, H.J.G.L.M., de Groot, M.J.H.: Observed evolutionary changes in the visual magnitude of the luminous blue variable P Cygni **257**, 153
Lamers, H.J.G.L.M., see Achmad, L., et al. **259**, 600
Lamers, H.J.G.L.M., see Hoekzema, N.M., et al. **257**, 118
Lamers, H.J.G.L.M., see Quin, D.A. **260**, 261
Lampens, P.: Study of δ Scuti stars in the Geneva photometric system. II. The complex case of HD 2724(=HR 119) **266**, 636 *(95, 471)*
Landau, R., Grasdalen, G, Sloan, G.C.: Three-beam chopping: an efficient infrared observing technique **259**, 696
Landecker, T.L., Anderson, M.D., Routledge, D., Vaneldik, J.F.: Sharpless 183: an H II region in the Perseus arm **258**, 495
Landini, G., see Cardini, D., et al. **257**, 824
Landstreet, J.D., see North, P., et al. **258**, 389
Laney, C.D., Stobie, R.S.: *JHKL* observations of galactic Cepheids **257**, 845 *(93, 93)*
Langer, N.: Helium enrichment in massive early type stars **265**, L17
Langer, W.D., see Wilson, T.L., et al. **262**, 248
Langill, P., see Leahy, D.A., et al. **259**, 209
Lanz, T., Catala, C.: Mass loss in main-sequence A-type stars? **257**, 663
Lanz, T., see Babel, J. **263**, 232
Lanz, T., see Hubeny, I. **262**, 501
Lanz, T., see Mathys, G. **256**, 169
Lanzerotti, L.J., Gold, R.E., Anderson, K.A., Armstrong, T.P., Lin, R.P., Krimigis, S.M., Pick, M., Roelof, E.C., Sarris, E.T., Simnett, G.M., Frain, W.E.: Heliosphere instrument for spectra, composition and anisotropy at low energies **255**, 500 *(92, 349)*
Lançon, A., Rocca-Volmerange, B.: A library of near-IR stellar spectra from 1.428 to 2.5 μm **266**, 649 *(96, 593)*
Lapshov, I., see Brandt, S., et al. **254**, L39
Lapshov, I., see Brandt, S., et al. **262**, L15
Laques, P., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Larson, S.M., see Sekanina, Z., et al. **263**, 367
Larsson, J., see Bengtsson, G.J., et al. **263**, 440
Larsson, S.: Rapid optical variability in the AM Herculis object V 834 Centauri. I. Quasi-periodic oscillations **265**, 133
Lattanzi, M., see Kovalevsky, J., et al. **258**, 7
Lattanzi, M.G., see Pannunzio, R., et al. **258**, 173
Lattanzi, M.G., see Pannunzio, R., et al. **266**, 640 *(96, 143)*
Lauche, H., see Witte, M., et al. **255**, 500 *(92, 333)*
Laurans, G., see Sagdeyev, R.Z., et al. **254**, 387
Laureijs, R.J., see Prusti, T., et al. **259**, 537
Laurent, C., see Gerin, M., et al. **253**, L29
Laurent, C., see Gerin, M., et al. **259**, L35
Laurent, P., Goldwurm, A., Lebrun, F., Paul, J., Mereghetti, S., Barret, D., Bouchet, L., Roques, J.P., Churazov, E., Gilfanov, M., Kuznetzov, A., Sunyaev, R., Chulkov, I., Dyachkov, A., Khavenson, N., Novikov, B.: Observation of 4U 1700-377 with the SIGMA telescope **260**, 237
Laurent, P., see Jourdain, E., et al. **256**, L38
Laurent, P., see Lebrun, F., et al. **264**, 22
Laurikainen, E., see Jackson, N., et al. **262**, 17
Lauzeral, C., Ortolani, S., Aurière, M., Melnick, J.: Radial distribution of blue stragglers and surface brightness profile in the post-core-collapse globular cluster NGC 6397 **262**, 63
Laval, A., Rosado, M., Boulesteix, J., Georgelin, Y.P., Le Coarer, E., Marcelin, M., Viale, A.: N 120 in the LMC: a sample of nebulae of different types **253**, 213
Lavendy, H., see Robbe, J.M., et al. **256**, 679
Lawler, J.E., see O'Brian, T.R. **255**, 420
Lawrence, A., see Jackson, N., et al. **262**, 17
Lawrence, C.R., see Krichbaum, T.P., et al. **260**, 33
Lawrence, J.K., see Schrijver, C.J., et al. **253**, L1
Lay, W., see Leins, M., et al. **261**, 658
Lazarian, A.: Diffusion-generated electromotive force and seed magnetic field problem **264**, 326
Lazrek, M., see Ehgamberdiev, S., et al. **253**, 252
Lazrek, M., see Fossat, E., et al. **266**, 532
Le Bertre, T.: Carbon-star lightcurves in the 1–20 μm range **264**, 720 *(94, 377)*
Le Bertre, T., Lequeux, J.: Diffuse circumstellar bands in NGC 7027 and IRAS 21 282+5050 **255**, 288
Le Bertre, T., see Fouqué, P., et al. **257**, 846 *(93, 151)*
Le Beuze, A., see Serra, G., et al. **260**, 489
Le Borgne, J.F., Pelló, R., Sanahuja, B.: Photometric and spectroscopic survey of the cluster of galaxies Abell 2218 **266**, 629 *(95, 87)*
Le Borgne, J.F., see Pelló, R., et al. **266**, 6
Le Bourlot, J., see Abgrall, H., et al. **253**, 525
Le Campion, J.-F., Geffert, M., Dulou, M.R., Colin, J.: An astrometric catalogue of stars in the region of M 15 **266**, 631 *(95, 233)*
Le Campion, J.F., Montignac, G., Chauvet, F., Colin, J., Desbats, J.M., Dourneau, G., Rapaport, M.: First CCD observations of mutual phenomena of the Galilean satellites **266**, 568
Le Campion, J.F., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Le Coarer, E., Amram, P., Boulesteix, J., Georgelin, Y.M., Georgelin, Y.P., Marcelin, M., Joulié, P., Urios, J.: Deep Hα survey of the Milky Way. I. Instrument description and detection of a distant H II region **257**, 389

Le Coarer, E., see Amram, P., et al. **262**, 384 *(94, 175)*
Le Coarer, E., see Amram, P., et al. **266**, 106
Le Coarer, E., see Laval, A., et al. **253**, 213
Le Fèvre, O., Hammer, F.: NTT discovery of a radio-quiet giant elliptical galaxy with $z = 1.013$ in the neighbourhood of the quasar 3C 245 **254**, L29
Le Poole, R.S., see Jahreiß, H., et al. **258**, 82
Le Poole, R.S., see Kovalevsky, J., et al. **258**, 7
Le Poole, R.S., see Lindegren, L., et al. **258**, 35
Le Poole, R.S., see Perryman, M.A.C., et al. **258**, 1
Le Squeren, A.M., Sivagnanam, P., Dennefeld, M., David, P.: A complete survey of OH/IR objects from the IRAS LRS sources within a domain of the color diagram **254**, 133
Leahy, D.A., Langill, P., Kwok, S.: High resolution *I*-band imaging of the 1E 1740.7-2942 region **259**, 209
Leblanc, Y., see Dulk, G.A., et al. **253**, 292
Lèbre, A., Gillet, D.: Atmospheric motions in the population II Cepheid W Virgins **255**, 221
Lèbre, A., see de Medeiros, J.R. **264**, L21
Lebrun, F., Ballet, J., Paul, J., Laurent, P., Jourdain, E., Bassani, L., Roques, J.-P., Mandrou, P., Finogenov, A., Sunyaev, R., Churazov, E., Gilfanov, M., Khavenson, N., Kovtunenko, V., Kremnev, R., Sukhanov, K.: SIGMA observations of the Virgo cluster **264**, 22
Lebrun, F., see Jourdain, E., et al. **256**, L38
Lebrun, F., see Laurent, P., et al. **260**, 237
Lecacheux, A., see Dulk, G.A., et al. **253**, 292
Lecacheux, A., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Lecacheux, J., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Lecontel, J.M., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Lederle, T., see Jahreiß, H., et al. **258**, 82
Lee, Y.-W., see Demarque, P. **265**, 40
Lefèvre, J.: Line scattering in an expanding shell: interferometric and polarimetric profiles **254**, 274
Léger, A., see Ehrenfreund, P., et al. **259**, 257
Léger, A., see Ehrenfreund, P., et al. **266**, 429
Léger, A., see Rouan, D., et al. **253**, 498
Léger, A., see Verstraete, L. **266**, 513
Lehmann, M., Wiktorowski, J.: Zenith-distance variations for the Borowiec astrolabe (*Text in French*) **266**, 650 *(96, 665)*
Leibowitz, E., see Augusteijn, T., et al. **265**, 177
Leibowitz, E.M., Formiggini, L.: The continuum radiation of the symbiotic star AG Draconis in quiescence and during outbursts **265**, 605
Leinert, C., see Haas, M., et al. **261**, 130
Leins, M., Soffel, M.H., Lay, W., Ruder, H.: On the free precession of white dwarfs **261**, 658
Leister, N.V., see Floquet, M., et al. **264**, 177
Leisy, P., see Melnick, J., et al. **253**, 16
Lellouch, E., see Billebaud, F., et al. **261**, 647
Lemke, R., see Biermann, P.L., et al. **255**, L5
Lemke, R., see Biermann, P.L., et al. **255**, L5
Lemke, R., see Mezger, P.G., et al. **256**, 631
Lemke, R., see Mezger, P.G., et al. **265**, 743
Lemmens, A.F.P., Rutten, R.G.M., Zwaan, C.: Magnetic structure in cool stars. XVIII. UV-line emissions from T Tauri stars **257**, 671
Lemoine, D., see Robbe, J.M., et al. **256**, 679
Lemons, D.S., Peter, W.: Gravitational instability in a coasting universe **265**, 373
Léna, P., see Dougados, C., et al. **253**, 464
Léna, P., see Rigaut, F., et al. **259**, L57
Lengyel-Frey, D., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Lenhart, H., see Kovalevsky, J., et al. **258**, 7
Lennon, D.J., Dufton, P.L., Fitzsimmons, A.: Galactic B-supergiants. I. An atlas of O9-B9 supergiant spectra from 3950 AA to 4950 AA **264**, 722 *(94, 569)*
Lentz, G., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Lenzen, R., see Haas, M., et al. **261**, 130
Leone, F., see Catalano, F.A., et al. **263**, 203
Léorat, J., see Ducloux, E., et al. **257**, 425
Lequeux, J., see Gry, C., et al. **266**, 457
Lequeux, J., see Le Bertre, T. **255**, 288
Lequeux, J., see Viallefond, F., et al. **265**, 437
Lesch, H., Pohl, M.: A possible explanation for intraday variability in active galactic nuclei. Magnetic reconnection and coherent plasma emission **254**, 29
Lesch, H., Reich, W.: The origin of monoenergetic electrons in the arc of the galactic center. Particle acceleration by magnetic reconnection **264**, 493
Lesch, H., see Reuter, H.-P., et al. **256**, 10
Lesch, H., see Zylka, R., et al. **261**, 119
Lestrade, J.-F., Phillips, R.B., Preston, R.A., Gabuzda, D.C.: High-precision VLBI astrometry of the radio-emitting star σ CrB – a step in linking the Hipparcos and extragalactic reference frames **258**, 112
Lestrade, J.F., see Kovalevsky, J., et al. **258**, 7
Leuenhagen, U., see Hamann, W.-R., et al. **255**, 200
Levin, B.N., see Itkina, M.A. **253**, 521
Levshakov, S.A., Chaffee, F.H., Foltz, C.B., Black, J.H.: Molecules at early epochs. VI. A search for molecular hydrogen in the $z = 3.391$ damped Lyman alpha system toward Q0000-263 **262**, 385
Levy, V.V., see Kovalenko, I.G. **264**, 406
Lewin, W.H.G., see Augusteijn, T., et al. **265**, 177
Lewin, W.H.G., see Magnier, E.A., et al. **266**, 644 *(96, 379)*
Li Zhiping, Jiang Shiyiang: The δ Scuti star HD 127759 **260**, 557 *(93, 441)*
Li Zhiping, Jiang Shiyiang: The δ Scuti star HR 5437 **257**, 845 *(93, 87)*
Li, J., see Cuperman, S., et al. **265**, 296
Li, Y.: Bisystem oscillation theory of stars. II. Excitation mechanisms **257**, 145
Li, Y.: Bisystem oscillation theory of stars. I. Linear theory **257**, 133
Lichti, G., see Winkler, C., et al. **255**, L9
Liebscher, D.-E., Priester, W., Hoell, J.: A new method to test the model of the universe **261**, 377
Liechti, S., see Steppe, H., et al. **266**, 646 *(96, 441)*
Likkel, L., Morris, M., Maddalena, R.J.: Evolved stars with high velocity H_2O maser features: bipolar outflows with velocity symmetry **256**, 581
Lilienthal, D., Hirth, W., Mebold, U., de Boer, K.S.: The Hercules H I shell: distances of the gas clouds and topography of the shell **255**, 323
Lilienthal, D., see Wennmacher, A., et al. **261**, L9
Lim, P., see Wesson, P.S. **261**, 373
Lima-Neto, G., see Gerbal, D., et al. **253**, 77
Lima-Neto, G., see Gerbal, D., et al. **262**, 395
Lin Jun, see Xiao-Ma, G., et al. **259**, 649
Lin, J., Zhang, Z., Wang, Z., Smartt, R.N.: The morphological characteristics and cooling mechanisms of the post-flare loop system of April 28, 1980 **253**, 557
Lin, R.P., see Lanzerotti, L.J., et al. **255**, 500 *(92, 349)*

Lin, Y.C., see Schneid, E.J., et al. **255**, L13
Lindegren, L., Høg, E., van Leeuwen, F., Murray, C.A., Evans, D.W., Penston, M.J., Perryman, M.A.C., Petersen, C., Ramamani, N., Snijders, M.A.J., Söderhjelm, S., Andreasen, G.K., Cruise, A.M., Elton, N., Lund, N., Poder, K.: The NDAC Hipparcos data analysis consortium. Overview of the reduction methods **258**, 18
Lindegren, L., Le Poole, R.S., Perryman, M.A.C., Petersen, C.: Geometrical stability and evolution of the Hipparcos telescope **258**, 35
Lindegren, L., see Høg, E., et al. **258**, 177
Lindegren, L., see Høg, E., et al. **258**, 201
Lindegren, L., see Perryman, M.A.C., et al. **258**, 1
Lindegren, L., see Scales, D.R., et al. **258**, 211
Lindegren, L., see Söderhjelm, S., et al. **258**, 157
Lindegren, L., see van Leeuwen, F., et al. **258**, 119
Lindegren, L., van Leeuwen, F., Petersen, C., Perryman, M.A.C., Söderhjelm, S.: Positions and parallaxes from the Hipparcos satellite. A first attempt at a global astrometric solution **258**, 134
Lindqvist, M., Habing, H.J., Winnberg, A.: OH/IR stars close to the galactic centre. II. Their spatial and kinematic properties and the mass distribution within 5–100 pc from the galactic centre **259**, 118
Lindqvist, M., Olofsson, H., Winnberg, A., Nyman, L.-Å.: Carbon-bearing molecules in the envelopes around oxygen-rich stars. First detection of formaldehyde in an oxygen-rich circumstellar envelope **263**, 183
Lindqvist, M., see van Langevelde, H.J., et al. **261**, L17
Lindqvist, M., Winnberg, A., Habing, H.J., Matthews, H.E.: OH/IR stars close to the galactic centre. I. Observational data **255**, 496 *(92, 43)*
Ling, J., Couteau, P.: Measurements of visual double stars made at Pic du Midi and at Nice (*Text in French*) **266**, 635 *(95, 423)*
Linkert, D., see Grün, E., et al. **255**, 502 *(92, 411)*
Linkin, V.M., see Sagdeyev, R.Z., et al. **254**, 387
Linsky, J.E., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Lipovka, N.M., see Parijskij, Y.N., et al. **266**, 649 *(96, 583)*
Liseau, R., Lorenzetti, D., Molinari, S.: The infrared variability of SSV 13 **253**, 119
Liseau, R., Lorenzetti, D., Nisini, B., Spinoglio, L., Moneti, A.: Star formation in the Vela molecular clouds. I. The IRAS-bright Class I sources **265**, 577
Lisi, F., see Richichi, A., et al. **254**, 149
Lisi, F., see Richichi, A., et al. **265**, 535
Liszt, H.S., see Burton, W.B. **266**, 628 *(95, 9)*
Lites, B., see Johannesson, A., et al. **258**, 572
Liu, F.K., Xie, G.Z.: A finding list of extragalactic radio jets and statistical results **266**, 631 *(95, 249)*
Liu, Y.-Z.: A model for the Magellanic Stream **257**, 505
Liu, Y.Y., see Michel, E., et al. **255**, 139
Livi, S., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Livingston, W., see Rüedi, I., et al. **263**, 323
Livingston, W., see Solanki, S.K., et al. **263**, 312
Livingston, W., see Solanki, S.K., et al. **263**, 339
Livio, M., see Della Valle, M., et al. **266**, 232
Lloyd, C., see Cassatella, A., et al. **256**, 309
Lobel, A., Achmad, L., de Jager, C., Nieuwenhuijzen, H.: Atmospheric model and dynamical state of the atmosphere of the supergiant Eta Leonis (A0Ib) **256**, 159
Lobel, A., Achmad, L., de Jager, C., Nieuwenhuijzen, H.: On the instability parameters of stellar atmospheres **264**, 147
Lockwood, J., see Winkler, C., et al. **255**, L9
Loeser, R., see Chang, E.S., et al. **256**, 724
Loidl, A., see Witte, M., et al. **255**, 500 *(92, 333)*
Lombard, J., see Deharveng, L., et al. **264**, 720 *(94, 359)*
Lombard, J., see Deharveng, L., et al. **266**, 000 *(95, 601)*
Long Long Feng, Jian Min Liu: Gravitational optical scintillation and anisotropy of the cosmic microwave background **264**, 385
Longley, D.P.T., see Prieto, M., et al. **260**, 559 *(93, 557)*
Longmore, A.J., see Bònoli, F., et al. **266**, 641 *(96, 163)*
Longo, G., see Busarello, G., et al. **262**, 52
Loose, H.-H., see Krüger, H., et al. **259**, L73
Loose, H.-H., see Sage, L.J., et al. **265**, 19
Lopes, D.F., Damineli Neto, A., de Freitas Pacheco, J.A.: A spectroscopic study of luminous peculiar B-type stars **261**, 482
López de Coca, P., see Rodríguez, E., et al. **257**, 846 *(93, 189)*
López de Coca, P., see Rodriguez, E., et al. **266**, 645 *(96, 429)*
López-Molina, M.G., see Márquez-Limón, A., et al. **266**, 633 *(95, 391)*
Lopez, B.: How to monitor optimum exposure times for high resolution imaging modes? **253**, 635
Lorenzetti, D., see Liseau, R., et al. **253**, 119
Lorenzetti, D., see Liseau, R., et al. **265**, 577
Loulergue, M., see Cornille, M., et al. **259**, 669
Loup, C., see Zijlstra, A.A., et al. **265**, L5
Lovelace, R.V.E., see Romanova, M.M. **262**, 26
Low, B.C.: Formation of electric-current sheets in the magnetostatic atmosphere **253**, 311
Lowe, R.M., see Hannaford, P., et al. **259**, 301
Lowes, P., see Hurley, K., et al. **255**, 501 *(92, 401)*
Loyola, P., see Carrasco, G. **266**, 633 *(95, 355)*
Loyola, P., see Costa, E. **266**, 641 *(96, 183)*
Luan Ti, see Xiao-Ma, G., et al. **259**, 649
Lub, J., de Ruiter, H.R.: Optical variability of Seyfert nuclei. II. Fairall 9 **256**, 33
Lub, J., see de Grijp, M.H.K., et al. **266**, 645 *(96, 389)*
Lucas, R., Bujarrabal, V., Guilloteau, S., Bachiller, R., Baudry, A., Cernicharo, J., Delannoy, J., Forveille, T., Guélin, M., Radford, S.J.E.: Interferometric observations of SiO $v=0$ thermal emission from evolved stars *(Plateau de Bure Series, Paper 2)* **262**, 491
Lucas, R., Guilloteau, S.: Interferometric observations of HCN ($v=2$) emission from IRC +10216 **259**, L23
Lucas, R., see Guilloteau, S., et al. **262**, 624
Lucas, R., see Guilloteau, S., et al. **265**, L49
Lucas, R., see Neri, R., et al. **262**, 544
Lucy, L.B.: Statistical limits to superresolution **261**, 706
Lucy, L.B., see Mazzali, P.A., et al. **258**, 399
Lüdtke, T., see Goldbach, C., et al. **266**, 605
Luks, T., Rohlfs, K.: Structure and kinematics of neutral hydrogen gas in the Large Magellanic Cloud **263**, 41
Lumme, K., see Barucci, M.A., et al. **266**, 385
Lumme, K., see Kaasalainen, M., et al. **259**, 318
Lumme, K., see Kaasalainen, M., et al. **259**, 333
Lund, N., see Brandt, S., et al. **254**, L39
Lund, N., see Brandt, S., et al. **262**, L15
Lund, N., see Lindegren, L., et al. **258**, 18
Lundgren, R., see Gloeckler, G., et al. **255**, 499 *(92, 267)*

Luppino, G.A., Gioia, I.M.: Gravitationally lensed arcs in two X-ray selected clusters of galaxies at $z=0.426$ and $z=0.583$ **265**, L9
Luri, X., Torra, J., Figueras, F.: The proximity parameter **259**, 382
Lutz, D.: Infrared properties of interacting IRAS galaxies **259**, 462
Lutz, D., see Mirabel, I.F., et al. **256**, L19
Lyne, A.G., see Gil, J.A., et al. **255**, 181
Lyubarskii, Y.E.: Current adjustment in pulsars **261**, 544
Lyubarskii, Y.E.: Possible mechanism of pulsar radio emission **265**, L33
Maas, D., see Grün, E., et al. **255**, 502 *(92, 411)*
Maccagni, D., see Andreon, S., et al. **266**, 127
Macchetto, F., see Boksenberg, A., et al. **261**, 393
Macchetto, F., see Paresce, F., et al. **262**, 617
MacDowall, R.J., see Stone, R.G., et al. **255**, 499 *(92, 291)*
MacFarlane, J.J.: Non-LTE radiative transfer with lambda-acceleration: convergence properties using exact full and diagonal lambda-operators **264**, 153
MacGregor, K.B., Friend, D.B., Gilliland, R.L.: Winds from rotating, magnetic, hot stars: consequences for the rotational evolution of O and B stars **256**, 141
Maciel, W.J., Dutra, C.M.: Kinematics of disk planetary nebulae **262**, 271
Maciel, W.J., see de Freitas Pacheco, J.A., et al. **261**, 579
Mackay, C.D., see Boksenberg, A., et al. **261**, 393
Mackay, C.D., see Paresce, F., et al. **262**, 617
MacKenty, J., see Burg, R., et al. **259**, L9
Mackinnon, A., Vlahos, L., Vilmer, N.: On the efficiency of electron cyclotron maser instability in solar flares **256**, 613
MacLeod, J.M., see Vallée, J.P., et al. **266**, 520
Maddalena, R.J., see Likkel, L., et al. **256**, 581
Maddison, R.C., see Shenton, M., et al. **262**, 138
Madejsky, R.: Related stellar, ionized gas and radio properties of the elliptical galaxies NGC 4782/4783 = 3C 278. Velocity mapping of interacting galaxies **265**, 478
Maeder, A.: Stellar yields as a function of initial metallicity and mass limit for black hole formation **264**, 105
Maeder, A., see Schaerer, D. **263**, 129
Maeder, A., see Schaller, G., et al. **266**, 643 *(96, 269)*
Maehara, H., see van Driel, W., et al. **259**, 71
Magain, P., Surdej, J., Vanderriest, C., Pirenne, B., Hutsemékers, D.: Q 1208+1011: the most distant multiply imaged quasar, or a binary? **253**, L13
Magazzù, A., see Martín, E.L., et al. **257**, 186
Magazzù, A., Strazzulla, G.: Non-detection of the 1.67 μm band in Hb 5? Implications for PAH-related models **263**, 281
Magnan, C., see Rokaki, E. **261**, 41
Magnani, L., Sandell, G., Lada, E.A.: A survey of CH emission in molecular outflows **260**, 558 *(93, 509)*
Magnier, E.A., Lewin, W.H.G., van Paradijs, J., Hasinger, G., Jain, A., Pietsch, W., Trümper, J.: *BVRI* CCD photometry of 361, 281 objects in the field of M 31 **266**, 644 *(96, 379)*
Magnusson, P., see Barucci, M.A., et al. **266**, 385
Magnusson, P., see Lagerkvist, C.-I., et al. **262**, 383 *(94, 43)*
Magnusson, P., see Lagerkvist, C.-I., et al. **266**, 636 *(95, 461)*
Magun, A., see Benz, A.O., et al. **260**, 558 *(93, 539)*
Mahoney, M.J., see Israel, F.P., et al. **261**, 47
Maihara, T., see Mizutani, K., et al. **261**, 336
Maillard, J.P., see Billebaud, F., et al. **261**, 647
Mair, G., Hillebrandt, W., Höflich, P., Dorfi, A.: On the early light curve of Supernova 1987A **266**, 266
Maisack, M., Kendziorra, E., Mony, B., Staubert, R., Doebereiner, S., Englhauser, J., Pietsch, W., Reppin, C., Trümper, J., Efremov, V., Kaniovsky, S., Kusnetzov, A., Sunyaev, R.: HEXE observations of active galactic nuclei: constraints on pairs and Compton reflection **262**, 433
Makarov, V., see Zirker, J.B., et al. **258**, L1
Makarova, I.N., see Bartunov, O.S., et al. **264**, 428
Malagnini, M.L., Morossi, C., Buser, R., Parthasarathy, M.: Cool star flux spectra for population studies in galaxies **261**, 558
Malanushenko, V.P., Polosukhina, N.S., Weiss, W.W.: Spectrum variations of HD 215441 (Babcock's star) **259**, 567
Malherbe, J.M., see Démoulin, P., et al. **257**, 278
Malkan, M.A., see Ulrich, M.-H., et al. **266**, 183
Mall, U., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Mamon, G.A., see Blanchard, A., et al. **264**, 365
Mampaso, A., see Phillips, J.P., et al. **260**, 283
Manara, A., see Broglia, P. **257**, 770
Manchester, R.N., see Storey, M.C., et al. **265**, 752
Mandrou, P., see Jourdain, E., et al. **256**, L38
Mandrou, P., see Lebrun, F., et al. **264**, 22
Mandrou, P., see Salotti, L., et al. **253**, 145
Manfroid, J.: Physical constraints on color transformations **260**, 517
Manfroid, J., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Manfroid, J., see Jorissen, A., et al. **253**, 407
Manfroid, J., see Renson, P. **256**, 104
Manfroid, J., see Renson, P. **263**, 161
Manfroid, J., see Sterken, C. **266**, 619
Manfroid, J., Sterken, C.: Systematic color transformation effects in Strömgren photometry **258**, 600
Manfroid, J., Sterken, C., Gosset, E.: Photometric accuracy. The impact of extrapolation in differing color-transformation schemes **264**, 345
Mangeney, A., see Michel, E., et al. **255**, 139
Mangum, J.G., see Wootten, A., et al. **257**, 740
Mann, I.: The solar F-corona: calculations of the optical and infrared brightness of circumsolar dust **261**, 329
Mannheim, K., Biermann, P.L.: Gamma-ray flaring of 3C 279: a proton-initiated cascade in the jet? **253**, L21
Mannheim, K., Stanev, T., Biermann, P.L.: Neutrinos from flat-spectrum radio quasars **260**, L1
Manning, R., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Mannings, V.: Large-scale magnetic steering of particles in X-ray binaries **258**, 335
Mannone, C., see Duflot, M., et al. **264**, 721 *(94, 479)*
Mannucci, F., see Hunt, L.K., et al. **257**, 434
Mantegazza, L.: Luminosities of yellow supergiants from near-infrared spectra: calibration through Magellanic Cloud stars **265**, 527
Mantegazza, L., Poretti, E.: Pulsational behaviour of the δ Scuti star X Caeli **255**, 153
Mantegazza, L., Poretti, E.: The Fourier decomposition as a mode discriminator: new first overtone pulsators among Cepheids with $P<5.5$ d **261**, 137
Mantegazza, L., Poretti, E., Antonello, E., Bossi, M.: Photospheric activity of HD 220140, the optical counterpart of the X-ray source H 2311+77 **256**, 459

Mantegazza, L., see Poretti, E., et al. **256**, 113
Mantel, K.-H., see Hessman, F.V., et al. **263**, 147
Mantel, K.H., see Barwig, H., et al. **266**, L5
Marang, F., see Balona, L.A., et al. **256**, 324 *(92, 553)*
Marang, F., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Marang, F., see Munari, U., et al. **259**, 725 *(93, 383)*
Marcaide, J.M., Alberdi, A., Bartel, N., Clark, T.A., Corey, B.E., Elósegui, P., Gorenstein, M.V., Guirado, J.C., Kardashev, N., Popov, M., Preston, R., Ratner, M.I., Rioja, M.J., Rogers, A.E.E., Shapiro, I.I.: Position and morphology of the compact non-thermal radio source at the galactic center **258**, 295
Marcaide, J.M., see Krichbaum, T.P., et al. **260**, 33
Marcelin, M., see Amram, P., et al. **262**, 384 *(94, 175)*
Marcelin, M., see Amram, P., et al. **263**, 69
Marcelin, M., see Amram, P., et al. **266**, 106
Marcelin, M., see Laval, A., et al. **253**, 213
Marcelin, M., see Le Coarer, E., et al. **257**, 389
Marchenko, S.V., see Matthews, J.M., et al. **266**, 409
Margoni, R., Munari, U., Stagni, R.: Spectroscopic orbits of Am stars. I. Seven field stars **260**, 559 *(93, 545)*
Marilli, E., Catalano, S., Freire Ferrero, R., Gouttebroze, P.: Possible detection of Lyman α emission in the A7 III star γ Bootis **265**, 643
Mariotti, J.-M., Monin, J.-L., Ghez, P., Perrier, C., Zadrozny, A.: Pupil plane interferometry in the near infrared. I. Methodology of observation and first results **255**, 462
Mariotti, J.-M., see Monin, J.-L., et al. **260**, 510
Marlborough, J.M., see Waters, L.B.F.M. **253**, L25
Marlborough, J.M., see Waters, L.B.F.M. **256**, 195
Marom, A., see Kovács, G., et al. **259**, L46
Maronna, R., Feinstein, C., Clocchiatti, A.: Optimal estimation of Stokes' parameters **260**, 525
Marquedant, R.J., see Balogh, A., et al. **255**, 498 *(92, 221)*
Márquez-Limón, A., López-Molina, M.G., Chavarría-K, C.: New probable members of the young Orion stellar population. I. The obscured regions in Cassiopeia, Vela and Scorpius **266**, 633 *(95, 391)*
Marquina, A., Martí, J.M., Ibáñez, J.M., Miralles, J.A., Donat, R.: Ultrarelativistic hydrodynamics: high-resolution shock-capturing methods **258**, 566
Marsden, R.G., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Marsden, R.G., see Wenzel, K.-P., et al. **255**, 498 *(92, 207)*
Martí, J., Paredes, J.M., Estalella, R.: Modelling Cygnus X-3 radio outbursts: particle injection into twin jets **258**, 309
Martí, J.M., see Marquina, A., et al. **258**, 566
Martín-Mirones, J.M., Goicoechea, L.J.: Analysis of the kinematical behaviour of the near universe: large-scale structure predicted by the observational data **253**, 3
Martín-Mirones, J.M., see Goicoechea, L.J. **254**, 1
Martín-Pintado, J., Bachiller, R., Fuente, A.: SiO emission as a tracer of shocked gas in molecular outflows **254**, 315
Martín-Pintado, J., see Bachiller, R., et al. **256**, 231
Martín-Pintado, J., see Fuente, A., et al. **260**, 341
Martín-Pintado, J., see Thum, C., et al. **256**, 507
Martín, E.L., Magazzù, A., Rebolo, R.: On the post-T-Tauri nature of late-type visual companions to B-type stars **257**, 186
Martin, M., see Goldbach, C., et al. **266**, 605
Martínez Pillet, V., see Sánchez Almeida, J. **260**, 543
Martinez, P., see Koutchmy, S., et al. **266**, 641 *(96, 169)*
Martinez, P., see Zirker, J.B., et al. **258**, L1
Martirosyan, R.M., see Sagdeyev, R.Z., et al. **254**, 387
Marzke, R., see Burg, R., et al. **259**, L9
Mas-Hesse, J.M.: Evolutionary synthesis of the radio and far-infrared emission in starbursts **253**, 49
Masnou, J.L., Wilkes, B.J., Elvis, M., McDowell, J.C., Arnaud, K.A.: The soft X-ray excess in Einstein quasar spectra **253**, 35
Massa, D., Shore, S.N., Wynne, D.: Photospheric velocity gradients in B1 supergiants **264**, 169
Massaglia, S., see Bodo, G., et al. **256**, 689
Massaglia, S., Trussoni, E., Bodo, G., Rossi, P., Ferrari, A.: Radiative unstable modes in the jets of young stellar objects **260**, 243
Massaro, E., see Fiore, F., et al. **261**, 405
Massi, M., Chiuderi-Drago, F.: Quiescent radio emission in UX Arietis **253**, 403
Massó, E., see De Rújula, A., et al. **254**, 99
Massone, G., see Munari, U., et al. **259**, 725 *(93, 383)*
Massone, G., see Pannunzio, R., et al. **266**, 640 *(96, 143)*
Mastichiadis, A., see Dermer, C.D., et al. **256**, L27
Mathez, G., Fort, B., Mellier, Y., Picat, J.-P., Soucail, G.: A new straight arc detected in a cluster of galaxies at $z=0.423$ **256**, 343
Mathez, G., see Pelló, R., et al. **266**, 6
Mathias, P., Gillet, D., Crowe, R.: The atmospheric motion of the β Cephei star: 12 Lacertae **257**, 681
Mathioudakis, M., Doyle, J.G.: Chromospheric heating in late-type dwarfs: acoustic or magnetic? **262**, 523
Mathioudakis, M., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Mathis, J.S., Lamers H.J.G.L.M.: The origin of the extremely metal-poor post-AGB stars **259**, L39
Mathis, J.S., see Ossenkopf, V., et al. **261**, 567
Mathis, J.S., see Siebenmorgen, R., et al. **266**, 501
Mathys, G.: The inhomogeneous distribution of oxygen on the surface of the magnetic Ap star HD 125248 **256**, L31
Mathys, G., Cowley, C.R.: The third spectrum of praseodymium in magnetic Ap stars **253**, 199
Mathys, G., Lanz, T.: Ap stars with resolved magnetically split lines **256**, 169
Matsuoka, M., see Fiore, F., et al. **262**, 37
Matsuura, O.T., see Zirker, J.B., et al. **258**, L1
Matt, G., Perola, G.C., Piro, L., Stella, L.: Iron Kα line from X-ray illuminated relativistic disks **257**, 63
Matt, G., Perola, G.C., Piro, L., Stella, L.: *Erratum:* Iron Kα line from X-ray illuminated relativistic disks **263**, 453
Mattei, J.A., see Mennessier, M.O., et al. **258**, 99
Matteuci, F., François, P.: Oxygen abundances in halo stars as tests of galaxy formation **262**, L1
Matthews, H.E., see Lindqvist, M., et al. **255**, 496 *(92, 43)*
Matthews, J.M., Moffat, A.F.J., Marchenko, S.V.: Rapid photometry of EZ Canis Majoris: searching for flare activity in Wolf–Rayet stars **266**, 409
Matthews, J.M., see Donati, J.-F., et al. **265**, 682
Mattig, W., see Nesis, A., et al. **253**, 561
Mattox, J.R., see Schneid, E.J., et al. **255**, L13
Matveyenko, L.I., see Hummel, C.A., et al. **257**, 489
Matveyenko, L.I., see Rantakyrö, F.T., et al. **259**, 8
Matveyenko, L.I., see Sagdeyev, R.Z., et al. **254**, 387
Mauder, H., see Scales, D.R., et al. **258**, 211
Mauder, W., Appenzeller, I., Hofmann, K.-H., Wagner, S.J., Weigelt, G., Zeidler, P.: Speckle masking observations of the Seyfert galaxy NGC 1386 **264**, L9
Mauersberger, R., see Mezger, P.G., et al. **256**, 631

Mauersberger, R., see Steppe, H., et al. **266**, 646 *(96, 441)*
Mauersberger, R., see Wilson, T.L., et al. **262**, 248
Mauersberger, R., Wilson, T.L., Mezger, P.G., Gaume, R., Johnston, K.J.: The internal structure of molecular clouds. III. Evidence for molecular depletion in the NGC 2024 condensations **256**, 640
Maurogordato, S., see Cappi, A. **259**, 423
Mauron, N., Caux, E.: K I/Na I scattering observations in circumstellar envelopes: α^1 Herculis, *o* Ceti, TX Piscium and β Pegasi **265**, 711
Mavridis, L.N., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
May, J., see Alvarez, H., et al. **257**, 575
Mayer-Hasselwander, H.A., see Schneid, E.J., et al. **255**, L13
Mayor, M., see Duquennoy, A., et al. **254**, L13
Mayor, M., see Jorissen, A. **260**, 115
Mayor, M., see Mermilliod, J.-C., et al. **265**, 513
Mayor, M., see de Medeiros, J.R., et al. **254**, L36
Mayor, M., see Rosvick, J.M., et al. **255**, 130
Mayor, M., see Rosvick, J.M., et al. **259**, 720
Mazure, A., see Escalera, E., et al. **264**, 379
Mazure, A., see Proust, D., et al. **258**, 243
Mazurier, J.M., see Jahreiß, H., et al. **258**, 82
Mazzali, P.A., Lucy, L.B., Butler, K.: Barium and other s-process elements in the early-time spectrum of SN 1987 A **258**, 399
Mazzali, P.A., Pauldrach, A.W.A., Puls, J., Plavec, M.J.: A two-wind radiation-driven model for the atmospheric features of β Lyrae **254**, 241
Mazzei, P., Xu, C., De Zotti, G.: A model for the photometric evolution of disc galaxies from UV to far-IR **256**, 45
Mazzitelli, I., see D'Antona, F., et al. **257**, 539
McCarroll, R., see Dubernet, M.L., et al. **259**, 373
McCarthy Jr., D.W., see Henry, T.J., et al. **254**, 116
McClements, K.G.: The effects of magnetic field geometry on the confinement of energetic electrons in solar flares **253**, 253
McClements, K.G.: The simultaneous effects of collisions, reverse currents and magnetic trapping on the temporal evolution of energetic electrons in a flaring coronal loop **258**, 542
McComas, D.J., see Bame, S.J., et al. **255**, 498 *(92, 237)*
McConnell, M., see Winkler, C., et al. **255**, L9
McCoy, R.P., Meier, R.R., Keller, H.U., Opal, C.B., Carruthers, G.R.: The hydrogen coma of comet P/Halley observed in Lyman α using sounding rockets **258**, 555
McDonnell, J.A.M., see Grün, E., et al. **255**, 502 *(92, 411)*
McDowell, J.C., see Masnou, J.L., et al. **253**, 35
McHardy, I.M., see Jackson, N., et al. **262**, 17
McKenzie, J.F., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
McKibben, R.B., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
McKinnon, M.M.: Instrumental origin of a 180° phase shift in polarization data **266**, 113
McKinnon, M.M.: Point source polarization calibration of a phased array **260**, 533
McLean, B., see Burg, R., et al. **259**, L9
McLean, B.J., see Egret, D., et al. **258**, 217
McNaught, R.H., see West, R.M. **256**, 447
Mebold, U., see Haynes, R.F., et al. **264**, 500
Mebold, U., see Lilienthal, D., et al. **255**, 323
Meetre, C.A., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Megessier, C., see Monier, R. **256**, 205
Meier, R.R., see McCoy, R.P., et al. **258**, 555
Meijer, F.G., see Raassen, A.J.J., et al. **266**, 631 *(95, 223)*
Meijer, J., see Bruch, A., et al. **260**, 557 *(93, 463)*
Mein, P., see Tsiropoula, G., et al. **262**, 587
Meinel, R., see Elstner, D., et al. **264**, 723 *(94, 587)*
Meinert, D., see Xu, C., et al. **257**, 47
Meisenheimer, K., Hippelein, H.: The emission-line lobes of 3C 368 **264**, 455
Meisenheimer, K., see Hippelein, H. **264**, 472
Mekkas, A., see Floquet, M., et al. **264**, 177
Melikidze, G., see Pajot-el Abed, P., et al. **257**, L9
Mellier, Y., see Mathez, G., et al. **256**, 343
Melnick, J., Heydari-Malayeri, M., Leisy, P.: The metal-poor HII galaxy SBS 0335-052 and the primordial helium abundance **253**, 16
Melnick, J., see Della Valle, M. **257**, L1
Melnick, J., see Falomo, R., et al. **255**, L17
Melnick, J., see Gopal-Krishna, et al. **254**, 42
Melnick, J., see Heydari-Malayeri, M. **258**, L13
Melnick, J., see Lauzeral, C., et al. **262**, 63
Melnick, J., see Rosa, M.R., et al. **257**, 515
Melnick, J., see Schwarz, H.E., et al. **266**, 639 *(96, 23)*
Melnikov, S.Y., see Jetsu, L., et al. **262**, 188
Méndez, R.H., Kudritzki, R.P., Herrero, A.: On central star luminosities and optical thicknesses in planetary nebulae **260**, 329
Méndez, R.H., see Gabler, R., et al. **265**, 656
Mennessier, M.O., Barthés, D., Boughaleb, H., Figueras, F., Mattei, J.A.: Computation of ephemerides for long-period variable stars for the Hipparcos mission **258**, 99
Menzies, J.W., see Ratag, M.A., et al. **255**, 255
Merafina, M., see Ingrosso, G., et al. **258**, 223
Mereghetti, S., Caraveo, P., Bignami, G.F.: CCD imaging and spectroscopy in the field of the X-ray pulsar 1 E 1048.1-5937 **263**, 172
Mereghetti, S., Caraveo, P., Bignami, G.F., Belloni, T.: Optical imaging of the fields of the two hard X-ray sources in the galactic center region: 1E 1740.7-2942 and GRS 1758-258 **259**, 205
Mereghetti, S., see Laurent, P., et al. **260**, 237
Mereghetti, S., see Salotti, L., et al. **253**, 145
Mermilliod, J.-C., Rosvick, J.M., Duquennoy, A., Mayor, M.: Investigation of the Pleiades cluster. II. Binary stars in the F5-K0 spectral region **265**, 513
Mermilliod, J.-C., see Claria, J.J. **266**, 635 *(95, 429)*
Mermilliod, J.-C., see Rosvick, J.M., et al. **255**, 130
Mermilliod, J.-C., see Rosvick, J.M., et al. **259**, 720
Mermilliod, J.C., see Grenon, M., et al. **258**, 88
Mermilliod, M., see Cayrel de Strobel, G., et al. **266**, 632 *(95, 273)*
Mermilliod, M., see Grenon, M., et al. **258**, 88
Messeri, A., see Bertotti, B., et al. **255**, 502 *(92, 431)*
Meurs, E.J.A., Piters, A.J.M., Pols, O.R., Waters, L.B.F.M., Coté, J., Van Kerkwijk, M.H., van Paradijs, J., Burki, G., Taylor, A.R., de Martino, D.: ROSAT survey observations of OB and OBe stars **265**, L41
Meurs, E.J.A., see Boller, T., et al. **259**, 101
Meurs, E.J.A., see Boller, T., et al. **261**, 57
Meurs, E.J.A., see Prusti, T., et al. **261**, 685
Meusinger, H.: A study of open one-zone models for the chemical evolution of the local galactic disk **266**, 190
Meusinger, H., Stecklum, B.: The G-dwarf problem: a synthetical approach **256**, 415

Meyer-Hofmeister, E.: Limit cycle instabilities in a free accretion disk – a source of energy in SN 1987A? **253**, 459
Meyer, A., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Meyer, C., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Meyer, C., see Froeschlé, M., et al. **262**, 308
Meyerdierks, H.: Observational evidence for a high velocity cloud collision **253**, 515
Meyhandan, R., see Clay, R.W., et al. **255**, 167
Meynet, G., see Schaller, G., et al. **266**, 643 *(96, 269)*
Mezger, P.G., see Mauersberger, R., et al. **256**, 640
Mezger, P.G., see Sagdeyev, R.Z., et al. **254**, 387
Mezger, P.G., see Zylka, R., et al. **261**, 119
Mezger, P.G., Sievers, A., Zylka, R., Haslam, C.G.T., Kreysa, E., Lemke, R.: Dust emission from star-forming regions. III. The Rho Ophiuchus cloud – where are the low-mass protostars? **265**, 743
Mezger, P.G., Sievers, A.W., Haslam, C.G.T., Kreysa, E., Lemke, R., Mauersberger, R., Wilson, T.L.: Dust emission from star-forming regions. II. The NGC 2024 cloud core – revisited **256**, 631
Micela, G., see Favata, F., et al. **256**, 86
Michel, E., Belmonte, J.A., Alvarez, M., Jiang, S.Y., Chevreton, M., Auvergne, M., Goupil, M.J., Baglin, A., Mangeney, A., Roca Cortés, T., Liu, Y.Y., Fu, J.N., Dolez, N.: Multi-periodicity of the δ Scuti star GX Pegasi. Second photometry campaign of the STEPHI network **255**, 139
Michelson, P.F., see Schneid, E.J., et al. **255**, L13
Mighell, K.J., Butcher, H.R.: Star formation histories of galaxies from their stellar luminosity functions **255**, 26
Migliori, L., see Trèvese, D., et al. **264**, 720 *(94, 327)*
Mignard, F., Froeschlé, M., Badiali, M., Cardini, D., Emanuele, A., Falin, J.L., Kovalevsky, J.: Hipparcos double star recognition and processing within the FAST consortium **258**, 165
Mignard, F., Froeschlé, M., Falin, J.L.: Hipparcos photometry: FAST main mission reduction **258**, 142
Mignard, F., see Froeschlé, M., et al. **262**, 308
Mignard, F., see Kovalevsky, J., et al. **258**, 7
Mihajlov, A.A., Dimitrijević, M.S.: Influence of ion-atom collisions on the absorption of radiation in white dwarfs **256**, 305
Mikołajewska, J., see Mikołajewski, M., et al. **254**, 127
Mikołajewski, M., Mikołajewska, J., Khudyakova, T.N.: The long-period symbiotic binary CH Cygni. II. The M giant component: increasing pulsation period and spot-like activity **254**, 127
Miley, G.K., see de Grijp, M.H.K., et al. **266**, 645 *(96, 389)*
Miley, G.K., see Hooimeyer, J.R.A., et al. **261**, 1
Miley, G.K., see Hooimeyer, J.R.A., et al. **261**, 5
Miley, G.K., see Hooimeyer, J.R.A., et al. **261**, 9
Miley, G.K., see Hooimeyer, J.R.A., et al. **261**, 18
Miley, G.K., see Hooimeyer, J.R.A., et al. **261**, 25
Miller, S., see Sidhu, K.S., et al. **255**, 453
Milliard, B., Donas, J., Laget, M., Armand, C., Vuillemin, A.: Galaxy counts at ultraviolet wavelengths (2000 Å) **257**, 24
Milliard, B., see Laget, M., et al. **259**, 510
Milne, D.K.: A simple method to enhance radio polarization features **261**, 694
Milone, A., Barbuy, B., Spite, M., Spite, F.: CNO overabundances in six stars of ω Centauri **261**, 551
Milone, A., see Barbuy, B., et al. **259**, 722 *(93, 235)*
Minchin, N.R., Ward-Thompson, D., White, G.J.: Carbon monoxide and far-infrared observations of the S 155–Cepheus B region **265**, 733
Minh, Y.C., Irvine, W.M., Friberg, P.: Molecular abundances in the Sagittarius A molecular cloud **258**, 489
Mirabel, I.F., Dottori, H., Lutz, D.: Genesis of a dwarf galaxy from the debris of the Antennae **256**, L19
Mirabel, I.F., see Elbaz, D., et al. **265**, L29
Miralles, J.A., see Marquina, A., et al. **258**, 566
Miranda, L.F., see Eiroa, C., et al. **257**, 410 *(92, 721)*
Miranda, L.F., Solf, J.: Long-slit spectroscopy of the planetary nebula NGC 6543: collimated bipolar ejections from a precessing central source? **260**, 397
Misch, A., see Griffin, R.E.M., et al. **254**, 289
Mitalas, R., see Beech, M. **262**, 483
Mitra, A.: Near-critical spherical accretion onto magnetized neutron stars: modified magnetospheric radius **257**, 807
Mitskevich, A.S., Tsymbal, V.V.: The effect of EUV and X-ray radiation on stellar atmospheres and the problem of helium abundance in B-stars **260**, 303
Mitsuda, K., see Augusteijn, T., et al. **265**, 177
Mizutani, K., Nagata, T., Maihara, T., Suto, H., Yamamoto, T.: Three-micron observations of comet Austin 1989 c1 **261**, 336
Mo, H.J., Deng, Z.G., Xia, X.Y., Schiller, P., Börner, G.: Typical scales in the distribution of galaxies and clusters of galaxies from unnormalized pair counts **257**, 1
Mo, H.J., Xia, X.Y., Deng, Z.G., Börner, G., Fang, L.Z.: Characteristic scales in the distribution of QSO absorption line systems **256**, L23
Möllenhoff, C., Hummel, E., Bender, R.: Optical and radio morphology of elliptical dust-lane galaxies. Comparison between CCD images and VLA maps **255**, 35
Moffat, A.F.J.: Search for second-phase Wolf–Rayet binaries among WRE stars **253**, 425
Moffat, A.F.J., see Matthews, J.M., et al. **266**, 409
Mohan, V., see Bienaymé, O., et al. **253**, 389
Mohan, V., see Robin, A.C., et al. **265**, 32
Mohin, S., Raveendran, A.V.: Photometric study of the RS CVn binary DM Ursa Majoris **256**, 487
Moiseyev, I.G., see Sagdeyev, R.Z., et al. **254**, 387
Molina, A., Moreno, F.: Equivalent widths of the CH_4-6190 Å bands across Jupiter's disk: variations from 1985 to 1989 **256**, 299
Molina, A., see Moreno, F. **256**, 321
Molina, A., see Ortiz, J.L., et al. **260**, 465
Molinari, S., see Liseau, R., et al. **253**, 119
Møller, P., Kjærgaard, P.: The expected ionization of H I by line-of-sight neighbour quasars: measuring the quasar beaming **258**, 234
Molotov, E.P., see Sagdeyev, R.Z., et al. **254**, 387
Monchick, L., see Schaefer, J. **265**, 859
Moneti, A.: Optical and infrared observations of Circinus X-1 **260**, L7
Moneti, A.: The double nature of RCW57/irs1 **259**, 627
Moneti, A., see Liseau, R., et al. **265**, 577
Moneti, A., see Rosa, M.R., et al. **257**, 515
Monge, N., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Monier, R.: Application of the infrared flux method to 3 cool Ap stars (78 Virginis, 52 Herculis A and CS Virginis) and comparison of their energy distributions to model atmospheres **263**, 175

Monier, R.: The surface gravity of 21 Comae Berenices (A3p) **256**, 166
Monier, R., Megessier, C.: The energy distribution of 21 Comae (A3p): comparison to standard stars of similar spectral types and modeling **256**, 205
Monier, R., see Vogel, M., et al. **260**, 156
Monin, J.-L., Mariotti, J.-M., Ghez, P., Perrier, C., Desbat, L.: Pupil plane interferometry in the near infrared. II. Phase recovery and image reconstruction **260**, 510
Monin, J.-L., see Mariotti, J.-M., et al. **255**, 462
Monin, J.L., see Rigaut, F., et al. **259**, L57
Monnet, G., Bacon, R., Emsellem, E.: Modelling the stellar intensity and radial velocity fields in triaxial galaxies by sums of Gaussian functions **253**, 366
Monson, S., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Montignac, G., see Le Campion, J.F., et al. **266**, 568
Mony, B., see Maisack, M., et al. **262**, 433
Moran, J.M., see Bååth, L.B., et al. **257**, 31
Morando, B., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Morando, B., see Kovalevsky, J., et al. **258**, 7
Morbidelli, R., see Pannunzio, R., et al. **258**, 173
Morbidelli, R., see Pannunzio, R., et al. **266**, 640 *(96, 143)*
Morel, P.J., see Sareyan, J.P., et al. **257**, 567
Morell, O., Källander, D., Butcher, H.R.: The age of the Galaxy from thorium in G dwarfs, a re-analysis **259**, 543
Morenas, V., see Garcia, A.M., et al. **253**, 74
Moreno-Insertis, F., Schüssler, M., Ferriz Mas, A.: Storage of magnetic flux tubes in a convective overshoot region **264**, 686
Moreno, F., Molina, A.: *Erratum:* Jupiter's atmospheric parameters derived from spectroscopic observations in the red region during the 1988 opposition **256**, 321
Moreno, F., see Molina, A. **256**, 299
Moreno, F., see Ortiz, J.L., et al. **260**, 465
Morfill, G.E., see Grün, E., et al. **255**, 502 *(92, 411)*
Morgan, D.H., Good, A.R.: New planetary nebulae in the Large Magellanic Cloud **256**, 325 *(92, 571)*
Morgan, D.H., Watson, F.G., Parker, Q.A.: Emission-line objects in the Large Magellanic Cloud. Observations obtained with the FLAIR system **260**, 558 *(93, 495)*
Morimoto, M., see Bååth, L.B., et al. **257**, 31
Morimoto, M., see Krichbaum, T.P., et al. **260**, 33
Morin, D., see Crifo, F., et al. **258**, 116
Morin, D., see Turon, C., et al. **258**, 74
Morley, T.A., see Sinclair, A.T. **262**, 326
Morossi, C., see Malagnini, M.L., et al. **261**, 558
Morris, D., see Downes, D., et al. **262**, 424
Morris, D., see Guilloteau, S., et al. **262**, 624
Morris, D., see Winkler, C., et al. **255**, L9
Morris, M., see Likkel, L., et al. **256**, 581
Morrison, L.V., Buontempo, M.E., Fabricius, C., Helmer, L.: First meridian circle observations of Pluto **262**, 347
Morrison, L.V., see Jahreiß, H., et al. **258**, 82
Morrison, L.V., see Lagerkvist, C.-I., et al. **262**, 383 *(94, 43)*
Moshier, S.L.: Comparison of a 7000-year lunar ephemeris with analytical theory **262**, 613
Moskalik, P., Dziembowski, W.A.: New opacities and the origin of the β Cephei pulsations **256**, L5
Moss, D., Brandenburg, A.: The influence of boundary conditions on the excitation of disk dynamo modes **256**, 371
Moss, D., Brandenburg, A., Tavakol, R., Tuominen, I.: Stochastic effects in mean-field dynamos **265**, 843
Moss, D., see Brandenburg, A., et al. **259**, 453
Moss, D., see Brandenburg, A., et al. **265**, 328
Mottola, S., see Gonano-Beurer, M., et al. **254**, 393
Mouchet, M., see Treyer, M.A., et al. **264**, 11
Moussas, X., see Newman, P.L., et al. **255**, 443
Mozurkewich, D., see Quirrenbach, A., et al. **259**, L19
Mueller-Mellin, R., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Müller, E., Fryxell, B., Arnett, D.: *Erratum:* Instability and clumping in SN 1987 A **256**, 322
Müller, E., see Höflich, P., et al. **259**, 549
Müller, E., see Khokhlov, A., et al. **253**, L9
Müller, E., see Steinmetz, M., et al. **254**, 177
Müyesseroğlu, Z., see Demircan, O., et al. **263**, 165
Muglach, K., Solanki, S.K.: Infrared lines as probes of solar magnetic features. I. A many-line analysis of a network region **263**, 301
Muiños, J.L., Caparrós, R., Cayetano, J.M., Gutiérrez, F.: Optical positions of radio stars observed with the meridian circle of the Real Instituto y Observatorio de la Armada en San Fernando **266**, 632 *(95, 269)*
Mukai, T., Ishimoto, H., Kozasa, T., Blum, J., Greenberg, J.M.: Radiation pressure forces of fluffy porous grains **262**, 315
Mukai, T., see Kozasa, T., et al. **263**, 423
Mulder, P.S., Valentijn, E.A.: Kinematics of the ionized gas around the quasar MR 2251-178 **259**, 435
Munari, U.: Studies of symbiotic stars. VI. The eclipsing symbiotic nova AS 338 **257**, 163
Munari, U., Buson, L.M.: Studies of symbiotic stars. V. The dust-free yellow system He2–467 **255**, 158
Munari, U., see Margoni, R., et al. **260**, 559 *(93, 545)*
Munari, U., see Whitelock, P.A. **255**, 171
Munari, U., Yudin, B.F., Taranova, O.G., Massone, G., Marang, F., Roberts, G., Winkler, H., Whitelock, P.A.: *UBVRI-JHKL* photometric catalogue of symbiotic stars **259**, 725 *(93, 383)*
Mundt, R., see Eislöffel, J. **263**, 292
Mundt, R., see Poetzel, R., et al. **262**, 229
Muñoz-Tuñón, C., see Vernin, J. **257**, 811
Muratorio, G., Viotti, R., Friedjung, M., Baratta, G.B., Rossi, C.: The spectrum of the VV Cephei star KQ Puppis. IV. The Fe II spectrum, level population and spectral synthesis **258**, 423
Murgolo, F.P., see Kovalevsky, J., et al. **258**, 7
Murphy, H.M., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Murray, C.A., see Lindegren, L., et al. **258**, 18
Murray, C.A., see Perryman, M.A.C., et al. **258**, 1
Muthsam, H., see Fadeyev, Y.A. **260**, 195
Muxlow, T.W.B., see Hummel, C.A., et al. **257**, 489
Muxlow, T.W.B., see Hummel, C.A., et al. **266**, 93
Nagata, T., see Mizutani, K., et al. **261**, 336
Najarro, F., see Kudritzki, R.-P., et al. **257**, 655
Najid, N.-E., see Chollet, F. **262**, 341
Nakai, N., see Combes, F., et al. **259**, L27
Nakamura, T., see Souchay, J., et al. **264**, 314
Nandy, K., see Boyle, R.P., et al. **266**, 629 *(95, 51)*
Napiwotzki, R., see Werner, K., et al. **259**, L69
Narumi, Y., see Akabane, T., et al. **255**, 377
Nasiri, S.: The effect of a tapered magnetic field on the modal structure in a flux tube **261**, 615

Natali, G., Pedichini, F., Righini, M.: Disk morphology of NGC 628 from large field CCD *UBVRI* photometry **256**, 79
Naumann, M., see Bruch, A., et al. **260**, 557 *(93, 463)*
Nazirov, R.R., see Sagdeyev, R.Z., et al. **254**, 387
Neckel, T., Staude, H.J.: Optical traces of two IRAS sources driving bipolar outflows in the S 287 molecular cloud **254**, 339
Neff, J.E., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Neininger, N.: The magnetic field structure of M 51 **263**, 30
Nelson, A.H., see Panesar, J.S. **264**, 77
Neri, R., García-Burillo, S., Guélin, M., Cernicharo, J., Guilloteau, S., Lucas, R.: CRL 618: the nature of the 200 km s^{-1} molecular outflow *(Plateau de Bure Series, Paper 3)* **262**, 544
Neri, R., see Guilloteau, S., et al. **262**, 624
Nesis, A., Hanslmeier, A., Hammer, R., Komm, R., Mattig, W., Staiger, J.: Dynamics of the solar granulation. I. A phenomenological approach **253**, 561
Nesis, A., see de Boer, C.R., et al. **257**, L4
Nesterov, N., see Teräsranta, H., et al. **262**, 384 *(94, 121)*
Nesterov, N.S., see Valtaoja, E., et al. **254**, 71
Nesterov, N.S., see Valtaoja, E., et al. **254**, 80
Neubauer, F.M., see Neugebauer, M., et al. **258**, 549
Neugebauer, M., Goldstein, B.E., Goldstein, R., Fuselier, S.A., Neubauer, F.M., Balsiger, H., Ip, W.-H.: A different view of plasma flow inside P/Halley **258**, 549
Neukum, G., see Gonano-Beurer, M., et al. **254**, 393
Newman, P.L., Moussas, X., Quenby, J.J., Valdes-Galicia, J.F., Theodossiou-Ekaterinidi, Z.: Shock drift acceleration for a near-perpendicular shock in a turbulent astrophysical plasma **255**, 443
Nezhinskij, E.M., Ollongren, A.: Models of patchy-structured galaxies **266**, 140
Niarchos, P., Hoffmann, M., Duerbeck, H.W.: DF Hydrae: a W UMa system with spotted components **258**, 323
Nicholson, W., see Zacharias, N., et al. **254**, 397
Nicol, G., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Nicolet, B., see Turon, C., et al. **258**, 74
Nicolson, G., see Sagdeyev, R.Z., et al. **254**, 387
Niel, M., see Hurley, K., et al. **255**, 501 *(92, 401)*
Nieto, J.-L., Bender, R., Poulain, P., Surma, P.: The origin of inner isophotal twists in elliptical galaxies **257**, 97
Nieto, J.-L., see Poulain, P., et al. **266**, 630 *(95, 129)*
Nieuwenhuijzen, H., see Achmad, L., et al. **259**, 600
Nieuwenhuijzen, H., see Lobel, A., et al. **256**, 159
Nieuwenhuijzen, H., see Lobel, A., et al. **264**, 147
Nilsson, K., see Sillanpää, A., et al. **254**, L33
Nilsson, K., see Takalo, L.O., et al. **262**, 382 *(94, 37)*
Nilsson, K., see Teräsranta, H., et al. **262**, 384 *(94, 121)*
Nisenson, P., see Karovska, M. **253**, 210
Nisini, B., see Liseau, R., et al. **265**, 577
Nissen, P.E., Edvardsson, B.: Oxygen abundances in F and G dwarfs derived from the [O I] line at 6300 Å **261**, 255
Nitschelm, C., see Koutchmy, S., et al. **266**, 641 *(96, 169)*
Nitschelm, C., see Zirker, J.B., et al. **258**, L1
Noels, A., see Degryse, K., et al. **263**, 137
Noels, A., see Hannaford, P., et al. **259**, 301
Noël, F., Débarbat, S.: Astrometric observations of radio stars α Scorpii A and 9 Sagittarii **266**, 648 *(96, 567)*
Nolan, P.L., see Schneid, E.J., et al. **255**, L13
Nollez, G., see Goldbach, C., et al. **266**, 605
Nomoto, K., see van den Heuvel, E.P.J., et al. **262**, 97
Norci, L., see Polcaro, V.F., et al. **265**, 563
Nordlund, Å., see Jørgensen, U.G., et al. **261**, 263
Nordlund, Å., see Plez, B., et al. **256**, 551
Normandeau, M., Joncas, G., Green, D.A.: The DRAO galactic-plane survey. III. Field at $l=85°$ **255**, 497 *(92, 63)*
North, P., Brown, D.N., Landstreet, J.D.: The magnetic field and period of the Ap Si star 108 Aquarii **258**, 389
North, P., see Burki, G., et al. **256**, 463
North, P., see Duquennoy, A., et al. **254**, L13
Norton, A.J., see Fabregat, J., et al. **259**, 522
Norton, R.H., see Sauval, A.J., et al. **265**, 355
Nota, A., see Boksenberg, A., et al. **261**, 393
Nota, A., see Paresce, F., et al. **262**, 617
Novikov, B., see Jourdain, E., et al. **256**, L38
Novikov, B., see Laurent, P., et al. **260**, 237
Novikov, B., see Salotti, L., et al. **253**, 145
Nussbaumer, H., see Vogel, M. **259**, 525
Nussbaumer, H., see Vogel, M., et al. **260**, 156
Nyman, L.-Å., see Lindqvist, M., et al. **263**, 183
Nyman, L.-Å., Booth, R.S., Carlström, U., Habing, H.J., Heske, A., Sahai, R., Stark, R., van der Veen, W.E.C.J., Winnberg, A.: A survey of circumstellar CO emission from a sample of IRAS point sources **257**, 845 *(93, 121)*
Nys, O., see Jahreiß, H., et al. **258**, 82
O'Brian, T.R., Lawler, J.E.: Radiative lifetimes in B I using ultraviolet and vacuum-ultraviolet laser-induced fluorescence **255**, 420
O'Brien, P.T., see Jackson, N., et al. **262**, 17
Ögelman, H., see Orio, M., et al. **257**, 548
Östreicher, R., see Schaich, M., et al. **264**, 529
Östreicher, R., Seifert, W., Friedrich, S., Ruder, H., Schaich, M., Wolf, D., Wunner, G.: Hydrogen in the strong magnetic field of the white dwarf PG 1031+234 **257**, 353
Özdemir, T., see Aslan, Z., et al. **257**, 580
Ogilvie, K.W., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Ohishi, M., see Greaves, J.S., et al. **260**, 381
Olah, K., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Olah, K., see Pettersen, B.R., et al. **266**, 647 *(96, 497)*
Oláh, K., see Strassmeier, K.G. **259**, 595
Olberg, M., Reipurth, B., Booth, R.S.: A molecular outflow associated with Herbig-Haro jet HH 46/47 **259**, 252
Oliva, E., Origlia, L.: The OH airglow spectrum: a calibration source for infrared spectrometers **254**, 466
Oliver, R., see Carbonell, M., et al. **264**, 350
Oliversen, N., see Cassatella, A., et al. **256**, 309
Ollongren, A., see Nezhinskij, E.M. **266**, 140
Olmi, L., Downes, D.: Interferometric measurement of tropospheric phase fluctuations at 86 GHz on antenna spacings of 24 m to 288 m *(Plateau de Bure Series, Paper 5)* **262**, 634
Olmos, F., see Alvarez, H., et al. **257**, 575
Olofsson, H., Carlström, U., Eriksson, K., Gustafsson, B.: The circumstellar envelope of the carbon star S Scuti **253**, L17
Olofsson, H., see Lindqvist, M., et al. **263**, 183
Omont, A., see Cox, P., et al. **266**, 420
Omont, A., see Rouan, D., et al. **253**, 498
Opal, C.B., see McCoy, R.P., et al. **258**, 555
Origlia, L., see Oliva, E. **254**, 466
Orio, M., see Della Valle, M., et al. **266**, 232
Orio, M., Trussoni, E., Ögelman, H.: Classical novae as fast magnetic rotators **257**, 548

Orlov, V.G., see Afanasyev, V.L., et al. **266**, 15
Orlov, V.V., see Anosova, J.P. **260**, 473
Ortega-Molina, A., see Sagdeyev, R.Z., et al. **254**, 387
Ortiz, J.L., Moreno, F., Molina, A.: Spectroscopic observations at different regions of Jupiter during the 1991 opposition: absolute reflectivities and CH_4-6190 Å and NH_3-6450 Å absorption bands **260**, 465
Ortolani, S., Bica, E., Barbuy, B.: CCD photometry of NGC 6528: a high metallicity inner bulge globular cluster **256**, 323 *(92, 441)*
Ortolani, S., see Barbuy, B., et al. **259**, 607
Ortolani, S., see Lauzeral, C., et al. **262**, 63
Ossenkopf, V., Henning, T., Mathis, J.S.: Constraints on cosmic silicates **261**, 567
Ossenkopf, V., see Reimann, H.-G., et al. **265**, 360
Osterbart, R., Fahr, H.J.: A Boltzmann-kinetic approach to describe the entrance of neutral interstellar hydrogen into the heliosphere **264**, 260
Ott, M., see Quirrenbach, A., et al. **258**, 279
Ottens, F., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Ottmann, R., Schmitt, J.H.M.M.: The contributions of RSCVn systems to the diffuse X-ray background **256**, 421
Oudmaijer, R.D., van der Veen, W.E.C.J., Waters, L.B.F.M., Trams, N.R., Waelkens, C., Engelsmann, E.: SAO stars with infrared excess in the IRAS Point Source Catalog **266**, 650 *(96, 625)*
Oukbir, J., Blanchard, A.: X-ray clusters in open universes **262**, L21
Padin, S., see Bååth, L.B., et al. **257**, 31
Padovani, P.: A statistical analysis of complete samples of BL Lacertae objects **256**, 399
Pätzold, M., Porsche, H., Edenhofer, P., Bird, M.K., Volland, H.: Giotto Radio-Science Experiment: drag deceleration and spacecraft attitude perturbations expected during the encounter with comet P/Grigg-Skjellerup in July 1992 **259**, L15
Pätzold, M., see Bird, M.K., et al. **255**, 502 *(92, 425)*
Pagani, L., Salez, M., Wannier, P.G.: The chemistry of H_2D^+ in cold clouds **258**, 479
Pagani, L., Wannier, P.G., Frerking, M.A., Kuiper, T.B.H., Gulkis, S., Zimmermann, P., Encrenaz, P.J., Whiteoak, J.B., Destombes, J.L., Pickett, H.M.: Search for H_2D^+ at 372 GHz in dense interstellar clouds **258**, 472
Pagano, I., see Cutispoto, G., et al. **263**, L3
Page, D.E., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Page, D.E., see Wenzel, K.-P., et al. **255**, 498 *(92, 207)*
Pajdosz, G., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Pajot-el Abed, P., Melikidze, G., Tagger, M.: Magnetic-drift-driven instability and cosmic-ray acceleration **257**, L9
Palagi, F., see Felli, M., et al. **255**, 293
Pallavicini, R., Pasquini, L., Randich, S.: Optical spectroscopy of post-T Tauri star candidates **261**, 245
Pallavicini, R., Randich, S., Giampapa, M.S.: Lithium in RS CVn binaries and related chromospherically active stars. I. Observational results **253**, 185
Pallavicini, R., see Cerruti-Sola, M., et al. **256**, 185
Pallavicini, R., see White, S.M., et al. **257**, 557
Pallavicini, R., see White, S.M., et al. **259**, 149
Pallé, P.L., Régulo, C., Roca Cortés, T., Sánchez Duarte, L., Schmider, F.X.: Solar radial velocity and oscillations as measured by sodium and potassium resonant scattering spectrometers **254**, 348
Pallé, P.L., see Anguera Gubau, M., et al. **255**, 363
Pallé, P.L., see Fossat, E., et al. **266**, 532
Palumbo, M.E., Strazzulla, G.: The 2140 cm^{-1} band of frozen CO in ion-irradiated and unirradiated mixtures with methanol and water **259**, L12
Pan, H.C., see in 't Zand, J.J.M., et al. **266**, 283
Panesar, J.S., Nelson, A.H.: Numerical models of 3-D galactic dynamos **264**, 77
Pannunzio, R., Morbidelli, R., Massone, G., Lattanzi, M.G., Sarasso, M., Chiumiento, G.: Precise equatorial coordinates of double and multiple systems: an astronomical support to the Hipparcos mission **266**, 640 *(96, 143)*
Pannunzio, R., Spagna, A., Lattanzi, M.G., Morbidelli, R., Sarasso, M.: The treatment of Hipparcos observations of some peculiar double stars: anomalous cases **258**, 173
Paolicchi, P., see Farinella, P., et al. **253**, 604
Pap, J.M.: Variations in solar Lyman alpha irradiance on short time scales **264**, 249
Papadakis, M., see Augusteijn, T., et al. **265**, 177
Papadopoulos, D., see Varvoglis, H. **261**, 664
Papaloizou, J.C., Savonije, G.J., Henrichs, H.F.: On the long-term periodicities in Be stars **265**, L45
Papaloizou, J.C., see Heemskerk, M.H.M., et al. **260**, 161
Papoular, R., see David, P. **265**, 195
Papoular, R., see Sourisseau, C., et al. **254**, L1
Paredes, J.M., see Martí, J., et al. **258**, 309
Paresce, F., Sartoretti, P., Albrecht, R., Barbieri, C., Blades, J.C., Boksenberg, A., Crane, P., Deharveng, J.M., Disney, M.J., Jakobsen, P., Kamperman, T.M., King, I.R., Macchetto, F., Mackay, C.D., Weigelt, G., Baxter, D., Greenfield, P., Jedrzejewski, R., Nota, A., Sparks, W.B.: Near-ultraviolet imaging of Jupiter's satellite Io with the Hubble Space Telescope **262**, 617
Paresce, F., see Boksenberg, A., et al. **261**, 393
Paresce, F., see Burgarella, D., et al. **262**, 83
Parijskij, Y.N., Bursov, N.N., Lipovka, N.M., Soboleva, N.S., Temirova, A.V., Chepurnov, A.V.: The RATAN-600 7.6 cm catalogue of radio sources within the interval 22^h–4^h at declination of SS 433 **266**, 649 *(96, 583)*
Parisel, O., Berthier, G., Ellinger, Y.: New clues for ionized polycyclic aromatic hydrocarbons as possible carriers of diffuse interstellar bands **266**, L1
Parker, Q.A., see Morgan, D.H., et al. **260**, 558 *(93, 495)*
Parma, P., see Gregorini, L., et al. **262**, 382 *(94, 13)*
Parma, P., see Gregorini, L., et al. **266**, 628 *(95, 1)*
Parthasarathy, M., García Lario, P., Pottasch, S.R.: The chemical composition of the high velocity post-AGB star HD 56126 (F 5I) **264**, 159
Parthasarathy, M., Jain, S.K., Bhatt, H.C.: Possible young stellar objects in the region of the Cygnus OB2 (VI Cygni) association from IRAS observations **266**, 202
Parthasarathy, M., see Malagnini, M.L., et al. **261**, 558
Pasquini, L.: The Ca II K line in solar type stars **266**, 347
Pasquini, L., Brocato, E.: Chromospheric activity and stellar evolution: clues from IUE data **266**, 340
Pasquini, L., see Pallavicini, R., et al. **261**, 245
Paterakis, G., see Augusteijn, T., et al. **265**, 177
Paternò, L., see Chiu, H.-Y. **260**, 441
Patriarchi, P., Perinotto, M.: Properties of fast winds in hot stars in the Magellanic Clouds **258**, 285
Paturel, G., Garnier, R.: The use of velocity dispersion in globular clusters as a distance indicator **254**, 93
Paturel, G., see Bottinelli, L., et al. **257**, 846 *(93, 173)*

Paturel, G., see Fouqué, P., et al. **259**, 722 *(93, 211)*
Paturel, G., see Garcia, A.M., et al. **253**, 74
Paturel, G., see Garcia, A.M., et al. **266**, 645 *(96, 435)*
Paturel, G., see Teerikorpi, P., et al. **260**, 17
Paubert, G., see Colom, P., et al. **264**, 270
Paul, J., see Jourdain, E., et al. **256**, L38
Paul, J., see Laurent, P., et al. **260**, 237
Paul, J., see Lebrun, F., et al. **264**, 22
Pauldrach, A.W.A., see Kudritzki, R.-P., et al. **257**, 655
Pauldrach, A.W.A., see Mazzali, P.A., et al. **254**, 241
Pauldrach, A.W.A., see Springmann, U.W.E. **262**, 515
Pauliny-Toth, I.I.K., see Gurvits, L.I., et al. **260**, 82
Pauliny-Toth, I.I.K., see Krichbaum, T.P., et al. **260**, 33
Pauliny-Toth, I.I.K., see Rantakyrö, F.T., et al. **259**, 8
Paulus, G., see Arnould, M., et al. **254**, L9
Pauzat, F., see Gerin, M., et al. **266**, 463
Pavlov, G.G., see Shibanov, Y.A., et al. **266**, 313
Pavlovski, K., Schneider, H., Akan, M.C.: The interacting binary V367 Cygni. I. Photometric solution including the influence of an accretion disk **258**, 329
Peach, G., see Aboudarham, J., et al. **262**, 302
Pearce, G., Harrison, R.A., Bromage, B.J.I., Pickering, A.G.M.: The relationship between global X-ray luminosity and flaring on the Sun **253**, 601
Pedersen, H., see Høg, E., et al. **258**, 177
Pedersen, H., see Høg, E., et al. **258**, 201
Pedichini, F., see Natali, G., et al. **256**, 79
Pegoraro, A.: Revision of the Theil fitting method **259**, 386
Pehlemann, E., Hofmann, K.-H., Weigelt, G.: Photon bias compensation in triple correlation imaging and observation of R 136 **256**, 701
Peimbert, M., Torres-Peimbert, S.: Emission line galaxies in the Bootes void **253**, 349
Pelat, D., see Baribaud, T., et al. **256**, 375
Pelló, R., Le Borgne, J.F., Sanahuja, B., Mathez, G., Fort, B.: The system of arcs in the cluster of galaxies Abell 2218: photometry, spectroscopy and geometry **266**, 6
Pelló, R., see Le Borgne, J.F., et al. **266**, 629 *(95, 87)*
Peltoniemi, J.T.: Resonance transitions to inert neutrinos in supernovae **254**, 121
Penston, M.J., see Evans, D.W., et al. **258**, 149
Penston, M.J., see Jahreiß, H., et al. **258**, 82
Penston, M.J., see Lindegren, L., et al. **258**, 18
Penston, M.J., see van Leeuwen, F., et al. **258**, 53
Penston, M.J., see van Leeuwen, F., et al. **258**, 119
Penston, M.J., see Zacharias, N., et al. **254**, 397
Penston, M.V., see Jackson, N., et al. **262**, 17
Peña, M., Torres-Peimbert, S., Ruiz, M.T.: Ultraviolet and optical spectra of central stars of halo planetary nebulae **265**, 757
Pérault, M., see Falgarone, E., et al. **257**, 715
Pérault, M., see Viallefond, F., et al. **265**, 437
Percy, J.R., Zsoldos, E.: Photometry of yellow semiregular variables: HR 8752 (= V509 Cassiopeiae) **263**, 123
Peres, G., see Jakimiec, J., et al. **253**, 269
Pérez Hernández, F., see Anguera Gubau, M., et al. **255**, 363
Pérez-Fournon, I., see Jackson, N., et al. **262**, 17
Pérez, E., see Jackson, N., et al. **262**, 17
Perez, E., see Prieto, M., et al. **260**, 559 *(93, 557)*
Pérez, M.R., see de Winter, D., et al. **257**, 632
Pérez, M.R., Webb, J.R., Thé, P.S.: The variable Herbig Ae star HR 5999. X. Its photometric "pulse-shaped" variability **257**, 209
Périé, J.P., see Jahreiß, H., et al. **258**, 82
Perinotto, M., see Patriarchi, P. **258**, 285
Perkins, M., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Perley, R.A., see Cornwell, T.J. **261**, 353
Perley, R.A., see Taylor, G.B. **262**, 417
Pernechele, C., see Cremonese, G., et al. **256**, 286
Perola, G.C., see Feretti, L., et al. **265**, 9
Perola, G.C., see Fiore, F., et al. **262**, 37
Perola, G.C., see Matt, G., et al. **257**, 63
Perola, G.C., see Matt, G., et al. **263**, 453
Perrier, C., see Mariotti, J.-M., et al. **255**, 462
Perrier, C., see Monin, J.-L., et al. **260**, 510
Perrigouard, A., see Guilloteau, S., et al. **262**, 624
Perrin, J.-M., Sivan, J.-P.: Discovery of a red luminescence band in the spectrum of the Orion Nebula **255**, 271
Perry, C.L., Hill, G.: A study of Scorpius OB1 and NGC 6231. III. The luminosity function for the massive stars **257**, 128
Perryman, M.A.C., Høg, E., Kovalevsky, J., Lindegren, L., Turon, C., Bernacca, P.L., Crézé, M., Donati, F., Grenon, M., Grewing, M., van Leeuwen, F., van der Marel, H., Murray, C.A., Le Poole, R.S., Schrijver, H.: In-orbit performance of the Hipparcos astrometry satellite **258**, 1
Perryman, M.A.C., see Høg, E., et al. **258**, 177
Perryman, M.A.C., see Kovalevsky, J., et al. **258**, 7
Perryman, M.A.C., see Lindegren, L., et al. **258**, 18
Perryman, M.A.C., see Lindegren, L., et al. **258**, 35
Perryman, M.A.C., see Lindegren, L., et al. **258**, 134
Perryman, M.A.C., see Turon, C., et al. **258**, 74
Perryman, M.A.C., see van Leeuwen, F., et al. **258**, 53
Pešek, I.: Almucantar deformations in the method of equal altitudes **262**, 621
Petenko, I.V., see Gur'yanov, A.E., et al. **262**, 373
Peter, W., see Lemons, D.S. **265**, 373
Petersen, C., see Høg, E., et al. **258**, 177
Petersen, C., see Lindegren, L., et al. **258**, 18
Petersen, C., see Lindegren, L., et al. **258**, 35
Petersen, C., see Lindegren, L., et al. **258**, 134
Petersen, C., see van der Marel, H. **258**, 60
Petersen, J.O.: Studies of Cepheid-type variability. X. κ-effect-functions for period ratios **265**, 555
Peterson, B.M., see Wanders, I., et al. **266**, 72
Petit, G., see Sagdeyev, R.Z., et al. **254**, 387
Petitjean, P., Bergeron, J., Puget, J.L.: Truncated photoionized autogravitating clouds at high redshift **265**, 375
Petrini, D.: Auger decay of light cosmic ions: overwhelming population of final excited states **265**, 857
Petrosian, A.R., Turatto, M.: The far-infrared properties of parent galaxies of supernovae **261**, 433
Pettersen, B.R., Olah, K., Sandmann, W.H.: Long-term behaviour of starspots. II. A decade of new starspot photometry of BY Draconis and EV Lacertae **266**, 647 *(96, 497)*
Peyraud-Cuenca, N.: The effect of a non-Maxwellian distribution on excitation and ionization of hydrogen in solar flares **261**, 633
Pezzuto, S., Bernacca, P.L., Stagni, R.: Rapid oscillations in the dwarf novae SY Cancri, YZ Cancri and AH Herculis **257**, 523
Pfau, W., see Henning, T., et al. **260**, 558 *(93, 525)*
Pfau, W., see Henning, T., et al. **263**, 285

Pfeiffer, B., see Vauclair, G., et al. **264**, 547
Pfitscher, K., see Saurer, W., et al. **260**, 559 *(93, 553)*
Phillips, J.L., see Bame, S.J., et al. **255**, 498 *(92, 237)*
Phillips, J.P., Williams, P.G., Mampaso, A., Ukita, N.: The molecular structure of CRL 618 **260**, 283
Phillips, K.J.H., see Doyle, J.G. **257**, 773
Phillips, R.B., see Lestrade, J.-F., et al. **258**, 112
Phillips, T.G., see van Dishoeck, E.F., et al. **261**, L13
Picat, J.-P., see Mathez, G., et al. **256**, 343
Pick, M., see Lanzerotti, L.J., et al. **255**, 500 *(92, 349)*
Pickering, A.G.M., see Pearce, G., et al. **253**, 601
Pickett, H.M., see Pagani, L., et al. **258**, 472
Pieplu, J.L., see Kovalevsky, J., et al. **258**, 7
Piers, R.P.A., Thé, P.S., van Genderen, A.M.: A photometric and spectroscopic study of a supposed subclustering of pre-main sequence stars towards the Scorpius OB1 association **256**, 325 *(92, 609)*
Pietsch, W., see Biermann, P.L., et al. **266**, 643 *(96, 339)*
Pietsch, W., see Magnier, E.A., et al. **266**, 644 *(96, 379)*
Pietsch, W., see Maisack, M., et al. **262**, 433
Pigulski, A.: The light-time effect as the cause of period changes in β Cephei stars. II. σ Scorpii **261**, 203
Pigulski, A., Boratyn, D.A.: The orbit of β Cephei derived from the light-time effect **253**, 178
Piirola, V., Reiz, A.: The highly magnetic ($B \sim 500$ MG) white dwarf PG 1031+234: discovery of wavelength dependent polarization and intensity variations **259**, 143
Piirola, V., see Takalo, L.O., et al. **262**, 382 *(94, 37)*
Pijpers, F.P., see Koninx, J.-P.M. **265**, 183
Pijpers, F.P., Thompson, M.J.: Faster formulations of the optimally localized averages method for helioseismic inversions **262**, L33
Pilyugin, L.S.: The evolution of nitrogen and oxygen abundances in dwarf irregular galaxies **260**, 58
Pineau des Forêts, G., see Abgrall, H., et al. **253**, 525
Pineau des Forêts, G., see Schilke, P., et al. **256**, 595
Pinkau, K., see Schneid, E.J., et al. **255**, L13
Pintado-Martín, J., see Rodríguez-Franco, A., et al. **264**, 592
Piotto, G., see Zaggia, S.R., et al. **258**, 302
Piotto, G., see Zaggia, S.R., et al. **265**, 43
Pirenne, B., see Magain, P., et al. **253**, L13
Piro, L., see Fiore, F., et al. **262**, 37
Piro, L., see Matt, G., et al. **257**, 63
Piro, L., see Matt, G., et al. **263**, 453
Piters, A.J.M., see Meurs, E.J.A., et al. **265**, L41
Pittella, G., see Trèvese, D., et al. **264**, 720 *(94, 327)*
Plambeck, R.L., see Bååth, L.B., et al. **257**, 31
Planesas, P., see Bujarrabal, V., et al. **257**, 701
Planesas, P., see Rodríguez-Franco, A., et al. **264**, 592
Plastino, A.R., Vucetich, H.: Resonant asteroids and the equivalence principle **262**, 321
Plathner, D., see Guilloteau, S., et al. **262**, 624
Plavec, M.J., see Mazzali, P.A., et al. **254**, 241
Plez, B.: Spherical opacity sampling model atmospheres for *M*-giants and supergiants. II. A grid **264**, 722 *(94, 527)*
Plez, B., Brett, J.M., Nordlund, Å.: Spherical opacity sampling model atmospheres for M-giants. I. Techniques, data and discussion **256**, 551
Poder, K., see Lindegren, L., et al. **258**, 18
Poetzel, R., Mundt, R., Ray, T.P.: Herbig-Haro outflows associated with high-luminosity young stellar objects – AFGL 2591 and MWC 1080 **262**, 229
Pogge, R.W., see Wanders, I., et al. **266**, 72
Pogrebenko, S.V., see Sagdeyev, R.Z., et al. **254**, 387
Pohl, M., Reich, W., Schlickeiser, R.: Synchrotron modelling of the 400 pc spur at the galactic center **262**, 441
Pohl, M., Schlickeiser, R.: Continuous reacceleration of cosmic rays in galaxies. An alternative explanation for flat low frequency radio spectra **263**, 37
Pohl, M., see Lesch, H. **254**, 29
Polcaro, V.F., see Villada, M., et al. **259**, L1
Polcaro, V.F., Viotti, R., Rossi, C., Norci, L.: The WO stars. I. Helium in the optical spectrum of Sand 4 **265**, 563
Polfliet, R., Smeyers, P.: *Erratum:* Dynamic tides in stars as forced isentropic oscillations and their effects on free oscillations **255**, 495
Pollacco, D.L., see Ramsay, G. **262**, 383 *(94, 73)*
Polosukhina, N., see Berdyugin, A., et al. **255**, 149
Polosukhina, N.S., see Malanushenko, V.P., et al. **259**, 567
Pols, O.R., see Meurs, E.J.A., et al. **265**, L41
Popov, M., see Marcaide, J.M., et al. **258**, 295
Popov, M.V., see Gurvits, L.I., et al. **260**, 82
Popravko, G., see Ivanov, G.R., et al. **266**, 650 *(96, 645)*
Porcas, R.W., see Fejes, I., et al. **257**, 459
Porceddu, I., Benvenuti, P., Krelowski, J.: Anomalous extinction and diffuse interstellar bands in the direction of two Be stars **257**, 745
Porceddu, I., Benvenuti, P., Krelowski, J.: The 5780 diffuse band in peculiar interstellar clouds **260**, 391
Poretti, E., Mantegazza, L., Riboni, E.: The solution of the light curve of 44 Tauri: insights into the pulsational behaviour of δ Scuti stars **256**, 113
Poretti, E., see Mantegazza, L. **255**, 153
Poretti, E., see Mantegazza, L. **261**, 137
Poretti, E., see Mantegazza, L., et al. **256**, 459
Porsche, H., see Pätzold, M., et al. **259**, L15
Postnov, K.A., Prokhorov, M.E.: Planet survival? **258**, L17
Pottasch, E.M., Butcher, H.R., van Hoesel, F.H.J.: Solar-like oscillations on α Centauri A **264**, 138
Pottasch, S.R., see Parthasarathy, M., et al. **264**, 159
Pottasch, S.R., see Ratag, M.A., et al. **255**, 255
Pottasch, S.R., Zijlstra, A.A.: Shklovsky distances to galactic bulge planetary nebulae **256**, 251
Pouilly, B., see Robbe, J.M., et al. **256**, 679
Poulain, P., Nieto, J.-L., Davoust, E.: Isophotal shapes of early-type galaxies. II. The Perseus cluster **266**, 630 *(95, 129)*
Poulain, P., see Nieto, J.-L., et al. **257**, 97
Poulsen, J.M., see Cardini, D., et al. **257**, 824
Prabhu, T.P., see Anupama, G.C., et al. **263**, 87
Prado, P., see Sinachopoulos, D. **266**, 640 *(96, 137)*
Prantzos, N., see Baraffe, I., et al. **258**, 357
Prantzos, N., see Elbaz, D., et al. **265**, L29
Predmore, C.R., see Bååth, L.B., et al. **257**, 31
Preka-Papadema, P., Alissandrakis, C.E.: Two-dimensional model maps of flaring loops at cm-wavelengths **257**, 307
Preston, R., see Marcaide, J.M., et al. **258**, 295
Preston, R.A., see Kovalevsky, J., et al. **258**, 7
Preston, R.A., see Lestrade, J.-F., et al. **258**, 112
Preston, R.A., see Sagdeyev, R.Z., et al. **254**, 387
Prévot, L., see Jahreiß, H., et al. **258**, 82
Prezioso, G., see Kovalevsky, J., et al. **258**, 7
Prialnik, D., Bar-Nun, A.: Crystallization of amorphous ice as the cause of comet P/Halley's outburst at 14 AU **258**, L9
Priest, E.R., see Démoulin, P. **258**, 535

Priester, W., see Liebscher, D.-E., et al. **261**, 377
Prieto, M., Beckman, J.E., Cepa, J., Varela, A.M.: Multiband analysis of the surface brightness distributions of Sb and Sc spirals from CCD images. II. Bulge-disc decomposition **257**, 85
Prieto, M., Longley, D.P.T., Perez, E., Beckman, J.E., Varela, A.M., Cepa, J.: Multiband analysis of the surface brightness distributions of Sb and Sc spirals CCD images. I. Observations **260**, 559 *(93, 557)*
Prinja, R.K., Smith, L.J.: Migrating optical depth enhancements in the UV wind lines of the Wolf-Rayet star HD 93131 **266**, 377
Proga, D., see Strobel, A., et al. **259**, 723 *(93, 271)*
Prokhorov, M.E., see Postnov, K.A. **258**, L17
Proust, D., Quintana, H., Mazure, A., da Souza, R., Escalera, E., Sodré Jr., L., Capelato, H.V.: The cluster of galaxies Abell 151 **258**, 243
Prugniel, P., Combes, F.: Dynamical friction between two elliptical galaxies **259**, 25
Prugniel, P., see Alloin, D., et al. **266**, 117
Prusti, T., Adorf, H.-M., Meurs, E.J.A.: Young stellar objects in the IRAS point source catalog **261**, 685
Prusti, T., Clark, F.O., Laureijs, R.J., Wakker, B.P., Wesselius, P.R.: An IRAS study of pre-main sequence stars in B209 **259**, 537
Prusti, T., Whittet, D.C.B., Assendorp, R., Wesselius, P.R.: IRAS identification of pre-main sequence stars in the Chamaeleon II association **260**, 151
Pucacco, G.: Secular evolution in elliptical galaxies **259**, 473
Puerari, I., Dottori, H.A.: Fourier analysis of structure in spiral galaxies **260**, 557 *(93, 469)*
Puget, J.-L., see Falgarone, E., et al. **257**, 715
Puget, J.L., see Bernard, J.P., et al. **263**, 258
Puget, J.L., see Petitjean, P., et al. **265**, 375
Puls, J., see Kudritzki, R.-P., et al. **257**, 655
Puls, J., see Mazzali, P.A., et al. **254**, 241
Purcel, J., see Sagdeyev, R.Z., et al. **254**, 387
Qing-Qi Cheng: Fluid motions in the solar atmosphere. III. A possible explanation of the downflows **262**, 581
Qu, Q.Y., see Xu, J.J., et al. **256**, 483
Quast, G.R., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Quémerais, E., Lallement, R., Bertaux, J.L.: Heliospheric interface modifications of interstellar neutral hydrogen compatible with Lyman α glow observations **265**, 806
Quenby, J., see Keppler, E., et al. **255**, 500 *(92, 317)*
Quenby, J.J., see Newman, P.L., et al. **255**, 443
Quin, D.A., Lamers, H.J.G.L.M.: UV observations of LB 3193 and LB 3116: Two hot post-AGB objects in the galactic halo? **260**, 261
Quintana, H., see Proust, D., et al. **258**, 243
Quintana, J.M., see Giménez, A. **260**, 227
Quirrenbach, A., Mozurkewich, D., Armstrong, J.T., Johnston, K.J., Colavita, M.M., Shao, M.: Interferometric observations of Mira (*o* Ceti) **259**, L19
Quirrenbach, A., see Hummel, C.A., et al. **257**, 489
Quirrenbach, A., see Hummel, C.A., et al. **266**, 93
Quirrenbach, A., see Krichbaum, T.P., et al. **260**, 33
Quirrenbach, A., Witzel, A., Krichbaum, T.P., Hummel, C.A., Wegner, R., Schalinski, C.J., Ott, M., Alberdi, A., Rioja, M.: Statistics of intraday variability in extragalactic radio sources **258**, 279
Raadu, M.A., see Démoulin, P., et al. **257**, 278
Raassen, A.J.J., Snoek, L.C., Volten, H., Uylings, P.H.M., Meijer, F.G., Joshi, Y.N.: Accurate wavelength determination of vacuum ultraviolet lines in chlorine and argon **266**, 631 *(95, 223)*
Rabaa, H., see Serra, G., et al. **260**, 489
Rabin, D., see Rüedi, I., et al. **261**, L21
Radford, S.J.E.: Search for molecular gas in polar ring galaxies and the giant low surface brightness galaxy Malin 1 **262**, 13
Radford, S.J.E., see Douglas, N.G., et al. **262**, 8
Radford, S.J.E., see Downes, D., et al. **262**, 424
Radford, S.J.E., see Guilloteau, S., et al. **262**, 624
Radford, S.J.E., see Lucas, R., et al. **262**, 491
Radick, R.R., see Schrijver, C.J., et al. **258**, 432
Rafanelli, P., see Iijima, T., et al. **265**, L25
Raffelt, G., Weiss, A.: Non-standard neutrino interactions and the evolution of red giants **264**, 536
Raga, A.C.: Apparent alignment of stellar outflows due to selective extinction **265**, 767
Ramamani, N., see Evans, D.W., et al. **258**, 149
Ramamani, N., see Lindegren, L., et al. **258**, 18
Ramamani, N., see van Leeuwen, F., et al. **258**, 53
Ramamani, N., see van Leeuwen, F., et al. **258**, 119
Ramana Murthy, P.V., see Acharya, B.S., et al. **258**, 412
Ramírez, A.C., see Faúndes-Abans, M., et al. **264**, 718 *(94, 245)*
Rammacher, W., Ulmschneider, P.: Acoustic waves in the solar atmosphere. IX. Three minute pulsations driven by shock overtaking **253**, 586
Rampazzo, R., Sulentic, J.W.: Quantitative morphology of isolated E/S pairs of galaxies **259**, 43
Ramsay, G., Pollacco, D.L.: CCD observations in 7 open clusters: NGC 2421, NGC 2439, NGC 2489, NGC 2567, NGC 2627, NGC 2658 and NGC 2910 **262**, 383 *(94, 73)*
Rana, N.C., Basu, S.: Derivation of the age-metallicity relation and initial mass function of stars in the solar neighbourhood **265**, 499
Randich, S., see Pallavicini, R., et al. **253**, 185
Randich, S., see Pallavicini, R., et al. **261**, 245
Rankin, J.M., see Gil, J.A., et al. **255**, 181
Rannot, R.C., Sapru, M.L., Tickoo, A.K., Bhat, C.L., Kaul, R.K., Rawat, H.S., Senecha, V.K., Razdan, H.: A search for TeV gamma rays from Cassiopeia gamma-1 **262**, L41
Rantakyrö, F.T., Bååth, L.B., Pauliny-Toth, I.I.K., Matveyenko, L.I., Unwin, S.C.: High dynamic range VLBI observations of 3C 345 at 18 cm wavelength **259**, 8
Rao, A.P., see Ghosh, T. **264**, 203
Rao, A.R., see Singh, K.P., et al. **262**, 49
Rapaport, M., see Le Campion, J.F., et al. **266**, 568
Rapaport, M., see Teixeira, R., et al. **264**, 307
Rappaport, S.A., see van den Heuvel, E.P.J., et al. **262**, 97
Rasio, F.A., Shapiro, S.L., Teukolsky, S.A.: Formation of a "planet" by rapid evaporation of a pulsar's companion **256**, L35
Ratag, M.A., Pottasch, S.R., Dennefeld, M., Menzies, J.W.: Abundances in planetary nebulae near the galactic center. II. Abundance distributions **255**, 255
Ratkiewicz, R.: An analytical solution for the heliopause boundary and its comparison with numerical solutions **255**, 383
Ratner, M.I., see Marcaide, J.M., et al. **258**, 295
Rauch, T., see Werner, K., et al. **259**, L69
Rauer, H., see Fulle, M., et al. **253**, 615

Rauer, H., see Jockers, K., et al. **260**, 455
Rauzy, S., Lachièze-Rey, M., Henriksen, R.N.: Detecting non-Hubble velocity fields in the universe **256**, 1
Raveendran, A.V., see Mohin, S. **256**, 487
Raviart, A., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Rawat, H.S., see Rannot, R.C., et al. **262**, L41
Ray, T.P., see Poetzel, R., et al. **262**, 229
Ray, T.P., see Zealey, W.J., et al. **262**, 570
Razdan, H., see Rannot, R.C., et al. **262**, L41
Readhead, A.C.S., see Krichbaum, T.P., et al. **260**, 33
Reale, F., see Jakimiec, J., et al. **253**, 269
Rebeirot, E., see Westerlund, B.E., et al. **256**, 326 *(92, 683)*
Rebeirot, E., see Westerlund, B.E., et al. **260**, L4
Rebolo, R., see García López, R.J., et al. **262**, 195
Rebolo, R., see Martín, E.L., et al. **257**, 186
Rees, D.E., see Donati, J.-F., et al. **265**, 669
Rees, D.E., see Donati, J.-F., et al. **265**, 682
Reglero, V., Fabregat, J., Suso, J.: Four-colour and Hβ photometry for low-mass members in open clusters. II. The Hyades **256**, 324 *(92, 565)*
Reglero, V., see Fabregat, J., et al. **259**, 522
Régulo, C., see Anguera Gubau, M., et al. **255**, 363
Régulo, C., see Fossat, E., et al. **266**, 532
Régulo, C., see Pallé, P.L., et al. **254**, 348
Reich, P., see Haynes, R.F., et al. **264**, 500
Reich, W., Fürst, E., Arnal, E.M.: Radio observations of the bright X-ray supernova remnant G156.2+5.7 **256**, 214
Reich, W., Schlickeiser, R.: Observations of a highly polarized radio filament near the great annihilator 1E1740.7-2942 **256**, 408
Reich, W., see Haynes, R.F., et al. **264**, 500
Reich, W., see Junkes, N., et al. **261**, 289
Reich, W., see Junkes, N., et al. **266**, 638 *(96, 1)*
Reich, W., see Lesch, H. **264**, 493
Reich, W., see Pohl, M., et al. **262**, 441
Reimann, H.-G., Ossenkopf, V., Beyersdorfer, S.: Atmospheric extinction and meteorological conditions: a long time photometric study **265**, 360
Reimann, H.-G., see Friedemann, C., et al. **255**, 246
Reimers, D., see Bade, N., et al. **254**, L21
Reimers, D., see Hagen, H.-J., et al. **253**, L5
Reiner, M.J., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Reipurth, B., Eiroa, C.: Discovery of four Herbig-Haro objects in Serpens **256**, L1
Reipurth, B., Heathcote, S.: Multiple bow shocks in the HH 34 system **257**, 693
Reipurth, B., Heathcote, S., Vrba, F.: Star formation in Bok globules and low-mass clouds. IV. Herbig-Haro objects in B335 **256**, 225
Reipurth, B., see Gredel, R., et al. **266**, 439
Reipurth, B., see Olberg, M., et al. **259**, 252
Reiz, A., see Piirola, V. **259**, 143
Rémis, J., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Renaudineau, J., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Renson, P., Manfroid, J.: Light curve of the Ap star TW Columbae **256**, 104
Renson, P., Manfroid, J.: The outstanding photometric variations of the Ap star HD 7676 = VV Sculptoris **263**, 161
Reppin, C., see Maisack, M., et al. **262**, 433
Réquième, Y., see Jahreiß, H., et al. **258**, 82
Réquième, Y., see Teixeira, R., et al. **264**, 307
Reuter, H.-P., Klein, U., Lesch, H., Wielebinski, R., Kronberg, P.P.: Gaps and filaments in the synchrotron halo of M82. Evidence for poloidal magnetic fields **256**, 10
Reynoso, E., see Dubner, G., et al. **266**, 647 *(96, 505)*
Riboni, E., see Poretti, E., et al. **256**, 113
Richard, J.C., see Rigaut, F., et al. **259**, L57
Richichi, A., Di Giacomo, A., Lisi, F., Calamai, G.: Accurate angular diameter and effective temperature of seven late-type stars **265**, 535
Richichi, A., Lisi, F., Di Giacomo, A.: Lunar occultations of southern near-infrared stellar sources **254**, 149
Richtler, T., Grebel, E.K., Domgörgen, H., Hilker, M., Kissler, M.: The globular cluster system of NGC 1404 **264**, 25
Richtler, T., see Grebel, E.K. **253**, 359
Richtler, T., see Grebel, E.K., et al. **254**, L5
Rieck, W., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Rieger, E., see Gan, W.Q., et al. **266**, 573
Rieutord, M.: Ekman circulation and the synchronization of binary stars **259**, 581
Rigaut, F., Cuby, J.G., Caes, M., Monin, J.L., Vittot, M., Richard, J.C., Rousset, G., Léna, P.: Visible and infrared wavefront sensing for astronomical adaptive optics **259**, L57
Rigaut, F., Gendron, E.: Laser guide star in adaptive optics: the tilt determination problem **261**, 677
Righini, A., see Cavallini, F., et al. **254**, 381
Righini, M., see Natali, G., et al. **256**, 79
Ringwald, F.A., see Beuermann, K., et al. **256**, 442
Rioja, M., see Quirrenbach, A., et al. **258**, 279
Rioja, M.J., see Hummel, C.A., et al. **257**, 489
Rioja, M.J., see Marcaide, J.M., et al. **258**, 295
Ristorcelli, I., see Serra, G., et al. **260**, 489
Ritter, H., Kolb, U.: Constraints on the evolution of AM Herculis stars derived from the observed distribution of orbital periods **259**, 159
Ritter, H., see Barwig, H., et al. **266**, L5
Ritter, H., see Kolb, U. **254**, 213
Robbe, J.M., Lavendy, H., Lemoine, D., Pouilly, B.: Theoretical study of the deexcitation of C_2 in collisions with helium **256**, 679
Roberts, B., see Joarder, P.S. **256**, 264
Roberts, B., see Joarder, P.S. **261**, 625
Roberts, G., see Munari, U., et al. **259**, 725 *(93, 383)*
Robin, A.C., Crézé, M., Mohan, V.: The radial structure of the galactic disc **265**, 32
Robin, A.C., see Bienaymé, O., et al. **253**, 389
Robinson, A., see Jackson, N., et al. **262**, 17
Robson, E.I., see Courvoisier, T.J.-L., et al. **258**, 272
Roca Cortés, T., see Anguera Gubau, M., et al. **255**, 363
Roca Cortés, T., see Fossat, E., et al. **266**, 532
Roca Cortés, T., see Michel, E., et al. **255**, 139
Roca Cortés, T., see Pallé, P.L., et al. **254**, 348
Rocca-Volmerange, B., see Lançon, A. **266**, 649 *(96, 593)*
Roche, P.D., see Fabregat, J., et al. **259**, 522
Rodonó, M., Cutispoto, G.: Long-term monitoring of active stars. I. 1988–89 *UBV* photometry with the Phoenix APT **266**, 629 *(95, 55)*
Rodonò, M., see Cutispoto, G., et al. **263**, L3
Rodríguez Hidalgo, I., Collados, M., Vázquez: Centre-to-limb variation of solar granulation along the equator and the central meridian **264**, 661

Rodríguez Hidalgo, I., Collados, M., Vázquez, M.: Estimating the degradation of brightness power spectra of solar granulation from images outside the disk centre **254**, 371
Rodríguez-Franco, A., Pintado-Martín, J., Gómez-González, J., Planesas, P.: Large-scale interaction of the H II region and the quiescent gas in Orion A **264**, 592
Rodriguez-Ulloa, J.A., see Aparicio, A. **260**, 77
Rodríguez, E., Rolland, A., López de Coca, P., García-Lobo, E., Sedano, J.L.: Strömgren photometry of three double mode high amplitude δ scuti stars **257**, 846 *(93, 189)*
Rodríguez, E., Rolland, A., López de Coca, P., Garrido, R., Gonzalez-Bedolla, S.F.: Strömgren photometry of the low amplitude δ Scuti star β Cassiopeiae **266**, 645 *(96, 429)*
Rodríguez, L.F., see Gómez, Y., et al. **258**, 469
Röhrig, R., see Hernichel, J., et al. **259**, L77
Roelof, E.C., see Lanzerotti, L.J., et al. **255**, 500 *(92, 349)*
Rönnäng, B., see Bååth, L.B., et al. **257**, 31
Rönnäng, B.O., see Colomer, F., et al. **254**, L17
Rönnäng, B.O., see Krichbaum, T.P., et al. **260**, 33
Rönnäng, B.O., see Sagdeyev, R.Z., et al. **254**, 387
Röser, S., see Kovalevsky, J., et al. **258**, 7
Roger, R.S., see Andersson, B.-G., et al. **260**, 355
Rogers, A.E.E., see Bååth, L.B., et al. **257**, 31
Rogers, A.E.E., see Krichbaum, T.P., et al. **260**, 33
Rogers, A.E.E., see Marcaide, J.M., et al. **258**, 295
Rogers, A.E.E., see Sagdeyev, R.Z., et al. **254**, 387
Rogers, F.J., see Kovács, G., et al. **259**, L46
Rohlfs, K., see Luks, T. **263**, 41
Rokaki, E., Boisson, C., Collin-Souffrin, S.: Fitting the broad line spectrum and UV continuum by accretion discs in active galactic nuclei **253**, 57
Rokaki, E., Magnan, C.: Correlated variations of lines and continuum by disc reprocessing in NGC 5548 **261**, 41
Roland, J., see Douglas, N.G., et al. **262**, 8
Rolland, A., see Rodríguez, E., et al. **257**, 846 *(93, 189)*
Rolland, A., see Rodríguez, E., et al. **266**, 645 *(96, 429)*
Romanova, M.M., Lovelace, R.V.E.: Magnetic field, reconnection, and particle acceleration in extragalactic jets **262**, 26
Roos, N., see Kaastra, J.S. **254**, 96
Roques, J.-P., see Lebrun, F., et al. **264**, 22
Roques, J.P., see Laurent, P., et al. **260**, 237
Roques, J.P., see Salotti, L., et al. **253**, 145
Rosa, M.R., Zinnecker, H., Moneti, A., Melnick, J.: The galactic center in the far-red **257**, 515
Rosado, M., see Laval, A., et al. **253**, 213
Rosenbauer, H., see Witte, M., et al. **255**, 500 *(92, 333)*
Rosino, L., Iijima, T., Benetti, S., D'Ambrosio, V., Di Paolantonio, A., Kolotilov, E.A.: Photometric and spectroscopic observations of QU Vulpeculae (Nova Vul 1984-2) **257**, 603
Rosolen, C., see Sagdeyev, R.Z., et al. **254**, 387
Rosselló, G., see Jordi, C., et al. **264**, 722 *(94, 519)*
Rossetti, E., see Andernach, H., et al. **259**, 724 *(93, 331)*
Rossi, C., Altamore, A., Baratta, G.B., Friedjung, M., Viotti, R.: The spectrum of the VV Cephei star KQ Puppis (Boss 1985). III. A possible model **256**, 133
Rossi, C., see Altamore, A., et al. **257**, 410 *(92, 685)*
Rossi, C., see de Martino, D., et al. **254**, 266
Rossi, C., see Muratorio, G., et al. **258**, 423
Rossi, C., see Polcaro, V.F., et al. **265**, 563
Rossi, P., see Bodo, G., et al. **256**, 689
Rossi, P., see Massaglia, S., et al. **260**, 243
Rossi, S.C.F., see Barbuy, B., et al. **262**, 216
Rostas, F., see Eidelsberg, M., et al. **265**, 839
Rosvick, J.M., Mermilliod, J.-C., Mayor, M.: Investigation of the Pleiades cluster. I. Radial velocities of corona stars **255**, 130
Rosvick, J.M., Mermilliod, J.-C., Mayor, M.: *Erratum:* Investigation of the Pleiades cluster. I. Radial velocities of corona stars **259**, 720
Rosvick, J.M., see Mermilliod, J.-C., et al. **265**, 513
Roth, M., see Rubio, M., et al. **261**, L29
Rothenflug, R., see Arnaud, M., et al. **254**, 49
Rothermel, H., see Schneid, E.J., et al. **255**, L13
Rotundi, A., see Dotto, E., et al. **266**, 630 *(95, 195)*
Rouan, D., Léger, A., Omont, A., Giard, M.: Physics of the rotation of a PAH molecule in interstellar environments **253**, 498
Rouan, D., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Rouan, D., see Dougados, C., et al. **253**, 464
Roueff, E., see Abgrall, H., et al. **253**, 525
Roueff, E., see Schilke, P., et al. **256**, 595
Rousseau, M., see Jahreiß, H., et al. **258**, 82
Rousset, G., see Rigaut, F., et al. **259**, L57
Routledge, D., see Landecker, T.L., et al. **258**, 495
Rovithis-Livaniou, H., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Rovithis, P., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Roxburgh, I.W.: Limits on convective penetration from stellar cores **266**, 291
Ruatti, C., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Rubio, M., Roth, M., García, J.: Near-infrared images of the 30 Doradus region **261**, L29
Rubo, G.A., see Koutchmy, S., et al. **266**, 641 *(96, 169)*
Ruck, M.J., see Smith, G., et al. **263**, 249
Ruder, H., see Leins, M., et al. **261**, 658
Ruder, H., see Östreicher, R., et al. **257**, 353
Ruder, H., see Schaich, M., et al. **264**, 529
Ruder, H., see Ventura, J., et al. **261**, 235
Ruderman, M.S., see Baranov, V.B., et al. **261**, 341
Rüdiger, G., see Kichatinov, L.L. **260**, 494
Rüdiger, G., see Schmitt, D. **264**, 319
Rüedi, I., see Solanki, S.K., et al. **263**, 312
Rüedi, I., see Solanki, S.K., et al. **263**, 339
Rüedi, I., Solanki, S.K., Livingston, W., Stenflo, J.O.: Infrared lines as probes of solar magnetic features. III. Strong and weak magnetic fields in plages **263**, 323
Rüedi, I., Solanki, S.K., Rabin, D.: Infrared lines as probes of solar magnetic features. IV. Discovery of a siphon flow **261**, L21
Ruelas-Mayorga, R.A., Teague, P.F.: Distribution and studies of the infrared stellar population in the Galaxy. Baade's window spectroscopy **266**, 633 *(95, 379)*
Ruelas-Mayorga, R.A., Teague, P.F.: Distribution and studies of the infrared stellar population in the galaxy. III. Baade's window photometry **257**, 844 *(93, 61)*
Ruffert, M.: Collisions between a white dwarf and a main-sequence star. II. Simulations using multiple-nested refined grids **265**, 82
Ruffini, R., see Fabbri, R. **254**, 7
Ruffini, R., see Ingrosso, G., et al. **258**, 223
Ruiz-Moreno, M., see Steppe, H., et al. **266**, 646 *(96, 441)*
Ruiz, M.T., see Peña, M., et al. **265**, 757
Rusconi, L., see Hack, M., et al. **266**, 637 *(95, 589)*
Rusin, V., see Zirker, J.B., et al. **258**, L1

Russell, A.P.G., see Wild, W., et al. **265**, 447
Russell, J.L., see Egret, D., et al. **258**, 217
Rutten, R.G.M., Dhillon, V.S.: Spectropolarimetry of the nova-like variable RW Trianguli **253**, 139
Rutten, R.G.M., Kuulkers, E., Vogt, N., van Paradijs, J.: OY Carinae revisited: development of the accretion disk during a normal outburst **265**, 159
Rutten, R.G.M., see Lemmens, A.F.P., et al. **257**, 671
Rutten, R.G.M., van Paradijs, J., Tinbergen, J.: Reconstruction of the accretion disk in six cataclysmic variable stars **260**, 213
Rutten, R.J., see Bruls, J.H.M.J. **265**, 257
Rutten, R.J., see Bruls, J.H.M.J., et al. **265**, 237
Rutten, R.J., see Carlsson, M. **259**, L53
Rutten, R.J., see Carlsson, M., et al. **253**, 567
Ruymaekers, E.: Effects of dynamic tides on secular variations of orbital elements in close binary systems **259**, 349
Ryan, J., see Winkler, C., et al. **255**, L9
Rybanský, M., see Buzaši, J., et al. **257**, L7
Rybicki, G.B., Hummer, D.G.: An accelerated lambda iteration method for multilevel radiative transfer. II. Overlapping transitions with full continuum **262**, 209
Rydbeck, G., see Bergman, P., et al. **265**, 403
Sadžakov, S., Dačić, M., Cvetković, Z.: Observations of solar-system bodies with the Belgrade Meridian Circle **256**, 325 *(92, 605)*
Sagar, R., see Bhatt, H.C. **256**, 323 *(93, 473)*
Sagdeyev, R.Z., Kerzhanovitch, V.V., Kogan, L.R., Kostenko, V.I., Linkin, V.M., Matveyenko, L.I., Nazirov, R.R., Pogrebenko, S.V., Struckov, I.A., Preston, R.A., Purcel, J., Hildebrand, C.E., Grishmanovskiy, V.A., Kozlov, A.N., Molotov, E.P., Blamont, J.E., Boloh, L., Laurans, G., Kaufmann, P., Galt, J., Biraud, F., Boischot, A., Ortega-Molina, A., Rosolen, C., Kerzhanovitch, V.V., Petit, G., Mezger, P.G., Schwartz, R., Rönnäng, B.O., Spencer, R.E., Nicolson, G., Rogers, A.E.E., Cohen, M.H., Martirosyan, R.M., Moiseyev, I.G., Jatskiv, J.S.: Differential VLBI measurements of the Venus atmosphere dynamics by balloons: VEGA project **254**, 387
Sage, L.J., Salzer, J.J., Loose, H.-H., Henkel, C.: Star formation and molecular clouds in blue compact galaxies **265**, 19
Sahai, R.: Discovery of a fast, bipolar mass-outflow from the prototype S-star π^1 Gruis **253**, L33
Sahai, R., see Nyman, L.-Å, et al. **257**, 845 *(93, 121)*
Sahal-Bréchot, S., see Dimitrijević, M.S. **259**, 724 *(93, 359)*
Sahal-Bréchot, S., see Dimitrijevic, M.S. **266**, 630 *(95, 109)*
Sahal-Bréchot, S., see Dimitrijevic, M.S. **266**, 630 *(95, 121)*
Sahal-Bréchot, S., see Dimitrijevic, M.S. **266**, 649 *(96, 613)*
Sahin, H., see Beuermann, K., et al. **256**, 442
Sahu, K.C., see Sahu, M. **259**, 265
Sahu, M., Sahu, K.C.: Cometary globules in the Gum nebula. II. Low mass star formation in cometary globule 22 **259**, 265
Saillard, Y., see Serra, G., et al. **260**, 489
Saito, Y., see Akabane, T., et al. **255**, 377
Sakurai, R.K., see Bame, S.J., et al. **255**, 498 *(92, 237)*
Salez, M., see Pagani, L., et al. **258**, 479
Salotti, L., Ballet, J., Cordier, B., Lambert, A., Bonazzola, S., Mereghetti, S., Mandrou, P., Roques, J.P., Sunyaev, R., Gilfanov, M., Churazov, E., Chulkov, I., Kuznetsov, A., Dyachkov, A., Khavenson, N., Novikov, B.: Soft gamma ray observations of Cygnus X-1 with the coded-aperture SIGMA telescope **253**, 145
Salvati, M., see Hunt, L.K., et al. **257**, 434
Salzer, J.J., see Sage, L.J., et al. **265**, 19
Samland, M., Köppen, J., Acker, A., Stenholm, B.: Spectrophotometric survey of southern planetary nebulae. III. Automatic ionization modelling **264**, 184
Sanahuja, B., see Le Borgne, J.F., et al. **266**, 629 *(95, 87)*
Sanahuja, B., see Pelló, R., et al. **266**, 6
Sánchez Almeida, J., Martínez Pillet, V.: Instrumental polarization in the focal plane of telescopes **260**, 543
Sánchez Duarte, L., see Fossat, E., et al. **266**, 532
Sánchez Duarte, L., see Pallé, P.L., et al. **254**, 348
Sanchez-Saavedra, M.L., see Battaner, E., et al. **253**, 89
Sanchez, M., Débarbat, S.: Corrections to right ascension and declination for the planet Saturn for observations performed with the San Fernando and Paris astrolabes (1970–1978) (*Text in French*) **266**, 633 *(95, 371)*
Sandell, G., see Magnani, L., et al. **260**, 558 *(93, 509)*
Sandell, G., see Zealey, W.J., et al. **262**, 570
Sanderson, T.R., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Sandmann, W.H., see Pettersen, B.R., et al. **266**, 647 *(96, 497)*
Sansò, F., see Kovalevsky, J., et al. **258**, 7
Santos Jr., J.F.C., see Bica, E., et al. **260**, 109
Sapru, M.L., see Rannot, R.C., et al. **262**, L41
Saraph, H.E., see Aboudarham, J., et al. **262**, 302
Sarasso, M., see Pannunzio, R., et al. **258**, 173
Sarasso, M., see Pannunzio, R., et al. **266**, 640 *(96, 143)*
Sareyan, J.P., Gonzalez-Bedolla, S., Chauville, J., Morel, P.J., Alvarez, M.: Pre-shell phase photometric stability in *o* Andromedae **257**, 567
Sareyan, J.P., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Sarris, E.T., see Lanzerotti, L.J., et al. **255**, 500 *(92, 349)*
Sartoretti, P., see Paresce, F., et al. **262**, 617
Sasselov, D.D., see Zsoldos, E. **256**, 107
Sathyanarayana, G.P., see Acharya, B.S., et al. **258**, 412
Sato, K., see Ishikawa, S., et al. **258**, 415
Saurer, W., Pfitscher, K., Weinberger, R., Hartl, H.: Photoelectric *UBV* photometry of stars in four fields near the galactic plane **260**, 559 *(93, 553)*
Saust, A.B.: Intrinsic variability or micro-lensing in AO 0235+164? **266**, 101
Saust, A.B., see Høg, E., et al. **258**, 201
Sauty, C., see Tsinganos, K. **255**, 405
Sauty, C., see Tsinganos, K. **257**, 790
Sauvage, M., see Thuan, T.X. **257**, 411 *(92, 749)*
Sauval, A.J., Farrenq, R., Guelachvili, G., Grevesse, N., Farmer, C.B., Norton, R.H.: On the accuracy of CO line positions for high resolution IR stellar spectroscopy **265**, 355
Savonije, G.J., see Heemskerk, M.H.M., et al. **260**, 161
Savonije, G.J., see Papaloizou, J.C., et al. **265**, L45
Saxon, R.P., see Talbi, D. **261**, 671
Scales, D., see Høg, E., et al. **258**, 177
Scales, D.R., Snijders, M.A.J., Andreasen, G.K., Grenon, M., Grewing, M., Høg, E., van Leeuwen, F., Lindegren, L., Mauder, H.: Tycho photometry calibration and first results **258**, 211
Scardia, M., Gellera, D.: Photographic measurements of visual double stars (*Text in French*) **266**, 640 *(96, 157)*
Scardia, M., see Guerrero, G., et al. **260**, 311

Schaaf, R., see Biermann, P.L., et al. **266**, 643 *(96, 339)*
Schaefer, J., Monchick, L.: Line broadening of HD immersed in He and H_2 gas **265**, 859
Schaeffer, R., see Bernardeau, F. **255**, 1
Schaeffer, R., see Colombi, S., et al. **263**, 1
Schaeidt, S., see Ulrich, M.-H., et al. **266**, 183
Schaerer, D., Maeder, A.: Basic relations between physical parameters of Wolf-Rayet stars **263**, 129
Schaerer, D., see Schaller, G., et al. **266**, 643 *(96, 269)*
Schaich, M., see Östreicher, R., et al. **257**, 353
Schaich, M., Wolf, D., Östreicher, R., Ruder, H.: Phase resolved linear polarization spectra of AM Herculis **264**, 529
Schalinski, C.J., see Hummel, C.A., et al. **257**, 489
Schalinski, C.J., see Hummel, C.A., et al. **266**, 93
Schalinski, C.J., see Quirrenbach, A., et al. **258**, 279
Schaller, G., Schaerer, D., Meynet, G., Maeder, A.: New grids of stellar models from 0.8 to 120 $M_\odot$ at $Z=0.020$ and $Z=0.001$ **266**, 643 *(96, 269)*
Scharmer, G.B., see Johannesson, A., et al. **258**, 572
Schenker, G., see Holenstein, A.P., et al. **266**, 639 *(96, 115)*
Schild, H., see Willis, A.J., et al. **261**, 419
Schild, H., Testor, G.: Spectral types and *UBV* magnitudes of stars in the 30 Doradus complex **257**, 410 *(92, 729)*
Schild, H., Testor, G.: Ten little WOLF-Rayet stars in NGC 300 **266**, 145
Schilizzi, R.T., see Gurvits, L.I., et al. **260**, 82
Schilizzi, R.T., see Hooimeyer, J.R.A., et al. **261**, 1
Schilizzi, R.T., see Hooimeyer, J.R.A., et al. **261**, 5
Schilizzi, R.T., see Hooimeyer, J.R.A., et al. **261**, 9
Schilizzi, R.T., see Hooimeyer, J.R.A., et al. **261**, 18
Schilizzi, R.T., see Hooimeyer, J.R.A., et al. **261**, 25
Schilizzi, R.T., see van Breugel, W.J.M., et al. **256**, 56
Schilke, P., Güsten, R., Schulz, A., Serabyn, E., Walmsley, C.M.: Submillimeter observations of vibrationally excited NH_3 towards Orion-KL **261**, L5
Schilke, P., Walmsley, C.M., Pineau des Forêts, G., Roueff, E., Flower, D.R., Guilloteau, S.: A study of HCN, HNC and their isotopomers in OMC-1. I. Abundances and chemistry **256**, 595
Schiller, P., see Mo, H.J., et al. **257**, 1
Schimpke, T., Bruch, A.: Limits on the absolute magnitudes of faint northern dwarf novae **266**, 225
Schimpke, T., see Bruch, A. **260**, 556 *(93, 419)*
Schimpke, T., see Bruch, A., et al. **260**, 557 *(93, 463)*
Schlickeiser, R., see Campeanu, A. **263**, 413
Schlickeiser, R., see Dermer, C.D., et al. **256**, L27
Schlickeiser, R., see Gregorini, L., et al. **262**, 382 *(94, 13)*
Schlickeiser, R., see Pohl, M. **263**, 37
Schlickeiser, R., see Pohl, M., et al. **262**, 441
Schlickeiser, R., see Reich, W. **256**, 408
Schmid, H.M.: Monte Carlo simulations of Raman scattered O VI emission lines in symbiotic stars **254**, 224
Schmider, F.X., see Pallé, P.L., et al. **254**, 348
Schmidt, M., see Burg, R., et al. **259**, L9
Schmidt, W., Hofmann, A., Balthasar, H., Tarbell, T.D., Frank, Z.A.: Polarimetry and spectroscopy of a simple sunspot. I. On the magnetic field of a sunspot penumbra **264**, L27
Schmidt, W., see Ehrenfreund, P., et al. **259**, 257
Schmidt, W., see Grossmann-Doerth, U. **264**, 236
Schmieder, B., see Wiik, J.E., et al. **260**, 419
Schmieder, B., see Xiao-Ma, G., et al. **259**, 649
Schmieder, F.X., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Schmitt, D., Rüdiger, G.: Dynamos in resonance **264**, 319
Schmitt, J.H.M.M., see Ottmann, R. **256**, 421
Schmitz, F., Fleck, B.: On the reflection of linear hydrodynamic waves at continuous temperature steps in stellar atmospheres **260**, 447
Schmitz, F., see Deubner, F.-L., et al. **266**, 560
Schmutz, W., see Cristiani, S., et al. **259**, 63
Schmutz, W., see Howarth, I.D. **261**, 503
Schmutzler, T., see Biermann, P.L., et al. **266**, 643 *(96, 339)*
Schnaubelt, J., see Andernach, H., et al. **259**, 724 *(93, 331)*
Schneid, E.J., Bertsch, D.L., Fichtel, C.E., Hartman, R.C., Hunter, S.D., Kanbach, G., Kniffen, D.A., Kwok, P.W., Lin, Y.C., Mattox, J.R., Mayer-Hasselwander, H.A., Michelson, P.F., von Montigny, C., Nolan, P.L., Pinkau, K., Rothermel, H., Sommer, M., Sreekumar, P., Thompson, D.J.: EGRET detection of high energy gamma rays from the gamma-ray burst of 3 May 1991 **255**, L13
Schneider, H., Kreidl, T.J., Weiss, W.W.: A frequency analysis of the rapidly oscillating CP2 (roAp) star HD 12932 **257**, 130
Schneider, H., see Pavlovski, K., et al. **258**, 329
Schneider, P.: Inversion of the amplification bias and the number excess of foreground galaxies around high-redshift QSOs **254**, 14
Schneider, P., see Bartelmann, M. **259**, 413
Schneider, P., see Seitz, S. **265**, 1
Schneider, P., see Wambsganss, J., et al. **258**, 591
Schneider, P., Weiss, A.: The gravitational lens equation near cusps **260**, 1
Schoembs, R., see Hessman, F.V., et al. **263**, 147
Schönfelder, V., see Winkler, C., et al. **255**, L9
Scholz, M.: The effects of the velocity stratification of a Mira photosphere on line strengths and curves of growth **253**, 203
Schrijver, C.J.: The basal and strong-field components of the solar atmosphere **258**, 507
Schrijver, C.J., Dobson, A.K., Radick, R.R.: Nearly simultaneous observations of chromospheric and coronal radiative losses of cool stars **258**, 432
Schrijver, C.J., Zwaan, C., Balke, A.C., Tarbell, T.D., Lawrence, J.K.: Patterns in the photospheric magnetic field and percolation theory **253**, L1
Schrijver, H.: Comparison of Hipparcos results obtained on different dates on the same great circle **258**, 70
Schrijver, H., see Crifo, F., et al. **258**, 116
Schrijver, H., see Kovalevsky, J., et al. **258**, 7
Schrijver, H., see Perryman, M.A.C., et al. **258**, 1
Schrijver, H., van der Marel, H.: Geometrical calibration and assessment of the stability of the Hipparcos payload **258**, 31
Schröder, K.-P., Hünsch, M.: Optical spectra of ζ Aurigae systems. IV. The January 1990 eclipse of HR 2554: detection of chromospheric absorption and extended plasma at $\approx 10^5$ K **257**, 219
Schröder, K.-P., see Griffin, R.E.M., et al. **254**, 289
Schubart, J.: Positions of asteroids for use in mass determinations **264**, 719 *(94, 259)*
Schüssler, M., see Moreno-Insertis, F., et al. **264**, 686
Schüssler, M., Solanki, S.K.: Why rapid rotators have polar spots **264**, L13
Schulte-Ladbeck, R.E., see Cristiani, S., et al. **259**, 63

Schulz, A., Krügel, E., Beckmann, U.: CO(J=4–3) map of OMC 1 **264**, 629
Schulz, A., see Schilke, P., et al. **261**, L5
Schulz, H., see Boer, B., et al. **260**, 67
Schulz, H., see Dettmar, R.-J. **254**, L25
Schulz, H., see Stüwe, J.A., et al. **261**, 382
Schulz, H., Wegner, G.: The giant outflow cone in NGC 253 **266**, 167
Schwartz, R., see Sagdeyev, R.Z., et al. **254**, 387
Schwarz, E., see Hamann, W.-R. **261**, 523
Schwarz, H.E.: M 1–16: multiple shocked outflows from an evolved object **264**, L1
Schwarz, H.E., Corradi, R.L.M.: BI Crucis: a post-PN nebula? **265**, L37
Schwarz, H.E., Corradi, R.L.M., Melnick, J.: A catalogue of narrow band images of planetary nebulae based on observations obtained at the European Southern Observatory **266**, 639 *(96, 23)*
Schwarz, R.A., Edge, A.C., Voges, W., Böhringer, H., Ebeling, H., Briel, U.G.: The structure of the intracluster medium of the Perseus cluster **256**, L11
Schwarzenberg-Czerny, A.: Precession in cataclysmic and X-ray binaries: star or disc? **260**, 268
Schwehm, G., see Grün, E., et al. **255**, 502 *(92, 411)*
Schwekendiek, P., see Halbwachs, J.L., et al. **258**, 193
Schwekendiek, P., see Høg, E., et al. **258**, 201
Schwengeler, H., see Labhardt, L., et al. **265**, 869
Schwope, A.D., see Beuermann, K., et al. **256**, 433
Schwope, A.D., see Beuermann, K., et al. **256**, 442
Sciortino, S., see Favata, F., et al. **256**, 86
Scodeggio, M., Boselli, A., Gravazzi, G., Trinchieri, G., Garilli, B.: Multifrequency windows on spiral galaxies. II. The A262 and Cancer clusters **264**, 719 *(94, 299)*
Scodeggio, M., see Gavazzi, G., et al. **258**, 265
Sechi, G., see Donati, F. **258**, 46
Sedano, J.L., see Rodríguez, E., et al. **257**, 846 *(93, 189)*
Sedlmayr, E., see Beck, H.K.B., et al. **265**, 626
Sedlmayr, E., see Fleischer, A.J., et al. **266**, 321
Sedlmayr, E., see Goeres, A. **265**, 216
Sedmak, L., see Hack, M., et al. **266**, 637 *(95, 589)*
Seidelmann, P.K., Fukushima, T.: Why new time scales? **265**, 833
Seifert, W., see Östreicher, R., et al. **257**, 353
Seiler, U., see Wünsch, J. **266**, 581
Seiradakis, J.H., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Seitz, S., Schneider, P.: Two theorems in multiple deflection gravitational lens theory **265**, 1
Sekanina, Z., Larson, S.M., Hainaut, O., Smette, A., West, R.M.: Major outburst of periodic comet Halley at a heliocentric distance of 14 AU **263**, 367
Sekiguchi, K., see Winkler, H., et al. **262**, 383 *(94, 103)*
Selam, S.O., see Demircan, O. **259**, 577
Semel, M., see Cuperman, S., et al. **265**, 296
Semel, M., see Démoulin, P., et al. **263**, 351
Semel, M., see Donati, J.-F., et al. **265**, 669
Semel, M., see Donati, J.-F., et al. **265**, 682
Senecha, V.K., see Rannot, R.C., et al. **262**, L41
Serabyn, E., see Schilke, P., et al. **261**, L5
Serio, S., see Jakimiec, J., et al. **253**, 269
Serra, G., Chaudret, B., Saillard, Y., Le Beuze, A., Rabaa, H., Ristorcelli, I., Klotz, A.: Organometallic chemistry in the interstellar medium. I. Are organometallic reactions efficient processes in astrochemistry? **260**, 489
Serre, T., Auvergne, M., Goupil, M.J.: A new method for filling gaps in data **259**, 404
Sèvre, F., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Shaham, J., see Alpar, M.A., et al. **257**, 627
Shakeshaft, J.R., see Hook, I.M., et al. **255**, 285
Shao, M., Colavita, M.M.: Potential of long-baseline infrared interferometry for narrow-angle astrometry **262**, 353
Shao, M., see Quirrenbach, A., et al. **259**, L19
Shapiro, I.I., see Krichbaum, T.P., et al. **260**, 33
Shapiro, I.I., see Marcaide, J.M., et al. **258**, 295
Shapiro, S.L., see Rasio, F.A., et al. **256**, L35
Sharp, C.M.: Molecular opacities for solar and enhanced CNO abundances: relevance for accretion disks **262**, 382 *(94, 1)*
Shaver, P.A., see Bergeron, J., et al. **257**, 417
Shaw, M.A., see Combes, F., et al. **259**, L27
Shcheglov, P.V., see Gur'yanov, A.E., et al. **262**, 373
Shcherbakov, A.G., Tuominen, I.: Activity modulation of the red giant HR 1105 as observed in the He I λ10830 Å **255**, 215
Shchukina, N.G., see Bruls, J.H.M.J., et al. **265**, 237
Shchukina, N.G., see Carlsson, M., et al. **253**, 567
Shenavrin, V.I., see Glushneva, I.N., et al. **255**, 496 *(92, 1)*
Shenton, M., Albinson, J.S., Barrett, P., Davies, J.K., Evans, A., Goldsmith, M.J., Hutchinson, M.G., Maddison, R.C., Weight, A.: Multiwavelength observations of RV Tauri stars. I. AC Herculis **262**, 138
Shettle, C.A., see Eidelsberg, M., et al. **265**, 839
Shevchenko, A., see Hummel, C.A., et al. **257**, 489
Shevchenko, V.S., see Jetsu, L., et al. **262**, 188
Shibanov, Y.A., Zavlin, V.E., Pavlov, G.G., Ventura, J.: Model atmospheres and radiation of magnetic neutron stars. I. The fully ionized case **266**, 313
Shibata, K., see Bodo, G., et al. **256**, 689
Shore, S.N., see Massa, D., et al. **264**, 169
Shukurov, A., see Brandenburg, A., et al. **259**, 453
Shukurov, A., see Sokoloff, D., et al. **264**, 396
Sidhu, K.S., Miller, S., Tennyson, J.: Partition functions and equilibrium constants for H_3^+ and H_2D^+ **255**, 453
Šidlichovský, M.: Mapping for the asteroidal resonances **259**, 341
Siebenmorgen, R., Krügel, E.: Dust model containing polycyclic aromatic hydrocarbons in various environments **259**, 614
Siebenmorgen, R., Krügel, E., Mathis, J.S.: Radiative transfer for transiently heated particles **266**, 501
Sierks, H., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Sievers, A., see Biermann, P.L., et al. **255**, L5
Sievers, A., see Mezger, P.G., et al. **265**, 743
Sievers, A.W., see Mezger, P.G., et al. **256**, 631
Silk, J., see Treyer, M.A., et al. **264**, 11
Sillanpää, A., see Kidger, M., et al. **264**, 32
Sillanpää, A., see Takalo, L.O., et al. **261**, 415
Sillanpää, A., see Takalo, L.O., et al. **262**, 382 *(94, 37)*
Sillanpää, A., Takalo, L.O., Nilsson, K., Kidger, M., de Diego, J.-A.: A polarized accretion disk flare in OJ 287? **254**, L33
Silvestri, S., see Cardini, D., et al. **257**, 824
Simnett, G.M., see Lanzerotti, L.J., et al. **255**, 500 *(92, 349)*
Simon, J.L., Joutel, F., Bretagnon, P.: Mutual perturbations of the four outer planets in terms of only one angular variable (Text in French) **265**, 308

Simon, T., see de Medeiros, J.R., et al. **254**, L36
Simpson, J.A., Anglin, J.D., Balogh, A., Bercovitch, M., Bouman, J.M., Budzinski, E.E., Burrows, J.R., Carvell, R., Connell, J.J., Ducros, R., Ferrando, P., Firth, J., Garcia-Munoz, M., Henrion, J., Hynds, R.J., Iwers, B., Jacquet, R., Kunow, H., Lentz, G., Marsden, R.G., McKibben, R.B., Mueller-Mellin, R., Page, D.E., Perkins, M., Raviart, A., Sanderson, T.R., Sierks, H., Treguer, L., Tuzzolino, A.J., Wenzel, K.-P., Wibberenz, G.: The Ulysses cosmic ray and solar particle investigation **255**, 501 *(92, 365)*
Sinachopoulos, D., Prado, P.: CCD photometry and astrometry of visual double stars **266**, 640 *(96, 137)*
Sinachopoulos, D., see Brosche, P., et al. **253**, 113
Sinclair, A.T., Morley, T.A.: The determination of the precession rate of Mars from Phobos and Deimos observations **262**, 326
Singh, H.P.: Nonradial oscillations of white dwarfs – variational formulation revisited **259**, 155
Singh, J., Castelli, F.: Effective temperature of B-type stars from the Si II lines of the UV multiplet 13.04 at 130.5–130.9 nm **253**, 431
Singh, K.P., Rao, A.R., Vahia, M.N.: EXOSAT measurement of the spectrum of Markarian 382 **262**, 49
Singh, K.P., Westergaard, N.J.: Radio structure of the Seyfert galaxy Markarian 509 **264**, 489
Sivagnanam, P., see Le Squeren, A.M., et al. **254**, 133
Sivan, J.-P., see Perrin, J.-M. **255**, 271
Sivarani, T., see Ghosh, K.K., et al. **255**, 119
Skaba, W., see Strobel, A., et al. **259**, 723 *(93, 271)*
Skinner, G.K., see in 't Zand, J.J.M., et al. **266**, 283
Slezak, E., see Escalera, E., et al. **264**, 379
Slijkhuis, S., see Groenewegen, M.A.T., et al. **253**, 150
Sloan, G.C., see Landau, R., et al. **259**, 696
Smaldone, L.A., see Falchi, A., et al. **256**, 255
Smartt, R.N., see Lin, J., et al. **253**, 557
Smel'chakova, E.V., see Dolginov, A.Z. **257**, 783
Smette, A., see Sekanina, Z., et al. **263**, 367
Smeyers, P., see De Boeck, I., et al. **259**, 167
Smeyers, P., see Degryse, K., et al. **263**, 137
Smeyers, P., see Polfliet, R. **255**, 495
Smit, J.M., see van Genderen, A.M., et al. **259**, 574
Smit, J.M., see van Genderen, A.M., et al. **264**, 88
Smith, B.A., Fountain, J.W., Terrile, R.J.: An optical search for β Pictoris-like disks around nearby stars **261**, 499
Smith, E.J., see Balogh, A., et al. **255**, 498 *(92, 221)*
Smith, E.J., see Wenzel, K.-P., et al. **255**, 498 *(92, 207)*
Smith, G., Lambert, D.L., Ruck, M.J.: A fine analysis of calcium and iron lines in the spectrum of the subdwarf Groombridge 1830 **263**, 249
Smith, L.J., see Esteban, C., et al. **259**, 629
Smith, L.J., see Prinja, R.K. **266**, 377
Smith, L.J., see Willis, A.J., et al. **261**, 419
Smith, P.L., see Eidelsberg, M., et al. **265**, 839
Smith, V.V., see Jorissen, A., et al. **261**, 164
Smriglio, F., Dasgupta, A.K., Boyle, R.P.: An automated determination of the absolute magnitudes of stars in the Vilnius photometric system **266**, 634 *(95, 417)*
Smriglio, F., see Boyle, R.P., et al. **266**, 629 *(95, 51)*
Snakowski, J.K., see Gil, J.A., et al. **255**, 181
Snijders, M.A.J., see Høg, E., et al. **258**, 177
Snijders, M.A.J., see Lindegren, L., et al. **258**, 18
Snijders, M.A.J., see Scales, D.R., et al. **258**, 211
Snoek, L.C., see Davidson, M.D., et al. **255**, 457
Snoek, L.C., see Raassen, A.J.J., et al. **266**, 631 *(95, 223)*
Soboleva, N.S., see Parijskij, Y.N., et al. **266**, 649 *(96, 583)*
Sobotka, M., Bonet, J.A., Vázquez, M.: On the relation between the intensities of bright features and the local background in sunspot umbrae **257**, 757
Sobotka, M., Bonet, J.A., Vázquez, M.: Spectroscopic determination of intensities of umbral bright features and adjacent background **260**, 437
Sobouti, Y., Dehghani, M.H.: Liouville's equation. IV. The full symmetries of quadratic potentials **259**, 128
Sodré Jr., L., see Proust, D., et al. **258**, 243
Söderhjelm, S., Evans, D.W., van Leeuwen, F., Lindegren, L.: Detection and measurement of double stars with the Hipparcos satellite: NDAC reductions **258**, 157
Söderhjelm, S., see Lindegren, L., et al. **258**, 18
Söderhjelm, S., see Lindegren, L., et al. **258**, 134
Sofaly, K.J., see Bame, S.J., et al. **255**, 498 *(92, 237)*
Soffel, M.H., see Leins, M., et al. **261**, 658
Sokoloff, D., Shukurov, A., Krause, M.: Pattern recognition of the regular magnetic field in disks of spiral galaxies **264**, 396
Sokoloff, D.D., see Brandenburg, A., et al. **259**, 453
Solanki, S.K., Brigljević, V.: Continuum brightness of solar magnetic elements **262**, L29
Solanki, S.K., Rüedi, I., Livingston, W.: Infrared lines as probes of solar magnetic features. II. Diagnostic capabilities of Fe I 15648.5 Å and 15652.9 Å **263**, 312
Solanki, S.K., Rüedi, I., Livingston, W.: Infrared lines as probes of solar magnetic features. V. The magnetic structure of a simple sunspot and its canopy **263**, 339
Solanki, S.K., see Muglach, K. **263**, 301
Solanki, S.K., see Rüedi, I., et al. **261**, L21
Solanki, S.K., see Rüedi, I., et al. **263**, 323
Solanki, S.K., see Schüssler, M. **264**, L13
Solf, J.: High-resolution spectroscopy of the inner R Aquarii nebula: evidence for bow shock excitation by collimated wind from the symbiotic system **257**, 228
Solf, J., see Miranda, L.F. **260**, 397
Sôma, M.: Eclipses of Iapetus in 1993 **265**, L21
Sommer, M., see Hurley, K., et al. **255**, 501 *(92, 401)*
Sommer, M., see Schneid, E.J., et al. **255**, L13
Sotirovski, P., Boyer, R., Hiei, E., Vince, I.: Spectral analysis of a white-light flare **262**, 597
Soubiran, C.: Milliarcsecond proper motion measurements with MAMA **259**, 394
Soucail, G., see Mathez, G., et al. **256**, 343
Souchay, J., Hiromoto, N., Takami, T., Nakamura, T., Descamps, P., Aruga, T.: Observations of Galilean satellites at 2.2 μm **264**, 314
Souchay, J., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Soundararajaperumal, S., see Ghosh, K.K. **265**, 413
Soundararajaperumal, S., see Ghosh, K.K., et al. **255**, 119
Sourisseau, C., Coddens, G., Papoular, R.: On the 21-μm feature of pre-planetary nebulae **254**, L1
Southwood, D.J., see Balogh, A., et al. **255**, 498 *(92, 221)*
Spaenhauer, A., see Labhardt, L., et al. **265**, 869
Spagna, A., see Pannunzio, R., et al. **258**, 173
Sparks, W.B., see Boksenberg, A., et al. **261**, 393
Sparks, W.B., see Paresce, F., et al. **262**, 617
Spencer, J.H., see Krichbaum, T.P., et al. **260**, 33
Spencer, R.E., see Sagdeyev, R.Z., et al. **254**, 387
Spencer, R.E., see van Breugel, W.J.M., et al. **256**, 56
Sperauskas, J., see Doyle, J.G., et al. **266**, 644 *(96, 351)*

Spiegel, E.A., Zahn, J.-P.: The solar tachocline **265**, 106
Spinoglio, L., see Liseau, R., et al. **265**, 577
Spite, F., see Milone, A., et al. **261**, 551
Spite, M., see Milone, A., et al. **261**, 551
Springmann, U.W.E., Pauldrach, A.W.A.: Radiation-driven winds of hot luminous stars. XI. Frictional heating in a multicomponent stellar wind plasma and decoupling of radiatively accelerated ions **262**, 515
Spruit, H.C.: The rate of mixing in semiconvective zones **253**, 131
Srećković, A., see Djeniže, S., et al. **253**, 632
Sreekumar, P., see Schneid, E.J., et al. **255**, L13
Stacy, G., see Winkler, C., et al. **255**, L9
Stagni, R., see Margoni, R., et al. **260**, 559 *(93, 545)*
Stagni, R., see Pezzuto, S., et al. **257**, 523
Stahl, O., see Zickgraf, F.-J., et al. **260**, 205
Stahl, O., Wilson, T.L.: CH^+ λ3957 towards ζ Ophiuchi **254**, 327
Staiger, J., see Nesis, A., et al. **253**, 561
Stalio, R., see Covino, E., et al. **264**, 719 *(94, 273)*
Stalio, R., see Franchini, M., et al. **256**, 525
Stanev, T., see Mannheim, K., et al. **260**, L1
Stanga, R.M., see Hunt, L.K., et al. **257**, 434
Stanghellini, C., see van Breugel, W.J.M., et al. **256**, 56
Stanghellini, L., see Cahn, J.H., et al. **264**, 721 *(94, 399)*
Stark, G., see Eidelsberg, M., et al. **265**, 839
Stark, R., see Nyman, L.-Å, et al. **257**, 845 *(93, 121)*
Stasiewski, U., see Beuermann, K., et al. **256**, 433
Stasińska, G., Tylenda, R., Acker, A., Stenholm, B.: Comparison of two methods for determining the interstellar extinction of planetary nebulae **266**, 486
Staubert, R., see Kreysing, H.C., et al. **264**, 623
Staubert, R., see Maisack, M., et al. **262**, 433
Staude, H.J., see Neckel, T. **254**, 339
Staude, J., see Dzhalilov, N.S., et al. **257**, 359
Staveley-Smith, L., see Storey, M.C., et al. **265**, 752
Stecklum, B., see Meusinger, H. **256**, 415
Stehlik, M., see Fedorov, Y.I., et al. **260**, 499
Stehling, W., see Benz, A.O., et al. **260**, 558 *(93, 539)*
Steinberg, J.L., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Steinle, H., see Winkler, C., et al. **255**, L9
Steinmetz, M., Höflich, P.: Linear polarization as a consequence of rotation in exploding stars **257**, 641
Steinmetz, M., Müller, E., Hillebrandt, W.: Carbon detonations in rapidly rotating white dwarfs **254**, 177
Stella, L., see Matt, G., et al. **257**, 63
Stella, L., see Matt, G., et al. **263**, 453
Stellmacher, G., see Zirker, J.B., et al. **258**, L1
Stellmacher, G., Wiehr, E., Grupe, D.: Influence of non-thermal broadening on the He 3889/H_8 emission ratio in prominence fine-structures **265**, 781
Stencel, R.E., see Garmany, C.D. **264**, 718 *(94, 211)*
Stenflo, J.O., see Keller, C.U., et al. **254**, 355
Stenflo, J.O., see Rüedi, I., et al. **263**, 323
Stenholm, B., see Acker, A., et al. **264**, 217
Stenholm, B., see Samland, M., et al. **264**, 184
Stenholm, B., see Stasińska, G., et al. **266**, 486
Stenholm, B., see Tylenda, R., et al. **266**, 632 *(95, 337)*
Stephenson, F.R., Yau, K.K.C.: The total solar eclipse of A.D. 1221 and the rotation of the Earth **260**, 485
Steppe, H.: Six years of monitoring 3C 273 at millimetre wavelengths **259**, 61
Steppe, H., Liechti, S., Mauersberger, R., Kömpe, C., Brunswig, W., Ruiz-Moreno, M.: Millimeter continuum measurements of extragalactic radio sources. II **266**, 646 *(96, 441)*
Steppe, H., see Chini, R., et al. **255**, 87
Steppe, H., see Gopal-Krishna, et al. **254**, 42
Sterken, C., Manfroid, J.: The evolution of atmospheric extinction at La Silla derived from measurements in the Strömgren photometric system **266**, 619
Sterken, C., see Jerzykiewicz, M. **261**, 477
Sterken, C., see Jorissen, A., et al. **253**, 407
Sterken, C., see Manfroid, J. **258**, 600
Sterken, C., see Manfroid, J., et al. **264**, 345
Stewart, R.T., see Haynes, R.F., et al. **264**, 500
Stiavelli, M., see Toniazzo, T., et al. **259**, 39
Stiavelli, M., see Zaggia, S.R., et al. **258**, 302
Stickel, M., Kühr, H.: 2319+272: a flat spectrum quasar viewed through the cluster Abell 2584 **264**, 68
Stinebring, D.R., see Gil, J.A., et al. **255**, 181
Stirpe, G.M., see Jackson, N., et al. **262**, 17
Stirpe, G.M., see Winkler, H., et al. **262**, 383 *(94, 103)*
Stix, M., see Ahrens, B., et al. **264**, 673
Stobie, R.S., see Laney, C.D. **257**, 845 *(93, 93)*
Stokke, H., see Heck, A., et al. **266**, 648 *(96, 565)*
Stone, R.G., Bougeret, J.L., Caldwell, J., Canu, P., de Conchy, Y., Cornilleau-Wehrlin, N., Desch, M.D., Fainberg, J., Goetz, K., Goldstein, M.L., Harvey, C.C., Hoang, S., Howard, R., Kaiser, M.L., Kellogg, P.J., Klein, B., Knoll, R., Lecacheux, A., Lengyel-Frey, D., MacDowall, R.J., Manning, R.., Meetre, C.A., Meyer, A., Monge, N., Monson, S., Nicol, G., Reiner, M.J., Steinberg, J.L., Torres, E., de Villedary, C., Wouters, F., Zarka, P.: The unified radio and plasma wave investigation **255**, 499 *(92, 291)*
Storey, M.C., Staveley-Smith, L., Manchester, R.N., Kesteven, M.J.: Bilateral symmetry in the supernova remnant G 296.5+10.0 **265**, 752
Strafella, F., see Ingrosso, G., et al. **258**, 223
Straižys, V., see Boyle, R.P., et al. **266**, 629 *(95, 51)*
Strassmeier, K.G., Bopp, B.W.: Time-series photometric spot modeling. I. Parameter study and application to HD 17433=VY Arietis **259**, 183
Strassmeier, K.G., Oláh, K.: On the starspot temperature of HD 12545 **259**, 595
Straus, T., Deubner, F.-L., Fleck, B.: Is mesogranulation a distinct regime of convection? **256**, 652
Straus, T., see Deubner, F.-L., et al. **266**, 560
Strazzulla, G., Baratta, G.A.: Carbonaceous material by ion irradiation in space **266**, 434
Strazzulla, G., see Magazzù, A. **263**, 281
Strazzulla, G., see Palumbo, M.E. **259**, L12
Strobel, A.: Age subgroups in open clusters **253**, 374
Strobel, A., Skaba, W., Proga, D.: Estimation of the ages and distances of open clusters from the Palomar Observatory Sky Survey **259**, 723 *(93, 271)*
Strom, R.G., see Greidanus, H. **257**, 265
Strong, A., see Winkler, C., et al. **255**, L9
Struckov, I.A., see Sagdeyev, R.Z., et al. **254**, 387
Stüwe, J.A., Schulz, H., Hühnermann, H.: How active is NGC 4258? **261**, 382
Stutzki, J., see Gierens, K.M., et al. **259**, 271
Stutzki, J., see Hernichel, J., et al. **259**, L77
Stutzki, J., see Wild, W., et al. **265**, 447
Su, H., see Benz, A.O., et al. **260**, 558 *(93, 539)*

Sukhanov, K., see Lebrun, F., et al. **264**, 22
Sulentic, J.W., see Rampazzo, R. **259**, 43
Sullivan III, W.T., see Amram, P., et al. **262**, 384 *(94, 175)*
Sunada, K., see Greaves, J.S., et al. **260**, 381
Sunyaev, R., see Brandt, S., et al. **254**, L39
Sunyaev, R., see Brandt, S., et al. **262**, L15
Sunyaev, R., see Jourdain, E., et al. **256**, L38
Sunyaev, R., see Laurent, P., et al. **260**, 237
Sunyaev, R., see Lebrun, F., et al. **264**, 22
Sunyaev, R., see Maisack, M., et al. **262**, 433
Sunyaev, R., see Salotti, L., et al. **253**, 145
Sunyaev, R., see in 't Zand, J.J.M., et al. **266**, 283
Surdej, J., see Magain, P., et al. **253**, L13
Surlantzis, G., see Tsinganos, K. **259**, 585
Surma, P., see Bender, R. **258**, 250
Surma, P., see Nieto, J.-L., et al. **257**, 97
Suso, J., see Fabregat, J., et al. **259**, 522
Suso, J., see Reglero, V., et al. **256**, 324 *(92, 565)*
Suto, H., see Mizutani, K., et al. **261**, 336
Svanberg, S., see Bengtsson, G.J., et al. **263**, 440
Swanenburg, B., see Winkler, C., et al. **255**, L9
Sylwester, B., see Jakimiec, J., et al. **253**, 269
Sylwester, J., see Jakimiec, J., et al. **253**, 269
Tabara, H., see Taylor, G.B., et al. **264**, 415
Tabara, H., see Taylor, G.B., et al. **264**, 421
Tadhunter, C.N., see Jackson, N., et al. **262**, 17
Tagger, M., see Pajot-el Abed, P., et al. **257**, L9
Takahara, F., see Arimoto, N., et al. **253**, 21
Takalo, L., see Kidger, M., et al. **254**, 65
Takalo, L., see Kidger, M., et al. **264**, 32
Takalo, L.O., Kidger, M.R., de Diego, J.A., Sillanpää, A.: First simultaneous *UBVRI* photopolarimetric observations of a sample of normal quasars **261**, 415
Takalo, L.O., see Sillanpää, A., et al. **254**, L33
Takalo, L.O., Sillanpää, A., Nilsson, K., Kidger, M., de Diego, J.A., Piirola, V.: Simultaneous *UBVRI* photopolarimetric observations of blazars. II **262**, 382 *(94, 37)*
Takami, T., see Souchay, J., et al. **264**, 314
Takeda, Y.: Spectroscopic study of microturbulence in the atmosphere of Arcturus **253**, 487
Talbi, D., Saxon, R.P.: Quantum chemical calculations for a better understanding of the mechanism of $CH_3^+ + H_2$ radiative association **261**, 671
Tallon-Bosc, I., see Tallon, M. **253**, 641
Tallon-Bosc, I., see Tallon, M. **256**, 715
Tallon, M., Tallon-Bosc, I.: Optical aperture synthesis and wave-front sensing **256**, 715
Tallon, M., Tallon-Bosc, I.: The object-image relationship in Michelson stellar interferometry **253**, 641
Tambovtseva, L.V., see Vilkoviskij, E.Y. **262**, 383 *(94, 109)*
Tammann, G.A., see Huchtmeier, W.K. **257**, 455
Tanzi, E.G., see Falomo, R., et al. **255**, L17
Tarafdar, S.P., see Chandra, S. **253**, 537
Taranova, O.G., see Munari, U., et al. **259**, 725 *(93, 383)*
Taranova, O.G., Yudin, B.F.: The extremely deep minimum in the IR brightness of the symbiotic star CH Cygni, accompanied by new activity of its hot component **257**, 615
Tarbell, T.D., see Schmidt, W., et al. **264**, L27
Tarbell, T.D., see Schrijver, C.J., et al. **253**, L1
Tavakol, R., see Moss, D., et al. **265**, 843
Tavani, M.: Pulsar-irradiated stars in dense globular clusters **261**, 472
Tayal, S.S., see Doyle, J.G., et al. **261**, 285
Taylor, A.R., see Meurs, E.J.A., et al. **265**, L41
Taylor, B.G., see Winkler, C., et al. **255**, L9
Taylor, D.B.: A synthetic theory for the perturbations of Titan on Hyperion **265**, 825
Taylor, G.B., Inoue, M., Tabara, H.: Anomalous rotation measures of the compact steep spectrum source 3C 318 **264**, 421
Taylor, G.B., Inoue, M., Tabara, H.: Anomalous rotation measures of the radio galaxy 3C 194 **264**, 415
Taylor, G.B., Perley, R.A.: The structure of the hot spots in 3C 295 **262**, 417
Taylor, K.N.R., see Zealey, W.J., et al. **262**, 570
Teague, P.F., see Ruelas-Mayorga, R.A. **257**, 844 *(93, 61)*
Teague, P.F., see Ruelas-Mayorga, R.A. **266**, 633 *(95, 379)*
Teerikorpi, P., Bottinelli, L., Gouguenheim, L., Paturel, G.: Investigations of the Local Supercluster velocity field. I. Observations close to Virgo, using Tully-Fisher distances and the Tolman-Bondi expanding sphere **260**, 17
Teerikorpi, P., see Bottinelli, L., et al. **257**, 846 *(93, 173)*
Teixeira, R., Réquième, Y., Benevides-Soares, P., Rapaport, M.: Global treatment of the Bordeaux meridian observations **264**, 307
Teixeira, R., see Benevides-Soares, P. **253**, 307
Temirova, A.V., see Parijskij, Y.N., et al. **266**, 649 *(96, 583)*
Tennyson, J., see Sidhu, K.S., et al. **255**, 453
Teplitskaya, R.B.: On the choice of chromospheric activity indices for lower main-sequence stars **265**, 701
ter Kuile, C., see Jenniskens, P., et al. **255**, 373
Teräsranta, H., see Valtaoja, E., et al. **254**, 71
Teräsranta, H., see Valtaoja, E., et al. **254**, 80
Teräsranta, H., see Valtaoja, E., et al. **266**, 629 *(95, 73)*
Teräsranta, H., Tornikoski, M., Valtaoja, E., Urpo, S., Nesterov, N., Lainela, M., Kotilainen, J., Wiren, S., Laine, S., Nilsson, K., Valtonen, M.: Ten years monitoring of extragalactic radio sources at 22, 37 and 87 GHz **262**, 384 *(94, 121)*
Terlevich, R.J., see Jackson, N., et al. **262**, 17
Terranegra, L., see Covino, E., et al. **264**, 719 *(94, 273)*
Terranegra, L., see Franchini, M., et al. **256**, 525
Terrile, R.J., see Smith, B.A., et al. **261**, 499
Terzan, A., see Acker, A., et al. **264**, 217
Tessier, E., see Bouvier, J., et al. **261**, 451
Testor, G., see Schild, H. **257**, 410 *(92, 729)*
Testor, G., see Schild, H. **266**, 145
Teuber, J., see Hjorth, P.G., et al. **255**, L20
Teukolsky, S.A., see Rasio, F.A., et al. **256**, L35
Thé, P.S., see Bibo, E.A., et al. **260**, 293
Thé, P.S., see de Winter, D., et al. **257**, 632
Thé, P.S., see Fluks, M.A. **255**, 477
Thé, P.S., see Pérez, M.R., et al. **257**, 209
Thé, P.S., see Piers, R.P.A., et al. **256**, 325 *(92, 609)*
Thé, P.S., see van Genderen, A.M., et al. **258**, 316
Theis, C., Burkert, A., Hensler, G.: Chemo-dynamical evolution of massive spherical galaxies **265**, 465
Thejll, P.A.: Is the star ' BS' a member of the cluster 47 Tucanae? **264**, 86
Thejll, P.A., see Damgaard, P.H., et al. **254**, 422
Theodossiou-Ekaterinidi, Z., see Newman, P.L., et al. **255**, 443

Theuns, T.: Hydrodynamics of encounters between star clusters and molecular clouds. I. Code validation and preliminary results **259**, 493
Theuns, T.: Hydrodynamics of encounters between star clusters and molecular clouds. II. Limits on cluster lifetimes **259**, 503
Thévenin, F., Jasniewicz, G.: Medium resolution spectroscopy of field stars in the SMC and the LMC **266**, 85
Thévenin, F., see Cayrel de Strobel, G., et al. **266**, 632 *(95, 273)*
Thomas, N., see Cremonese, G., et al. **256**, 286
Thompson, A.M.: Estimating the Sun's rotation from solar oscillations by regularisation **265**, 289
Thompson, A.M., Brown, J.C., Craig, I.J.D., Fulber, C.: Inference of non-thermal electron energy distributions from hard X-ray spectra **265**, 278
Thompson, A.M., Craig, I.J.D.: Automatic strategies for astrophysical inverse problems **262**, 359
Thompson, D.J., see Schneid, E.J., et al. **255**, L13
Thompson, M.J., see Christensen-Dalsgaard, J., et al. **264**, 518
Thompson, M.J., see Pijpers, F.P. **262**, L33
Thompson, M.J., see Wright, A.N. **264**, 701
Thorn, M., see Ahrens, B., et al. **264**, 673
Thorstensen, J.R., see Beuermann, K., et al. **256**, 442
Thuan, T.X., Sauvage, M.: The far-infrared properties of the CfA galaxy sample. I. The catalog **257**, 411 *(92, 749)*
Thuillot, W., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Thum, C., Martín-Pintado, J., Bachiller, R.: Monitoring of the recombination line maser in MWC349 **256**, 507
Tickoo, A.K., see Rannot, R.C., et al. **262**, L41
Tikhonov, N.A., see Ivanov, G.R., et al. **266**, 650 *(96, 645)*
Tikhonov, N.A., see Georgiev, T.B., et al. **266**, 637 *(95, 581)*
Tikhonov, N.A., see Georgiev, T.B., et al. **266**, 648 *(96, 569)*
Tinbergen, J., see Rutten, R.G.M., et al. **260**, 213
Tofani, G., see Felli, M., et al. **255**, 293
Tokovinin, A.A.: The frequency of low-mass companions to K and M stars in the solar neighbourhood **256**, 121
Tokovinin, A.A., see Gur'yanov, A.E., et al. **262**, 373
Tolan, M.: Charged particle dynamics within the spherical wave field of a rotating magnetic dipole beyond the acceleration boundary **264**, 708
Tommasini Montanari, T., see Kovalevsky, J., et al. **258**, 7
Toniazzo, T., Stiavelli, M., Zeilinger, W.W.: Subsystems in early-type galaxies: the structure of NGC 6851 **259**, 39
Torbett, M.V., Gilden, D.L.: On stellar accretion of matter through a disk and the ejection of bipolar flows **256**, 686
Tornikoski, M., see Teräsranta, H., et al. **262**, 384 *(94, 121)*
Torra, J., see Comerón, F. **261**, 94
Torra, J., see Luri, X., et al. **259**, 382
Torrente, P., see Formisano, V., et al. **256**, 723
Torres-Peimbert, S., see Peimbert, M. **253**, 349
Torres-Peimbert, S., see Peña, M., et al. **265**, 757
Torres, C., see Wroblewski, H. **256**, 323 *(92, 449)*
Torres, E., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Torres, M., see Guilloteau, S., et al. **262**, 624
Tosa, M., see Kumai, Y. **257**, 511
Toutain, T., Fröhlich, C.: Characteristics of solar p-modes: results from the IPHIR experiment **257**, 287
Trams, N.R., see Oudmaijer, R.D., et al. **266**, 650 *(96, 625)*
Trams, N.R., see Waelkens, C., et al. **256**, L15
Trams, N.R., see Waters, L.B.F.M., et al. **262**, L37
Treguer, L., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Trèvese, D., Flin, P., Migliori, L., Hickson, P., Pittella, G.: Properties of nearby clusters of galaxies. I. A 195, A 465, A 1185, A 1213, A 1413, A 1775, A 2319 and A 2597 **264**, 720 *(94, 327)*
Treyer, M.A., Mouchet, M., Blanchard, A., Silk, J.: The contribution of star-forming galaxies to the X-ray background **264**, 11
Trinchieri, G., see Gavazzi, G., et al. **258**, 265
Trinchieri, G., see Scodeggio, M., et al. **264**, 719 *(94, 299)*
Trümper, J., see Burg, R., et al. **259**, L9
Trümper, J., see Magnier, E.A., et al. **266**, 644 *(96, 379)*
Trümper, J., see Maisack, M., et al. **262**, 433
Trujillo Bueno, J., see Fabiani Bendicho, P., et al. **264**, 229
Trullols, E., see Jordi, C., et al. **264**, 722 *(94, 519)*
Trussoni, E., see Massaglia, S., et al. **260**, 243
Trussoni, E., see Orio, M., et al. **257**, 548
Tsinganos, K., Sauty, C.: Nonradial and nonpolytropic astrophysical outflows. I. Hydrodynamic solutions with flaring streamlines **255**, 405
Tsinganos, K., Sauty, C.: Nonradial and nonpolytropic astrophysical outflows. II. Topology of MHD solutions with flaring streamlines **257**, 790
Tsinganos, K., Surlantzis, G.: MHD equilibria with flows in uniform gravity. I. 1-D prominence- and arcade-type solutions **259**, 585
Tsiropoula, G., Georgakilas, A.A., Alissandrakis, C.E., Mein, P.: Time evolution of arch filaments **262**, 587
Tsurutani, B.T., see Balogh, A., et al. **255**, 498 *(92, 221)*
Tsvetkov, D.Y., see Bartunov, O.S., et al. **264**, 428
Tsymbal, V.V., see Mitskevich, A.S. **260**, 303
Tucholke, H.-J.: Astrometry of globular clusters. I. Relative proper motions for stars in 47 Tucanae **259**, 723 *(93, 293)*
Tucholke, H.-J.: Astrometry of globular clusters. II. Relative proper motions and the space motion on NGC 362 **259**, 723 *(93, 311)*
Tucholke, H.-J.: Member counts: a new method to constrain the tidal radii of globular clusters **264**, 513
Tucholke, H.-J., see Jahreiß, H., et al. **258**, 82
Tully, J.A., see Burgess, A. **254**, 436
Tully, J.A., see Eissner, W.B. **253**, 625
Tums, E.O., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Tuominen, I., see Brandenburg, A., et al. **259**, 453
Tuominen, I., see Brandenburg, A., et al. **265**, 328
Tuominen, I., see Jetsu, L., et al. **262**, 188
Tuominen, I., see Jetsu, L., et al. **265**, 547
Tuominen, I., see Moss, D., et al. **265**, 843
Tuominen, I., see Shcherbakov, A.G. **255**, 215
Turatto, M., see Cristiani, S., et al. **259**, 63
Turatto, M., see Petrosian, A.R. **261**, 433
Turon, C., Arenou, F., Evans, D.W., van Leeuwen, F.: Comparison of the first results from the Hipparcos star mappers with the Hipparcos Input Catalogue **258**, 125
Turon, C., Gómez, A., Crifo, F., Crézé, M., Perryman, M.A.C., Morin, D., Arenou, F., Nicolet, B., Chareton, M., Egret, D.: The Hipparcos Input Catalogue. I. Star selection **258**, 74
Turon, C., see Egret, D., et al. **258**, 217
Turon, C., see Perryman, M.A.C., et al. **258**, 1
Tutukov, A., see Firmani, C. **264**, 37

Tuzzolino, A.J., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Tylenda, R., Acker, A., Stenholm, B., Köppen, J.: The extinction constants for galactic planetary nebulae **266**, 632 *(95, 337)*
Tylenda, R., see Stasińska, G., et al. **266**, 486
Tytler, D., see Boissé, P., et al. **262**, 401
Uchida, Y., see Bodo, G., et al. **256**, 689
Uitenbroek, H., Bruls, J.H.M.J.: The formation of helioseismology lines. III. Partial redistribution effects in weak solar resonance lines **265**, 268
Ukita, N., see Phillips, J.P., et al. **260**, 283
Ulmschneider, P., see Rammacher, W. **253**, 586
Ulrich, M.-H., Fink, H.H., Schaeidt, S., Baganoff, F., Malkan, M.A., Heidt, J., Wagner, S.: Multiwavelength observations of the quasar Q 1821+643 during the ROSAT All Sky Survey **266**, 183
Ulrichs, J., see Clay, R.W., et al. **255**, 167
Umlauft, G., see Keppler, E., et al. **255**, 500 *(92, 317)*
Unger, S.J., see Fabregat, J., et al. **259**, 522
Ungruhe, R., see Bruch, A., et al. **260**, 557 *(93, 463)*
Unwin, S.C., see Rantakyrö, F.T., et al. **259**, 8
Urios, J., see Le Coarer, E., et al. **257**, 389
Urpin, V.A., see Battinelli, P., et al. **254**, 331
Urpo, S., see Teräsranta, H., et al. **262**, 384 *(94, 121)*
Urpo, S., see Valtaoja, E., et al. **254**, 71
Urpo, S., see Valtaoja, E., et al. **254**, 80
Uson, J.M., see Cornwell, T.J., et al. **258**, 583
Uylings, P.H.M., see Raassen, A.J.J., et al. **266**, 631 *(95, 223)*
Väth, H.M., Chanmugam, G.: Radial oscillations of neutron stars and strange stars **260**, 250
Vahia, M.N., see Singh, K.P., et al. **262**, 49
Vaiana, G.S., see Favata, F., et al. **256**, 86
Valbousquet, A., see Jaschek, C. **255**, 124
Valdes-Galicia, J.F., see Newman, P.L., et al. **255**, 443
Valdettaro, L., see Dubrulle, B. **263**, 387
Valentijn, E.A., see Mulder, P.S. **259**, 435
Vallée, J.P.: On the quadrisymmetric ($m=2$) magnetic fields in spiral galaxies **255**, 100
Vallée, J.P., Guilloteau, S., MacLeod, J.M.: The edge of a molecular cloud: observations of millimetric ^{13}CO and $C^{18}O$ transitions in W 40 **266**, 520
Valls-Gabaud, D., see Blanchard, A., et al. **264**, 365
Valtaoja, E., Lähteenmäki, A., Teräsranta, H.: A northern 2 Jy sample of compact extragalactic radio sources suitable for millimeter and space VLBI observations **266**, 629 *(95, 73)*
Valtaoja, E., see Teräsranta, H., et al. **262**, 384 *(94, 121)*
Valtaoja, E., Teräsranta, H., Urpo, S., Nesterov, N.S., Lainela, M., Valtonen, M.: Five years monitoring of extragalactic radio sources. III. Generalized shock models and the dependence of variability on frequency **254**, 71
Valtaoja, E., Teräsranta, H., Urpo, S., Nesterov, N.S., Lainela, M., Valtonen, M.: Five years monitoring of extragalactic radio sources. IV. Variability statistics and unified models for AGN **254**, 80
Valtier, J.C., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Valtier, J.C., see Chapellier, E. **257**, 587
Valtonen, M., see Teräsranta, H., et al. **262**, 384 *(94, 121)*
Valtonen, M., see Valtaoja, E., et al. **254**, 71
Valtonen, M., see Valtaoja, E., et al. **254**, 80
van Breugel, W.J.M., Fanti, C., Fanti, R., Stanghellini, C., Schilizzi, R.T., Spencer, R.E.: Compact Steep-Spectrum 3 CR sources: VLA observations at 1.5, 15 and 22.5 GHz **256**, 56
van Daalen, D.T., see Kovalevsky, J., et al. **258**, 7
van den Bergh, S.: The luminosity function of the Local Group **264**, 75
van den Bosch, F.C., see van Genderen, A.M., et al. **258**, 316
van den Bosch, F.C., see van Genderen, A.M., et al. **259**, 574
van den Bosch, F.C., see van Genderen, A.M., et al. **264**, 88
van den Broek, A.C.: The far-infrared/Hα correlation of extreme IRAS galaxies **261**, L1
van den Heuvel, E.P.J., Bhattacharya, D., Nomoto, K., Rappaport, S.A.: Accreting white dwarf models for CAL 83, CAL 87 and other ultrasoft X-ray sources in the LMC **262**, 97
van den Heuvel, E.P.J., see Wijers, R.A.M.J., et al. **261**, 145
van den Horn, L.J., see Janka, H.-T., et al. **265**, 345
van den Oord, G.H.J., see Doyle, J.G., et al. **262**, 533
van der Bliek, N.S., see Groenewegen, M.A.T., et al. **253**, 150
van der Heiden, R., see van Genderen, A.M., et al. **259**, 574
van der Heiden, R., see van Genderen, A.M., et al. **264**, 88
van der Klis, M., see Augusteijn, T., et al. **265**, 177
van der Kruit, P.C., see Andredakis, Y.C. **265**, 396
van der Marel, H., Petersen, C.: Hipparcos great-circle reduction. Theory, results and intercomparisons **258**, 60
van der Marel, H., see Kovalevsky, J., et al. **258**, 7
van der Marel, H., see Perryman, M.A.C., et al. **258**, 1
van der Marel, H., see Schrijver, H. **258**, 31
van der Meer, R.L.J., see van Genderen, A.M., et al. **259**, 574
van der Meer, R.L.J., see van Genderen, A.M., et al. **264**, 88
van der Veen, W.E.C.J., see Nyman, L.-Å, et al. **257**, 845 *(93, 121)*
van der Veen, W.E.C.J., see Oudmaijer, R.D., et al. **266**, 650 *(96, 625)*
van Dishoeck, E.F., Phillips, T.G., Keene, J., Blake, G.A.: Ground-based searches for interstellar H_2D^+ **261**, L13
van Dishoeck, E.F., see Gredel, R., et al. **257**, 245
van Dordrecht, A., see Winkler, C., et al. **255**, L9
van Driel, W., Augarde, R., Bottinelli, L., Gouguenheim, L., Hamabe, M., Maehara, H., Baan, W.A., Goudfrooij, P., Groenewegen, M.A.T.: A study of the NGC 7448 group of galaxies **259**, 71
van Driel, W., see Combes, F., et al. **259**, L65
van Genderen, A.M.: Light variations of massive stars (α Cygni variables). XII. The photometric history of the G8Ia$^+$ hypergiant V766 Cen (=HR 5171A) during the years 1953–1991 and its interpretation **257**, 177
van Genderen, A.M., see Achmad, L., et al. **259**, 600
van Genderen, A.M., see Hoekzema, N.M., et al. **257**, 118
van Genderen, A.M., see Piers, R.P.A., et al. **256**, 325 *(92, 609)*
van Genderen, A.M., Thé, P.S., de Winter, D., Hollander, A., de Jong, P.J., van den Bosch, F.C., Kolkman, O.M., Verheijen, M.A.W.: On the distance to the new luminous blue variable WRA 751 and its variability **258**, 316

van Genderen, A.M., van den Bosch, F.C., Dessing, F., Fehmers, G.C., van Grunsven, J., van der Heiden, R., Janssens, A.M., Kalter, R., van der Meer, R.L.J., van Ojik, R., Smit, J.M., Zijderveld, M.J.: Light variations of massive stars (α Cygni variables). XIII. The B-type hypergiants R81 (LBV), HD 80077 (LBV?), HD 168607 = V 4029 Sagittarii (LBV) and HD 168625 = V 4030 Sagittarii **264**, 88
van Genderen, A.M., van den Bosch, F.C., Dessing, F., van der Heiden, R., de Jong, J.P., van der Meer, R.L.J., van Ojik, R., Smit, J.M., Zijderveld, M.J.: HD 80859 (B5 V): a possible new slowly pulsating B-type star **259**, 574
van Groningen, E., see Jackson, N., et al. **262**, 17
van Groningen, E., see Wanders, I., et al. **266**, 72
van Grunsven, J., see van Genderen, A.M., et al. **264**, 88
van Hoesel, F.H.J., see Pottasch, E.M., et al. **264**, 138
Van Hoolst, T., see De Boeck, I., et al. **259**, 167
Van Kerkwijk, M.H., see Meurs, E.J.A., et al. **265**, L41
van Langevelde, H.J., Brown, A.G.A., Lindqvist, M., Habing, H.J., de Zeeuw, P.T.: High-velocity OH/IR stars at the Galactic centre **261**, L17
van Leeuwen, F., Evans, D.W., Lindegren, L., Penston, M.J., Ramamani, N.: Early improvements to the Hipparcos Input Catalogue through the accumulation of data from the satellite (including the NDAC attitude reconstruction description) **258**, 119
van Leeuwen, F., Penston, M.J., Perryman, M.A.C., Evans, D.W., Ramamani, N.: Modelling the torques affecting the Hipparcos satellite **258**, 53
van Leeuwen, F., see Evans, D.W., et al. **258**, 149
van Leeuwen, F., see Høg, E., et al. **258**, 177
van Leeuwen, F., see Høg, E., et al. **258**, 201
van Leeuwen, F., see Lindegren, L., et al. **258**, 18
van Leeuwen, F., see Lindegren, L., et al. **258**, 134
van Leeuwen, F., see Perryman, M.A.C., et al. **258**, 1
van Leeuwen, F., see Scales, D.R., et al. **258**, 211
van Leeuwen, F., see Söderhjelm, S., et al. **258**, 157
van Leeuwen, F., see Turon, C., et al. **258**, 125
van Ojik, R., see van Genderen, A.M., et al. **259**, 574
van Ojik, R., see van Genderen, A.M., et al. **264**, 88
van Paradijs, J., see Augusteijn, T., et al. **265**, 177
van Paradijs, J., see Hollander, A. **265**, 77
van Paradijs, J., see Magnier, E.A., et al. **266**, 644 *(96, 379)*
van Paradijs, J., see Meurs, E.J.A., et al. **265**, L41
van Paradijs, J., see Rutten, R.G.M., et al. **260**, 213
van Paradijs, J., see Rutten, R.G.M., et al. **265**, 159
van Paradijs, J., see Wijers, R.A.M.J., et al. **261**, 145
Van Rooijen, J., see Hurley, K., et al. **255**, 501 *(92, 401)*
van Soest, E.T.M., see Keel, W.C. **264**, 722 *(94, 553)*
Van Winckel, H., see Waelkens, C., et al. **256**, L15
van Wyk, F., see Doyle, J.G., et al. **266**, 644 *(96, 351)*
Vanbeveren, D., see de Loore, C. **260**, 273
Vanderriest, C., see Magain, P., et al. **253**, L13
Vaneldik, J.F., see Landecker, T.L., et al. **258**, 495
Vangioni-Flam, E., see Arnaud, M., et al. **254**, 49
Vangioni-Flam, E., see Elbaz, D., et al. **265**, L29
Varady, M., Hudec, R.: Background events in optical transient searches on astronomical plates **261**, 365
Varela, A.M., see Prieto, M., et al. **257**, 85
Varela, A.M., see Prieto, M., et al. **260**, 559 *(93, 557)*
Varendorff, M., see Winkler, C., et al. **255**, L9
Varvoglis, H., Papadopoulos, D.: Chaotic interaction of charged particles with a gravitational wave **261**, 664
Vasyuk, V.A., see Afanasyev, V.L., et al. **266**, 15
Vauclair, G., Belmonte, J.A., Pfeiffer, B., Grauer, A.D., Jiménez, A., Chevreton, M., Dolez, N., Vidal, I., Herpe, G.: The pulsating DA white dwarf PG 2303+243 revisited **264**, 547
Vauclair, S., see Charbonnel, C. **265**, 55
Vauclair, S., see Charbonnel, C., et al. **255**, 191
Vázquez, M., see Rodríguez Hidalgo, I., et al. **254**, 371
Vázquez, M., see Sobotka, M., et al. **257**, 757
Vázquez, M., see Sobotka, M., et al. **260**, 437
Vázquez, R.A., Feinstein, A.: Binary stars: another effect contributing to the supposed abnormal extinction law in NGC 6193? **257**, 411 *(92, 863)*
Vázquez, see Rodríguez Hidalgo, I., et al. **264**, 661
Vedrenne, G., see Hurley, K., et al. **255**, 501 *(92, 401)*
Veillet, C., Dourneau, G.: 1980–1985 astrometric observations of the first eight satellites of Saturn at Pic-du-Midi, ESO and CFH **264**, 719 *(94, 291)*
Veltri, P., see Carbone, V. **259**, 359
Ventura, J., Herold, H., Ruder, H., Geyer, F.: Photoabsorption in magnetic neutron star atmospheres **261**, 235
Ventura, J., see Shibanov, Y.A., et al. **266**, 313
Verbunt, F., see Bhattacharya, D., et al. **254**, 198
Vereshchagin, S.V., see Battinelli, P., et al. **254**, 331
Verheijen, M.A.W., see van Genderen, A.M., et al. **258**, 316
Vernin, J., Muñoz-Tuñón, C.: Optical seeing at La Palma Observatory. I. General guidelines and preliminary results at the Nordic Optical Telescope **257**, 811
Verstraete, L., Léger, A.: The visible and ultraviolet absorption of large polycyclic aromatic hydrocarbons **266**, 513
Verstraete, L., see Ehrenfreund, P., et al. **259**, 257
Vervloet, M., see Horani, M. **256**, 683
Vesperini, E.: Possible observational indication for Gurzadyan-Savvidy relaxation for globular clusters **266**, 215
Vettolani, G., see Andreon, S., et al. **266**, 127
Vettolani, G., see Gregorini, L., et al. **266**, 628 *(95, 1)*
Vial, J.C., see Koutchmy, S., et al. **266**, 641 *(96, 169)*
Viala, Y., see Eidelsberg, M., et al. **265**, 839
Viala, Y., see Gerin, M., et al. **266**, 463
Viale, A., see Laval, A., et al. **253**, 213
Viallefond, F., Boulanger, F., Cox, P., Lequeux, J., Pérault, M., Vogel, S.N.: CO observations in NGC 604. I. Physical properties **265**, 437
Viallefond, F., see Boulanger, F. **266**, 37
Vidal-Madjar, A., see Lagrange-Henri, A.M., et al. **264**, 637
Vidal, I., see Vauclair, G., et al. **264**, 547
Vieira Martins, R., see Assafin, M. **259**, 722 *(93, 247)*
Vienne, A., Duriez, L.: A general theory of motion for the eight major satellites of Saturn. III. Long-period perturbations **257**, 331
Vigouroux, G., Billaud, G., Boche, R., Chauvineau, B., Furia, M., Journet, A., Kovalevsky, J.: Catalogue of stars observed with the photoelectric astrolabe CERGA (1988–1991) (*Text in French*) **266**, 646 *(96, 477)*
Vigroux, L., see Arnaud, M., et al. **254**, 49
Vigroux, L., see Boissé, P., et al. **262**, 401
Vilchez, J.M., see Castañeda, H.O., et al. **260**, 370
Vilchez, J.M., see Esteban, C., et al. **259**, 629
Vilchez, J.M., see Herrero, A., et al. **261**, 209

Vilkoviskij, E.Y., Tambovtseva, L.V.: Variability and theoretical upper limit of the mass loss rate in OB-stars **262**, 383 *(94, 109)*
Villada, M., Giovannelli, F., Polcaro, V.F.: Spectral variability of He 3-640, optical counterpart of the X-ray source A 1118-61 **259**, L1
Villata, M.: Radiation-driven winds of hot stars: a simplified model **257**, 677
Villemoes, L.F., see Hjorth, P.G., et al. **255**, L20
Villenave, M., see Kovalevsky, J., et al. **258**, 7
Vilmer, N., see Hulot, E., et al. **256**, 273
Vilmer, N., see Mackinnon, A., et al. **256**, 613
Vince, I., see Sotirovski, P., et al. **262**, 597
Viotti, R., see Altamore, A., et al. **257**, 410 *(92, 685)*
Viotti, R., see de Freitas Pacheco, J.A., et al. **266**, 360
Viotti, R., see Muratorio, G., et al. **258**, 423
Viotti, R., see Polcaro, V.F., et al. **265**, 563
Viotti, R., see Rossi, C., et al. **256**, 133
Vishwanath, P.R., see Acharya, B.S., et al. **258**, 412
Viton, M., see Deleuil, M. **263**, 190
Vittone, A.A., see de Martino, D., et al. **254**, 266
Vittot, M., see Rigaut, F., et al. **259**, L57
Vlahos, L., see Mackinnon, A., et al. **256**, 613
Vogel, M., Nussbaumer, H.: PU Vulpeculae: the outburst of a symbiotic nova **259**, 525
Vogel, M., Nussbaumer, H., Monier, R.: Absolute radius of an M giant **260**, 156
Vogel, M., see Burgarella, D., et al. **262**, 83
Vogel, S.N., see Viallefond, F., et al. **265**, 437
Voges, W., see Bade, N., et al. **254**, L21
Voges, W., see Schwarz, R.A., et al. **256**, L11
Vogt, N., see Bruch, A., et al. **260**, 557 *(93, 463)*
Vogt, N., see Rutten, R.G.M., et al. **265**, 159
Volkmer, R., see Bendlin, C., et al. **257**, 817
Volland, H.: Solar differential rotation due to magnetic stresses **259**, 663
Volland, H., see Bird, M.K., et al. **255**, 502 *(92, 425)*
Volland, H., see Pätzold, M., et al. **259**, L15
Volten, H., see Davidson, M.D., et al. **255**, 457
Volten, H., see Raassen, A.J.J., et al. **266**, 631 *(95, 223)*
von der Lühe, O., see Keller, C.U. **261**, 321
von der Lühe, O., see Keller, C.U., et al. **254**, 355
von Montigny, C., see Schneid, E.J., et al. **255**, L13
von Steiger, R., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Vondrák, J., Feissel, M., Essaïfi, N.: Expected accuracy of the 1900–1990 Earth orientation parameters in the Hipparcos reference frame **262**, 329
Vrba, F., see Reipurth, B., et al. **256**, 225
Vreux, J.-M., Gosset, E., Bohannan, B., Conti, P.: WR 134 line-profile variability revisited **256**, 148
Vreux, J.-M., see Andrillat, Y. **253**, L37
Vu, D.T., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Vucetich, H., see Plastino, A.R. **262**, 321
Vuillemin, A., see Milliard, B., et al. **257**, 24
Waelkens, C., see Aerts, C., et al. **266**, 294
Waelkens, C., see Degryse, K., et al. **263**, 137
Waelkens, C., see Oudmaijer, R.D., et al. **266**, 650 *(96, 625)*
Waelkens, C., see Waters, L.B.F.M., et al. **262**, L37
Waelkens, C., Van Winckel, H., Trams, N.R., Waters, L.B.F.M.: High-resolution spectroscopy of the central star of the Red-Rectangle nebula **256**, L15
Wagner, K., see Bässgen, G., et al. **258**, 186
Wagner, K., see Høg, E., et al. **258**, 201
Wagner, S., see Jackson, N., et al. **262**, 17
Wagner, S., see Ulrich, M.-H., et al. **266**, 183
Wagner, S.J., see Mauder, W., et al. **264**, L9
Wahiche, J.D., see Arlot, J.E., et al. **255**, 497 *(92, 151)*
Wahlquist, H.D., see Bertotti, B., et al. **255**, 502 *(92, 431)*
Wakker, B.P., see Prusti, T., et al. **259**, 537
Walker, R.N.F., see Jones, K.N., et al. **264**, 220
Walmsley, C.M., see Cesaroni, R., et al. **256**, 618
Walmsley, C.M., see Churchwell, E., et al. **253**, 541
Walmsley, C.M., see Schilke, P., et al. **256**, 595
Walmsley, C.M., see Schilke, P., et al. **261**, L5
Walmsley, M., see Henning, T., et al. **260**, 558 *(93, 525)*
Walter, H.G., see Kovalevsky, J., et al. **258**, 7
Walter, R., Courvoisier, T.J.-L.: A link between X-ray variability and ultraviolet emission in Seyfert 1 type AGN **266**, 65
Walter, R., Courvoisier, T.J.-L.: The origin of the X-ray emission in 3C 273 and 3C 120 **258**, 255
Walter, R., Courvoisier, T.J.-L.: X-ray variability in a sample of Seyfert 1 type AGN **266**, 57
Walterbos, R.A.M., Braun, R.: The interstellar medium of M31. III. Narrow-band imagery in Hα and [SII] **256**, 326 *(92, 625)*
Wambsganss, J., Witt, H.J., Schneider, P.: Gravitational microlensing: powerful combination of ray-shooting and parametric representation of caustics **258**, 591
Wampler, E.J., see Wang, L. **262**, L9
Wanders, I., Peterson, B.M., Pogge, R.W., DeRobertis, M.M., van Groningen, E.: Seeing and aperture effects on [O III]-based flux calibration of AGN spectra. NGC 3516: a case study **266**, 72
Wang, L., Wampler, E.J.: Supernova 1987 A: the nebular loops and "Napoleon's Hat" **262**, L9
Wang, Z., see Lin, J., et al. **253**, 557
Wang, Z.R., see Xu, J.J., et al. **256**, 483
Wannier, P.G., see Andersson, B.-G., et al. **260**, 355
Wannier, P.G., see Pagani, L., et al. **258**, 472
Wannier, P.G., see Pagani, L., et al. **258**, 479
Ward-Thompson, D., see Minchin, N.R., et al. **265**, 733
Wargau, W.F., see Chini, R., et al. **265**, 45
Wasberg, C.E., see Andreassen, Ø., et al. **257**, 763
Wassmann, M., see Kirk, J.G. **254**, 167
Waters, L.B.F.M., Marlborough, J.M.: Constraints on Be star wind geometry by linear polarisation and IR excess **256**, 195
Waters, L.B.F.M., Marlborough, J.M.: Hydrogen infrared recombination line profiles in Be star winds **253**, L25
Waters, L.B.F.M., see Meurs, E.J.A., et al. **265**, L41
Waters, L.B.F.M., see Oudmaijer, R.D., et al. **266**, 650 *(96, 625)*
Waters, L.B.F.M., see Waelkens, C., et al. **256**, L15
Waters, L.B.F.M., see Zijlstra, A.A., et al. **265**, L5
Waters, L.B.F.M., Trams, N.R., Waelkens, C.: A scenario for the selective depletion of stellar atmospheres **262**, L37
Watson, F.G., see Morgan, D.H., et al. **260**, 558 *(93, 495)*
Wauben, W.M.F., Hovenier, J.W.: Approximative methods for calculating the radiation inside a planetary atmosphere **261**, 640
Webb, J.K., see Douglas, N.G., et al. **262**, 8
Webb, J.R., see Pérez, M.R., et al. **257**, 209
Webster, A.S.: Fulleranes, fullerenes and the interstellar extinction **257**, 750

Wegner, G., see Schulz, H. **266**, 167
Wegner, R., see Quirrenbach, A., et al. **258**, 279
Weigelt, G., see Boksenberg, A., et al. **261**, 393
Weigelt, G., see Mauder, W., et al. **264**, L9
Weigelt, G., see Paresce, F., et al. **262**, 617
Weigelt, G., see Pehlemann, E., et al. **256**, 701
Weight, A., see Shenton, M., et al. **262**, 138
Weinberger, R., see Hörtnagl, A.M., et al. **262**, 369
Weinberger, R., see Saurer, W., et al. **260**, 559 *(93, 553)*
Weiss, A., see Raffelt, G. **264**, 536
Weiss, A., see Schneider, P. **260**, 1
Weiss, W., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Weiss, W.W., see Malanushenko, V.P., et al. **259**, 567
Weiss, W.W., see Schneider, H., et al. **257**, 130
Wennmacher, A., Lilienthal, D., Herbstmeier, U.: A very dense H I filament within the Local Hot Bubble **261**, L9
Wenzel, K.-P., Marsden, R.G., Page, D.E., Smith, E.J.: The Ulysses mission **255**, 498 *(92, 207)*
Wenzel, K.-P., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Werner, K., Hamann, W.-R., Heber, U., Napiwotzki, R., Rauch, T., Wessolowski, U.: A spectacular mass-loss event of the central star of Longmore 4 **259**, L69
Wesselius, P.R., see Bässgen, G., et al. **258**, 186
Wesselius, P.R., see Carballo, R., et al. **262**, 106
Wesselius, P.R., see Høg, E., et al. **258**, 177
Wesselius, P.R., see Prusti, T., et al. **259**, 537
Wesselius, P.R., see Prusti, T., et al. **260**, 151
Wessolowski, U., see Baum, E., et al. **266**, 402
Wessolowski, U., see Hamann, W.-R., et al. **255**, 200
Wessolowski, U., see Koesterke, L., et al. **261**, 535
Wessolowski, U., see Werner, K., et al. **259**, L69
Wesson, P.S., Lim, P.: Astrophysical implications of a solution in Kaluza-Klein gravity **261**, 373
West, R.M., McNaught, R.H.: Earliest photometry of SN 1987A **256**, 447
West, R.M., see Sekanina, Z., et al. **263**, 367
Westergaard, N.J., see Singh, K.P. **264**, 489
Westerlund, B.E., Azzopardi, M., Breysacher, J., Rebeirot, E.: Faint carbon stars in the Small Magellanic Cloud **260**, L4
Westerlund, B.E., Azzopardi, M., Breysacher, J., Rebeirot, E.: *Erratum:* The evolution of carbon stars in the Magellanic Clouds **256**, 326 *(92, 683)*
White G.J., see Williams, P.G. **266**, 365
White, G.J., Fridlung, C.V.M.: High resolution CO observations of S88-B **266**, 452
White, G.J., see Greaves, J.S., et al. **257**, 731
White, G.J., see Greaves, J.S., et al. **260**, 381
White, G.J., see Minchin, N.R., et al. **265**, 733
White, S.M., Pallavicini, R., Kundu, M.R.: A 5 GHz radio survey of selected post T Tauri and naked T Tauri stars **257**, 557
White, S.M., Pallavicini, R., Kundu, M.R.: Radio flares and magnetic fields on weak-line T Tauri stars **259**, 149
Whitelock, P.A., Munari, U.: Photometric properties of symbiotic stars and the nature of the cool component **255**, 171
Whitelock, P.A., see Munari, U., et al. **259**, 725 *(93, 383)*
Whiteoak, J.B., see Pagani, L., et al. **258**, 472
Whiteoak, J.B.Z.: The distribution and nature of small-diameter radio sources along the southern galactic plane **262**, 251
Whittet, D.C.B., see Carballo, R., et al. **262**, 106
Whittet, D.C.B., see Prusti, T., et al. **260**, 151
Wibberenz, G., see Simpson, J.A., et al. **255**, 501 *(92, 365)*
Wicenec, A., Bässgen, G.: Tycho background determination and monitoring **258**, 206
Wicenec, A., see Bässgen, G., et al. **258**, 186
Wicenec, A., see Høg, E., et al. **258**, 177
Wiebicke, H.-J., Geppert, U.: Amplification of neutron star magnetic fields by thermoelectric effects. III. Growth limits in nonlinear calculations **262**, 125
Wiebicke, H.-J., see Geppert, U. **256**, L9
Wiehr, E., Degenhardt, D.: Spatial structure of the Evershed effect **259**, 313
Wiehr, E., see Stellmacher, G., et al. **265**, 781
Wielebinski, R., see Gregorini, L., et al. **262**, 382 *(94, 13)*
Wielebinski, R., see Reuter, H.-P., et al. **256**, 10
Wielebinski, R., see Xu, C., et al. **257**, 47
Wielen, R., see Kovalevsky, J., et al. **258**, 7
Wieringa, M.H., de Bruyn, A.G., Katgert, P.: A Westerbork search for high redshift H I **256**, 331
Wieringa, M.H., Katgert, P.: Optical identifications of faint ultra-steep spectrum radio sources **260**, 556 *(93, 399)*
Wiik, J.E., Heinzel, P., Schmieder, B.: Determination of plasma parameters in a quiescent prominence **260**, 419
Wiita, P.J., see Gopal-Krishna **259**, 109
Wijers, R.A.M.J., see Bhattacharya, D., et al. **254**, 198
Wijers, R.A.M.J., van Paradijs, J., van den Heuvel, E.P.J.: Binary pulsars as probes of neutron star birth **261**, 145
Wiklind, T., Henkel, C.: The molecular cloud content of early–type galaxies. III. A nuclear molecular ring in NGC 3593 **257**, 437
Wiktorowski, J., see Lehmann, M. **266**, 650 *(96, 665)*
Wild, W., Harris, A.I., Eckart, A., Genzel, R., Graf, U.U., Jackson, J.M., Russell, A.P.G., Stutzki, J.: A multi-line study of the molecular interstellar medium in M 82's starburst nucleus **265**, 447
Wilken, B., see Formisano, V., et al. **256**, 723
Wilken, B., see Gloeckler, G., et al. **255**, 499 *(92, 267)*
Wilkes, B.J., see Masnou, J.L., et al. **253**, 35
Willems, F.J., see Groenewegen, M.A.T., et al. **253**, 150
Williams, I.P., see Lagerkvist, C.-I., et al. **262**, 383 *(94, 43)*
Williams, P.G., see Greaves, J.S., et al. **257**, 731
Williams, P.G., see Phillips, J.P., et al. **260**, 283
Williams, P.G., White G.J.: Sub-millimetre molecular lines in the circumstellar envelope IRC+10216 **266**, 365
Williams, P.M., see Zealey, W.J., et al. **262**, 570
Willis, A.J., Schild, H., Smith, L.J.: Optical spectroscopy of WR stars in M 33 and M 31. II. The WO population and discovery of an Ofp/WN 9 star in M 33 **261**, 419
Wilson, R.W., see Wilson, T.L., et al. **262**, 248
Wilson, T.L., Mauersberger, R., Langer, W.D., Glassgold, A.E., Wilson, R.W.: The (^{12}CO/^{13}CO) ratio toward ζ Ophiuchi **262**, 248
Wilson, T.L., see Mauersberger, R., et al. **256**, 640
Wilson, T.L., see Mezger, P.G., et al. **256**, 631
Wilson, T.L., see Stahl, O. **254**, 327
Wink, J., see Guilloteau, S., et al. **262**, 624
Winkler, C., Bennett, K., Bloemen, H., Collmar, W., Connors, A., Diehl, R., van Dordrecht, A., den Herder, J.W., Hermsen, W., Kippen, M., Kuiper, L., Lichti, G., Lockwood, J., McConnell, M., Morris, D., Ryan, J., Schönfelder, V., Stacy, G., Steinle, H., Strong, A., Swanenburg, B., Taylor, B.G., Varendorff, M., de Vries, C.: The

gamma-ray burst of 3 May 1991 observed by COMPTEL on board GRO **255**, L9
Winkler, H., see Munari, U., et al. **259**, 725 *(93, 383)*
Winkler, H., Stirpe, G.M., Sekiguchi, K.: The spectroscopic analysis of emission line galaxies identified from an objective prism survey **262**, 383 *(94, 103)*
Winkler, K.-H.A., see Gehmeyr, M. **253**, 101
Winkler, K.-H.A., see Gehmeyr, M. **253**, 92
Winn, M.M., see Clay, R.W., et al. **255**, 167
Winnberg, A., see Lindqvist, M., et al. **255**, 496 *(92, 43)*
Winnberg, A., see Lindqvist, M., et al. **259**, 118
Winnberg, A., see Lindqvist, M., et al. **263**, 183
Winnberg, A., see Nyman, L.-Å, et al. **257**, 845 *(93, 121)*
Winnewisser, G., see Gierens, K.M., et al. **259**, 271
Winnewisser, G., see Hernichel, J., et al. **259**, L77
Wiren, S., see Teräsranta, H., et al. **262**, 384 *(94, 121)*
Wiskotzki, L., see Hagen, H.-J., et al. **253**, L5
Wisotzki, L., see Bade, N., et al. **254**, L21
Witt, H.J., see Wambsganss, J., et al. **258**, 591
Witte, M., Rosenbauer, H., Keppler, E., Fahr, H., Hemmerich, P., Lauche, H., Loidl, A., Zwick, R.: The interstellar neutral-gas experiment on ULYSSES **255**, 500 *(92, 333)*
Witzel, A., see Biermann, P.L., et al. **266**, 643 *(96, 339)*
Witzel, A., see Colomer, F., et al. **254**, L17
Witzel, A., see Hummel, C.A., et al. **257**, 489
Witzel, A., see Hummel, C.A., et al. **266**, 93
Witzel, A., see Krichbaum, T.P., et al. **260**, 33
Witzel, A., see Quirrenbach, A., et al. **258**, 279
Wlodarczak, G., see Gerin, M., et al. **253**, L29
Wlodarczak, G., see Gerin, M., et al. **259**, L35
Wlodarczak, G., see Wootten, A., et al. **257**, 740
Woan, G.: Is there a megaparsec component to 3C 48? **254**, 25
Woch, J., see Keppler, E., et al. **255**, 500 *(92, 317)*
Woelk, U., Beuermann, K.: Particle heated atmospheres of magnetic white dwarfs **256**, 498
Wolf, B., see Zickgraf, F.-J., et al. **260**, 205
Wolf, D., see Östreicher, R., et al. **257**, 353
Wolf, D., see Schaich, M., et al. **264**, 529
Wood, D.O.S., see Churchwell, E., et al. **253**, 541
Wood, K., see Brown, J.C. **265**, 663
Woody, D., see Bååth, L.B., et al. **257**, 31
Wootten, A., Wlodarczak, G., Mangum, J.G., Combes, F., Encrenaz, P.J., Gerin, M.: Search for acetic acid in interstellar clouds **257**, 740
Wouterloot, J.G.A., Brand, J.: Emission-line stars in L 1641 **265**, 144
Wouters, F., see Stone, R.G., et al. **255**, 499 *(92, 291)*
Wright, A.N., Thompson, M.J.: On the effects of chromospheric magnetic perturbations on solar oscillation frequencies **264**, 701
Wright, M.C.H., see Bååth, L.B., et al. **257**, 31
Wroblewski, H., Torres, C.: New proper motion determination of Luyten catalogue stars (LTT) south of declination $-40°$ and right ascension between 04 h 30 m and 16 h 00m **256**, 323 *(92, 449)*
Wünsch, J., Bußhoff, J.: Improved observations of periodic UT1 variations caused by ocean tides **266**, 588
Wünsch, J., Seiler, U.: Theoretical amplitudes and phases of the periodic polar motion terms caused by ocean tides **266**, 581
Wunderlich, E., see Klein, U., et al. **255**, 49
Wunner, G., see Östreicher, R., et al. **257**, 353
Wynne, D., see Massa, D., et al. **264**, 169
Xia, X.Y., see Mo, H.J., et al. **256**, L23
Xia, X.Y., see Mo, H.J., et al. **257**, 1
Xiao-Ma, G., Lin Jun, Luan Ti, Schmieder, B.: Time evolution of a two-ribbon flare: characteristics of post-flare loops **259**, 649
Xie, G.Z., see Liu, F.K. **266**, 631 *(95, 249)*
Xinwu Cao: A note on the radial–azimuthal instability of an isothermal accretion disk around a black hole **262**, 350
Xiong, D.R., Chen, Q.L.: A nonlocal convection model of the solar convection zone **254**, 362
Xu, C., Klein, U., Meinert, D., Wielebinski, R., Haynes, R.F.: A radio continuum study of the Magellanic Clouds. II. The far-infrared/radio correlation in the Large Magellanic Cloud **257**, 47
Xu, C., see Mazzei, P., et al. **256**, 45
Xu, J.J., Wang, Z.R., Qu, Q.Y.: 2CG 353+16 and the fourteenth century B.C. supernova **256**, 483
Yamada, S., see Ishikawa, S., et al. **258**, 415
Yamamoto, T., see Mizutani, K., et al. **261**, 336
Yamauchi, M., see Fiore, F., et al. **262**, 37
Yamauchi, S., see Kaastra, J.S., et al. **264**, 654
Yancopoulos, S., see Alpar, M.A., et al. **257**, 627
Yau, K.K.C., see Stephenson, F.R. **260**, 485
Yilmaz, N., see Hack, M., et al. **266**, 637 *(95, 589)*
Yin Liu, see Yong-zhen Liu **264**, L17
Yong-zhen Liu, Yin Liu: The huge objects revealed by the distribution of the absorption redshifts of QSOs: are they the great attractors? **264**, L17
Yorke, H.W., see Zinnecker, H., et al. **265**, 726
Yoshii, Y., see Arimoto, N., et al. **253**, 21
Yoshino, K., see Eidelsberg, M., et al. **265**, 839
Young, A.T.: Improvements to photometry. V. High-order moments in transformation theory **257**, 366
Yu, K.N., see Huang, R.Q., et al. **256**, 438
Yuan, J.W.: Main sequence and white dwarf stars – a consistent calculation of galactic evolution **261**, 105
Yudin, B.F., see Munari, U., et al. **259**, 725 *(93, 383)*
Yudin, B.F., see Taranova, O.G. **257**, 615
Yudin, N.P., see Burdyuzha, V.V., et al. **255**, 459
Zacharias, N.: Global block adjustment simulations using the CPC 2 data structure **264**, 296
Zacharias, N., de Vegt, C., Nicholson, W., Penston, M.J.: CPC 2 – the Second Cape Photographic Catalog. II. Conventional plate adjustment and catalog construction **254**, 397
Zadrozny, A., see Mariotti, J.-M., et al. **255**, 462
Zaggia, S.R., Capaccioli, M., Piotto, G., Stiavelli, M.: High resolution kinematics of galactic globular clusters. I **258**, 302
Zaggia, S.R., Capaccioli, M., Piotto, G.: Multiple stars and the velocity dispersion measurements inside galactic globular clusters **265**, 43
Zahn, J.-P.: Circulation and turbulence in rotating stars **265**, 115
Zahn, J.-P., see Chaboyer, B. **253**, 173
Zahn, J.-P., see Charbonnel, C., et al. **255**, 191
Zahn, J.-P., see Spiegel, E.A. **265**, 106
Zappala, V., see Barucci, M.A., et al. **266**, 385
Zappalà, V., see Farinella, P., et al. **253**, 604
Zappalà, V., see Farinella, P., et al. **257**, 329
Zarka, P., see Stone, R.G., et al. **255**, 499 *(92, 291)*

Zavagno, A., Cox, A., Baluteau, J.-P.: A quantitative study of the 7.7 and 11.3 μm emission bands based on IRAS/LRS spectra **259**, 241
Zavlin, V.E., see Shibanov, Y.A., et al. **266**, 313
Zealey, W.J., Williams, P.M., Sandell, G., Taylor, K.N.R., Ray, T.P.: Molecular hydrogen emission in Herbig–Haro complexes. III. Outflows with jets **262**, 570
Zeidler, P., see Mauder, W., et al. **264**, L9
Zeilinger, W.W., see Bertola, F., et al. **254**, 89
Zeilinger, W.W., see Toniazzo, T., et al. **259**, 39
Zeippen, C.J., see Biémont, E. **265**, 850
Zensus, A., see Bååth, L.B., et al. **257**, 31
Zensus, J.A., see Krichbaum, T.P., et al. **260**, 33
Zhang, F.J., see Bååth, L.B. **262**, 1
Zhang, H.Q., see Gan, W.Q., et al. **266**, 573
Zhang, Z., see Lin, J., et al. **253**, 557
Zhong-Yong Zhang, Jian-Sheng Chen: Additional evidence for A 0620-00 containing a black hole? **266**, L9
Zhong-Yong Zhang, Jian-Sheng Chen: A simplified model for the tidal effect on accretion disks in cataclysmic variables **261**, 493
Zhugzhda, Y.D., see Dzhalilov, N.S., et al. **257**, 359
Zickgraf, F.-J., Stahl, O., Wolf, B.: IR survey of OB emission-line stars in the SMC: detection of a new B[e] supergiant, AV 172 **260**, 205
Zijderveld, M.J., see van Genderen, A.M., et al. **259**, 574
Zijderveld, M.J., see van Genderen, A.M., et al. **264**, 88
Zijlstra, A.A., Loup, C., Waters, L.B.F.M., de Jong, T.: Interrupted mass loss on the asymptotic giant branch **265**, L5
Zijlstra, A.A., see Pottasch, S.R. **256**, 251
Zimmermann, J.P., see Zirker, J.B., et al. **258**, L1
Zimmermann, P., see Pagani, L., et al. **258**, 472
Zimmermann, U., see Boller, T., et al. **261**, 57
Zinnecker, H., Bastien, P., Arcoragi, J.-P., Yorke, H.W.: Submillimeter dust continuum observations of three low luminosity protostellar IRAS sources **265**, 726
Zinnecker, H., see Rosa, M.R., et al. **257**, 515
Zirker, J.B., Koutchmy, S., Nitschelm, C., Stellmacher, G., Zimmermann, J.P., Martinez, P., Kim, I., Dzubenko, N., Kurochka, L., Makarov, V., Fatianov, M., Rusin, V., Klocok, L., Matsuura, O.T.: Structural changes in the solar corona during the July 1991 eclipse **258**, L1
Zook, H.A., see Grün, E., et al. **255**, 502 *(92, 411)*
Zsoldos, E., Sasselov, D.D.: The pulsations of yellow semi-regular variables. I. Double-mode behaviour of UU Herculis **256**, 107
Zsoldos, E., see Percy, J.R. **263**, 123
Zuccarello, F.: Peculiar photospheric velocity fields and magnetic energy build-up **257**, 298
Zwaan, C., see Lemmens, A.F.P., et al. **257**, 671
Zwaan, C., see Schrijver, C.J., et al. **253**, L1
Zweigle, J., see Kreysing, H.C., et al. **264**, 623
Zwick, R., see Witte, M., et al. **255**, 500 *(92, 333)*
Zylka, R., Güsten, R., Henkel, C., Batria, W.: H_2CO survey in the Galactic Center: $0° 5 \leqq l \leqq 4° 0$ **266**, 647 *(96, 525)*
Zylka, R., Mezger, P.G., Lesch, H.: Anatomy of the Sagittarius A complex. II. $\lambda 1300$ μm and $\lambda 870$ μm continuum observations of Sgr A* and its submm/IR spectrum **261**, 119
Zylka, R., see Mezger, P.G., et al. **265**, 743

Annual Subject Index

Astronomy and Astrophysics, Volumes 253–266 (1992)
Supplement Series, Volumes 92–96 (1992)

Volume and page numbers of articles published in the Supplement Series are printed in italics

The cross references for the key words are stored in the computer. Therefore they are always printed, even if in the respective year no paper belonging to a particular cross reference is published.

Acceleration of particles

Electron acceleration at a supernova blast wave. A model for the prompt radio flare from SN 1987 A
Kirk, J.G., Wassmann, M. **254**, 167

Shock drift acceleration for a near-perpendicular shock in a turbulent astrophysical plasma
Newman, P.L., Moussas, X., Quenby, J.J., Valdes-Galicia, J.F., Theodossiou-Ekaterinidi, Z. **255**, 443

γ-ray and X-ray time profiles expected from a trap-plus-precipitation model for the 7 June 1980 and 27 April 1981 solar flares
Hulot, E., Vilmer, N., Chupp, E.L., Dennis, B.R., Kane, S.R. **256**, 273

Magnetic-drift-driven instability and cosmic-ray acceleration
Pajot-el Abed, P., Melikidze, G., Tagger, M. **257**, L9

A note on the hydrodynamical description of cosmic ray propagation
Ko, C.-M. **259**, 377

The jet/interstellar medium interaction and the radiation properties of extragalactic jets
Fraix-Burnet, D. **259**, 445

Combined first- and second-order Fermi acceleration in radio galaxy hot spots
Krülls, W.M. **260**, 49

Cosmic-ray kinetics in a random anisotropic reflective non-invariant magnetic field
Fedorov, Y.I., Katz, M.E., Kichatinov, L.L., Stehlik, M. **260**, 499

Magnetic field, reconnection, and particle acceleration in extragalactic jets
Romanova, M.M., Lovelace, R.V.E. **262**, 26

The self-consistent acceleration of cosmic rays in modified shocks with Bohm-type diffusion
Duffy, P. **262**, 281

The structure of the hot spots in 3C 295
Taylor, G.B., Perley, R.A. **262**, 417

Continuous reacceleration of cosmic rays in galaxies. An alternative explanation for flat low frequency radio spectra
Pohl, M., Schlickeiser, R. **263**, 37

Alfvén wave transmission and stochastic particle acceleration at parallel astrophysical shock waves
Campeanu, A., Schlickeiser, R. **263**, 413

The origin of monoenergetic electrons in the arc of the galactic center. Particle acceleration by magnetic reconnection
Lesch, H., Reich, W. **264**, 493

Charged particle dynamics within the spherical wave field of a rotating magnetic dipole beyond the acceleration boundary
Tolan, M. **264**, 708

A fast simulation method for particle acceleration
Achterberg, A., Krülls, W.M. **265**, L13

Accretion, accretion disks

Fitting the broad line spectrum and UV continuum by accretion discs in active galactic nuclei
Rokaki, E., Boisson, C., Collin-Souffrin, S. **253**, 57

Spectropolarimetry of the nova-like variable RW Trianguli
Rutten, R.G.M., Dhillon, V.S. **253**, 139

Models of self-gravitating accretion disks
Bodo, G., Curir, A. **253**, 318

Limit cycle instabilities in a free accretion disk – a source of energy in SN 1987A?
Meyer-Hofmeister, E. **253**, 459

A possible explanation for intraday variability in active galactic nuclei. Magnetic reconnection and coherent plasma emission
Lesch, H., Pohl, M. **254**, 29

Rapid variations and a large infrared antiflare in the light curve of Markarian 501
Kidger, M., Takalo, L., de Diego, J.A. **254**, 65

Nucleosynthesis in a thick accretion disk around a 10 $M_\odot$ black hole
Arai, K., Hashimoto, M. **254**, 191

The effect of coupling of a corona to the turbulence in an accretion disk
Geertsema, G.T., Kuperus, M. **254**, 426

Cooling functions for hot dense gas: application to accretion discs in close binaries
Dumont, A.M. **254**, 454

Turbulence in differentially rotating thin disks: a multi-component cascade model
Geertsema, G.T., Achterberg, A. **255**, 427

On the local stability of accretion disks
Dubrulle, B., Knobloch, E. **256**, 673

On stellar accretion of matter through a disk and the ejection of bipolar flows
Torbett, M.V., Gilden, D.L. **256**, 686

VLBI observations of active galactic nuclei at 3 mm
Bååth, L.B., Rogers, A.E.E., Inoue, M., Padin, S., Wright, M.C.H., Zensus, A., Kus, A.J., Backer, D.C., Booth, R.S., Carlstrom, J.E., Dickman, R.L., Emerson, D.T., Hirabayashi, H., Hodges, M.W., Kobayashi, H., Lamb, J., Moran, J.M., Morimoto, M., Plambeck, R.L., Predmore, C.R., Rönnäng, B., Woody, D. **257**, 31

Relativistic neutrons in active galactic nuclei. I. Energy transport from the core
Atoyan, A.M. **257**, 465

On the light curve of an orbiting spot
Karas, V., Bao, G. **257**, 531

The signature of corotating spots in accretion disks
Bao, G. **257**, 594

6 Hz quasiperiodic oscillations from low-mass X-ray binaries: the sound of an accretion disk?
Alpar, M.A., Hasinger, G., Shaham, J., Yancopoulos, S. **257**, 627

Magnetic structure in cool stars. XVIII. UV-line emissions from T Tauri stars
Lemmens, A.F.P., Rutten, R.G.M., Zwaan, C. **257**, 671

Near-critical spherical accretion onto magnetized neutron stars: modified magnetospheric radius
Mitra, A. **257**, 807

The interacting binary V367 Cygni. I. Photometric solution including the influence of an accretion disk
Pavlovski, K., Schneider, H., Akan, M.C. **258**, 329

Non-linear development of $m=1$ instabilities in a self-gravitating gaseous disc
Heemskerk, M.H.M., Papaloizou, J.C., Savonije, G.J. **260**, 161

Reconstruction of the accretion disk in six cataclysmic variable stars
Rutten, R.G.M., van Paradijs, J., Tinbergen, J. **260**, 213

Observation of 4U 1700-377 with the SIGMA telescope
Laurent, P., Goldwurm, A., Lebrun, F., Paul, J., Mereghetti, S., Barret, D., Bouchet, L., Roques, J.P., Churazov, E., Gilfanov, M., Kuznetzov, A., Sunyaev, R., Chulkov, I., Dyachkov, A., Khavenson, N., Novikov, B. **260**, 237

Precession in cataclysmic and X-ray binaries: star or disc?
Schwarzenberg-Czerny, A. **260**, 268

Anatomy of the Sagittarius A complex. II. λ1300 μm and λ870 μm continuum observations of Sgr A* and its submm/IR spectrum
Zylka, R., Mezger, P.G., Lesch, H. **261**, 119

A simplified model for the tidal effect on accretion disks in cataclysmic variables
Zhong-Yong Zhang, Jian-Sheng Chen **261**, 493

A scenario for the selective depletion of stellar atmospheres
Waters, L.B.F.M., Trams, N.R., Waelkens, C. **262**, L37

R Aquarii: an attempt at a unified model
Burgarella, D., Vogel, M., Paresce, F. **262**, 83

Accreting white dwarf models for CAL 83, CAL 87 and other ultrasoft X-ray sources in the LMC
van den Heuvel, E.P.J., Bhattacharya, D., Nomoto, K., Rappaport, S.A. **262**, 97

A note on the radial–azimuthal instability of an isothermal accretion disk around a black hole
Xinwu Cao **262**, 350

Molecular opacities for solar and enhanced CNO abundances: relevance for accretion disks
Sharp, C.M. **262**, 382; ***94***, *1*

Statistical properties of AGN emission lines in relation to the accretion disc model
Dumont, A.M., Joly, M. **263**, 75

Accretion disks around T Tauri stars. III. A χ^2 analysis of disk parameters
Bouvier, J., Bertout, C. **263**, 113

OY Carinae: the secrets of the super-humps revealed
Hessman, F.V., Mantel, K.-H., Barwig, H., Schoembs, R. **263**, 147

Consequences of rotation in energetics of accretion disks
Dubrulle, B., Valdettaro, L. **263**, 387

Magnetized thin accretion disks in active galactic nuclei. A quantitative analysis of field topologies and their dynamic importance
Khanna, R., Camenzind, M. **263**, 401

Quasi-periodic oscillations in TT Arietis
Hollander, A., van Paradijs, J. **265**, 77

OY Carinae revisited: development of the accretion disk during a normal outburst
Rutten, R.G.M., Kuulkers, E., Vogt, N., van Paradijs, J. **265**, 159

Coordinated X-ray and optical observations of Scorpius X-1
Augusteijn, T., Karatasos, K., Papadakis, M., Paterakis, G., Kikuchi, S., Brosch, N., Leibowitz, E., Hertz, P., Mitsuda, K., Dotani, T., Lewin, W.H.G., van der Klis, M., van Paradijs, J. **265**, 177

The spectral variability in 2–28 keV of GS2023+338 during its 1989 outburst
in 't Zand, J.J.M., Pan, H.C., Bleeker, J.A.M., Skinner, G.K., Gilfanov, M.R., Sunyaev, R. **266**, 283

One less puzzle in β Lyrae?
Harmanec, P. **266**, 307

A turbulent closure model for thin accretion disks
Dubrulle, B. **266**, 592

Artificial satellites, space probes

Soft gamma ray observations of Cygnus X-1 with the coded-aperture SIGMA telescope
Salotti, L., Ballet, J., Cordier, B., Lambert, A., Bonazzola, S., Mereghetti, S., Mandrou, P., Roques, J.P., Sunyaev, R., Gilfanov, M., Churazov, E., Chulkov, I., Kuznetsov, A., Dyachkov, A., Khavenson, N., Novikov, B. **253**, 145

The Cramér-Rao lower bound and stellar photometry with aberrated HST images
Jakobsen, P., Greenfield, P., Jedrzejewski, R. **253**, 329

Differential VLBI measurements of the Venus atmosphere dynamics by balloons: VEGA project
Sagdeyev, R.Z., Kerzhanovitch, V.V., Kogan, L.R., Kostenko, V.I., Linkin, V.M., Matveyenko, L.I., Nazirov, R.R., Pogrebenko, S.V., Struckov, I.A., Preston, R.A., Purcel, J., Hildebrand, C.E., Grishmanovskiy, V.A., Kozlov, A.N., Molotov, E.P., Blamont, J.E., Boloh, L., Laurans, G., Kaufmann, P., Galt, J., Biraud, F., Boischot, A., Ortega-Molina, A., Rosolen, C., Petit, G., Mezger, P.G., Schwartz, R., Rönnäng, B.O., Spencer, R.E., Nicolson, G., Rogers, A.E.E., Cohen, M.H., Martirosyan, R.M., Moiseyev, I.G., Jatskiv, J.S. **254**, 387

Physical study of the asteroid 243 Ida, second fly-by target of the Galileo spacecraft
Gonano-Beurer, M., Di Martino, M., Mottola, S., Neukum, G. **254**, 393

The Ulysses mission
Wenzel, K.-P., Marsden, R.G., Page, D.E., Smith, E.J. **255**, 498; **92**, *207*

The magnetic field investigation on the Ulysses mission: instrumentation and preliminary scientific results
Balogh, A., Beek, T.J., Forsyth, R.J., Hedgecock, P.C., Marquedant, R.J., Smith, E.J., Southwood, D.J., Tsurutani, B.T. **255**, 498; **92**, *221*

The Ulysses solar wind plasma experiment
Bame, S.J., McComas, D.J., Barraclough, B.L., Phillips, J.L., Sofaly, K.J., Chavez, J.C., Goldstein, B.E., Sakurai, R.K. **255**, 498; **92**, *237*

The Solar Wind Ion Composition Spectrometer
Gloeckler, G., Geiss, J., Balsiger, H., Bedini, P., Cain, J.C., Fischer, J., Fisk, L.A., Galvin, A.B., Gliem, F., Hamilton, D.C., Hollweg, J.V., Ipavich, F.M., Joos, R., Livi, S., Lundgren, R., Mall, U., McKenzie, J.F., Ogilvie, K.W., Ottens, F., Rieck, W., Tums, E.O., von Steiger, R., Weiss, W., Wilken, B. **255**, 499; **92**, *267*

The unified radio and plasma wave investigation
Stone, R.G., Bougeret, J.L., Caldwell, J., Canu, P., de Conchy, Y., Cornilleau-Wehrlin, N., Desch, M.D., Fainberg, J., Goetz, K., Goldstein, M.L., Harvey, C.C., Hoang, S., Howard, R., Kaiser, M.L., Kellogg, P.J., Klein, B., Knoll, R., Lecacheux, A., Lengyel-Frey, D., MacDowall, R.J., R.J., Manning, R.., Meetre, C.A., Meyer, A., Monge, N., Monson, S., Nicol, G., Reiner, M.J., Steinberg, J.L., Torres, E., de Villedary, C., Wouters, F., Zarka, P. **255**, 499; **92**, *291*

The ULYSSES energetic particle composition experiment EPAC
Keppler, E., Blake, J.B., Hovestadt, D., Korth, A., Quenby, J., Umlauft, G., Woch, J. **255**, 500; **92**, *317*

The interstellar neutral-gas experiment on ULYSSES
Witte, M., Rosenbauer, H., Keppler, E., Fahr, H.-J., Hemmerich, P., Lauche, H., Loidl, A., Zwick, R. **255**, 500; **92**, *333*

Heliosphere instrument for spectra, composition and anisotropy at low energies
Lanzerotti, L.J., Gold, R.E., Anderson, K.A., Armstrong, T.P., Lin, R.P., Krimigis, S.M., Pick, M., Roelof, E.C., Sarris, E.T., Simnett, G.M., Frain, W.E. **255**, 500; **92**, *349*

The Ulysses cosmic ray and solar particle investigation
Simpson, J.A., Anglin, J.D., Balogh, A., Bercovitch, M., Bouman, J.M., Budzinski, E.E., Burrows, J.R., Carvell, R., Connell, J.J., Ducros, R., Ferrando, P., Firth, J., Garcia-Munoz, M., Henrion, J., Hynds, R.J., Iwers, B., Jacquet, R., Kunow, H., Lentz, G., Marsden, R.G., McKibben, R.B., Mueller-Mellin, R., Page, D.E., Perkins, M., Raviart, A., Sanderson, T.R., Sierks, H., Treguer, L., Tuzzolino, A.J., Wenzel, K.-P., Wibberenz, G. **255**, 501; **92**, *365*

The solar X-ray/cosmic gamma-ray burst experiment aboard Ulysses
Hurley, K., Sommer, M., Atteia, J.-L., Boer, M., Cline, T., Cotin, F., Henoux, J.-C., Kane, S., Lowes, P., Niel, M., Van Rooijen, J., Vedrenne, G. **255**, 501; **92**, *401*

The Ulysses dust experiment
Grün, E., Fechtig, H., Giese, R.H., Kissel, J., Linkert, D., Maas, D., McDonnell, J.A.M., Morfill, G.E., Schwehm, G., Zook, H.A. **255**, 502; **92**, *411*

The coronal-sounding experiment
Bird, M.K., Asmar, S.W., Brenkle, J.P., Edenhofer, P., Pätzold, M., Volland, H. **255**, 502; **92**, *425*

The gravitational wave experiment
Bertotti, B., Ambrosini, R., Asmar, S.W., Brenkle, J.P., Comoretto, G., Giampieri, G., Iess, L., Messeri, A., Wahlquist, H.D. **255**, 502; **92**, *431*

Photometric calibration of the International Ultraviolet Explorer (IUE) at low resolution: the LWP camera
Cassatella, A., Gonzalez-Riestra, R., Imhoff, C., Oliversen, N., Lloyd, C. **256**, 309

The white-light coronograph for KORONAS-I
Buzaši, J., Klocok, L., Rybanský, M. **257**, L7

A Fourier-Bessel telescope for hard X-ray astronomy
Cardini, D., Poulsen, J.M., Costa, E., Dal Fiume, D., Emanuele, A., Frontera, F., Basili, A., Franceschini, T., Frutti, M., Landini, G., Silvestri, S. **257**, 824

In-orbit performance of the Hipparcos astrometry satellite
Perryman, M.A.C., Høg, E., Kovalevsky, J., Lindegren, L., Turon, C., Bernacca, P.L., Crézé, M., Donati, F., Grenon, M., Grewing, M., van Leeuwen, F., van der Marel, H., Murray, C.A., Le Poole, R.S., Schrijver, H. **258**, 1

The FAST Hipparcos Data Reduction Consortium: overview of the reduction software
Kovalevsky, J., Falin, J.L., Pieplu, J.L., Bernacca, P.L., Donati, F., Froeschlé, M., Galligani, I., Mignard, F., Morando, B., Perryman, M.A.C., Schrijver, H., van Daalen, D.T., van der Marel, H., Villenave, M., Walter, H.G., Badiali, M., Borriello, L., Brouw, W.N., Canuto, E., Guerry, A., Hering, R., Huc, C., Iorio-Fili, D., Lacroute, P., Lattanzi, M., Le Poole, R.S., Murgolo, F.P., Preston, R.A., Röser, S., Sansò, F., Wielen, R., Belforte, P., Bernstein, H.H., Bucciarelli, B., Cardini, D., Emanuele, A., Fassino, B., Lenhart, H., Lestrade, J.F., Prezioso, G., Tommasini Montanari, T. **258**, 7

The NDAC Hipparcos data analysis consortium. Overview of the reduction methods
Lindegren, L., Høg, E., van Leeuwen, F., Murray, C.A., Evans, D.W., Penston, M.J., Perryman, M.A.C., Petersen, C., Ramamani, N., Snijders, M.A.J., Söderhjelm, S., Andreasen, G.K., Cruise, A.M., Elton, N., Lund, N., Poder, K. **258**, 18

Geometrical calibration and assessment of the stability of the Hipparcos payload
Schrijver, H., van der Marel, H. **258**, 31

Geometrical stability and evolution of the Hipparcos telescope
Lindegren, L., Le Poole, R.S., Perryman, M.A.C., Petersen, C. **258**, 35

Attitude determination in the Hipparcos revised mission
Donati, F., Froeschlé, M., Falin, J.L., Canuto, E., Kovalevsky, J. **258**, 41

Method of comparison between determinations of the Hipparcos attitude
Donati, F., Sechi, G. **258**, 46

Modelling the torques affecting the Hipparcos satellite
van Leeuwen, F., Penston, M.J., Perryman, M.A.C., Evans, D.W., Ramamani, N. **258**, 53

Hipparcos great-circle reduction. Theory, results and intercomparisons
van der Marel, H., Petersen, C. **258**, 60

Comparison of Hipparcos results obtained on different dates on the same great circle
Schrijver, H. **258**, 70

The Hipparcos Input Catalogue. I. Star selection
Turon, C., Gómez, A., Crifo, F., Crézé, M., Perryman, M.A.C., Morin, D., Arenou, F., Nicolet, B., Chareton, M., Egret, D. **258**, 74

The Hipparcos Input Catalogue. II. Astrometric data
Jahreiß, H., Réquième, Y., Argue, A.N., Dommanget, J., Rousseau, M., Lederle, T., Le Poole, R.S., Mazurier, J.M., Morrison, L.V., Nys, O., Penston, M.J., Périé, J.P., Prévot, L., Tucholke, H.-J., de Vegt, C. **258**, 82

The Hipparcos Input Catalogue. III. Photometry
Grenon, M., Mermilliod, M., Mermilliod, J.C. **258**, 88

Solar system objects observed by Hipparcos
Bec-Borsenberger, A. **258**, 94

Computation of ephemerides for long-period variable stars for the Hipparcos mission
Mennessier, M.O., Barthés, D., Boughaleb, H., Figueras, F., Mattei, J.A. **258**, 99

A tridimensional model of the galactic interstellar extinction
Arenou, F., Grenon, M., Gómez, A. **258**, 104

High-precision VLBI astrometry of the radio-emitting star σ CrB – a step in linking the Hipparcos and extragalactic reference frames
Lestrade, J.-F., Phillips, R.B., Preston, R.A., Gabuzda, D.C. **258**, 112

Reliability of the Hipparcos Input Catalogue tested by the 'First look'
Crifo, F., Gómez, A., Arenou, F., Morin, D., Schrijver, H. **258**, 116

Early improvements to the Hipparcos Input Catalogue through the accumulation of data from the satellite (including the NDAC attitude reconstruction description)
van Leeuwen, F., Evans, D.W., Lindegren, L., Penston, M.J., Ramamani, N. **258**, 119

Comparison of the first results from the Hipparcos star mappers with the Hipparcos Input Catalogue
Turon, C., Arenou, F., Evans, D.W., van Leeuwen, F. **258**, 125

Positions and parallaxes from the Hipparcos satellite. A first attempt at a global astrometric solution
Lindegren, L., van Leeuwen, F., Petersen, C., Perryman, M.A.C., Söderhjelm, S. **258**, 134

Hipparcos photometry: FAST main mission reduction
Mignard, F., Froeschlé, M., Falin, J.L. **258**, 142

Hipparcos photometry: NDAC reductions
Evans, D.W., van Leeuwen, F., Penston, M.J., Ramamani, N., Høg, E. **258**, 149

Detection and measurement of double stars with the Hipparcos satellite: NDAC reductions
Söderhjelm, S., Evans, D.W., van Leeuwen, F., Lindegren, L. **258**, 157

Hipparcos double star recognition and processing within the FAST consortium
Mignard, F., Froeschlé, M., Badiali, M., Cardini, D., Emanuele, A., Falin, J.L., Kovalevsky, J. **258**, 165

The treatment of Hipparcos observations of some peculiar double stars: anomalous cases
Pannunzio, R., Spagna, A., Lattanzi, M.G., Morbidelli, R., Sarasso, M. **258**, 173

Tycho data analysis. Overview of the adopted reduction software and first results
Høg, E., Bastian, U., Egret, D., Grewing, M., Halbwachs, J.L., Wicenec, A., Bässgen, G., Bernacca, P.L., Donati, F., Kovalevsky, J., van Leeuwen, F., Lindegren, L., Pedersen, H., Perryman, M.A.C., Petersen, C., Scales, D., Snijders, M.A.J., Wesselius, P.R. **258**, 177

Tycho transit detection
Bässgen, G., Wicenec, A., Andreasen, G.K., Høg, E., Wagner, K., Wesselius, P.R. **258**, 186

Tycho star recognition
Halbwachs, J.L., Høg, E., Bastian, U., Hansen, P.C., Schwekendiek, P. **258**, 193

Tycho astrometry calibration
Høg, E., Bastian, U., Hansen, P.C., van Leeuwen, F., Lindegren, L., Pedersen, H., Saust, A.B., Schwekendiek, P., Wagner, K. **258**, 201

Tycho background determination and monitoring
Wicenec, A., Bässgen, G. **258**, 206

Tycho photometry calibration and first results
Scales, D.R., Snijders, M.A.J., Andreasen, G.K., Grenon, M., Grewing, M., Høg, E., van Leeuwen, F., Lindegren, L., Mauder, H. **258**, 211

The Tycho Input Catalogue. Cross-matching the Guide Star Catalog with the Hipparcos INCA Data Base
Egret, D., Didelon, P., McLean, B.J., Russell, J.L., Turon, C. **258**, 217

The hydrogen coma of comet P/Halley observed in Lyman α using sounding rockets
McCoy, R.P., Meier, R.R., Keller, H.U., Opal, C.B., Carruthers, G.R. **258**, 555

Giotto Radio-Science Experiment: drag deceleration and spacecraft attitude perturbations expected during the encounter with comet P/Grigg-Skjellerup in July 1992
Pätzold, M., Porsche, H., Edenhofer, P., Bird, M.K., Volland, H. **259**, L15

Expected accuracy of the 1900–1990 Earth orientation parameters in the Hipparcos reference frame
Vondrák, J., Feissel, M., Essaïfi, N. **262**, 329

Ground-based Gaspra modelling: comparison with the first Galileo image
Barucci, M.A., Cellino, A., De Sanctis, C., Fulchignoni, M., Lumme, K., Zappala, V., Magnusson, P. **266**, 385

Balloon-borne far-infrared imaging of the Cygnus-X region
Holenstein, A.P., Schenker, G., Huguenin, D., Kneubühl, F.K. **266**, 639; **96**, *115*

Astrographic observations of the major Uranian satellites from Voyager 2
Jacobson, R.A. **266**, 648; **96**, *549*

Astrometry

On the nature and kinematics of wide visual binaries
Brosche, P., Denis-Karafistan, A.I., Sinachopoulos, D. **253**, 113

On the relationship between conventional and overlap reduction techniques in positional astronomy
Benevides-Soares, P., Teixeira, R. **253**, 307

A magnitude, colour, and proper-motion probe of the Galaxy at an intermediate galactic latitude
Bienaymé, O., Mohan, V., Crézé, M., Considère, S., Robin, A.C. **253**, 389

Detection of compact SiO maser emission at 43 GHz using a European very long baseline interferometer
Colomer, F., Graham, D.A., Krichbaum, T.P., Rönnäng, B.O., de Vicente, P., Witzel, A., Barcia, A., Baudry, A., Booth, R.S., Gómez-González, J., Alcolea, J., Daigne, G. **254**, L17

CPC 2 – the Second Cape Photographic Catalog. II. Conventional plate adjustment and catalog construction
Zacharias, N., de Vegt, C., Nicholson, W., Penston, M.J. **254**, 397

The solar motion. II. From proper motions
Jaschek, C., Valbousquet, A. **255**, 124

Statistical analysis and separation of systematic errors in astrometric data
Bougeard, M.L. **255**, 388

Orbital elements of seventeen double stars (Text in French)
Baize, P. **255**, 496; **92**, *31*

A catalogue of the observations of the mutual phenomena of the Galilean satellites of Jupiter made in 1985 during the PHEMU85 campaign
Arlot, J.E., Thuillot, W., Barroso Jr., J., Bergeal, L., Blanco, C., Boninsegna, R., Bouchet, P., Bourgeois, J., Briot, D., Bulder, H., Burchi, R., Cano, J.A., Colas, F., D'Ambrosio, V., Di Paolantonio, A., Dourneau, G., Dumont, M., Ferrand, S., Figer, A., Francou, G., Froeschlé, M., Gomez-Forrellad, J.M., Gouiffes, C., Helmer, G., Jablonsky, F.J., Laques, P., Le Campion, J.F., Lecacheux, J., Lecontel, J.M., Manfroid, J., Meyer, C., Morando, B., Quast, G.R., Rémis, J., Renaudineau, J., Rouan, D., Ruatti, C., Sareyan, J.P., Schmieder, F.X., Sèvre, F., Souchay, J., Valtier, J.C., Vu, D.T., Wahiche, J.D. **255**, 497; **92**, *151*

New proper motion determination of Luyten catalogue stars (LTT) south of declination −40° and right ascension between 04 h 30 m and 16 h 00 m
Wroblewski, H., Torres, C. **256**, 323; **92**, *449*

Observations of solar-system bodies with the Belgrade Meridian Circle
Sadžakov, S., Dačić, M., Cvetković, Z. **256**, 325; **92**, *605*

The galactic center in the far-red
Rosa, M.R., Zinnecker, H., Moneti, A., Melnick, J. **257**, 515

In-orbit performance of the Hipparcos astrometry satellite
Perryman, M.A.C., Høg, E., Kovalevsky, J., Lindegren, L., Turon, C., Bernacca, P.L., Crézé, M., Donati, F., Grenon, M., Grewing, M., van Leeuwen, F., van der Marel, H., Murray, C.A., Le Poole, R.S., Schrijver, H. **258**, 1

The FAST Hipparcos Data Reduction Consortium: overview of the reduction software
Kovalevsky, J., Falin, J.L., Pieplu, J.L., Bernacca, P.L., Donati, F., Froeschlé, M., Galligani, I., Mignard, F., Morando, B., Perryman, M.A.C., Schrijver, H., van Daalen, D.T., van der Marel, H., Villenave, M., Walter, H.G., Badiali, M., Borriello, L., Brouw, W.N., Canuto, E., Guerry, A., Hering, R., Huc, C., Iorio-Fili, D., Lacroute, P., Lattanzi, M., Le Poole, R.S., Murgolo, F.P., Preston, R.A., Röser, S., Sansò, F., Wielen, R., Belforte, P., Bernstein, H.H., Bucciarelli, B., Cardini, D., Emanuele, A., Fassino, B., Lenhart, H., Lestrade, J.F., Prezioso, G., Tommasini Montanari, T. **258**, 7

The NDAC Hipparcos data analysis consortium. Overview of the reduction methods
Lindegren, L., Høg, E., van Leeuwen, F., Murray, C.A., Evans, D.W., Penston, M.J., Perryman, M.A.C., Petersen, C., Ramamani, N., Snijders, M.A.J., Söderhjelm, S., Andreasen, G.K., Cruise, A.M., Elton, N., Lund, N., Poder, K. **258**, 18

Geometrical calibration and assessment of the stability of the Hipparcos payload
Schrijver, H., van der Marel, H. **258**, 31

Geometrical stability and evolution of the Hipparcos telescope
Lindegren, L., Le Poole, R.S., Perryman, M.A.C., Petersen, C. **258**, 35

Attitude determination in the Hipparcos revised mission
Donati, F., Froeschlé, M., Falin, J.L., Canuto, E., Kovalevsky, J. **258**, 41

Method of comparison between determinations of the Hipparcos attitude
Donati, F., Sechi, G. **258**, 46

Modelling the torques affecting the Hipparcos satellite
van Leeuwen, F., Penston, M.J., Perryman, M.A.C., Evans, D.W., Ramamani, N. **258**, 53

Hipparcos great-circle reduction. Theory, results and intercomparisons
van der Marel, H., Petersen, C. **258**, 60

Comparison of Hipparcos results obtained on different dates on the same great circle
Schrijver, H. **258**, 70

The Hipparcos Input Catalogue. I. Star selection
Turon, C., Gómez, A., Crifo, F., Crézé, M., Perryman, M.A.C., Morin, D., Arenou, F., Nicolet, B., Chareton, M., Egret, D. **258**, 74

The Hipparcos Input Catalogue. II. Astrometric data
Jahreiß, H., Réquième, Y., Argue, A.N., Dommanget, J., Rousseau, M., Lederle, T., Le Poole, R.S., Mazurier, J.M., Morrison, L.V., Nys, O., Penston, M.J., Périé, J.P., Prévot, L., Tucholke, H.-J., de Vegt, C. **258**, 82

Solar system objects observed by Hipparcos
Bec-Borsenberger, A. **258**, 94

High-precision VLBI astrometry of the radio-emitting star σ CrB – a step in linking the Hipparcos and extragalactic reference frames
Lestrade, J.-F., Phillips, R.B., Preston, R.A., Gabuzda, D.C. **258**, 112

Reliability of the Hipparcos Input Catalogue tested by the 'First look'
Crifo, F., Gómez, A., Arenou, F., Morin, D., Schrijver, H. **258**, 116

Early improvements to the Hipparcos Input Catalogue through the accumulation of data from the satellite (including the NDAC attitude reconstruction description)
van Leeuwen, F., Evans, D.W., Lindegren, L., Penston, M.J., Ramamani, N. **258**, 119

Comparison of the first results from the Hipparcos star mappers with the Hipparcos Input Catalogue
Turon, C., Arenou, F., Evans, D.W., van Leeuwen, F. **258**, 125

Positions and parallaxes from the Hipparcos satellite. A first attempt at a global astrometric solution
Lindegren, L., van Leeuwen, F., Petersen, C., Perryman, M.A.C., Söderhjelm, S. **258**, 134

Detection and measurement of double stars with the Hipparcos satellite: NDAC reductions
Söderhjelm, S., Evans, D.W., van Leeuwen, F., Lindegren, L. **258**, 157

Hipparcos double star recognition and processing within the FAST consortium
Mignard, F., Froeschlé, M., Badiali, M., Cardini, D., Emanuele, A., Falin, J.L., Kovalevsky, J. **258**, 165

Tycho astrometry calibration
Høg, E., Bastian, U., Hansen, P.C., van Leeuwen, F., Lindegren, L., Pedersen, H., Saust, A.B., Schwekendiek, P., Wagner, K. **258**, 201

Position and morphology of the compact non-thermal radio source at the galactic center
Marcaide, J.M., Alberdi, A., Bartel, N., Clark, T.A., Corey, B.E., Elósegui, P., Gorenstein, M.V., Guirado, J.C., Kardashev, N., Popov, M., Preston, R., Ratner, M.I., Rioja, M.J., Rogers, A.E.E., Shapiro, I.I. **258**, 295

Milliarcsecond proper motion measurements with MAMA
Soubiran, C. **259**, 394

Optical astrometric positions of southern quasars
Assafin, M., Vieira Martins, R. **259**, 722; **93**, *247*

Astrometry of globular clusters. I. Relative proper motions for stars in 47 Tucanae
Tucholke, H.-J. **259**, 723; **93**, *293*

Astrometry of globular clusters. II. Relative proper motions and the space motion on NGC 362
Tucholke, H.-J. **259**, 723; **93**, *311*

The total solar eclipse of A.D. 1221 and the rotation of the Earth
Stephenson, F.R., Yau, K.K.C. **260**, 485

An astrometric catalogue of southern and equatorial dwarf novae
Bruch, A., Meijer, J., Naumann, M., Schimpke, T., Ungruhe, R., Vogt, N. **260**, 557; **93**, *463*

Observations of mutual phenomena of the Galilean satellites of Jupiter made at the Observatoire de la Côte d'Azur
Froeschlé, M., Meyer, C., Mignard, F. **262**, 308

Expected accuracy of the 1900–1990 Earth orientation parameters in the Hipparcos reference frame
Vondrák, J., Feissel, M., Essaïfi, N. **262**, 329

A quasi-global reduction method for astrolabe observations (Text in French)
Chollet, F., Najid, N.-E. **262**, 341

First meridian circle observations of Pluto
Morrison, L.V., Buontempo, M.E., Fabricius, C., Helmer, L. **262**, 347

Potential of long-baseline infrared interferometry for narrow-angle astrometry
Shao, M., Colavita, M.M. **262**, 353

The identification problem in asteroid surveys
Kristensen, L.K. **262**, 606

Almucantar deformations in the method of equal altitudes
Pešek, I. **262**, 621

Proper motion measurements in the HH 34 jet and its associated bow shocks
Eislöffel, J., Mundt, R. **263**, 292

Global block adjustment simulations using the CPC 2 data structure
Zacharias, N. **264**, 296

Global treatment of the Bordeaux meridian observations
Teixeira, R., Réquième, Y., Benevides-Soares, P., Rapaport, M. **264**, 307

Observations of Galilean satellites at 2.2 μm
Souchay, J., Hiromoto, N., Takami, T., Nakamura, T., Descamps, P., Aruga, T. **264**, 314

Member counts: a new method to constrain the tidal radii of globular clusters
Tucholke, H.-J. **264**, 513

Positions of asteroids for use in mass determinations
Schubart, J. **264**, 719; **94**, *259*

1980–1985 astrometric observations of the first eight satellites of Saturn at Pic-du-Midi, ESO and CFH
Veillet, C., Dourneau, G. **264**, 719; **94**, *291*

First CCD observations of mutual phenomena of the Galilean satellites
Le Campion, J.-F., Montignac, G., Chauvet, F., Colin, J., Desbats, J.M., Dourneau, G., Rapaport, M. **266**, 568

An astrometric catalogue of stars in the region of M 15
Le Campion, J.-F., Geffert, M., Dulou, M.R., Colin, J. **266**, 631; **95**, *233*

Optical positions of radio stars observed with the meridian circle of the Real Instituto y Observatorio de la Armada en San Fernando
Muiños, J.L., Caparrós, R., Cayetano, J.M., Gutiérrez, F. **266**, 632; **95**, *269*

Santiago Fundamental Catalogue. A catalogue of 1105 FK5 stars (equinox J2000.0)
Carrasco, G., Loyola, P. **266**, 633; **95**, *355*

Corrections to right ascension and declination for the planet Saturn for observations performed with the San Fernando and Paris astrolabes (1970–1978) (*Text in French*)
Sanchez, M., Débarbat, S. **266**, 633; **95**, *371*

Measurements of visual double stars made at Pic du Midi and at Nice (*Text in French*)
Ling, J., Couteau, P. **266**, 635; **95**, *423*

CCD photometry and astrometry of visual double stars
Sinachopoulos, D., Prado, P. **266**, 640; **96**, *137*

Precise equatorial coordinates of double and multiple systems: an astronomical support to the Hipparcos mission
Pannunzio, R., Morbidelli, R., Massone, G., Lattanzi, M.G., Sarasso, M., Chiumiento, G. **266**, 640; **96**, *143*

Photographic measurements of visual double stars (*Text in French*)
Scardia, M., Gellera, D. **266**, 640; **96**, *157*

Optical astrometry of Benchmark radio sources. I
Costa, E., Loyola, P. **266**, 641; **96**, *183*

A preliminary compilation of DS-programme star positions
Cvetković, Z. **266**, 641; **96**, *191*

Interferometric observations of double stars in 1986–1990
Ismailov, R.M. **266**, 644; **96**, *375*

Catalogue of stars observed with the photoelectric astrolabe CERGA (1988–1991) (*Text in French*)
Vigouroux, G., Billaud, G., Boche, R., Chauvineau, B., Furia, M., Journet, A., Kovalevsky, J. **266**, 646; **96**, *477*

Astrometric observations of Phobos and Deimos during the 1988 opposition of Mars
Colas, F. **266**, 646; **96**, *485*

Astrographic observations of the major Uranian satellites from Voyager 2
Jacobson, R.A. **266**, 648; **96**, *549*

Astrometric observations of radio stars α Scorpii A and 9 Sagittarii
Noël, F., Débarbat, S. **266**, 648; **96**, *567*

Zenith-distance variations for the Borowiec astrolabe (*Text in French*)
Lehmann, M., Wiktorowski, J. **266**, 650; **96**, *665*

Astronomical data bases: miscellaneous

StarWays. A database of astronomy, space sciences and related organisations of the world (Announcement of a database)
Heck, A., Ciarlo, A., Stokke, H. **266**, 648; **96**, *565*

Atlases

The comet light curve atlas. (The comet light curve catalogue/atlas. III. The atlas)
Kamél, L. **255**, 497; **92**, *85*

The spectrum of the VV Cephei star KQ Puppis (Boss 1985). II. Atlas of the optical and ultraviolet spectrum
Altamore, A., Rossi, C., Viotti, R., Baratta, G.B. **257**, 410; **92**, *685*

Image diameter-magnitude relations for stars on ESO/SERC *R* and *J* films
Hörtnagl, A.M., Kimeswenger, S., Weinberger, R. **262**, 369

Galactic B-supergiants. I. An atlas of O9-B9 supergiant spectra from 3950 AA to 4950 AA
Lennon, D.J., Dufton, P.L., Fitzsimmons, A. **264**, 722; **94**, *569*

A library of near-IR stellar spectra from 1.428 to 2.5 μm
Lançon, A., Rocca-Volmerange, B. **266**, 649; **96**, *593*

Atmospheric effects

How to monitor optimum exposure times for high resolution imaging modes?
Lopez, B. **253**, 635
Estimating the degradation of brightness power spectra of solar granulation from images outside the disk centre
Rodríguez Hidalgo, I., Collados, M., Vázquez, M. **254**, 371
The OH airglow spectrum: a calibration source for infrared spectrometers
Oliva, E., Origlia, L. **254**, 466
Pupil plane interferometry in the near infrared. I. Methodology of observation and first results
Mariotti, J.-M., Monin, J.-L., Ghez, P., Perrier, C., Zadrozny, A. **255**, 462
On the correction of stellar spectra for the loss of radiation during its passage through the Earth's atmosphere and through the spectrograph-slit
Fluks, M.A., Thé, P.S. **255**, 477
Optical aperture synthesis and wave-front sensing
Tallon, M., Tallon-Bosc, I. **256**, 715
A method for characterizing transient ionospheric disturbances using a large radiotelescope array
Jacobson, A.R., Erickson, W.C. **257**, 401
Upper limit to the 45-MHz flux density of SN 1987A
Alvarez, H., Aparici, J., May, J., Olmos, F. **257**, 575
Optical seeing at La Palma Observatory. I. General guidelines and preliminary results at the Nordic Optical Telescope
Vernin, J., Muñoz-Tuñón, C. **257**, 811
Photometric techniques for close binary and multiple systems
Devaney, M.N. **257**, 835
Visible and infrared wavefront sensing for astronomical adaptive optics
Rigaut, F., Cuby, J.G., Caes, M., Monin, J.L., Vittot, M., Richard, J.C., Rousset, G., Léna, P. **259**, L57
Pupil plane interferometry in the near infrared. II. Phase recovery and image reconstruction
Monin, J.-L., Mariotti, J.-M., Ghez, P., Perrier, C., Desbat, L. **260**, 510
Laser guide star in adaptive optics: the tilt determination problem
Rigaut, F., Gendron, E. **261**, 677
Potential of long-baseline infrared interferometry for narrow-angle astrometry
Shao, M., Colavita, M.M. **262**, 353
The contribution of the lower atmospheric layers to the seeing at some mountain observatories
Gur'yanov, A.E., Kallistratova, M.A., Kutyrev, A.S., Petenko, I.V., Shcheglov, P.V., Tokovinin, A.A. **262**, 373
Interferometric measurement of tropospheric phase fluctuations at 86 GHz on antenna spacings of 24 m to 288 m *(Plateau de Bure Series, Paper 5)*
Olmi, L., Downes, D. **262**, 634
Atmospheric extinction and meteorological conditions: a long time photometric study
Reimann, H.-G., Ossenkopf, V., Beyersdorfer, S. **265**, 360
Seeing and aperture effects on [O III]-based flux calibration of AGN spectra. NGC 3516: a case study
Wanders, I., Peterson, B.M., Pogge, R.W., DeRobertis, M.M., van Groningen, E. **266**, 72
The evolution of atmospheric extinction at La Silla derived from measurements in the Strömgren photometric system
Sterken, C., Manfroid, J. **266**, 619

Atomic data

Spectral lines in the beryllium sequence
Eissner, W.B., Tully, J.A. **253**, 625
Stark shifts of singly-ionized nitrogen spectral lines
Djeniže, S., Srećković, A., Labat, J. **253**, 632
On the analysis of collision strengths and rate coefficients
Burgess, A., Tully, J.A. **254**, 436
Radiative lifetimes in B I using ultraviolet and vacuum-ultraviolet laser-induced fluorescence
O'Brian, T.R., Lawler, J.E. **255**, 420
Oscillator strengths and branching ratios of transitions between low-lying levels in the barium II spectrum
Davidson, M.D., Snoek, L.C., Volten, H., Dönszelmann, A. **255**, 457
The possibility of observation of the Lα-line of positronium ($e^+ e^-$) from astronomical objects
Burdyuzha, V.V., Kauts, V.L., Yudin, N.P. **255**, 459
Influence of ion-atom collisions on the absorption of radiation in white dwarfs
Mihajlov, A.A., Dimitrijević, M.S. **256**, 305
Intensities and transition probabilities for selected Dy I and Dy II lines emitted from a ferroelectric plasma source
Kusz, J. **256**, 324; **92**, *517*
Erratum: **(RN)** Electron collisional rates for atomic hydrogen, revisited
Chang, E.S., Avrett, E.H., Loeser, R. **256**, 724
Lifetimes in Fe II and the solar abundance of iron
Hannaford, P., Lowe, R.M., Grevesse, N., Noels, A. **259**, 301
Reaction rates of C^+ with OH at low interstellar temperatures
Dubernet, M.L., Gargaud, M., McCarroll, R. **259**, 373
Theoretical analysis of the Fe XVIII X-ray spectrum and application to solar coronal observations
Cornille, M., Dubau, J., Loulergue, M., Bely-Dubau, F., Faucher, P. **259**, 669
Stark broadening of spectral lines of multicharged ions of astrophysical interest. III. O VI lines
Dimitrijević, M.S., Sahal-Bréchot, S. **259**, 724; **93**, *359*
Al II as an electron density diagnostic for the upper chromosphere/lower transition region in late-type stars
Doyle, J.G., Keenan, F.P., Harra, L.K., Aggarwal, K.M., Tayal, S.S. **261**, 285
Determination of radiative lifetimes in neutral arsenic using time-resolved laser spectroscopy in the VUV region
Bengtsson, G.J., Berzinsh, U., Larsson, J., Svanberg, S. **263**, 440
A recalculation of the line emissivities for the strongest UV and extreme-UV lines in the 400–2800 Å wavelength range
Doyle, J.G., Keenan, F.P. **264**, 173
Non-LTE line formation for iron group elements. I. Fe V
Becker, S.R., Butler, K. **265**, 647
Electric dipole transitions in atomic oxygen and the lifetimes of the $2p^3(^4S^0)3s\ ^5S^0$ and $^3S^0$ states
Biémont, E., Zeippen, C.J. **265**, 850
Oscillator strength measurements in the vacuum-ultraviolet. V. Neutral nitrogen lines in the 950–1200 Å range
Goldbach, C., Lüdtke, T., Martin, M., Nollez, G. **266**, 605
Stark broadening of spectral lines of multicharged ions of astrophysical interest. IV. N V lines
Dimitrijević, M.S., Sahal-Bréchot, S. **266**, 630; **95**, *109*
Stark broadening of spectral lines of multicharged ions of astrophysical interest. V. Sc III and Ti IV lines
Dimitrijević, M.S., Sahal-Bréchot, S. **266**, 630; **95**, *121*

Accurate wavelength determination of vacuum ultraviolet lines in chlorine and argon
Raassen, A.J.J., Snoek, L.C., Volten, H., Uylings, P.H.M., Meijer, F.G., Joshi, Y.N. **266**, 631; **95**, *223*
A multiplet table for lines of Co II
Adelman, J. **266**, 634; **95**, *415*
Stark broadening of spectral lines of multicharged ions of astrophysical interest. VI. C IV lines of large principal quantum number
Dimitrijević, M.S., Sahal-Bréchot, S. **266**, 649; **96**, *613*

Atomic processes

Monte Carlo simulations of Raman scattered O VI emission lines in symbiotic stars
Schmid, H.M. **254**, 224
On the analysis of collision strengths and rate coefficients
Burgess, A., Tully, J.A. **254**, 436
Non-equilibrium, non-LTE ionization in supernova remnants
Brinkmann, W. **254**, 460
Radiative shocks in atomic and molecular stellar-like atmospheres. V. Influence of the excited level of the hydrogen atom: the precursor structure
Huguet, E., Gillet,D., Lafon, J.-P.J. **255**, 233
Influence of ion-atom collisions on the absorption of radiation in white dwarfs
Mihajlov, A.A., Dimitrijević, M.S. **256**, 305
Erratum: **(RN)** Electron collisional rates for atomic hydrogen, revisited
Chang, E.S., Avrett, E.H., Loeser, R. **256**, 724
The spectrum of the VV Cephei star KQ Puppis. IV. The Fe II spectrum, level population and spectral synthesis
Muratorio, G., Viotti, R., Friedjung, M., Baratta, G.B., Rossi, C. **258**, 423
Theoretical profiles of Lyman α satellites and application to synthetic spectra of DA white dwarfs
Allard, N.F., Koester, D. **258**, 464
Photoabsorption in magnetic neutron star atmospheres
Ventura, J., Herold, H., Ruder, H., Geyer, F. **261**, 235
The effect of a non-Maxwellian distribution on excitation and ionization of hydrogen in solar flares
Peyraud-Cuenca, N. **261**, 633
Auger decay of light cosmic ions: overwhelming population of final excited states
Petrini, D. **265**, 857

Black hole physics

Discovery and early X-ray lightcurve of the transient GRS 1124–68 (Nova Muscae 1991)
Brandt, S., Castro-Tirado, A.J., Lund, N., Dremin, V., Lapshov, I., Sunyaev, R. **254**, L39
Nucleosynthesis in a thick accretion disk around a 10 $M_\odot$ black hole
Arai, K., Hashimoto, M. **254**, 191
Variability pattern from X-ray to IR wavelengths in the active nucleus of NGC 1566
Baribaud, T., Alloin, D., Glass, I., Pelat, D. **256**, 375
The galactic center in the far-red
Rosa, M.R., Zinnecker, H., Moneti, A., Melnick, J. **257**, 515
On the light curve of an orbiting spot
Karas, V., Bao, G. **257**, 531
The signature of corotating spots in accretion disks
Bao, G. **257**, 594
A note on the radial–azimuthal instability of an isothermal accretion disk around a black hole
Xinwu Cao **262**, 350
Magnetized thin accretion disks in active galactic nuclei. A quantitative analysis of field topologies and their dynamic importance
Khanna, R., Camenzind, M. **263**, 401
Additional evidence for A 0620-00 containing a black hole?
Zhong-Yong Zhang, Jian-Sheng Chen **266**, L9
The spectral variability in 2–28 keV of GS2023+338 during its 1989 outburst
in 't Zand, J.J.M., Pan, H.C., Bleeker, J.A.M., Skinner, G.K., Gilfanov, M.R., Sunyaev, R. **266**, 283

Catalogs

CPC 2 – the Second Cape Photographic Catalog. II. Conventional plate adjustment and catalog construction
Zacharias, N., de Vegt, C., Nicholson, W., Penston, M.J. **254**, 397
Secondary spectrophotometric standards
Glushneva, I.N., Kharitonov, A.V., Knyazeva, L.N., Shenavrin, V.I. **255**, 496; **92**, *1*
New planetary nebulae in the Large Magellanic Cloud
Morgan, D.H., Good, A.R. **256**, 325; **92**, *571*
The far-infrared properties of the CfA galaxy sample. I. The catalog
Thuan, T.X., Sauvage, M. **257**, 411; **92**, *749*
Erratum: The interstellar lines catalogue
Garcia, B. **257**, 412; **92**, *885*
Observational data for the kinematics of the local universe. I. Radial velocity measurements
Bottinelli, L., Durand, N., Fouqué, P., Garnier, R., Gouguenheim, L., Paturel, G., Teerikorpi, P. **257**, 846; **93**, *173*
The Hipparcos Input Catalogue. I. Star selection
Turon, C., Gómez, A., Crifo, F., Crézé, M., Perryman, M.A.C., Morin, D., Arenou, F., Nicolet, B., Chareton, M., Egret, D. **258**, 74
The Hipparcos Input Catalogue. II. Astrometric data
Jahreiß, H., Réquième, Y., Argue, A.N., Dommanget, J., Rousseau, M., Lederle, T., Le Poole, R.S., Mazurier, J.M., Morrison, L.V., Nys, O., Penston, M.J., Périé, J.P., Prévot, L., Tucholke, H.-J., de Vegt, C. **258**, 82
The Hipparcos Input Catalogue. III. Photometry
Grenon, M., Mermilliod, M., Mermilliod, J.C. **258**, 88
Reliability of the Hipparcos Input Catalogue tested by the 'First look'
Crifo, F., Gómez, A., Arenou, F., Morin, D., Schrijver, H. **258**, 116
Early improvements to the Hipparcos Input Catalogue through the accumulation of data from the satellite (including the NDAC attitude reconstruction description)
van Leeuwen, F., Evans, D.W., Lindegren, L., Penston, M.J., Ramamani, N. **258**, 119
Comparison of the first results from the Hipparcos star mappers with the Hipparcos Input Catalogue
Turon, C., Arenou, F., Evans, D.W., van Leeuwen, F. **258**, 125
Detection and measurement of double stars with the Hipparcos satellite: NDAC reductions
Söderhjelm, S., Evans, D.W., van Leeuwen, F., Lindegren, L. **258**, 157

Hipparcos double star recognition and processing within the FAST consortium
Mignard, F., Froeschlé, M., Badiali, M., Cardini, D., Emanuele, A., Falin, J.L., Kovalevsky, J. **258**, 165

Tycho star recognition
Halbwachs, J.L., Høg, E., Bastian, U., Hansen, P.C., Schwekendiek, P. **258**, 193

Tycho astrometry calibration
Høg, E., Bastian, U., Hansen, P.C., van Leeuwen, F., Lindegren, L., Pedersen, H., Saust, A.B., Schwekendiek, P., Wagner, K. **258**, 201

Tycho photometry calibration and first results
Scales, D.R., Snijders, M.A.J., Andreasen, G.K., Grenon, M., Grewing, M., Høg, E., van Leeuwen, F., Lindegren, L., Mauder, H. **258**, 211

The Tycho Input Catalogue. Cross-matching the Guide Star Catalog with the Hipparcos INCA Data Base
Egret, D., Didelon, P., McLean, B.J., Russell, J.L., Turon, C. **258**, 217

Groups of galaxies within 80 Mpc. II. The catalogue of groups and group members
Fouqué, P., Gourgoulhon, E., Chamaraux, P., Paturel, G. **259**, 722; ***93***, *211*

Axial ratios of edge-on spirals
Guthrie, B.N.G. **259**, 723; ***93***, *255*

UBVRI-JHKL photometric catalogue of symbiotic stars
Munari, U., Yudin, B.F., Taranova, O.G., Massone, G., Marang, F., Roberts, G., Winkler, H., Whitelock, P.A. **259**, 725; ***93***, *383*

An astrometric catalogue of southern and equatorial dwarf novae
Bruch, A., Meijer, J., Naumann, M., Schimpke, T., Ungruhe, R., Vogt, N. **260**, 557; ***93***, *463*

Properties of nearby clusters of galaxies. I. A 195, A 465, A 1185, A 1213, A 1413, A 1775, A 2319 and A 2597
Trèvese, D., Flin, P., Migliori, L., Hickson, P., Pittella, G. **264**, 720; ***94***, *327*

A northern 2 Jy sample of compact extragalactic radio sources suitable for millimeter and space VLBI observations
Valtaoja, E., Lähteenmäki, A., Teräsranta, H. **266**, 629; ***95***, *73*

An astrometric catalogue of stars in the region of M 15
Le Campion, J.-F., Geffert, M., Dulou, M.R., Colin, J. **266**, 631; ***95***, *233*

A catalogue of [Fe/H] determinations: 1991 edition
Cayrel de Strobel, G., Hauck, B., François, P., Thévenin, F., Friel, E., Mermilliod, M., Borde, S. **266**, 632; ***95***, *273*

Millimeter continuum measurements of extragalactic radio sources. II
Steppe, H., Liechti, S., Mauersberger, R., Kömpe, C., Brunswig, W., Ruiz-Moreno, M. **266**, 646; ***96***, *441*

Catalogue of stars observed with the photoelectric astrolabe CERGA (1988–1991) (*Text in French*)
Vigouroux, G., Billaud, G., Boche, R., Chauvineau, B., Furia, M., Journet, A., Kovalevsky, J. **266**, 646; ***96***, *477*

The RATAN-600 7.6 cm catalogue of radio sources within the interval 22^h–4^h at declination of SS 433
Parijskij, Y.N., Bursov, N.N., Lipovka, N.M., Soboleva, N.S., Temirova, A.V., Chepurnov, A.V. **266**, 649; ***96***, *583*

SAO stars with infrared excess in the IRAS Point Source Catalog
Oudmaijer, R.D., van der Veen, W.E.C.J., Waters, L.B.F.M., Trams, N.R., Waelkens, C., Engelsmann, E. **266**, 650; ***96***, *625*

Celestial mechanics, stellar dynamics

Asteroid collisional evolution: An integrated model for the evolution of asteroid rotation rates
Farinella, P., Davis, D.R., Paolicchi, P., Cellino, A., Zappalà, V. **253**, 604

Origin of sungrazers: a frequent cometary end-state
Bailey, M.E., Chambers, J.E., Hahn, G. **257**, 315

A general theory of motion for the eight major satellites of Saturn. III. Long-period perturbations
Vienne, A., Duriez, L. **257**, 331

Relativistic geocentric satellite equations of motion in closed form
Brumberg, V.A. **257**, 777

Dynamical theory of viscous tides in binary systems
Dolginov, A.Z., Smel'chakova, E.V. **257**, 783

Modelling the torques affecting the Hipparcos satellite
van Leeuwen, F., Penston, M.J., Perryman, M.A.C., Evans, D.W., Ramamani, N. **258**, 53

Mapping for the asteroidal resonances
Šidlichovský, M. **259**, 341

Effects of dynamic tides on secular variations of orbital elements in close binary systems
Ruymaekers, E. **259**, 349

Are there any comets coming from interstellar space?
Kresák, Ľ. **259**, 682

The peculiar orbit of comet 1976 I Sato
Kresák, Ľ. **259**, 692

The types of motion in hierarchical and non-hierarchical triple systems: numerical experiments
Anosova, J.P., Orlov, V.V. **260**, 473

On the free precession of white dwarfs
Leins, M., Soffel, M.H., Lay, W., Ruder, H. **261**, 658

Resonant asteroids and the equivalence principle
Plastino, A.R., Vucetich, H. **262**, 321

The determination of the precession rate of Mars from Phobos and Deimos observations
Sinclair, A.T., Morley, T.A. **262**, 326

The identification problem in asteroid surveys
Kristensen, L.K. **262**, 606

Comparison of a 7000-year lunar ephemeris with analytical theory
Moshier, S.L. **262**, 613

Would a collision on Uranus explain its systematic residuals?
Brunini, A. **264**, 292

Positions of asteroids for use in mass determinations
Schubart, J. **264**, 719; ***94***, *259*

Mutual perturbations of the four outer planets in terms of only one angular variable (Text in French)
Simon, J.L., Joutel, F., Bretagnon, P. **265**, 308

A synthetic theory for the perturbations of Titan on Hyperion
Taylor, D.B. **265**, 825

Models of patchy-structured galaxies
Nezhinskij, E.M., Ollongren, A. **266**, 140

Possible observational indication for Gurzadyan-Savvidy relaxation for globular clusters
Vesperini, E. **266**, 215

Theoretical amplitudes and phases of the periodic polar motion terms caused by ocean tides
Wünsch, J., Seiler, U. **266**, 581

Chaotic phenomena

Patterns in the photospheric magnetic field and percolation theory
Schrijver, C.J., Zwaan, C., Balke, A.C., Tarbell, T.D., Lawrence, J.K. **253**, L1
Weak chaos in long-period variables
Icke, V., Frank, A., Heske, A. **258**, 341
Mapping for the asteroidal resonances
Šidlichovský, M. **259**, 341
Chaotic interaction of charged particles with a gravitational wave
Varvoglis, H., Papadopoulos, D. **261**, 664
Gravitational optical scintillation and anisotropy of the cosmic microwave background
Long Long Feng, Jian Min Liu **264**, 385

Comets: general

Observation of the OH radio lines in comet Okazaki-Levy-Rudenko 1989 XIX during the occultation of a point radio source
Crovisier, J., Bockelée-Morvan, D., Bourgois, G., Gérard, E. **253**, 286
The dust tail of Comet Liller 1988 V
Fulle, M., Cremonese, G., Jockers, K., Rauer, H. **253**, 615
The comet light curve atlas. (The comet light curve catalogue/atlas. III. The atlas)
Kamél, L. **255**, 497; **92**, *85*
Erratum: Plasma flow inside comet P/Halley
Formisano, V., Amata, E., Cattaneo, M.B., Torrente, P., Johnstone, A., Coates, A., Wilken, B., Jockers, K., Borg, H. **256**, 723
Origin of sungrazers: a frequent cometary end-state
Bailey, M.E., Chambers, J.E., Hahn, G. **257**, 315
A different view of plasma flow inside P/Halley
Neugebauer, M., Goldstein, B.E., Goldstein, R., Fuselier, S.A., Neubauer, F.M., Balsiger, H., Ip, W.-H. **258**, 549
Giotto Radio-Science Experiment: drag deceleration and spacecraft attitude perturbations expected during the encounter with comet P/Grigg-Skjellerup in July 1992
Pätzold, M., Porsche, H., Edenhofer, P., Bird, M.K., Volland, H. **259**, L15
Are there any comets coming from interstellar space?
Kresák, Ľ. **259**, 682
The peculiar orbit of comet 1976 I Sato
Kresák, Ľ. **259**, 692
First images of a possible CO^+-tail of comet P/Schwassmann-Wachmann 1 observed against the dust coma background
Jockers, K., Bonev, T., Ivanova, V., Rauer, H. **260**, 455
Three-micron observations of comet Austin 1989 c1
Mizutani, K., Nagata, T., Maihara, T., Suto, H., Yamamoto, T. **261**, 336
Is there a comet cloud around PSR 1257+12?
Chakrabarti, S.K., Krishna Swamy, K.S. **263**, L1
Influx of interplanetary bodies onto Earth
Ceplecha, Z. **263**, 361
Formaldehyde in comets. I. Microwave observations of P/Brorsen-Metcalf (1989 X), Austin (1990 V) and Levy (1990 XX)
Colom, P., Crovisier, J., Bockelée-Morvan, D., Despois, D., Paubert, G. **264**, 270
Formaldehyde in comets. II. Excitation of the rotational lines
Bockelée-Morvan, D., Crovisier, J. **264**, 282
A dust-tail model based on Maxwellian velocity distribution
Fulle, M. **265**, 817
Carbonaceous material by ion irradiation in space
Strazzulla, G., Baratta, G.A. **266**, 434

Comets: individual: . . .

Austin 1989 c1

Three-micron observations of comet Austin 1989 c1
Mizutani, K., Nagata, T., Maihara, T., Suto, H., Yamamoto, T. **261**, 336

Austin 1990 V

Formaldehyde in comets. I. Microwave observations of P/Brorsen-Metcalf (1989 X), Austin (1990 V) and Levy (1990 XX)
Colom, P., Crovisier, J., Bockelée-Morvan, D., Despois, D., Paubert, G. **264**, 270
Formaldehyde in comets. II. Excitation of the rotational lines
Bockelée-Morvan, D., Crovisier, J. **264**, 282

Levy 1990 XX

Formaldehyde in comets. I. Microwave observations of P/Brorsen-Metcalf (1989 X), Austin (1990 V) and Levy (1990 XX)
Colom, P., Crovisier, J., Bockelée-Morvan, D., Despois, D., Paubert, G. **264**, 270
Formaldehyde in comets. II. Excitation of the rotational lines
Bockelée-Morvan, D., Crovisier, J. **264**, 282

Liller 1988 V

The dust tail of Comet Liller 1988 V
Fulle, M., Cremonese, G., Jockers, K., Rauer, H. **253**, 615
A dust-tail model based on Maxwellian velocity distribution
Fulle, M. **265**, 817

Okazaki-Levy-Rudenko 1989 XIX

Observation of the OH radio lines in comet Okazaki-Levy-Rudenko 1989 XIX during the occultation of a point radio source
Crovisier, J., Bockelée-Morvan, D., Bourgois, G., Gérard, E. **253**, 286

P/Brorsen-Metcalf 1989 X

Formaldehyde in comets. I. Microwave observations of P/Brorsen-Metcalf (1989 X), Austin (1990 V) and Levy (1990 XX)
Colom, P., Crovisier, J., Bockelée-Morvan, D., Despois, D., Paubert, G. **264**, 270
Formaldehyde in comets. II. Excitation of the rotational lines
Bockelée-Morvan, D., Crovisier, J. **264**, 282

P/Grigg-Skjellerup

Giotto Radio-Science Experiment: drag deceleration and spacecraft attitude perturbations expected during the encounter with comet P/Grigg-Skjellerup in July 1992
Pätzold, M., Porsche, H., Edenhofer, P., Bird, M.K., Volland, H. **259**, L15

P/Halley

Crystallization of amorphous ice as the cause of comet P/Halley's outburst at 14 AU
Prialnik, D., Bar-Nun, A. **258**, L9
A different view of plasma flow inside P/Halley
Neugebauer, M., Goldstein, B.E., Goldstein, R., Fuselier, S.A., Neubauer, F.M., Balsiger, H., Ip, W.-H. **258**, 549

The hydrogen coma of comet P/Halley observed in Lyman α using sounding rockets
McCoy, R.P., Meier, R.R., Keller, H.U., Opal, C.B., Carruthers, G.R. **258**, 555
Major outburst of periodic comet Halley at a heliocentric distance of 14 AU
Sekanina, Z., Larson, S.M., Hainaut, O., Smette, A., West, R.M. **263**, 367

P/Schwassmann-Wachmann 1

First images of a possible CO^+-tail of comet P/Schwassmann-Wachmann 1 observed against the dust coma background
Jockers, K., Bonev, T., Ivanova, V., Rauer, H. **260**, 455

Sato 1976 I

The peculiar orbit of comet Sato 1976 I
Kresák, Ľ. **259**, 692

Convection

On a new, one-dimensional, time-dependent model for turbulence and convection. I. A basic discussion of the mathematical model
Gehmeyr, M., Winkler, K.-H.A. **253**, 92
On a new, one-dimensional, time-dependent model for turbulence and convection. II. An elementary comparison of the old and the new model
Gehmeyr, M., Winkler, K.-H.A. **253**, 101
The rate of mixing in semiconvective zones
Spruit, H.C. **253**, 131
A nonlocal convection model of the solar convection zone
Xiong, D.R., Chen, Q.L. **254**, 362
About spectroscopic measurements of the solar meridional motion
Cavallini, F., Ceppatelli, G., Righini, A. **254**, 381
Is mesogranulation a distinct regime of convection?
Straus, T., Deubner, F.-L., Fleck, B. **256**, 652
Speckle observations of solar granulation
de Boer, C.R., Kneer, F., Nesis, A. **257**, L4
Tests of the CM model for turbulent convection. I. Application to M 67
D'Antona, F., Mazzitelli, I., Gratton, R.G. **257**, 539
Gravity wave and convection interaction in the solar interior
Andreassen, Ø., Andersen, B.N., Wasberg, C.E. **257**, 763
Core overshooting and stellar evolution
Brocato, E., Castellani, V. **258**, 397
Helium enrichment in massive early type stars
Langer, N. **265**, L17
Stratification and thermodynamics in mean-field dynamos
Brandenburg, A., Moss, D., Tuominen, I. **265**, 328
On the solar p-mode spectrum excited by convection
Gabriel, M. **265**, 771
Limits on convective penetration from stellar cores
Roxburgh, I.W. **266**, 291

(Cosmology:) cosmic microwave background

Analysis of the kinematical behaviour of the near universe: large-scale structure predicted by the observational data
Martín-Mirones, J.M., Goicoechea, L.J. **253**, 3
The candidates for the Great Attractor and the fluctuations in the microwave background radiation
Goicoechea, L.J., Martín-Mirones, J.M. **254**, 1
On the problem of isotropization of cosmic microwave background radiation
Gurzadyan, V.G., Kocharyan, A.A. **260**, 14

(Cosmology:) dark matter

Physical and dynamical properties of two clusters of galaxies derived from X-ray data
Gerbal, D., Durret, F., Lima-Neto, G., Lachièze-Rey, M. **253**, 77
Anisotropies of the cosmic background radiation and characteristic scale of a cellular-fractal universe
Fabbri, R., Ruffini, R. **254**, 7
The ionization of the diffuse gas in NGC 891 and the decaying dark matter theory
Dettmar, R.-J., Schulz, H. **254**, L25
On the nature of the dark halo of our Galaxy
De Rújula, A., Jetzer, P., Massó, E. **254**, 99
Dark-to-luminous mass ratio in spiral galaxies
Jablonka, J., Arimoto, N. **255**, 63
RR Lyrae variables in dwarf galaxies
Finzi, A. **255**, 115
The mass distribution of the dwarf spiral NGC 1560
Broeils, A.H. **256**, 19
Cosmological γ-rays from the decay of fourth family neutrinos: possibility and constraints
Cline, D.B., Gao, Y.T. **256**, 351
Metallicity and gas mass fraction in irregulars and blue compact galaxies: the effect of dark matter
Kumai, Y., Tosa, M. **257**, 511
System of self-gravitating semidegenerate fermions with a cutoff of energy and angular momentum in their distribution function
Ingrosso, G., Merafina, M., Ruffini, R., Strafella, F. **258**, 223
Observation of the Coma cluster of galaxies with ROSAT during the All-Sky Survey
Briel, U.G., Henry, J.P., Böhringer, H. **259**, L31
Analysis of X-ray galaxy clusters in the framework of modified Newtonian dynamics
Gerbal, D., Durret, F., Lachièze-Rey, M., Lima-Neto, G. **262**, 395
The origin of the galaxy luminosity function and the thermal evolution of the intergalactic medium
Blanchard, A., Valls-Gabaud, D., Mamon, G.A. **264**, 365

(Cosmology:) diffuse radiation

Anisotropies of the cosmic background radiation and characteristic scale of a cellular-fractal universe
Fabbri, R., Ruffini, R. **254**, 7
Cosmological γ-rays from the decay of fourth family neutrinos: possibility and constraints
Cline, D.B., Gao, Y.T. **256**, 351
Galaxy counts at ultraviolet wavelengths (2000 Å)
Milliard, B., Donas, J., Laget, M., Armand, C., Vuillemin, A. **257**, 24

(Cosmology:) distance scale

The Hubble constant free from local velocity effects
Duemmler, R. **264**, 1

(Cosmology:) gravitational lensing

Q 1208+1011: the most distant multiply imaged quasar, or a binary?
Magain, P., Surdej, J., Vanderriest, C., Pirenne, B., Hutsemékers, D. **253**, L13
Inversion of the amplification bias and the number excess of foreground galaxies around high-redshift QSOs
Schneider, P. **254**, 14

A search for excess galaxies around distant flat-spectrum radio quasars
Fried, J.W. **254**, 39
On the nature of the dark halo of our Galaxy
De Rújula, A., Jetzer, P., Massó, E. **254**, 99
Wavelet analysis of "double quasar" flux data
Hjorth, P.G., Villemoes, L.F., Teuber, J., Florentin-Nielsen, R. **255**, L20
A new straight arc detected in a cluster of galaxies at $z=0.423$
Mathez, G., Fort, B., Mellier, Y., Picat, J.-P., Soucail, G. **256**, 343
Gravitational microlensing: powerful combination of ray-shooting and parametric representation of caustics
Wambsganss, J., Witt, H.J., Schneider, P. **258**, 591
A luminosity variation detected in a new pair of arclets in a cluster of galaxies at $z=0.424$
Giraud, E. **259**, L49
A large-scale structure model for gravitational lensing
Bartelmann, M., Schneider, P. **259**, 413
The gravitational lens equation near cusps
Schneider, P., Weiss, A. **260**, 1
2319+272: a flat spectrum quasar viewed through the cluster Abell 2584
Stickel, M., Kühr, H. **264**, 68
Gravitational optical scintillation and anisotropy of the cosmic microwave background
Long Long Feng, Jian Min Liu **264**, 385
Two theorems in multiple deflection gravitational lens theory
Seitz, S., Schneider, P. **265**, 1
Gravitationally lensed arcs in two X-ray selected clusters of galaxies at $z=0.426$ and $z=0.583$
Luppino, G.A., Gioia, I.M. **265**, L9
The system of arcs in the cluster of galaxies Abell 2218: photometry, spectroscopy and geometry
Pelló, R., Le Borgne, J.F., Sanahuja, B., Mathez, G., Fort, B. **266**, 6
Intrinsic variability or micro-lensing in AO 0235+164?
Saust, A.B. **266**, 101

(Cosmology:) large-scale structure of Universe

Analysis of the kinematical behaviour of the near universe: large-scale structure predicted by the observational data
Martín-Mirones, J.M., Goicoechea, L.J. **253**, 3
The candidates for the Great Attractor and the fluctuations in the microwave background radiation
Goicoechea, L.J., Martín-Mirones, J.M. **254**, 1
Anisotropies of the cosmic background radiation and characteristic scale of a cellular-fractal universe
Fabbri, R., Ruffini, R. **254**, 7
Galaxy correlations, matter correlations and biasing
Bernardeau, F., Schaeffer, R. **255**, 1
Detecting non-Hubble velocity fields in the universe
Rauzy, S., Lachièze-Rey, M., Henriksen, R.N. **256**, 1
Characteristic scales in the distribution of QSO absorption line systems
Mo, H.J., Xia, X.Y., Deng, Z.G., Börner, G., Fang, L.Z. **256**, L23
A Westerbork search for high redshift H I
Wieringa, M.H., de Bruyn, A.G., Katgert, P. **256**, 331
Typical scales in the distribution of galaxies and clusters of galaxies from unnormalized pair counts
Mo, H.J., Deng, Z.G., Xia, X.Y., Schiller, P., Börner, G. **257**, 1
Peculiar velocities in the A 262 cluster
Gavazzi, G., Scodeggio, M., Boselli, A., Trinchieri, G. **258**, 265
Statistical properties of the sky distribution of extragalactic infrared sources: source-number fluctuations and density peaks
Fabbri, R. **259**, 1
Discovery of intermediate redshift galaxy clusters in the ROSAT NEP field
Burg, R., Giacconi, R., Huchra, J., MacKenty, J., McLean, B., Geller, M., Hasinger, G., Marzke, R., Schmidt, M., Trümper, J. **259**, L9
A large-scale structure model for gravitational lensing
Bartelmann, M., Schneider, P. **259**, 413
The spatial distribution of nearby galaxy clusters in the northern and southern galactic hemispheres
Cappi, A., Maurogordato, S. **259**, 423
A new method to test the model of the universe
Liebscher, D.-E., Priester, W., Hoell, J. **261**, 377
X-ray clusters in open universes
Oukbir, J., Blanchard, A. **262**, L21
Multifractal analysis of a cold dark matter universe
Colombi, S., Bouchet, F.R., Schaeffer, R. **263**, 1
The huge objects revealed by the distribution of the absorption redshifts of QSOs: are they the great attractors?
Yong-zhen Liu, Yin Liu **264**, L17
An alternative model for the Lyα absorption forest
Bi, H.G., Börner, G., Chu, Y. **266**, 1
H I-observations of galaxies in the zone of avoidance in Puppis
Kraan-Korteweg, R.C., Huchtmeier, W.K. **266**, 150

Cosmology: miscellaneous

Inversion of the amplification bias and the number excess of foreground galaxies around high-redshift QSOs
Schneider, P. **254**, 14
Detecting non-Hubble velocity fields in the universe
Rauzy, S., Lachièze-Rey, M., Henriksen, R.N. **256**, 1
A new age–metallicity relation for Galactic globular clusters in the α-enhanced scenario: cosmological implications
Catelan, M., de Freitas Pacheco, J.A. **258**, L5
Statistical properties of the sky distribution of extragalactic infrared sources: source-number fluctuations and density peaks
Fabbri, R. **259**, 1
A survey of very low redshift Mg II absorption systems in quasar spectra
Boissé, P., Boulade, O., Kunth, D., Tytler, D., Vigroux, L. **262**, 401
Truncated photoionized autogravitating clouds at high redshift
Petitjean, P., Bergeron, J., Puget, J.L. **265**, 375

Cosmology: observations

Luminosity evolution of disc galaxies
Arimoto, N., Yoshii, Y., Takahara, F. **253**, 21
A Westerbork search for high redshift H I
Wieringa, M.H., de Bruyn, A.G., Katgert, P. **256**, 331
A new straight arc detected in a cluster of galaxies at $z=0.423$
Mathez, G., Fort, B., Mellier, Y., Picat, J.-P., Soucail, G. **256**, 343
The unification of radio galaxies and quasars and their linear size evolution
Gopal-Krishna, Kulkarni, V.K. **257**, 11
Galaxy counts at ultraviolet wavelengths (2000 Å)
Milliard, B., Donas, J., Laget, M., Armand, C., Vuillemin, A. **257**, 24

Discovery of z ~1 galaxies causing quasar absorption lines
Bergeron, J., Cristiani, S., Shaver, P.A. **257**, 417
Gravitational microlensing: powerful combination of ray-shooting and parametric representation of caustics
Wambsganss, J., Witt, H.J., Schneider, P. **258**, 591
A luminosity variation detected in a new pair of arclets in a cluster of galaxies at $z=0.424$
Giraud, E. **259**, L49
Investigations of the Local Supercluster velocity field. I. Observations close to Virgo, using Tully-Fisher distances and the Tolman-Bondi expanding sphere
Teerikorpi, P., Bottinelli, L., Gouguenheim, L., Paturel, G. **260**, 17
A new method to test the model of the universe
Liebscher, D.-E., Priester, W., Hoell, J. **261**, 377
Molecules at early epochs. VI. A search for molecular hydrogen in the $z=3.391$ damped Lyman alpha system toward Q0000-263
Levshakov, S.A., Chaffee, F.H., Foltz, C.B., Black, J.H. **262**, 385
The contribution of star-forming galaxies to the X-ray background
Treyer, M.A., Mouchet, M., Blanchard, A., Silk, J. **264**, 11
Observations of radio lines from unresolved sources: telescope coupling, Doppler effects, and cosmological corrections
Gordon, M.A., Baars, J.W.M., Cocke, W.J. **264**, 337
New evidence for subclustering in the Coma cluster using the wavelet analysis
Escalera, E., Slezak, E., Mazure, A. **264**, 379
An alternative model for the Lyα absorption forest
Bi, H.G., Börner, G., Chu, Y. **266**, 1

Cosmology: theory

Effects of Wesson's 5D-STM theory of gravity on the 4D Universe model
Fukui, T. **253**, 1
The candidates for the Great Attractor and the fluctuations in the microwave background radiation
Goicoechea, L.J., Martín-Mirones, J.M. **254**, 1
Anisotropies of the cosmic background radiation and characteristic scale of a cellular-fractal universe
Fabbri, R., Ruffini, R. **254**, 7
Galaxy correlations, matter correlations and biasing
Bernardeau, F., Schaeffer, R. **255**, 1
Numerical simulation for cosmological fluid flows
Ducloux, E., Léorat, J., Gerbal, D., Alecian, G. **257**, 425
System of self-gravitating semidegenerate fermions with a cutoff of energy and angular momentum in their distribution function
Ingrosso, G., Merafina, M., Ruffini, R., Strafella, F. **258**, 223
On the problem of isotropization of cosmic microwave background radiation
Gurzadyan, V.G., Kocharyan, A.A. **260**, 14
Astrophysical implications of a solution in Kaluza-Klein gravity
Wesson, P.S., Lim, P. **261**, 373
Solutions in Newtonian cosmology: the pancake theory with cosmological constant
Bildhauer, S., Buchert, T., Kasai, M. **263**, 23
The contribution of star-forming galaxies to the X-ray background
Treyer, M.A., Mouchet, M., Blanchard, A., Silk, J. **264**, 11
The origin of the galaxy luminosity function and the thermal evolution of the intergalactic medium
Blanchard, A., Valls-Gabaud, D., Mamon, G.A. **264**, 365
Gravitational optical scintillation and anisotropy of the cosmic microwave background
Long Long Feng, Jian Min Liu **264**, 385
Gravitational instability in a coasting universe
Lemons, D.S., Peter, W. **265**, 373

Dense matter

Flux-limited neutrino diffusion versus Monte Carlo neutrino transport
Janka, H.-T. **256**, 452
Radial oscillations of neutron stars and strange stars
Väth, H.M., Chanmugam, G. **260**, 250
Non-equilibrium neutrino emissivities and opacities of neutron star matter
Haensel, P. **262**, 131
Fermion angular distribution and maximum entropy Eddington factors
Janka, H.-T., Dgani, R., van den Horn, L.J. **265**, 345

Diffusion

Effect of horizontal turbulent diffusion on transport by meridional circulation
Chaboyer, B., Zahn, J.-P. **253**, 173
Numerical experiments on the effects of horizontal turbulent diffusion on transport by meridional circulation
Charbonneau, P. **259**, 134
Magnetic diffusion in clumpy molecular clouds
Elmegreen, B.G., Combes, F. **259**, 232
Stratification of chemical elements in the atmosphere of the Ap star 53 Camelopardalis
Babel, J., Lanz, T. **263**, 232
The influence of Alfvénic cross and magnetic helicity on the phase space distribution of charged particles. I. The spatial convection term of the anisotropy
Dung, R. **263**, 433
Helium enrichment in massive early type stars
Langer, N. **265**, L17

Earth

Heliosphere instrument for spectra, composition and anisotropy at low energies
Lanzerotti, L.J., Gold, R.E., Anderson, K.A., Armstrong, T.P., Lin, R.P., Krimigis, S.M., Pick, M., Roelof, E.C., Sarris, E.T., Simnett, G.M., Frain, W.E. **255**, 500; **92**, *349*
A method for characterizing transient ionospheric disturbances using a large radiotelescope array
Jacobson, A.R., Erickson, W.C. **257**, 401
Tycho background determination and monitoring
Wicenec, A., Bässgen, G. **258**, 206
The subseismic approximation for low-frequency modes of the Earth applied to low-degree, low-frequency g-modes of non-rotating stars
De Boeck, I., Van Hoolst, T., Smeyers, P. **259**, 167
The total solar eclipse of A.D. 1221 and the rotation of the Earth
Stephenson, F.R., Yau, K.K.C. **260**, 485
Expected accuracy of the 1900–1990 Earth orientation parameters in the Hipparcos reference frame
Vondrák, J., Feissel, M., Essaïfi, N. **262**, 329
Influx of interplanetary bodies onto Earth
Ceplecha, Z. **263**, 361

Theoretical amplitudes and phases of the periodic polar motion terms caused by ocean tides
Wünsch, J., Seiler, U. **266**, 581
Improved observations of periodic UT1 variations caused by ocean tides
Wünsch, J., Bußhoff, J. **266**, 588

Eclipses

A catalogue of the observations of the mutual phenomena of the Galilean satellites of Jupiter made in 1985 during the PHEMU85 campaign
Arlot, J.E., Thuillot, W., Barroso Jr., J., Bergeal, L., Blanco, C., Boninsegna, R., Bouchet, P., Bourgeois, J., Briot, D., Bulder, H., Burchi, R., Cano, J.A., Colas, F., D'Ambrosio, V., Di Paolantonio, A., Dourneau, G., Dumont, M., Ferrand, S., Figer, A., Francou, G., Froeschlé, M., Gomez-Forrellad, J.M., Gouiffes, C., Helmer, G., Jablonsky, F.J., Laques, P., Le Campion, J.F., Lecacheux, J., Lecontel, J.M., Manfroid, J., Meyer, C., Morando, B., Quast, G.R., Rémis, J., Renaudineau, J., Rouan, D., Ruatti, C., Sareyan, J.P., Schmieder, F.X., Sèvre, F., Souchay, J., Valtier, J.C., Vu, D.T., Wahiche, J.D. **255**, 497; ***92**, 151*
Structural changes in the solar corona during the July 1991 eclipse
Zirker, J.B., Koutchmy, S., Nitschelm, C., Stellmacher, G., Zimmermann, J.P., Martinez, P., Kim, I., Dzubenko, N., Kurochka, L., Makarov, V., Fatianov, M., Rusin, V., Klocok, L., Matsuura, O.T. **258**, L1
The total solar eclipse of A.D. 1221 and the rotation of the Earth
Stephenson, F.R., Yau, K.K.C. **260**, 485
The solar F-corona: calculations of the optical and infrared brightness of circumsolar dust
Mann, I. **261**, 329
Observations of mutual phenomena of the Galilean satellites of Jupiter made at the Observatoire de la Côte d'Azur
Froeschlé, M., Meyer, C., Mignard, F. **262**, 308
Observations of Galilean satellites at 2.2 μm
Souchay, J., Hiromoto, N., Takami, T., Nakamura, T., Descamps, P., Aruga, T. **264**, 314
Eclipses of Iapetus in 1993
Sôma, M. **265**, L21
First CCD observations of mutual phenomena of the Galilean satellites
Le Campion, J.-F., Montignac, G., Chauvet, F., Colin, J., Desbats, J.M., Dourneau, G., Rapaport, M. **266**, 568
Coronal photometry and analysis of the eclipse corona of July 22, 1990
Koutchmy, S., Altrock, R.C., Darvann, T.A., Dzubenko, N.I., Henry, T.W., Kim, I., Koutchmy, O., Martinez, P., Nitschelm, C., Rubo, G.A., Vial, J.C. **266**, 641; ***96**, 169*

Elementary particles

The ionization of the diffuse gas in NGC 891 and the decaying dark matter theory
Dettmar, R.-J., Schulz, H. **254**, L25
Resonance transitions to inert neutrinos in supernovae
Peltoniemi, J.T. **254**, 121
RR Lyrae variables in dwarf galaxies
Finzi, A. **255**, 115
Cosmological γ-rays from the decay of fourth family neutrinos: possibility and constraints
Cline, D.B., Gao, Y.T. **256**, 351
Relativistic neutrons in active galactic nuclei. I. Energy transport from the core
Atoyan, A.M. **257**, 465
System of self-gravitating semidegenerate fermions with a cutoff of energy and angular momentum in their distribution function
Ingrosso, G., Merafina, M., Ruffini, R., Strafella, F. **258**, 223
Neutrinos from flat-spectrum radio quasars
Mannheim, K., Stanev, T., Biermann, P.L. **260**, L1
Non-standard neutrino interactions and the evolution of red giants
Raffelt, G., Weiss, A. **264**, 536
Fermion angular distribution and maximum entropy Eddington factors
Janka, H.-T., Dgani, R., van den Horn, L.J. **265**, 345

Ephemerides

On the ephemerides of Uranus
Brunini, A. **255**, 401
Ephemerides of the 48 Hipparcos minor planets for the year 1992
Bec-Borsenberger, A. **257**, 844; ***93**, 11*
Comparison of a 7000-year lunar ephemeris with analytical theory
Moshier, S.L. **262**, 613
Corrections to right ascension and declination for the planet Saturn for observations performed with the San Fernando and Paris astrolabes (1970–1978) (*Text in French*)
Sanchez, M., Débarbat, S. **266**, 633; ***95**, 371*

Errata, addenda

Erratum: The post-AGB evolution of low-mass stars
Alcolea, J., Bujarrabal, V. **253**, 333
Erratum: Dynamic tides in stars as forced isentropic oscillations and their effects on free oscillations
Polfliet, R., Smeyers, P. **255**, 495
Erratum: Jupiter's atmospheric parameters derived from spectroscopic observations in the red region during the 1988 opposition
Moreno, F., Molina, A. **256**, 321
Erratum: Instability and clumping in SN 1987 A
Müller, E., Fryxell, B., Arnett, D. **256**, 322
Erratum: The evolution of carbon stars in the Magellanic Clouds
Westerlund, B.E., Azzopardi, M., Breysacher, J., Rebeirot, E. **256**, 326; ***92**, 683*
Erratum: Plasma flow inside comet P/Halley
Formisano, V., Amata, E., Cattaneo, M.B., Torrente, P., Johnstone, A., Coates, A., Wilken, B., Jockers, K., Borg, H. **256**, 723
Erratum: **(RN)** Electron collisional rates for atomic hydrogen, revisited
Chang, E.S., Avrett, E.H., Loeser, R. **256**, 724
Erratum: The interstellar lines catalogue
Garcia, B. **257**, 412; ***92**, 885*
Erratum: Magnetic fields and interstellar gas clouds in the spiral galaxy NGC 6946
Beck, R. **258**, 605
Erratum: The magnetic field structure in the radio halos of NGC 891 and NGC 4631
Hummel, E., Beck, R., Dahlem, M. **258**, 605
Erratum: Investigation of the Pleiades cluster. I. Radial velocities of corona stars
Rosvick, J.M., Mermilliod, J.-C., Mayor, M. **259**, 720

Erratum: Iron Kα line from X-ray illuminated relativistic disks
Matt, G., Perola, G.C., Piro, L., Stella, L. **263**, 453
Erratum: Photometry of the LMC H II region N 159A and of its stellar content. I. Stellar observations and reductions
Deharveng, L., Caplan, J., Lombard, J. **266**, 000; **95**, *601*

Galaxies: abundances

The metal-poor H II galaxy SBS 0335-052 and the primordial helium abundance
Melnick, J., Heydari-Malayeri, M., Leisy, P. **253**, 16
Emission line galaxies in the Bootes void
Peimbert, M., Torres-Peimbert, S. **253**, 349
On the analysis of collision strengths and rate coefficients
Burgess, A., Tully, J.A. **254**, 436
Genesis of a dwarf galaxy from the debris of the Antennae
Mirabel, I.F., Dottori, H., Lutz, D. **256**, L19
Mg_2 line-strength profiles of elliptical galaxies with kinematically decoupled cores
Bender, R., Surma, P. **258**, 250
Properties of fast winds in hot stars in the Magellanic Clouds
Patriarchi, P., Perinotto, M. **258**, 285
Synthetic Mg_1, Mg_2 and Mgb indices: relative intensities of molecular bands as a function of stellar parameters
Barbuy, B., Erdelyi-Mendes, M., Milone, A. **259**, 722; **93**, *235*
The evolution of nitrogen and oxygen abundances in dwarf irregular galaxies
Pilyugin, L.S. **260**, 58
Ages and metallicities of M 31 star clusters
Jablonka, P., Alloin, D., Bica, E. **260**, 97
Super metal-rich clusters G 158 and G 177 in M 31: clues on the inner bulge/disc transition
Bica, E., Jablonka, P., Santos Jr., J.F.C., Alloin, D., Dottori, H. **260**, 109
On abundance gradients in spiral galaxies
Götz, M., Köppen, J. **262**, 455
A molecular line survey of the merger NGC 3256
Casoli, F., Dupraz, C., Combes, F. **264**, 49
The case of missing ^{13}CO in mergers
Casoli, F., Dupraz, C., Combes, F. **264**, 55
Stellar yields as a function of initial metallicity and mass limit for black hole formation
Maeder, A. **264**, 105
Medium resolution spectroscopy of field stars in the SMC and the LMC
Thévenin, F., Jasniewicz, G. **266**, 85
ESO 138 G1: a high excitation Seyfert 2 nucleus in a low luminosity early-type galaxy
Alloin, D., Bica, E., Bonatto, C., Prugniel, P. **266**, 117

Galaxies: active

Models of self-gravitating accretion disks
Bodo, G., Curir, A. **253**, 318
ROSAT active galactic nuclei identified on objective prism plates
Bade, N., Engels, D., Fink, H.H., Hagen, H.-J., Reimers, D., Voges, W., Wisotzki, L. **254**, L21
NTT discovery of a radio-quiet giant elliptical galaxy with $z = 1.013$ in the neighbourhood of the quasar 3C 245
Le Fèvre, O., Hammer, F. **254**, L29
A possible explanation for intraday variability in active galactic nuclei. Magnetic reconnection and coherent plasma emission
Lesch, H., Pohl, M. **254**, 29
A powerful, ultra-steep spectrum radio galaxy having an extremely low-excitation emission line spectrum
Gopal-Krishna, Giraud, E., Melnick, J., Steppe, H. **254**, 42
Carbon monoxide in active galaxies
Chini, R., Krügel, E., Steppe, H. **255**, 87
The stability of current-carrying jets
Appl, S., Camenzind, M. **256**, 354
Variability pattern from X-ray to IR wavelengths in the active nucleus of NGC 1566
Baribaud, T., Alloin, D., Glass, I., Pelat, D. **256**, 375
High time resolution monitoring at 2.2 μm of the Seyfert 1 galaxy NGC 4051
Hunt, L.K., Mannucci, F., Salvati, M., Stanga, R.M. **257**, 434
Supervised selection of galaxy candidates from the IRAS PSC: the quality of the selection and the infrared properties of the galaxy candidates
Boller, T., Meurs, E.J.A., Adorf, H.-M. **259**, 101
Swinging jets and the variability of active galactic nuclei
Gopal-Krishna, Wiita, P.J. **259**, 109
The evolution of the sub-parsec structure of 3C 84 at 43 GHz
Krichbaum, T.P., Witzel, A., Graham, D.A., Alef, W., Paulini-Toth, I.I.K., Hummel, C.A., Quirrenbach, A., Inoue, M., Hirabayashi, H., Morimoto, M., Rogers, A.E.E., Zensus, J.A., Lawrence, C.R., Readhead, A.C.S., Booth, R.S., Rönnäng, B.O., Kus, A.J., Johnston, K.J., Spencer, J.H., Burke, B.F., Dhawan, V., Bartel, N., Shapiro, I.I., Alberdi, A., Marcaide, J.M. **260**, 33
Extranuclear high-excitation gas in the starburst galaxy NGC 2782
Boer, B., Schulz, H., Keel, W.C. **260**, 67
ROSAT All Sky Survey observations of IRAS galaxies
Boller, T., Meurs, E.J.A., Brinkmann, W., Fink, H.H., Zimmermann, U., Adorf, H.-M. **261**, 57
The spectroscopic analysis of emission line galaxies identified from an objective prism survey
Winkler, H., Stirpe, G.M., Sekiguchi, K. **262**, 383; **94**, *103*
The structure of the hot spots in 3C 295
Taylor, G.B., Perley, R.A. **262**, 417
HEXE observations of active galactic nuclei: constraints on pairs and Compton reflection
Maisack, M., Kendziorra, E., Mony, B., Staubert, R., Doebereiner, S., Englhauser, J., Pietsch, W., Reppin, C., Trümper, J., Efremov, V., Kaniovsky, S., Kusnetzov, A., Sunyaev, R. **262**, 433
Models and observations of starbursts. I. Methods of evolutionary models and the starburst in M 82
Bernlöhr, K. **263**, 54
Statistical properties of AGN emission lines in relation to the accretion disc model
Dumont, A.M., Joly, M. **263**, 75
Magnetized thin accretion disks in active galactic nuclei. A quantitative analysis of field topologies and their dynamic importance
Khanna, R., Camenzind, M. **263**, 401
Absorption line variability in Markarian 231
Kollatschny, W., Dietrich, M., Hagen, H. **264**, L5
SIGMA observations of the Virgo cluster
Lebrun, F., Ballet, J., Paul, J., Laurent, P., Jourdain, E., Bassani, L., Roques, J.-P., Mandrou, P., Finogenov, A., Sunyaev, R., Churazov, E., Gilfanov, M., Khavenson, N., Kovtunenko, V., Kremnev, R., Sukhanov, K. **264**, 22
Anomalous rotation measures of the radio galaxy 3C 194
Taylor, G.B., Inoue, M., Tabara, H. **264**, 415

Anomalous rotation measures of the compact steep spectrum source 3C 318
Taylor, G.B., Inoue, M., Tabara, H. **264**, 421
Related stellar, ionized gas and radio properties of the elliptical galaxies NGC 4782/4783 = 3C 278. Velocity mapping of interacting galaxies
Madejsky, R. **265**, 478
Seeing and aperture effects on [O III]-based flux calibration of AGN spectra. NGC 3516: a case study
Wanders, I., Peterson, B.M., Pogge, R.W., DeRobertis, M.M., van Groningen, E. **266**, 72
A magnetic flare model for X-ray variability in AGN
de Vries, M., Kuijpers, J. **266**, 77
Intrinsic variability or micro-lensing in AO 0235+164?
Saust, A.B. **266**, 101
ESO 138 G1: a high excitation Seyfert 2 nucleus in a low luminosity early-type galaxy
Alloin, D., Bica, E., Bonatto, C., Prugniel, P. **266**, 117
The giant outflow cone in NGC 253
Schulz, H., Wegner, G. **266**, 167
Star formation efficiency in active galaxies
Chini, R., Krügel, E., Kreysa, E. **266**, 177
A finding list of extragalactic radio jets and statistical results
Liu, F.K., Xie, G.Z. **266**, 631; ***95***, *249*
X-ray observations of flat spectrum radio sources with the HEAO-A, Einstein and EXOSAT observatories
Biermann, P.L., Schaaf, R., Pietsch, W., Schmutzler, T., Witzel, A., Kühr, H. **266**, 643; ***96***, *339*
Warm IRAS sources. II. Optical spectroscopy of objects from the Point Source Catalog
de Grijp, M.H.K., Keel, W.C., Miley, G.K., Goudfrooij, P., Lub, J. **266**, 645; ***96***, *389*

(Galaxies:) BL Lacertae objects: general

A polarized accretion disk flare in OJ 287?
Sillanpää, A., Takalo, L.O., Nilsson, K., Kidger, M., de Diego, J.-A. **254**, L33
Five years monitoring of extragalactic radio sources. III. Generalized shock models and the dependence of variability on frequency
Valtaoja, E., Teräsranta, H., Urpo, S., Nesterov, N.S., Lainela, M., Valtonen, M. **254**, 71
Five years monitoring of extragalactic radio sources. IV. Variability statistics and unified models for AGN
Valtaoja, E., Teräsranta, H., Urpo, S., Nesterov, N.S., Lainela, M., Valtonen, M. **254**, 80
PKS 0537-441: an elusive case of a gravitationally lensed blazar
Falomo, R., Melnick, J., Tanzi, E.G. **255**, L17
The lighthouse effect of relativistic jets in blazars. A geometric origin of intraday variability
Camenzind, M., Krockenberger, M. **255**, 59
A statistical analysis of complete samples of BL Lacertae objects
Padovani, P. **256**, 399
Coordinated visible and infrared monitoring of rapid variations of Markarian 501-first results with FOVIA
Kidger, M.R., Diego, J.A. **257**, 844; ***93***, *1*
Swinging jets and the variability of active galactic nuclei
Gopal-Krishna, Wiita, P.J. **259**, 109
Visible and near-infrared monitoring of 3C 279 in 1988–89
Kidger, M., García Lario, P., de Diego, J.A. **260**, 556; ***93***, *391*
Images of the BL Lacertae object 1749+701 at 5 GHz
Bååth, L.B., Zhang, F.J. **262**, 1
Simultaneous *UBVRI* photopolarimetric observations of blazars. II
Takalo, L.O., Sillanpää, A., Nilsson, K., Kidger, M., de Diego, J.A., Piirola, V. **262**, 382; ***94***, *37*
Ten years monitoring of extragalactic radio sources at 22, 37 and 87 GHz
Teräsranta, H., Tornikoski, M., Valtaoja, E., Urpo, S., Nesterov, N., Lainela, M., Kotilainen, J., Wiren, S., Laine, S., Nilsson, K., Valtonen, M. **262**, 384; ***94***, *121*
A new analysis of the 11-year period in OJ 287: confirmation of its existence
Kidger, M., Takalo, L., Sillanpää, A. **264**, 32
2319+272: a flat spectrum quasar viewed through the cluster Abell 2584
Stickel, M., Kühr, H. **264**, 68
Intrinsic variability or micro-lensing in AO 0235+164?
Saust, A.B. **266**, 101
A northern 2 Jy sample of compact extragalactic radio sources suitable for millimeter and space VLBI observations
Valtaoja, E., Lähteenmäki, A., Teräsranta, H. **266**, 629; ***95***, *73*
A finding list of extragalactic radio jets and statistical results
Liu, F.K., Xie, G.Z. **266**, 631; ***95***, *249*
Optical astrometry of Benchmark radio sources. I
Costa, E., Loyola, P. **266**, 641; ***96***, *183*

(Galaxies:) BL Lacertae objects: individual . . .

AO 0235+164

Intrinsic variability or micro-lensing in AO 0235+164?
Saust, A.B. **266**, 101

Mkn 501

Rapid variations and a large infrared antiflare in the light curve of Markarian 501
Kidger, M., Takalo, L., de Diego, J.A. **254**, 65
Coordinated visible and infrared monitoring of rapid variations of Markarian 501-first results with FOVIA
Kidger, M.R., Diego, J.A. **257**, 844; ***93***, *1*

OJ 287

A polarized accretion disk flare in OJ 287?
Sillanpää, A., Takalo, L.O., Nilsson, K., Kidger, M., de Diego, J.-A. **254**, L33
A new analysis of the 11-year period in OJ 287: confirmation of its existence
Kidger, M., Takalo, L., Sillanpää, A. **264**, 32

PKS 0537-441

PKS 0537-441: an elusive case of a gravitationally lensed blazar
Falomo, R., Melnick, J., Tanzi, E.G. **255**, L17

1749+701

Images of the BL Lacertae object 1749+701 at 5 GHz
Baath, L.B., Zhang, F.J. **262**, 1

3C 279

Visible and near-infrared monitoring of 3C 279 in 1988–89
Kidger, M., García Lario, P., de Diego, J.A. **260**, 556; ***93***, *391*

Galaxies: clustering

Analysis of the kinematical behaviour of the near universe: large-scale structure predicted by the observational data
Martín-Mirones, J.M., Goicoechea, L.J. **253**, 3

A search for a quantitative comparison of galaxy clustering algorithms
Garcia, A.M., Morenas, V., Paturel, G. **253**, 74
Physical and dynamical properties of two clusters of galaxies derived from X-ray data
Gerbal, D., Durret, F., Lima-Neto, G., Lachièze-Rey, M. **253**, 77
Emission line galaxies in the Bootes void
Peimbert, M., Torres-Peimbert, S. **253**, 349
The candidates for the Great Attractor and the fluctuations in the microwave background radiation
Goicoechea, L.J., Martín-Mirones, J.M. **254**, 1
A search for excess galaxies around distant flat-spectrum radio quasars
Fried, J.W. **254**, 39
Some constraints on the origin of the iron enriched intra-cluster medium
Arnaud, M., Rothenflug, R., Boulade, O., Vigroux, L., Vangioni-Flam, E. **254**, 49
Galaxy correlations, matter correlations and biasing
Bernardeau, F., Schaeffer, R. **255**, 1
Groups of galaxies within 80 Mpc. I. Grouping hierarchical method and statistical properties
Gourgoulhon, E., Chamaraux, P., Fouqué, P. **255**, 69
The structure of the intracluster medium of the Perseus cluster
Schwarz, R.A., Edge, A.C., Voges, W., Böhringer, H., Ebeling, H., Briel, U.G. **256**, L11
A new straight arc detected in a cluster of galaxies at $z=0.423$
Mathez, G., Fort, B., Mellier, Y., Picat, J.-P., Soucail, G. **256**, 343
Typical scales in the distribution of galaxies and clusters of galaxies from unnormalized pair counts
Mo, H.J., Deng, Z.G., Xia, X.Y., Schiller, P., Börner, G. **257**, 1
Morphology of faint blue galaxies
Giraud, E. **257**, 501
The cluster of galaxies Abell 151
Proust, D., Quintana, H., Mazure, A., da Souza, R., Escalera, E., Sodré Jr., L., Capelato, H.V. **258**, 243
Peculiar velocities in the A 262 cluster
Gavazzi, G., Scodeggio, M., Boselli, A., Trinchieri, G. **258**, 265
Discovery of intermediate redshift galaxy clusters in the ROSAT NEP field
Burg, R., Giacconi, R., Huchra, J., MacKenty, J., McLean, B., Geller, M., Hasinger, G., Marzke, R., Schmidt, M., Trümper, J. **259**, L9
Observation of the Coma cluster of galaxies with ROSAT during the All-Sky Survey
Briel, U.G., Henry, J.P., Böhringer, H. **259**, L31
The spatial distribution of nearby galaxy clusters in the northern and southern galactic hemispheres
Cappi, A., Maurogordato, S. **259**, 423
Groups of galaxies within 80 Mpc. II. The catalogue of groups and group members
Fouqué, P., Gourgoulhon, E., Chamaraux, P., Paturel, G. **259**, 722; ***93***, *211*
Investigations of the Local Supercluster velocity field. I. Observations close to Virgo, using Tully-Fisher distances and the Tolman-Bondi expanding sphere
Teerikorpi, P., Bottinelli, L., Gouguenheim, L., Paturel, G. **260**, 17
Hα velocity fields and rotation curves of galaxies in clusters
Amram, P., Le Coarer, E., Marcelin, M., Balkowski, C., Sullivan III, W.T., Cayatte, V. **262**, 384; ***94***, *175*
Analysis of X-ray galaxy clusters in the framework of modified Newtonian dynamics
Gerbal, D., Durret, F., Lachièze-Rey, M., Lima-Neto, G. **262**, 395
Multifractal analysis of a cold dark matter universe
Colombi, S., Bouchet, F.R., Schaeffer, R. **263**, 1
SIGMA observations of the Virgo cluster
Lebrun, F., Ballet, J., Paul, J., Laurent, P., Jourdain, E., Bassani, L., Roques, J.-P., Mandrou, P., Finogenov, A., Sunyaev, R., Churazov, E., Gilfanov, M., Khavenson, N., Kovtunenko, V., Kremnev, R., Sukhanov, K. **264**, 22
New evidence for subclustering in the Coma cluster using the wavelet analysis
Escalera, E., Slezak, E., Mazure, A. **264**, 379
Gravitational optical scintillation and anisotropy of the cosmic microwave background
Long Long Feng, Jian Min Liu **264**, 385
Multifrequency windows on spiral galaxies. II. The A262 and Cancer clusters
Scodeggio, M., Boselli, A., Gravazzi, G., Trinchieri, G., Garilli, B. **264**, 719; ***94***, *299*
Properties of nearby clusters of galaxies. I. A 195, A 465, A 1185, A 1213, A 1413, A 1775, A 2319 and A 2597
Trèvese, D., Flin, P., Migliori, L., Hickson, P., Pittella, G. **264**, 720; ***94***, *327*
Gravitationally lensed arcs in two X-ray selected clusters of galaxies at $z=0.426$ and $z=0.583$
Luppino, G.A., Gioia, I.M. **265**, L9
The system of arcs in the cluster of galaxies Abell 2218: photometry, spectroscopy and geometry
Pelló, R., Le Borgne, J.F., Sanahuja, B., Mathez, G., Fort, B. **266**, 6
H I-observations of galaxies in the zone of avoidance in Puppis
Kraan-Korteweg, R.C., Huchtmeier, W.K. **266**, 150
Samples of dumb-bell galaxies in southern rich clusters
Gregorini, L., Vettolani, G., de Ruiter, H.R., Parma, P. **266**, 628; ***95***, *1*
Photometric and spectroscopic survey of the cluster of galaxies Abell 2218
Le Borgne, J.F., Pelló, R., Sanahuja, B. **266**, 629; ***95***, *87*

Galaxies: compact

The metal-poor H II galaxy SBS 0335-052 and the primordial helium abundance
Melnick, J., Heydari-Malayeri, M., Leisy, P. **253**, 16
The evolution of nitrogen and oxygen abundances in dwarf irregular galaxies
Pilyugin, L.S. **260**, 58
Star formation and molecular clouds in blue compact galaxies
Sage, L.J., Salzer, J.J., Loose, H.-H., Henkel, C. **265**, 19

Galaxies: distances and redshifts

HS 1946+7658: the most luminous QSO so far
Hagen, H.-J., Cordis, L., Engels, D., Groote, D., Haug, U., Heber, U., Köhler, T., Wiskotzki, L., Reimers, D. **253**, L5
Q 1208+1011: the most distant multiply imaged quasar, or a binary?
Magain, P., Surdej, J., Vanderriest, C., Pirenne, B., Hutsemékers, D. **253**, L13

The use of velocity dispersion in globular clusters as a distance indicator
Paturel, G., Garnier, R. **254**, 93
Detecting non-Hubble velocity fields in the universe
Rauzy, S., Lachièze-Rey, M., Henriksen, R.N. **256**, 1
A new straight arc detected in a cluster of galaxies at $z=0.423$
Mathez, G., Fort, B., Mellier, Y., Picat, J.-P., Soucail, G. **256**, 343
The distance to NGC 5253 and the absolute magnitude at maximum of SN 1972 E
Della Valle, M., Melnick, J. **257**, L1
Observational data for the kinematics of the local universe. I. Radial velocity measurements
Bottinelli, L., Durand, N., Fouqué, P., Garnier, R., Gouguenheim, L., Paturel, G., Teerikorpi, P. **257**, 846; **93**, *173*
The cluster of galaxies Abell 151
Proust, D., Quintana, H., Mazure, A., da Souza, R., Escalera, E., Sodré Jr., L., Capelato, H.V. **258**, 243
Peculiar velocities in the A 262 cluster
Gavazzi, G., Scodeggio, M., Boselli, A., Trinchieri, G. **258**, 265
Investigations of the Local Supercluster velocity field. I. Observations close to Virgo, using Tully-Fisher distances and the Tolman-Bondi expanding sphere
Teerikorpi, P., Bottinelli, L., Gouguenheim, L., Paturel, G. **260**, 17
The spectroscopic analysis of emission line galaxies identified from an objective prism survey
Winkler, H., Stirpe, G.M., Sekiguchi, K. **262**, 383; **94**, *103*
The Hubble constant free from local velocity effects
Duemmler, R. **264**, 1
The huge objects revealed by the distribution of the absorption redshifts of QSOs: are they the great attractors?
Yong-zhen Liu, Yin Liu **264**, L17
The globular cluster system of NGC 1404
Richtler, T., Grebel, E.K., Domgörgen, H., Hilker, M., Kissler, M. **264**, 25
Observations of radio lines from unresolved sources: telescope coupling, Doppler effects, and cosmological corrections
Gordon, M.A., Baars, J.W.M., Cocke, W.J. **264**, 337
A catalogue of absolute fluxes and distances of planetary nebulae
Cahn, J.H., Kaler, J.B., Stanghellini, L. **264**, 721; **94**, *399*
The system of arcs in the cluster of galaxies Abell 2218: photometry, spectroscopy and geometry
Pelló, R., Le Borgne, J.F., Sanahuja, B., Mathez, G., Fort, B. **266**, 6
H I-observations of galaxies in the zone of avoidance in Puppis
Kraan-Korteweg, R.C., Huchtmeier, W.K. **266**, 150
The brightest blue and red stars in the galaxy M 81
Georgiev, T.B., Bilkina, B.I., Tikhonov, N.A. **266**, 637; **95**, *581*
Warm IRAS sources. II. Optical spectroscopy of objects from the Point Source Catalog
de Grijp, M.H.K., Keel, W.C., Miley, G.K., Goudfrooij, P., Lub, J. **266**, 645; **96**, *389*
New H I observations for some edge-on spiral galaxies
Garcia, A.M., Bottinelli, L., Garnier, R., Gouguenheim, L., Paturel, G. **266**, 645; **96**, *435*

Galaxies: elliptical and lenticular, cD

Modelling the stellar intensity and radial velocity fields in triaxial galaxies by sums of Gaussian functions
Monnet, G., Bacon, R., Emsellem, E. **253**, 366
The minor-axis dust-lane elliptical NGC 1947
Bertola, F., Galletta, G., Zeilinger, W.W. **254**, 89
Star formation histories of galaxies from their stellar luminosity functions
Mighell, K.J., Butcher, H.R. **255**, 26
Optical and radio morphology of elliptical dust-lane galaxies. Comparison between CCD images and VLA maps
Möllenhoff, C., Hummel, E., Bender, R. **255**, 35
RR Lyrae variables in dwarf galaxies
Finzi, A. **255**, 115
The origin of inner isophotal twists in elliptical galaxies
Nieto, J.-L., Bender, R., Poulain, P., Surma, P. **257**, 97
The molecular cloud content of early-type galaxies. III. A nuclear molecular ring in NGC 3593
Wiklind, T., Henkel, C. **257**, 437
The detection of the CO emission of the elliptical galaxy NGC 7176
Huchtmeier, W.K., Tammann, G.A. **257**, 455
Mg_2 line-strength profiles of elliptical galaxies with kinematically decoupled cores
Bender, R., Surma, P. **258**, 250
Dynamical friction between two elliptical galaxies
Prugniel, P., Combes, F. **259**, 25
Subsystems in early-type galaxies: the structure of NGC 6851
Toniazzo, T., Stiavelli, M., Zeilinger, W.W. **259**, 39
Secular evolution in elliptical galaxies
Pucacco, G. **259**, 473
On the possibility of cyclic phase changes in the interstellar medium of elliptical galaxies
Kritsuk, A.G. **261**, 78
The role played by rotation and random motions in elliptical galaxies
Busarello, G., Longo, G., Feoli, A. **262**, 52
The globular cluster system of NGC 1404
Richtler, T., Grebel, E.K., Domgörgen, H., Hilker, M., Kissler, M. **264**, 25
IRAS 10214+4724: an elliptical galaxy in formation?
Elbaz, D., Arnaud, M., Cassé, M., Mirabel, I.F., Prantzos, N., Vangioni-Flam, E. **265**, L29
Chemo-dynamical evolution of massive spherical galaxies
Theis, C., Burkert, A., Hensler, G. **265**, 465
Related stellar, ionized gas and radio properties of the elliptical galaxies NGC 4782/4783 = 3C 278. Velocity mapping of interacting galaxies
Madejsky, R. **265**, 478
ESO 138 G1: a high excitation Seyfert 2 nucleus in a low luminosity early-type galaxy
Alloin, D., Bica, E., Bonatto, C., Prugniel, P. **266**, 117
Multicolor surface photometry of brightest cluster galaxies
Andreon, S., Garilli, B., Maccagni, D., Gregorini, L., Vettolani, G. **266**, 127
Samples of dumb-bell galaxies in southern rich clusters
Gregorini, L., Vettolani, G., de Ruiter, H.R., Parma, P. **266**, 628; **95**, *1*
Isophotal shapes of early-type galaxies. II. The Perseus cluster
Poulain, P., Nieto, J.-L., Davoust, E. **266**, 630; **95**, *129*
CCD surface photometry for E and S0 galaxies in the Coma cluster
Jørgensen, I., Franx, M., Kjærgaard, P. **266**, 636; **95**, *489*
Dynamics of four E galaxies
Bettoni, D. **266**, 643; **96**, *333*

Galaxies: evolution

Luminosity evolution of disc galaxies
Arimoto, N., Yoshii, Y., Takahara, F. **253**, 21
Some constraints on the origin of the iron enriched intra-cluster medium
Arnaud, M., Rothenflug, R., Boulade, O., Vigroux, L., Vangioni-Flam, E. **254**, 49
The minor-axis dust-lane elliptical NGC 1947
Bertola, F., Galletta, G., Zeilinger, W.W. **254**, 89
Star formation histories of galaxies from their stellar luminosity functions
Mighell, K.J., Butcher, H.R. **255**, 26
Dark-to-luminous mass ratio in spiral galaxies
Jablonka, J., Arimoto, N. **255**, 63
The colour gradient in M 31: evidence for disc formation by biased infall?
Josey, S.A., Arimoto, N. **255**, 105
A model for the photometric evolution of disc galaxies from UV to far-IR
Mazzei, P., Xu, C., De Zotti, G. **256**, 45
The unification of radio galaxies and quasars and their linear size evolution
Gopal-Krishna, Kulkarni, V.K. **257**, 11
Galaxy counts at ultraviolet wavelengths (2000 Å)
Milliard, B., Donas, J., Laget, M., Armand, C., Vuillemin, A. **257**, 24
Discovery of $z \sim 1$ galaxies causing quasar absorption lines
Bergeron, J., Cristiani, S., Shaver, P.A. **257**, 417
Morphology of faint blue galaxies
Giraud, E. **257**, 501
Metallicity and gas mass fraction in irregulars and blue compact galaxies: the effect of dark matter
Kumai, Y., Tosa, M. **257**, 511
Mg_2 line-strength profiles of elliptical galaxies with kinematically decoupled cores
Bender, R., Surma, P. **258**, 250
The s-process in massive stars of variable composition
Baraffe, I., El Eid, M.F., Prantzos, N. **258**, 357
Dynamical friction between two elliptical galaxies
Prugniel, P., Combes, F. **259**, 25
Decreasing diameter of a molecular ring
Combes, F., Gerin, M., Nakai, N., Kawabe, R., Shaw, M.A. **259**, L27
Quantitative morphology of isolated E/S pairs of galaxies
Rampazzo, R., Sulentic, J.W. **259**, 43
Spectroscopic evolutionary synthesis of the emission lines He II λ4686 and C III λ4650 in Wolf-Rayet galaxies
Krüger, H., Fritze-v. Alvensleben, U., Fricke, K.J., Loose, H.-H. **259**, L73
Infrared properties of interacting IRAS galaxies
Lutz, D. **259**, 462
Secular evolution in elliptical galaxies
Pucacco, G. **259**, 473
The evolution of nitrogen and oxygen abundances in dwarf irregular galaxies
Pilyugin, L.S. **260**, 58
On the possibility of cyclic phase changes in the interstellar medium of elliptical galaxies
Kritsuk, A.G. **261**, 78
On abundance gradients in spiral galaxies
Götz, M., Köppen, J. **262**, 455
Evolutionary models for disk galaxies
Firmani, C., Tutukov, A. **264**, 37
A molecular line survey of the merger NGC 3256
Casoli, F., Dupraz, C., Combes, F. **264**, 49
The case of missing ^{13}CO in mergers
Casoli, F., Dupraz, C., Combes, F. **264**, 55
Numerical models of 3-D galactic dynamos
Panesar, J.S., Nelson, A.H. **264**, 77
Stellar yields as a function of initial metallicity and mass limit for black hole formation
Maeder, A. **264**, 105
IRAS 10214+4724: an elliptical galaxy in formation?
Elbaz, D., Arnaud, M., Cassé, M., Mirabel, I.F., Prantzos, N., Vangioni-Flam, E. **265**, L29
Chemo-dynamical evolution of massive spherical galaxies
Theis, C., Burkert, A., Hensler, G. **265**, 465
Multicolor surface photometry of brightest cluster galaxies
Andreon, S., Garilli, B., Maccagni, D., Gregorini, L., Vettolani, G. **266**, 127

Galaxies: formation

The colour gradient in M 31: evidence for disc formation by biased infall?
Josey, S.A., Arimoto, N. **255**, 105
A Westerbork search for high redshift H I
Wieringa, M.H., de Bruyn, A.G., Katgert, P. **256**, 331
Typical scales in the distribution of galaxies and clusters of galaxies from unnormalized pair counts
Mo, H.J., Deng, Z.G., Xia, X.Y., Schiller, P., Börner, G. **257**, 1
The origin of inner isophotal twists in elliptical galaxies
Nieto, J.-L., Bender, R., Poulain, P., Surma, P. **257**, 97
Optical identifications of faint ultra-steep spectrum radio sources
Wieringa, M.H., Katgert, P. **260**, 556; ***93**, 399*
Fourier analysis of structure in spiral galaxies
Puerari, I., Dottori, H.A. **260**, 557; ***93**, 469*
Detection of an intergalactic molecular complex?
Brouillet, N., Henkel, C., Baudry, A. **262**, L5
X-ray clusters in open universes
Oukbir, J., Blanchard, A. **262**, L21
Multifractal analysis of a cold dark matter universe
Colombi, S., Bouchet, F.R., Schaeffer, R. **263**, 1
Solutions in Newtonian cosmology: the pancake theory with cosmological constant
Bildhauer, S., Buchert, T., Kasai, M. **263**, 23
The origin of the galaxy luminosity function and the thermal evolution of the intergalactic medium
Blanchard, A., Valls-Gabaud, D., Mamon, G.A. **264**, 365
IRAS 10214+4724: an elliptical galaxy in formation?
Elbaz, D., Arnaud, M., Cassé, M., Mirabel, I.F., Prantzos, N., Vangioni-Flam, E. **265**, L29
Gravitational instability in a coasting universe
Lemons, D.S., Peter, W. **265**, 373
Chemo-dynamical evolution of massive spherical galaxies
Theis, C., Burkert, A., Hensler, G. **265**, 465

Galaxies: fundamental parameters (classification, colors, luminosities, masses, radii, etc.)

Luminosity evolution of disc galaxies
Arimoto, N., Yoshii, Y., Takahara, F. **253**, 21
Evolutionary synthesis of the radio and far-infrared emission in starbursts
Mas-Hesse, J.M. **253**, 49

The far-infrared properties of the CfA galaxy sample. I. The catalog
Thuan, T.X., Sauvage, M. **257**, 411; ***92***, *749*
Metallicity and gas mass fraction in irregulars and blue compact galaxies: the effect of dark matter
Kumai, Y., Tosa, M. **257**, 511
Quantitative morphology of isolated E/S pairs of galaxies
Rampazzo, R., Sulentic, J.W. **259**, 43
Axial ratios of edge-on spirals
Guthrie, B.N.G. **259**, 723; ***93***, *255*
Galaxy classification using pattern recognition methods
Burda, P., Feitzinger, J.V. **261**, 697
The visual appearance of the nuclei of ring-shaped galaxies as an alternative classification criterion
Faúndes-Abans, M., Hertling, G., Ramírez, A.C. **264**, 718; ***94***, *245*
Photometric and spectroscopic survey of the cluster of galaxies Abell 2218
Le Borgne, J.F., Pelló, R., Sanahuja, B. **266**, 629; ***95***, *87*
Warm IRAS sources. II. Optical spectroscopy of objects from the Point Source Catalog
de Grijp, M.H.K., Keel, W.C., Miley, G.K., Goudfrooij, P., Lub, J. **266**, 645; ***96***, *389*

Galaxies: general

Groups of galaxies within 80 Mpc. I. Grouping hierarchical method and statistical properties
Gourgoulhon, E., Chamaraux, P., Fouqué, P. **255**, 69
The influence of environment on outer rings and pseudo-rings in galaxies
Elmegreen, D.M., Elmegreen, B.G., Combes, F., Bellin, A.D. **257**, 17
The stellar velocity dispersion of the spiral galaxies NGC 1566 and NGC 2815
Bottema, R. **257**, 69
The far-infrared properties of the CfA galaxy sample. I. The catalog
Thuan, T.X., Sauvage, M. **257**, 411; ***92***, *749*
Discovery of $z \sim 1$ galaxies causing quasar absorption lines
Bergeron, J., Cristiani, S., Shaver, P.A. **257**, 417
Morphology of faint blue galaxies
Giraud, E. **257**, 501
Dynamical friction between two elliptical galaxies
Prugniel, P., Combes, F. **259**, 25
A luminosity variation detected in a new pair of arclets in a cluster of galaxies at $z = 0.424$
Giraud, E. **259**, L49
Supervised selection of galaxy candidates from the IRAS PSC: the quality of the selection and the infrared properties of the galaxy candidates
Boller, T., Meurs, E.J.A., Adorf, H.-M. **259**, 101
Groups of galaxies within 80 Mpc. II. The catalogue of groups and group members
Fouqué, P., Gourgoulhon, E., Chamaraux, P., Paturel, G. **259**, 722; ***93***, *211*
ROSAT All Sky Survey observations of IRAS galaxies
Boller, T., Meurs, E.J.A., Brinkmann, W., Fink, H.H., Zimmermann, U., Adorf, H.-M. **261**, 57
The far-infrared properties of parent galaxies of supernovae
Petrosian, A.R., Turatto, M. **261**, 433
The role played by rotation and random motions in elliptical galaxies
Busarello, G., Longo, G., Feoli, A. **262**, 52
Global recent star formation in normal galaxies from a multi-wavelength study. Comparison with their gas content
Buat, V. **264**, 444
The visual appearance of the nuclei of ring-shaped galaxies as an alternative classification criterion
Faúndes-Abans, M., Hertling, G., Ramírez, A.C. **264**, 718; ***94***, *245*
Properties of nearby clusters of galaxies. I. A 195, A 465, A 1185, A 1213, A 1413, A 1775, A 2319 and A 2597
Trèvese, D., Flin, P., Migliori, L., Hickson, P., Pittella, G. **264**, 720; ***94***, *327*
New H I observations for some edge-on spiral galaxies
Garcia, A.M., Bottinelli, L., Garnier, R., Gouguenheim, L., Paturel, G. **266**, 645; ***96***, *435*

Galaxies: individual: . . .

Carina dwarf spheroidal

Star formation histories of galaxies from their stellar luminosity functions
Mighell, K.J., Butcher, H.R. **255**, 26

Cen A

HEXE observations of active galactic nuclei: constraints on pairs and Compton reflection
Maisack, M., Kendziorra, E., Mony, B., Staubert, R., Doebereiner, S., Englhauser, J., Pietsch, W., Reppin, C., Trümper, J., Efremov, V., Kaniovsky, S., Kusnetzov, A., Sunyaev, R. **262**, 433

ESO 138 G1

ESO 138 G1: a high excitation Seyfert 2 nucleus in a low luminosity early-type galaxy
Alloin, D., Bica, E., Bonatto, C., Prugniel, P. **266**, 117

Fairall 9 (ESO 113-IG 45)

Optical variability of Seyfert nuclei. II. Fairall 9
Lub, J., de Ruiter, H.R. **256**, 33

IC 310

The structure of the intracluster medium of the Perseus cluster
Schwarz, R.A., Edge, A.C., Voges, W., Böhringer, H., Ebeling, H., Briel, U.G. **256**, L11

IC 342

HCN in the center of the galaxy IC 342 *(Plateau de Bure Series, Paper 4)*
Downes, D., Radford, S.J.E., Guilloteau, S., Guélin, M., Greve, A., Morris, D. **262**, 424
Pattern recognition of the regular magnetic field in disks of spiral galaxies
Sokoloff, D., Shukurov, A., Krause, M. **264**, 396

IC 4329A

Time-resolved spectral analysis of three Seyfert galaxies observed with Ginga
Fiore, F., Perola, G.C., Matsuoka, M., Yamauchi, M., Piro, L. **262**, 37

IRAS 10214+4724

IRAS 10214+4724: an elliptical galaxy in formation?
Elbaz, D., Arnaud, M., Cassé, M., Mirabel, I.F., Prantzos, N., Vangioni-Flam, E. **265**, L29

M 31

The colour gradient in M 31: evidence for disc formation by biased infall?
Josey, S.A., Arimoto, N. **255**, 105
New globular clusters in the bulge of M 31
Aurière, M., Coupinot, G., Hecquet, J. **256**, 95
The interstellar medium of M 31. III. Narrow-band imagery in Hα and [SII]
Walterbos, R.A.M., Braun, R. **256**, 326; **92**, *625*
Massive star population in M 31 OB associations
Cananzi, K. **259**, 17
Photometric analysis of astronomical images by the wavelet transform
Coupinot, G., Hecquet, J., Aurière, M., Futaully, R. **259**, 701
Ages and metallicities of M 31 star clusters
Jablonka, P., Alloin, D., Bica, E. **260**, 97
Super metal-rich clusters G 158 and G 177 in M 31: clues on the inner bulge/disc transition
Bica, E., Jablonka, P., Santos Jr., J.F.C., Alloin, D., Dottori, H. **260**, 109
Optical spectroscopy of WR stars in M 33 and M 31. II. The WO population and discovery of an Ofp/WN 9 star in M 33
Willis, A.J., Schild, H., Smith, L.J. **261**, 419
Near-infrared photometry of globular clusters in the outer halo of M 31. II. New TIRGO and UKIRT data
Bònoli, F., Delpino, F., Federici, L., Fusi Pecci, F., Longmore, A.J. **266**, 641; **96**, *163*
BVRI CCD photometry of 361,281 objects in the field of M 31
Magnier, E.A., Lewin, W.H.G., van Paradijs, J., Hasinger, G., Jain, A., Pietsch, W., Trümper, J. **266**, 644; **96**, *379*

M 33

The integrated radio continuum spectrum of M 33: evidence for free-free absorption by cool ionized gas
Israel, F.P., Mahoney, M.J., Howarth, N. **261**, 47
Optical spectroscopy of WR stars in M 33 and M 31. II. The WO population and discovery of an Ofp/WN 9 star in M 33
Willis, A.J., Schild, H., Smith, L.J. **261**, 419
Continuous reacceleration of cosmic rays in galaxies. An alternative explanation for flat low frequency radio spectra
Pohl, M., Schlickeiser, R. **263**, 37
CO observations in NGC 604. I. Physical properties
Viallefond, F., Boulanger, F., Cox, P., Lequeux, J., Pérault, M., Vogel, S.N. **265**, 437

M 51

Density studies on giant extragalactic H II regions
Castañeda, H.O., Vilchez, J.M., Copetti, M.V.F. **260**, 370
The magnetic field structure of M 51
Neininger, N. **263**, 30
Faraday effects in the spiral galaxy M 51
Horellou, C., Beck, R., Berkhuijsen, E.M., Krause, M., Klein, U. **265**, 417

M 81

Detection of an intergalactic molecular complex?
Brouillet, N., Henkel, C., Baudry, A. **262**, L5
Pattern recognition of the regular magnetic field in disks of spiral galaxies
Sokoloff, D., Shukurov, A., Krause, M. **264**, 396
The brightest blue and red stars in the galaxy M 81
Georgiev, T.B., Bilkina, B.I., Tikhonov, N.A. **266**, 637; **95**, *581*
The distribution of blue and red stars around the M 81 galaxy
Georgiev, T.B., Bilkina, B.I., Tikhonov, N.A. **266**, 648; **96**, *569*

M 82

Gaps and filaments in the synchrotron halo of M82. Evidence for poloidal magnetic fields
Reuter, H.-P., Klein, U., Lesch, H., Wielebinski, R., Kronberg, P.P. **256**, 10
Models and observations of starbursts. I. Methods of evolutionary models and the starburst in M 82
Bernlöhr, K. **263**, 54
A multi-line study of the molecular interstellar medium in M 82's starburst nucleus
Wild, W., Harris, A.I., Eckart, A., Genzel, R., Graf, U.U., Jackson, J.M., Russell, A.P.G., Stutzki, J. **265**, 447

M 87

Faint object camera observations of M 87: the jet and nucleus
Boksenberg, A., Macchetto, F., Albrecht, R., Barbieri, C., Blades, J.C., Crane, P., Deharveng, J.M., Disney, M.J., Jakobsen, P., Kamperman, T.M., King, I.R., Mackay, C.D., Paresce, F., Weigelt, G., Baxter, D., Greenfield, P., Jedrzejewski, R., Nota, A., Sparks, W.B. **261**, 393
SIGMA observations of the Virgo cluster
Lebrun, F., Ballet, J., Paul, J., Laurent, P., Jourdain, E., Bassani, L., Roques, J.-P., Mandrou, P., Finogenov, A., Sunyaev, R., Churazov, E., Gilfanov, M., Khavenson, N., Kovtunenko, V., Kremnev, R., Sukhanov, K. **264**, 22

M 101

Density studies on giant extragalactic H II regions
Castañeda, H.O., Vilchez, J.M., Copetti, M.V.F. **260**, 370

Malin 1

Search for molecular gas in polar ring galaxies and the giant low surface brightness galaxy Malin 1
Radford, S.J.E. **262**, 13

MCG-6-30-15

Time-resolved spectral analysis of three Seyfert galaxies observed with Ginga
Fiore, F., Perola, G.C., Matsuoka, M., Yamauchi, M., Piro, L. **262**, 37

Mkn 231

Absorption line variability in Markarian 231
Kollatschny, W., Dietrich, M., Hagen, H. **264**, L5

Mkn 382

EXOSAT measurement of the spectrum of Markarian 382
Singh, K.P., Rao, A.R., Vahia, M.N. **262**, 49

Mkn 509

Radio structure of the Seyfert galaxy Markarian 509
Singh, K.P., Westergaard, N.J. **264**, 489

NGC 253

Near-infrared surface photometry of NGC 253
Forbes, D.A., DePoy, D.L. **259**, 97
The giant outflow cone in NGC 253
Schulz, H., Wegner, G. **266**, 167

NGC 300

Ten little Wolf-Rayet stars in NGC 300
Schild, H., Testor, G. **266**, 145

NGC 613

The central region of NGC 613 revisited
Hummel, E., Jörsäter, S. **261**, 85

NGC 628

Kinematics of the extended H I disk of NGC 628. High velocity gas and deviations from circular rotation
Kamphuis, J., Briggs, F. **253**, 335
Disk morphology of NGC 628 from large field CCD *UBVRI* photometry
Natali, G., Pedichini, F., Righini, M. **256**, 79
Stellar associations and aggregates in NGC 628
Ivanov, G.R., Popravko, G., Efremo, Y.N., Tikhonov, N.A., Karachentsev, I.D. **266**, 650; **96**, *645*

NGC 660

Molecular clouds in a polar ring
Combes, F., Braine, J., Casoli, F., Gerin, M., van Driel, W. **259**, L65

NGC 891

Erratum: The magnetic field structure in the radio halos of NGC 891 and NGC 4631
Hummel, E., Beck, R., Dahlem, M. **258**, 605
Molecular gas distribution and dynamics of the edge-on spiral galaxy NGC 891. Discovery of a molecular halo
García-Burillo, S., Guélin, M., Cernicharo, J., Dahlem, M. **266**, 21

NGC 931 = Mkn 1040

Is NGC 931 (Markarian 1040) a barred galaxy?
Amram, P., Marcelin, M., Bonnarel, F., Boulesteix, J., Afanasyev, V.L., Dodonov, S.N. **263**, 69

NGC 1068

Kinematics of the [O III]-emitting gas in the 1-arcsecond circumnuclear core of the Seyfert galaxy NGC 1068
Afanasyev, V.L., Balega, Y.Y., Orlov, V.G., Vasyuk, V.A. **266**, 15

NGC 1275

The structure of the intracluster medium of the Perseus cluster
Schwarz, R.A., Edge, A.C., Voges, W., Böhringer, H., Ebeling, H., Briel, U.G. **256**, L11
The evolution of the sub-parsec structure of 3C 84 at 43 GHz
Krichbaum, T.P., Witzel, A., Graham, D.A., Alef, W., Paulini-Toth, I.I.K., Hummel, C.A., Quirrenbach, A., Inoue, M., Hirabayashi, H., Morimoto, M., Rogers, A.E.E., Zensus, J.A., Lawrence, C.R., Readhead, A.C.S., Booth, R.S., Rönnäng, B.O., Kus, A.J., Johnston, K.J., Spencer, J.H., Burke, B.F., Dhawan, V., Bartel, N., Shapiro, I.I., Alberdi, A., Marcaide, J.M. **260**, 33

NGC 1386

Speckle masking observations of the Seyfert galaxy NGC 1386
Mauder, W., Appenzeller, I., Hofmann, K.-H., Wagner, S.J., Weigelt, G., Zeidler, P. **264**, L9

NGC 1404

The globular cluster system of NGC 1404
Richtler, T., Grebel, E.K., Domgörgen, H., Hilker, M., Kissler, M. **264**, 25

NGC 1560

The mass distribution of the dwarf spiral NGC 1560
Broeils, A.H. **256**, 19

NGC 1566

Variability pattern from X-ray to IR wavelengths in the active nucleus of NGC 1566
Baribaud, T., Alloin, D., Glass, I., Pelat, D. **256**, 375
The stellar velocity dispersion of the spiral galaxies NGC 1566 and NGC 2815
Bottema, R. **257**, 69

NGC 1792

NGC 1792: surprising radio properties
Dahlem, M. **264**, 483

NGC 1947

The minor-axis dust-lane elliptical NGC 1947
Bertola, F., Galletta, G., Zeilinger, W.W. **254**, 89

NGC 2325

Dynamics of four E galaxies
Bettoni, D. **266**, 643; **96**, *333*

NGC 2782

Extranuclear high-excitation gas in the starburst galaxy NGC 2782
Boer, B., Schulz, H., Keel, W.C. **260**, 67

NGC 2815

The stellar velocity dispersion of the spiral galaxies NGC 1566 and NGC 2815
Bottema, R. **257**, 69

NGC 2865

Dynamics of four E galaxies
Bettoni, D. **266**, 643; **96**, *333*

NGC 2974

Dynamics of four E galaxies
Bettoni, D. **266**, 643; **96**, *333*

NGC 3256

A molecular line survey of the merger NGC 3256
Casoli, F., Dupraz, C., Combes, F. **264**, 49

NGC 3516

Seeing and aperture effects on [O III]-based flux calibration of AGN spectra. NGC 3516: a case study
Wanders, I., Peterson, B.M., Pogge, R.W., DeRobertis, M.M., van Groningen, E. **266**, 72

NGC 3593

The molecular cloud content of early–type galaxies. III. A nuclear molecular ring in NGC 3593
Wiklind, T., Henkel, C. **257**, 437

NGC 3783

X-ray spectrum of NGC 3783: detection of soft excess and an emission line
Ghosh, K.K., Soundararajaperumal, S., Kalai Selvi, M., Sivarani, T. **255**, 119

NGC 3962

Dynamics of four E galaxies
Bettoni, D. **266**, 643; **96**, *333*

NGC 4038/39 (the Antennae)

Genesis of a dwarf galaxy from the debris of the Antennae
Mirabel, I.F., Dottori, H., Lutz, D. **256**, L19
The velocity field of the ionized gas in NGC 4038/39 (the Antennae)
Amram, P., Marcelin, M., Boulesteix, J., Le Coarer, E. **266**, 106

NGC 4051

High time resolution monitoring at 2.2 μm of the Seyfert 1 galaxy NGC 4051
Hunt, L.K., Mannucci, F., Salvati, M., Stanga, R.M. **257**, 434
Time-resolved spectral analysis of three Seyfert galaxies observed with Ginga
Fiore, F., Perola, G.C., Matsuoka, M., Yamauchi, M., Piro, L. **262**, 37

NGC 4151

SIGMA observation of a steep spectral shape in NGC 4151 above 35 keV
Jourdain, E., Bassani, L., Bouchet, L., Mandrou, P., Ballet, J., Lebrun, F., Paul, J., Laurent, P., Churazov, E., Gilfanov, M., Sunyaev, R., Dyachkov, A., Khavenson, N., Chulkov, I., Kuznetsov, A., Novikov, B. **256**, L38
HEXE observations of active galactic nuclei: constraints on pairs and Compton reflection
Maisack, M., Kendziorra, E., Mony, B., Staubert, R., Doebereiner, S., Englhauser, J., Pietsch, W., Reppin, C., Trümper, J., Efremov, V., Kaniovsky, S., Kusnetzov, A., Sunyaev, R. **262**, 433

NGC 4258

How active is NGC 4258?
Stüwe, J.A., Schulz, H., Hühnermann, H. **261**, 382

NGC 4314

Decreasing diameter of a molecular ring
Combes, F., Gerin, M., Nakai, N., Kawabe, R., Shaw, M.A. **259**, L27

NGC 4388

SIGMA observations of the Virgo cluster
Lebrun, F., Ballet, J., Paul, J., Laurent, P., Jourdain, E., Bassani, L., Roques, J.-P., Mandrou, P., Finogenov, A., Sunyaev, R., Churazov, E., Gilfanov, M., Khavenson, N., Kovtunenko, V., Kremnev, R., Sukhanov, K. **264**, 22

NGC 4631

Erratum: The magnetic field structure in the radio halos of NGC 891 and NGC 4631
Hummel, E., Beck, R., Dahlem, M. **258**, 605
Continuous reacceleration of cosmic rays in galaxies. An alternative explanation for flat low frequency radio spectra
Pohl, M., Schlickeiser, R. **263**, 37

NGC 4782/3 = 3C 278

Related stellar, ionized gas and radio properties of the elliptical galaxies NGC 4782/4783 = 3C 278. Velocity mapping of interacting galaxies
Madejsky, R. **265**, 478

NGC 4945

Deducing a molecular ring structure in the nucleus of NGC 4945 from CO line profiles
Bergman, P., Aalto, S., Black, J.H., Rydbeck, G. **265**, 403

NGC 5128

The SN 1986 G in Centaurus A
Cristiani, S., Cappellaro, E., Turatto, M., Bergeron, J., Bues, I., Buson, L., Danziger, J., Di Serego-Alighieri, S., Duerbeck, H.W., Heydari-Malayeri, M., Krautter, J., Schmutz, W., Schulte-Ladbeck, R.E. **259**, 63
Molecular-line emission from the centres of Centaurus A and other southern galaxies
Israel, F.P. **265**, 487

NGC 5253

The distance to NGC 5253 and the absolute magnitude at maximum of SN 1972 E
Della Valle, M., Melnick, J. **257**, L1

NGC 5548

Correlated variations of lines and continuum by disc reprocessing in NGC 5548
Rokaki, E., Magnan, C. **261**, 41
On the disappearance of the broad emission component of Hβ of NGC 5548 in May 1992
Iijima, T., Rafanelli, P., Bianchini, A. **265**, L25

NGC 6814

The X-ray variability of the Seyfert galaxy NGC 6814
Fiore, F., Massaro, E., Barone, P. **261**, 405

NGC 6822

Density studies on giant extragalactic H II regions
Castañeda, H.O., Vilchez, J.M., Copetti, M.V.F. **260**, 370

NGC 6851

Subsystems in early-type galaxies: the structure of NGC 6851
Toniazzo, T., Stiavelli, M., Zeilinger, W.W. **259**, 39

NGC 6946

Erratum: Magnetic fields and interstellar gas clouds in the spiral galaxy NGC 6946
Beck, R. **258**, 605
Observational study of the spiral galaxy NGC 6946. I. H I and radio-continuum observations
Boulanger, F., Viallefond, F. **266**, 37

NGC 7176

The detection of the CO emission of the elliptical galaxy NGC 7176
Huchtmeier, W.K., Tammann, G.A. **257**, 455

NGC 7448

A study of the NGC 7448 group of galaxies
van Driel, W., Augarde, R., Bottinelli, L., Gouguenheim, L., Hamabe, M., Maehara, H., Baan, W.A., Goudfrooij, P., Groenewegen, M.A.T. **259**, 71

NGC 7465

A study of the NGC 7448 group of galaxies
van Driel, W., Augarde, R., Bottinelli, L., Gouguenheim, L., Hamabe, M., Maehara, H., Baan, W.A., Goudfrooij, P., Groenewegen, M.A.T. **259**, 71

SBS 0335-052

The metal-poor HII galaxy SBS 0335-052 and the primordial helium abundance
Melnick, J., Heydari-Malayeri, M., Leisy, P. **253**, 16

Sex A

HII regions in Sextans A
Aparicio, A., Rodriguez-Ulloa, J.A. **260**, 77

VV 523

Photometric analysis of astronomical images by the wavelet transform
Coupinot, G., Hecquet, J., Aurière, M., Futaully, R. **259**, 701

1411-192

A powerful, ultra-steep spectrum radio galaxy having an extremely low-excitation emission line spectrum
Gopal-Krishna, Giraud, E., Melnick, J., Steppe, H. **254**, 42

3C 31

The large-scale radio structure of 3C 31 and 3C 449
Andernach, H., Feretti, L., Giovannini, G., Klein, U., Rossetti, E., Schnaubelt, J. **259**, 724; ***93***, *331*

3C 194

Anomalous rotation measures of the radio galaxy 3C 194
Taylor, G.B., Inoue, M., Tabara, H. **264**, 415

3C 273

HEXE observations of active galactic nuclei: constraints on pairs and Compton reflection
Maisack, M., Kendziorra, E., Mony, B., Staubert, R., Doebereiner, S., Englhauser, J., Pietsch, W., Reppin, C., Trümper, J., Efremov, V., Kaniovsky, S., Kusnetzov, A., Sunyaev, R. **262**, 433

3C 295

The structure of the hot spots in 3C 295
Taylor, G.B., Perley, R.A. **262**, 417

3C 318

Anomalous rotation measures of the compact steep spectrum source 3C 318
Taylor, G.B., Inoue, M., Tabara, H. **264**, 421

3C 352

The extended line-emission from 3C 352
Hippelein, H., Meisenheimer, K. **264**, 472

3C 368

The emission-line lobes of 3C 368
Meisenheimer, K., Hippelein, H. **264**, 455

3C 449

The large-scale radio structure of 3C 31 and 3C 449
Andernach, H., Feretti, L., Giovannini, G., Klein, U., Rossetti, E., Schnaubelt, J. **259**, 724; ***93***, *331*

Galaxies: interactions

Genesis of a dwarf galaxy from the debris of the Antennae
Mirabel, I.F., Dottori, H., Lutz, D. **256**, L19

The influence of environment on outer rings and pseudo-rings in galaxies
Elmegreen, D.M., Elmegreen, B.G., Combes, F., Bellin, A.D. **257**, 17

A model for the Magellanic Stream
Liu, Y.-Z. **257**, 505

Quantitative morphology of isolated E/S pairs of galaxies
Rampazzo, R., Sulentic, J.W. **259**, 43

Molecular clouds in a polar ring
Combes, F., Braine, J., Casoli, F., Gerin, M., van Driel, W. **259**, L65

Infrared properties of interacting IRAS galaxies
Lutz, D. **259**, 462

Is NGC 931 (Markarian 1040) a barred galaxy?
Amram, P., Marcelin, M., Bonnarel, F., Boulesteix, J., Afanasyev, V.L., Dodonov, S.N. **263**, 69

A molecular line survey of the merger NGC 3256
Casoli, F., Dupraz, C., Combes, F. **264**, 49

The case of missing ^{13}CO in mergers
Casoli, F., Dupraz, C., Combes, F. **264**, 55

A CO(1-0) and CO(2-1) survey of nearby spiral galaxies. II. Physical conditions in the nuclear gas
Braine J., Combes, F. **264**, 433

NGC 1792: surprising radio properties
Dahlem, M. **264**, 483

Pairing properties of Markarian starburst galaxies
Keel, W.C., van Soest, E.T.M. **264**, 722; ***94***, *553*

Related stellar, ionized gas and radio properties of the elliptical galaxies NGC 4782/4783 = 3C 278. Velocity mapping of interacting galaxies
Madejsky, R. **265**, 478

The velocity field of the ionized gas in NGC 4038/39 (the Antennae)
Amram, P., Marcelin, M., Boulesteix, J., Le Coarer, E. **266**, 106

(Galaxies:) intergalactic medium

Intergalactic magnetic fields and the periphery of spiral galaxies
Battaner, E., Florido, E., Sanchez-Saavedra, M.L. **253**, 89

Some constraints on the origin of the iron enriched intra-cluster medium
Arnaud, M., Rothenflug, R., Boulade, O., Vigroux, L., Vangioni-Flam, E. **254**, 49

The structure of the intracluster medium of the Perseus cluster
Schwarz, R.A., Edge, A.C., Voges, W., Böhringer, H., Ebeling, H., Briel, U.G. **256**, L11

A Westerbork search for high redshift HI
Wieringa, M.H., de Bruyn, A.G., Katgert, P. **256**, 331

The expected ionization of HI by line-of-sight neighbour quasars: measuring the quasar beaming
Møller, P., Kjærgaard, P. **258**, 234

Observation of the Coma cluster of galaxies with ROSAT during the All-Sky Survey
Briel, U.G., Henry, J.P., Böhringer, H. **259**, L31

Detection of an intergalactic molecular complex?
Brouillet, N., Henkel, C., Baudry, A. **262**, L5
Molecules at early epochs. VI. A search for molecular hydrogen in the $z=3.391$ damped Lyman alpha system toward Q0000-263
Levshakov, S.A., Chaffee, F.H., Foltz, C.B., Black, J.H. **262**, 385
A survey of very low redshift Mg II absorption systems in quasar spectra
Boissé, P., Boulade, O., Kunth, D., Tytler, D., Vigroux, L. **262**, 401
The origin of the galaxy luminosity function and the thermal evolution of the intergalactic medium
Blanchard, A., Valls-Gabaud, D., Mamon, G.A. **264**, 365
Anomalous rotation measures of the radio galaxy 3C 194
Taylor, G.B., Inoue, M., Tabara, H. **264**, 415
Anomalous rotation measures of the compact steep spectrum source 3C 318
Taylor, G.B., Inoue, M., Tabara, H. **264**, 421
Tailed radio sources as probes of the intergalactic medium pressure
Feretti, L., Perola, G.C., Fanti, R. **265**, 9
IRAS 10214+4724: an elliptical galaxy in formation?
Elbaz, D., Arnaud, M., Cassé, M., Mirabel, I.F., Prantzos, N., Vangioni-Flam, E. **265**, L29
Truncated photoionized autogravitating clouds at high redshift
Petitjean, P., Bergeron, J., Puget, J.L. **265**, 375
An alternative model for the Lyα absorption forest
Bi, H.G., Börner, G., Chu, Y. **266**, 1

Galaxies: interstellar matter

The metal-poor H II galaxy SBS 0335-052 and the primordial helium abundance
Melnick, J., Heydari-Malayeri, M., Leisy, P. **253**, 16
Evolutionary synthesis of the radio and far-infrared emission in starbursts
Mas-Hesse, J.M. **253**, 49
Intergalactic magnetic fields and the periphery of spiral galaxies
Battaner, E., Florido, E., Sanchez-Saavedra, M.L. **253**, 89
Optical and radio morphology of elliptical dust-lane galaxies. Comparison between CCD images and VLA maps
Möllenhoff, C., Hummel, E., Bender, R. **255**, 35
Genesis of a dwarf galaxy from the debris of the Antennae
Mirabel, I.F., Dottori, H., Lutz, D. **256**, L19
The interstellar medium of M 31. III. Narrow-band imagery in Hα and [SII]
Walterbos, R.A.M., Braun, R. **256**, 326; **92**, *625*
The distance to NGC 5253 and the absolute magnitude at maximum of SN 1972 E
Della Valle, M., Melnick, J. **257**, L1
A radio continuum study of the Magellanic Clouds. II. The far-infrared/radio correlation in the Large Magellanic Cloud
Xu, C., Klein, U., Meinert, D., Wielebinski, R., Haynes, R.F. **257**, 47
The detection of the CO emission of the elliptical galaxy NGC 7176
Huchtmeier, W.K., Tammann, G.A. **257**, 455
Erratum: Magnetic fields and interstellar gas clouds in the spiral galaxy NGC 6946
Beck, R. **258**, 605
H II regions in Sextans A
Aparicio, A., Rodriguez-Ulloa, J.A. **260**, 77
Galaxy photometry at millimetric wavelengths
Andreani, P., Franceschini, A. **260**, 89
Density studies on giant extragalactic H II regions
Castañeda, H.O., Vilchez, J.M., Copetti, M.V.F. **260**, 370
The integrated radio continuum spectrum of M 33: evidence for free-free absorption by cool ionized gas
Israel, F.P., Mahoney, M.J., Howarth, N. **261**, 47
Detection of an intergalactic molecular complex?
Brouillet, N., Henkel, C., Baudry, A. **262**, L5
A search for moderate redshift CO absorption
Douglas, N.G., Radford, S.J.E., Roland, J., Webb, J.K. **262**, 8
Search for molecular gas in polar ring galaxies and the giant low surface brightness galaxy Malin 1
Radford, S.J.E. **262**, 13
HCN in the center of the galaxy IC 342 *(Plateau de Bure Series, Paper 4)*
Downes, D., Radford, S.J.E., Guilloteau, S., Guélin, M., Greve, A., Morris, D. **262**, 424
Speckle masking observations of the Seyfert galaxy NGC 1386
Mauder, W., Appenzeller, I., Hofmann, K.-H., Wagner, S.J., Weigelt, G., Zeidler, P. **264**, L9
A molecular line survey of the merger NGC 3256
Casoli, F., Dupraz, C., Combes, F. **264**, 49
The case of missing ^{13}CO in mergers
Casoli, F., Dupraz, C., Combes, F. **264**, 55
A CO(1-0) and CO(2-1) survey of nearby spiral galaxies. II. Physical conditions in the nuclear gas
Braine J., Combes, F. **264**, 433
NGC 1792: surprising radio properties
Dahlem, M. **264**, 483
Photometry of the spiral pair NGC 450/UGC 807 and the optical thickness of galactic disks
Andredakis, Y.C., van der Kruit, P.C. **265**, 396
Deducing a molecular ring structure in the nucleus of NGC 4945 from CO line profiles
Bergman, P., Aalto, S., Black, J.H., Rydbeck, G. **265**, 403
CO emission from radio quiet quasars: new detections support a thermal origin for the FIR emission
Alloin, D., Barvainis, R., Gordon, M.A., Antonucci, R.R.J. **265**, 429
CO observations in NGC 604. I. Physical properties
Viallefond, F., Boulanger, F., Cox, P., Lequeux, J., Pérault, M., Vogel, S.N. **265**, 437
A multi-line study of the molecular interstellar medium in M 82's starburst nucleus
Wild, W., Harris, A.I., Eckart, A., Genzel, R., Graf, U.U., Jackson, J.M., Russell, A.P.G., Stutzki, J. **265**, 447
Molecular-line emission from the centres of Centaurus A and other southern galaxies
Israel, F.P. **265**, 487
Molecular gas distribution and dynamics of the edge-on spiral galaxy NGC 891. Discovery of a molecular halo
García-Burillo, S., Guélin, M., Cernicharo, J., Dahlem, M. **266**, 21
Observational study of the spiral galaxy NGC 6946. I. H I and radio-continuum observations
Boulanger, F., Viallefond, F. **266**, 37
The velocity field of the ionized gas in NGC 4038/39 (the Antennae)
Amram, P., Marcelin, M., Boulesteix, J., Le Coarer, E. **266**, 106
H I-observations of galaxies in the zone of avoidance in Puppis
Kraan-Korteweg, R.C., Huchtmeier, W.K. **266**, 150

Stellar associations and aggregates in NGC 628
Ivanov, G.R., Popravko, G., Efremo, Y.N., Tikhonov, N.A., Karachentsev, I.D. **266**, 650; **96**, *645*

Galaxies: irregular

Emission line galaxies in the Bootes void
Peimbert, M., Torres-Peimbert, S. **253**, 349
A sensitive radio continuum survey of low surface brightness dwarf galaxies
Klein, U., Giovanardi, C., Altschuler, D.R., Wunderlich, E. **255**, 49
Genesis of a dwarf galaxy from the debris of the Antennae
Mirabel, I.F., Dottori, H., Lutz, D. **256**, L19
The distance to NGC 5253 and the absolute magnitude at maximum of SN 1972 E
Della Valle, M., Melnick, J. **257**, L1
Metallicity and gas mass fraction in irregulars and blue compact galaxies: the effect of dark matter
Kumai, Y., Tosa, M. **257**, 511
The evolution of nitrogen and oxygen abundances in dwarf irregular galaxies
Pilyugin, L.S. **260**, 58
H II regions in Sextans A
Aparicio, A., Rodriguez-Ulloa, J.A. **260**, 77
The luminosity function of the Local Group
van den Bergh, S. **264**, 75
Star formation and molecular clouds in blue compact galaxies
Sage, L.J., Salzer, J.J., Loose, H.-H., Henkel, C. **265**, 19

Galaxies: jets

Gamma-ray flaring of 3C 279: a proton-initiated cascade in the jet?
Mannheim, K., Biermann, P.L. **253**, L21
Massive binary black holes and wiggling jets
Kaastra, J.S., Roos, N. **254**, 96
Optical and radio morphology of elliptical dust-lane galaxies. Comparison between CCD images and VLA maps
Möllenhoff, C., Hummel, E., Bender, R. **255**, 35
The lighthouse effect of relativistic jets in blazars. A geometric origin of intraday variability
Camenzind, M., Krockenberger, M. **255**, 59
High-energy gamma radiation from extragalactic radio sources
Dermer, C.D., Schlickeiser, R., Mastichiadis, A. **256**, L27
Compact Steep-Spectrum 3 CR sources: VLA observations at 1.5, 15 and 22.5 GHz
van Breugel, W.J.M., Fanti, C., Fanti, R., Stanghellini, C., Schilizzi, R.T., Spencer, R.E. **256**, 56
Non-linear evolution of synchrotron thermal instabilities
Bodo, G., Ferrari, A., Massaglia, S., Rossi, P., Shibata, K., Uchida, Y. **256**, 689
VLBI observations of active galactic nuclei at 3 mm
Bååth, L.B., Rogers, A.E.E., Inoue, M., Padin, S., Wright, M.C.H., Zensus, A., Kus, A.J., Backer, D.C., Booth, R.S., Carlstrom, J.E., Dickman, R.L., Emerson, D.T., Hirabayashi, H., Hodges, M.W., Kobayashi, H., Lamb, J., Moran, J.M., Morimoto, M., Plambeck, R.L., Predmore, C.R., Rönnäng, B., Woody, D. **257**, 31
The curved jets in 3C216 and 3C446
Fejes, I., Porcas, R.W., Akujor, C.E. **257**, 459
The jets of quasar 1928+738: superluminal motion and large-scale structure
Hummel, C.A., Schalinski, C.J., Krichbaum, T.P., Rioja, M.J., Quirrenbach, A., Witzel, A., Muxlow, T.W.B., Johnston, K.J., Matveyenko, L.I., Shevchenko, A. **257**, 489
Nonradial and nonpolytropic astrophysical outflows. II. Topology of MHD solutions with flaring streamlines
Tsinganos, K., Sauty, C. **257**, 790
3C 179: a high fidelity image of the double-lobed superluminal quasar at 5 GHz
Akujor, C.E. **259**, L61
Swinging jets and the variability of active galactic nuclei
Gopal-Krishna, Wiita, P.J. **259**, 109
Kinematics of the ionized gas around the quasar MR 2251-178
Mulder, P.S., Valentijn, E.A. **259**, 435
The jet/interstellar medium interaction and the radiation properties of extragalactic jets
Fraix-Burnet, D. **259**, 445
Combined first- and second-order Fermi acceleration in radio galaxy hot spots
Krülls, W.M. **260**, 49
How active is NGC 4258?
Stüwe, J.A., Schulz, H., Hühnermann, H. **261**, 382
Faint object camera observations of M 87: the jet and nucleus
Boksenberg, A., Macchetto, F., Albrecht, R., Barbieri, C., Blades, J.C., Crane, P., Deharveng, J.M., Disney, M.J., Jakobsen, P., Kamperman, T.M., King, I.R., Mackay, C.D., Paresce, F., Weigelt, G., Baxter, D., Greenfield, P., Jedrzejewski, R., Nota, A., Sparks, W.B. **261**, 393
Images of the BL Lacertae object 1749+701 at 5 GHz
Bååth, L.B., Zhang, F.J. **262**, 1
Magnetic field, reconnection, and particle acceleration in extragalactic jets
Romanova, M.M., Lovelace, R.V.E. **262**, 26
Synchrotron modelling of the 400 pc spur at the galactic center
Pohl, M., Reich, W., Schlickeiser, R. **262**, 441
Magnetized thin accretion disks in active galactic nuclei. A quantitative analysis of field topologies and their dynamic importance
Khanna, R., Camenzind, M. **263**, 401
The emission-line lobes of 3C 368
Meisenheimer, K., Hippelein, H. **264**, 455
The extended line-emission from 3C 352
Hippelein, H., Meisenheimer, K. **264**, 472
Radio structure of the Seyfert galaxy Markarian 509
Singh, K.P., Westergaard, N.J. **264**, 489
Kinematics of the [O III]-emitting gas in the 1-arcsecond circumnuclear core of the Seyfert galaxy NGC 1068
Afanasyev, V.L., Balega, Y.Y., Orlov, V.G., Vasyuk, V.A. **266**, 15
A finding list of extragalactic radio jets and statistical results
Liu, F.K., Xie, G.Z. **266**, 631; **95**, *249*

Galaxies: kinematics and dynamics

Kinematics of the extended H I disk of NGC 628. High velocity gas and deviations from circular rotation
Kamphuis, J., Briggs, F. **253**, 335
Modelling the stellar intensity and radial velocity fields in triaxial galaxies by sums of Gaussian functions
Monnet, G., Bacon, R., Emsellem, E. **253**, 366
Types of escapes in a simple Hamiltonian system
Contopoulos, G., Kaufmann, D. **253**, 379

The minor-axis dust-lane elliptical NGC 1947
Bertola, F., Galletta, G., Zeilinger, W.W. **254**, 89
The mass distribution of the dwarf spiral NGC 1560
Broeils, A.H. **256**, 19
The mass-to-light ratio in spiral galaxies
Forbes, D.A. **256**, 325; **92**, *583*
The influence of environment on outer rings and pseudo-rings in galaxies
Elmegreen, D.M., Elmegreen, B.G., Combes, F., Bellin, A.D. **257**, 17
The stellar velocity dispersion of the spiral galaxies NGC 1566 and NGC 2815
Bottema, R. **257**, 69
The molecular cloud content of early–type galaxies. III. A nuclear molecular ring in NGC 3593
Wiklind, T., Henkel, C. **257**, 437
Dynamical friction between two elliptical galaxies
Prugniel, P., Combes, F. **259**, 25
Decreasing diameter of a molecular ring
Combes, F., Gerin, M., Nakai, N., Kawabe, R., Shaw, M.A. **259**, L27
Subsystems in early-type galaxies: the structure of NGC 6851
Toniazzo, T., Stiavelli, M., Zeilinger, W.W. **259**, 39
Molecular clouds in a polar ring
Combes, F., Braine, J., Casoli, F., Gerin, M., van Driel, W. **259**, L65
A study of the NGC 7448 group of galaxies
van Driel, W., Augarde, R., Bottinelli, L., Gouguenheim, L., Hamabe, M., Maehara, H., Baan, W.A., Goudfrooij, P., Groenewegen, M.A.T. **259**, 71
Liouville's equation. IV. The full symmetries of quadratic potentials
Sobouti, Y., Dehghani, M.H. **259**, 128
Secular evolution in elliptical galaxies
Pucacco, G. **259**, 473
The role played by rotation and random motions in elliptical galaxies
Busarello, G., Longo, G., Feoli, A. **262**, 52
HCN in the center of the galaxy IC 342 *(Plateau de Bure Series, Paper 4)*
Downes, D., Radford, S.J.E., Guilloteau, S., Guélin, M., Greve, A., Morris, D. **262**, 424
Structure and kinematics of neutral hydrogen gas in the Large Magellanic Cloud
Luks, T., Rohlfs, K. **263**, 41
Is NGC 931 (Markarian 1040) a barred galaxy?
Amram, P., Marcelin, M., Bonnarel, F., Boulesteix, J., Afanasyev, V.L., Dodonov, S.N. **263**, 69
Dynamos in resonance
Schmitt, D., Rüdiger, G. **264**, 319
A CO(1-0) and CO(2-1) survey of nearby spiral galaxies. II. Physical conditions in the nuclear gas
Braine J., Combes, F. **264**, 433
The emission-line lobes of 3C 368
Meisenheimer, K., Hippelein, H. **264**, 455
The extended line-emission from 3C 352
Hippelein, H., Meisenheimer, K. **264**, 472
Deducing a molecular ring structure in the nucleus of NGC 4945 from CO line profiles
Bergman, P., Aalto, S., Black, J.H., Rydbeck, G. **265**, 403
Related stellar, ionized gas and radio properties of the elliptical galaxies NGC 4782/4783 = 3C 278. Velocity mapping of interacting galaxies
Madejsky, R. **265**, 478
Kinematics of the [O III]-emitting gas in the 1-arcsecond circumnuclear core of the Seyfert galaxy NGC 1068
Afanasyev, V.L., Balega, Y.Y., Orlov, V.G., Vasyuk, V.A. **266**, 15
Observational study of the spiral galaxy NGC 6946. I. H I and radio-continuum observations
Boulanger, F., Viallefond, F. **266**, 37
The velocity field of the ionized gas in NGC 4038/39 (the Antennae)
Amram, P., Marcelin, M., Boulesteix, J., Le Coarer, E. **266**, 106
Models of patchy-structured galaxies
Nezhinskij, E.M., Ollongren, A. **266**, 140
The giant outflow cone in NGC 253
Schulz, H., Wegner, G. **266**, 167
Dynamics of four E galaxies
Bettoni, D. **266**, 643; **96**, *333*

(Galaxies:) Local Group

The luminosity function of the Local Group
van den Bergh, S. **264**, 75

Galaxies: luminosity function, mass function

Optical identifications of faint ultra-steep spectrum radio sources
Wieringa, M.H., Katgert, P. **260**, 556; **93**, *399*
The far-infrared/Hα correlation of extreme IRAS galaxies
van den Broek, A.C. **261**, L1
The Hubble constant free from local velocity effects
Duemmler, R. **264**, 1
The luminosity function of the Local Group
van den Bergh, S. **264**, 75

(Galaxies:) Magellanic Clouds

N 120 in the LMC: a sample of nebulae of different types
Laval, A., Rosado, M., Boulesteix, J., Georgelin, Y.P., Le Coarer, E., Marcelin, M., Viale, A. **253**, 213
Metallicities from CCD Strömgren photometry of the young cluster NGC 330 and nearby field stars in the Small Magellanic Cloud
Grebel, E.K., Richtler, T. **253**, 359
Be star surveys with CCD photometry. I. NGC 330 and its high Be star content
Grebel, E.K., Richtler, T., de Boer, K.S. **254**, L5
Evidence for heavy element dust clumps from the increasing 1300 μm emission from Supernova 1987 A
Biermann, P.L., Chini, R., Haslam, C.G.T., Kreysa, E., Lemke, R., Sievers, A. **255**, L5
Evidence for heavy element clumps from the increasing 1300 μm emission from Supernova 987 A
Biermann, P.L., Chini, R., Haslam, C.G.T., Kreysa, E., Lemke, R., Sievers, A. **255**, L5
New planetary nebulae in the Large Magellanic Cloud
Morgan, D.H., Good, A.R. **256**, 325; **92**, *571*
Erratum: The evolution of carbon stars in the Magellanic Clouds
Westerlund, B.E., Azzopardi, M., Breysacher, J., Rebeirot, E. **256**, 326; **92**, *683*

Photon bias compensation in triple correlation imaging and observation of R 136
Pehlemann, E., Hofmann, K.-H., Weigelt, G. **256**, 701
A radio continuum study of the Magellanic Clouds. II. The far-infrared/radio correlation in the Large Magellanic Cloud
Xu, C., Klein, U., Meinert, D., Wielebinski, R., Haynes, R.F. **257**, 47
A radio continuum study of the Magellanic Clouds. II. The far-infrared/radio correlation in the Large Magellanic Cloud
Xu, C., Klein, U., Meinert, D., Wielebinski, R., Haynes, R.F. **257**, 47
Spectral types and *UBV* magnitudes of stars in the 30 Doradus complex
Schild, H., Testor, G. **257**, 410; **92**, *729*
A model for the Magellanic Stream
Liu, Y.-Z. **257**, 505
Properties of fast winds in hot stars in the Magellanic Clouds
Patriarchi, P., Perinotto, M. **258**, 285
Photometry of the LMC H II region N 159 A and of its stellar content. II. Young stars, gas, and dust
Deharveng, L., Caplan, J. **259**, 480
Faint carbon stars in the Small Magellanic Cloud
Westerlund, B.E., Azzopardi, M., Breysacher, J., Rebeirot, E. **260**, L4
IR survey of OB emission-line stars in the SMC: detection of a new B[e] supergiant, AV 172
Zickgraf, F.-J., Stahl, O., Wolf, B. **260**, 205
Emission-line objects in the Large Magellanic Cloud. Observations obtained with the FLAIR system
Morgan, D.H., Watson, F.G., Parker, Q.A. **260**, 558; **93**, *495*
Near-infrared images of the 30 Doradus region
Rubio, M., Roth, M., García, J. **261**, L29
Supernova 1987 A: the nebular loops and "Napoleon's Hat"
Wang, L., Wampler, E.J. **262**, L9
Structure and kinematics of neutral hydrogen gas in the Large Magellanic Cloud
Luks, T., Rohlfs, K. **263**, 41
Photometry of the LMC H II region N159A and of its stellar content. I. Stellar observations and reductions
Deharveng, L., Caplan, J., Lombard, J. **264**, 720; **94**, *359*
The stellar content of the Large Magellanic Cloud H II region N 59 A
Armand, C., Deharveng, L., Caplan, J. **265**, 504
Luminosities of yellow supergiants from near-infrared spectra: calibration through Magellanic Cloud stars
Mantegazza, L. **265**, 527
Erratum: Photometry of the LMC H II region N 159A and of its stellar content. I. Stellar observations and reductions
Deharveng, L., Caplan, J., Lombard, J. **266**, 000; **95**, *601*
Medium resolution spectroscopy of field stars in the SMC and the LMC
Thévenin, F., Jasniewicz, G. **266**, 85

Galaxies: nuclei

Models of self-gravitating accretion disks
Bodo, G., Curir, A. **253**, 318
Carbon monoxide in active galaxies
Chini, R., Krügel, E., Steppe, H. **255**, 87
Variability pattern from X-ray to IR wavelengths in the active nucleus of NGC 1566
Baribaud, T., Alloin, D., Glass, I., Pelat, D. **256**, 375
On the local stability of accretion disks
Dubrulle, B., Knobloch, E. **256**, 673
VLBI observations of active galactic nuclei at 3 mm
Bååth, L.B., Rogers, A.E.E., Inoue, M., Padin, S., Wright, M.C.H., Zensus, A., Kus, A.J., Backer, D.C., Booth, R.S., Carlstrom, J.E., Dickman, R.L., Emerson, D.T., Hirabayashi, H., Hodges, M.W., Kobayashi, H., Lamb, J., Moran, J.M., Morimoto, M., Plambeck, R.L., Predmore, C.R., Rönnäng, B., Woody, D. **257**, 31
High time resolution monitoring at 2.2 μm of the Seyfert 1 galaxy NGC 4051
Hunt, L.K., Mannucci, F., Salvati, M., Stanga, R.M. **257**, 434
Relativistic neutrons in active galactic nuclei. I. Energy transport from the core
Atoyan, A.M. **257**, 465
Relativistic neutrons in active galactic nuclei. II. Gamma-rays of high and very high energies
Atoyan, A.M. **257**, 476
Extranuclear high-excitation gas in the starburst galaxy NGC 2782
Boer, B., Schulz, H., Keel, W.C. **260**, 67
Correlated variations of lines and continuum by disc reprocessing in NGC 5548
Rokaki, E., Magnan, C. **261**, 41
The central region of NGC 613 revisited
Hummel, E., Jörsäter, S. **261**, 85
How active is NGC 4258?
Stüwe, J.A., Schulz, H., Hühnermann, H. **261**, 382
Faint object camera observations of M 87: the jet and nucleus
Boksenberg, A., Macchetto, F., Albrecht, R., Barbieri, C., Blades, J.C., Crane, P., Deharveng, J.M., Disney, M.J., Jakobsen, P., Kamperman, T.M., King, I.R., Mackay, C.D., Paresce, F., Weigelt, G., Baxter, D., Greenfield, P., Jedrzejewski, R., Nota, A., Sparks, W.B. **261**, 393
The X-ray variability of the Seyfert galaxy NGC 6814
Fiore, F., Massaro, E., Barone, P. **261**, 405
Time-resolved spectral analysis of three Seyfert galaxies observed with Ginga
Fiore, F., Perola, G.C., Matsuoka, M., Yamauchi, M., Piro, L. **262**, 37
EXOSAT measurement of the spectrum of Markarian 382
Singh, K.P., Rao, A.R., Vahia, M.N. **262**, 49
HCN in the center of the galaxy IC 342 *(Plateau de Bure Series, Paper 4)*
Downes, D., Radford, S.J.E., Guilloteau, S., Guélin, M., Greve, A., Morris, D. **262**, 424
The case of missing ^{13}CO in mergers
Casoli, F., Dupraz, C., Combes, F. **264**, 55
Statistical properties of AGN emission lines in relation to the accretion disc model
Dumont, A.M., Joly, M. **263**, 75
The origin of monoenergetic electrons in the arc of the galactic center. Particle acceleration by magnetic reconnection
Lesch, H., Reich, W. **264**, 493
The visual appearance of the nuclei of ring-shaped galaxies as an alternative classification criterion
Faúndes-Abans, M., Hertling, G., Ramírez, A.C. **264**, 718; **94**, *245*
On the disappearance of the broad emission component of Hβ of NGC 5548 in May 1992
Iijima, T., Rafanelli, P., Bianchini, A. **265**, L25
A multi-line study of the molecular interstellar medium in M 82's starburst nucleus
Wild, W., Harris, A.I., Eckart, A., Genzel, R., Graf, U.U., Jackson, J.M., Russell, A.P.G., Stutzki, J. **265**, 447

Molecular-line emission from the centres of Centaurus A and other southern galaxies
Israel, F.P. **265**, 487
Kinematics of the [O III]-emitting gas in the 1-arcsecond circumnuclear core of the Seyfert galaxy NGC 1068
Afanasyev, V.L., Balega, Y.Y., Orlov, V.G., Vasyuk, V.A. **266**, 15
The giant outflow cone in NGC 253
Schulz, H., Wegner, G. **266**, 167

Galaxies: photometry

Modelling the stellar intensity and radial velocity fields in triaxial galaxies by sums of Gaussian functions
Monnet, G., Bacon, R., Emsellem, E. **253**, 366
The minor-axis dust-lane elliptical NGC 1947
Bertola, F., Galletta, G., Zeilinger, W.W. **254**, 89
The mass distribution of the dwarf spiral NGC 1560
Broeils, A.H. **256**, 19
Disk morphology of NGC 628 from large field CCD *UBVRI* photometry
Natali, G., Pedichini, F., Righini, M. **256**, 79
A new straight arc detected in a cluster of galaxies at $z=0.423$
Mathez, G., Fort, B., Mellier, Y., Picat, J.-P., Soucail, G. **256**, 343
Galaxy counts at ultraviolet wavelengths (2000 Å)
Milliard, B., Donas, J., Laget, M., Armand, C., Vuillemin, A. **257**, 24
Multiband analysis of the surface brightness distributions of Sb and Sc spirals from CCD images. II. Bulge-disc decomposition
Prieto, M., Beckman, J.E., Cepa, J., Varela, A.M. **257**, 85
The origin of inner isophotal twists in elliptical galaxies
Nieto, J.-L., Bender, R., Poulain, P., Surma, P. **257**, 97
Binary stars: another effect contributing to the supposed abnormal extinction law in NGC 6193?
Vázquez, R.A., Feinstein, A. **257**, 411; ***92***, *863*
High time resolution monitoring at 2.2 μm of the Seyfert 1 galaxy NGC 4051
Hunt, L.K., Mannucci, F., Salvati, M., Stanga, R.M. **257**, 434
Morphology of faint blue galaxies
Giraud, E. **257**, 501
Distribution and studies of the infrared stellar population in the galaxy. III. Baade's window photometry
Ruelas-Mayorga, R.A., Teague, P.F. **257**, 844; ***93***, *61*
Dynamical friction between two elliptical galaxies
Prugniel, P., Combes, F. **259**, 25
Quantitative morphology of isolated E/S pairs of galaxies
Rampazzo, R., Sulentic, J.W. **259**, 43
A study of the NGC 7448 group of galaxies
van Driel, W., Augarde, R., Bottinelli, L., Gouguenheim, L., Hamabe, M., Maehara, H., Baan, W.A., Goudfrooij, P., Groenewegen, M.A.T. **259**, 71
Near-infrared surface photometry of NGC 253
Forbes, D.A., DePoy, D.L. **259**, 97
Axial ratios of edge-on spirals
Guthrie, B.N.G. **259**, 723; ***93***, *255*
Galaxy photometry at millimetric wavelengths
Andreani, P., Franceschini, A. **260**, 89
Multiband analysis of the surface brightness distributions of Sb and Sc spirals CCD images. I. Observations
Prieto, M., Longley, D.P.T., Perez, E., Beckman, J.E., Varela, A.M., Cepa, J. **260**, 559; ***93***, *557*
A new analysis of the 11-year period in OJ 287: confirmation of its existence
Kidger, M., Takalo, L., Sillanpää, A. **264**, 32
Global recent star formation in normal galaxies from a multi-wavelength study. Comparison with their gas content
Buat, V. **264**, 444
Multifrequency windows on spiral galaxies. II. The A262 and Cancer clusters
Scodeggio, M., Boselli, A., Gravazzi, G., Trinchieri, G., Garilli, B. **264**, 719; ***94***, *299*
Properties of nearby clusters of galaxies. I. A 195, A 465, A 1185, A 1213, A 1413, A 1775, A 2319 and A 2597
Trèvese, D., Flin, P., Migliori, L., Hickson, P., Pittella, G. **264**, 720; ***94***, *327*
Gravitationally lensed arcs in two X-ray selected clusters of galaxies at $z=0.426$ and $z=0.583$
Luppino, G.A., Gioia, I.M. **265**, L9
Photometry of the spiral pair NGC 450/UGC 807 and the optical thickness of galactic disks
Andredakis, Y.C., van der Kruit, P.C. **265**, 396
Seeing and aperture effects on [O III]-based flux calibration of AGN spectra. NGC 3516: a case study
Wanders, I., Peterson, B.M., Pogge, R.W., DeRobertis, M.M., van Groningen, E. **266**, 72
Multicolor surface photometry of brightest cluster galaxies
Andreon, S., Garilli, B., Maccagni, D., Gregorini, L., Vettolani, G. **266**, 127
Isophotal shapes of early-type galaxies. II. The Perseus cluster
Poulain, P., Nieto, J.-L., Davoust, E. **266**, 630; ***95***, *129*
CCD surface photometry for E and S0 galaxies in the Coma cluster
Jørgensen, I., Franx, M., Kjærgaard, P. **266**, 636; ***95***, *489*
BVRI CCD photometry of 361,281 objects in the field of M 31
Magnier, E.A., Lewin, W.H.G., van Paradijs, J., Hasinger, G., Jain, A., Pietsch, W., Trümper, J. **266**, 644; ***96***, *379*
The distribution of blue and red stars around the M 81 galaxy
Georgiev, T.B., Bilkina, B.I., Tikhonov, N.A. **266**, 648; ***96***, *569*

(Galaxies:) quasars: absorption lines

Characteristic scales in the distribution of QSO absorption line systems
Mo, H.J., Xia, X.Y., Deng, Z.G., Börner, G., Fang, L.Z. **256**, L23
Discovery of $z \sim 1$ galaxies causing quasar absorption lines
Bergeron, J., Cristiani, S., Shaver, P.A. **257**, 417
A new method to test the model of the universe
Liebscher, D.-E., Priester, W., Hoell, J. **261**, 377
A search for moderate redshift CO absorption
Douglas, N.G., Radford, S.J.E., Roland, J., Webb, J.K. **262**, 8
Molecules at early epochs. VI. A search for molecular hydrogen in the $z=3.391$ damped Lyman alpha system toward Q 0000-263
Levshakov, S.A., Chaffee, F.H., Foltz, C.B., Black, J.H. **262**, 385
A survey of very low redshift Mg II absorption systems in quasar spectra
Boissé, P., Boulade, O., Kunth, D., Tytler, D., Vigroux, L. **262**, 401
The huge objects revealed by the distribution of the absorption redshifts of QSOs: are they the great attractors?
Yong-zhen Liu, Yin Liu **264**, L17
Truncated photoionized autogravitating clouds at high redshift
Petitjean, P., Bergeron, J., Puget, J.L. **265**, 375

(Galaxies:) quasars: emission lines

Near-infrared emission of the bright quasar IR 0914–62
Courvoisier, T.J.-L., Bouchet, P., Robson, E.I. **258**, 272
Spectral monitoring of powerful radio sources
Hooimeyer, J.R.A., Miley, G.K., de Waard, G.J., Schilizzi, R.T. **261**, 9
Monitoring of active galactic nuclei. I. The quasars 1302−102 and 1217+023
Jackson, N., O'Brien, P.T., Goad, M., Alloin, D., Axon, D.J., de Bruyn, A.G., Clavel, J., Dietrich, M., Gondhalekar, P.M., van Groningen, E., Kollatschny, W., Laurikainen, E., Lawrence, A., McHardy, I.M., Penston, M.V., Pérez, E., Pérez-Fournon, I., Robinson, A., Stirpe, G.M., Tadhunter, C.N., Terlevich, R.J., Wagner, S. **262**, 17
Statistical properties of AGN emission lines in relation to the accretion disc model
Dumont, A.M., Joly, M. **263**, 75
Speckle masking observations of the Seyfert galaxy NGC 1386
Mauder, W., Appenzeller, I., Hofmann, K.-H., Wagner, S.J., Weigelt, G., Zeidler, P. **264**, L9

(Galaxies:) quasars: general

HS 1946+7658: the most luminous QSO so far
Hagen, H.-J., Cordis, L., Engels, D., Groote, D., Haug, U., Heber, U., Köhler, T., Wiskotzki, L., Reimers, D. **253**, L5
Q 1208+1011: the most distant multiply imaged quasar, or a binary?
Magain, P., Surdej, J., Vanderriest, C., Pirenne, B., Hutsemékers, D. **253**, L13
The soft X-ray excess in Einstein quasar spectra
Masnou, J.L., Wilkes, B.J., Elvis, M., McDowell, J.C., Arnaud, K.A. **253**, 35
Fitting the broad line spectrum and UV continuum by accretion discs in active galactic nuclei
Rokaki, E., Boisson, C., Collin-Souffrin, S. **253**, 57
NTT discovery of a radio-quiet giant elliptical galaxy with $z=1.013$ in the neighbourhood of the quasar 3C 245
Le Fèvre, O., Hammer, F. **254**, L29
A search for excess galaxies around distant flat-spectrum radio quasars
Fried, J.W. **254**, 39
Five years monitoring of extragalactic radio sources. III. Generalized shock models and the dependence of variability on frequency
Valtaoja, E., Teräsranta, H., Urpo, S., Nesterov, N.S., Lainela, M., Valtonen, M. **254**, 71
Five years monitoring of extragalactic radio sources. IV. Variability statistics and unified models for AGN
Valtaoja, E., Teräsranta, H., Urpo, S., Nesterov, N.S., Lainela, M., Valtonen, M. **254**, 80
Wavelet analysis of "double quasar" flux data
Hjorth, P.G., Villemoes, L.F., Teuber, J., Florentin-Nielsen, R. **255**, L20
High-energy gamma radiation from extragalactic radio sources
Dermer, C.D., Schlickeiser, R., Mastichiadis, A. **256**, L27
Compact Steep-Spectrum 3 CR sources: VLA observations at 1.5, 15 and 22.5 GHz
van Breugel, W.J.M., Fanti, C., Fanti, R., Stanghellini, C., Schilizzi, R.T., Spencer, R.E. **256**, 56
The unification of radio galaxies and quasars and their linear size evolution
Gopal-Krishna, Kulkarni, V.K. **257**, 11
VLBI observations of active galactic nuclei at 3 mm
Bååth, L.B., Rogers, A.E.E., Inoue, M., Padin, S., Wright, M.C.H., Zensus, A., Kus, A.J., Backer, D.C., Booth, R.S., Carlstrom, J.E., Dickman, R.L., Emerson, D.T., Hirabayashi, H., Hodges, M.W., Kobayashi, H., Lamb, J., Moran, J.M., Morimoto, M., Plambeck, R.L., Predmore, C.R., Rönnäng, B., Woody, D. **257**, 31
Relativistic neutrons in active galactic nuclei. I. Energy transport from the core
Atoyan, A.M. **257**, 465
Relativistic neutrons in active galactic nuclei. II. Gamma-rays of high and very high energies
Atoyan, A.M. **257**, 476
The expected ionization of H I by line-of-sight neighbour quasars: measuring the quasar beaming
Møller, P., Kjærgaard, P. **258**, 234
The origin of the X-ray emission in 3C 273 and 3C 120
Walter, R., Courvoisier, T.J.-L. **258**, 255
Near-infrared emission of the bright quasar IR 0914–62
Courvoisier, T.J.-L., Bouchet, P., Robson, E.I. **258**, 272
Statistics of intraday variability in extragalactic radio sources
Quirrenbach, A., Witzel, A., Krichbaum, T.P., Hummel, C.A., Wegner, R., Schalinski, C.J., Ott, M., Alberdi, A., Rioja, M. **258**, 279
High dynamic range VLBI observations of 3C 345 at 18 cm wavelength
Rantakyrö, F.T., Bååth, L.B., Pauliny-Toth, I.I.K., Matveyenko, L.I., Unwin, S.C. **259**, 8
3C 179: a high fidelity image of the double-lobed superluminal quasar at 5 GHz
Akujor, C.E. **259**, L61
Swinging jets and the variability of active galactic nuclei
Gopal-Krishna, Wiita, P.J. **259**, 109
Kinematics of the ionized gas around the quasar MR 2251-178
Mulder, P.S., Valentijn, E.A. **259**, 435
Optical astrometric positions of southern quasars
Assafin, M., Vieira Martins, R. **259**, 722; ***93, 247***
Neutrinos from flat-spectrum radio quasars
Mannheim, K., Stanev, T., Biermann, P.L. **260**, L1
The compact radio structure of the high redshift quasars 0642 + 449, 1402 + 044, 1614 + 051
Gurvits, L.I., Kardashev, N.S., Popov, M.V., Schilizzi, R.T., Barthel, P.D., Pauliny-Toth, I.I.K., Kellermann, K.I. **260**, 82
Monitoring of the superluminal quasar 4C 34.47
Hooimeyer, J.R.A., Barthel, P.D., Schilizzi, R.T., Miley, G.K. **261**, 1
Two new candidate superluminal quasars: 4C 28.45 and 4C 21.35
Hooimeyer, J.R.A., Schilizzi, R.T., Miley, G.K., Barthel, P.D. **261**, 5
Spectral monitoring of powerful radio sources
Hooimeyer, J.R.A., Miley, G.K., de Waard, G.J., Schilizzi, R.T. **261**, 9
The radio structure of extended quasars. I. A VLBI survey of the nuclear emission
Hooimeyer, J.R.A., Barthel, P.D., Schilizzi, R.T., Miley, G.K. **261**, 18
The radio structure of extended quasars. II. The radio emission on pc- and kpc-scales
Hooimeyer, J.R.A., Schilizzi, R.T., Miley, G.K., Barthel, P.D. **261**, 25

First simultaneous *UBVRI* photopolarimetric observations of a sample of normal quasars
Takalo, L.O., Kidger, M.R., de Diego, J.A., Sillanpää, A. **261**, 415
A search for moderate redshift CO absorption
Douglas, N.G., Radford, S.J.E., Roland, J., Webb, J.K. **262**, 8
Monitoring of active galactic nuclei. I. The quasars 1302−102 and 1217+023
Jackson, N., O'Brien, P.T., Goad, M., Alloin, D., Axon, D.J., de Bruyn, A.G., Clavel, J., Dietrich, M., Gondhalekar, P.M., van Groningen, E., Kollatschny, W., Laurikainen, E., Lawrence, A., McHardy, I.M., Penston, M.V., Pérez, E., Pérez-Fournon, I., Robinson, A., Stirpe, G.M., Tadhunter, C.N., Terlevich, R.J., Wagner, S. **262**, 17
A note on the radial–azimuthal instability of an isothermal accretion disk around a black hole
Xinwu Cao **262**, 350
Ten years monitoring of extragalactic radio sources at 22, 37 and 87 GHz
Teräsranta, H., Tornikoski, M., Valtaoja, E., Urpo, S., Nesterov, N., Lainela, M., Kotilainen, J., Wiren, S., Laine, S., Nilsson, K., Valtonen, M. **262**, 384; ***94***, *121*
2319+272: a flat spectrum quasar viewed through the cluster Abell 2584
Stickel, M., Kühr, H. **264**, 68
First X-ray spectrum of the most luminous quasar PKS 2126–158
Ghosh, K.K., Soundararajaperumal, S. **265**, 413
CO emission from radio quiet quasars: new detections support a thermal origin for the FIR emission
Alloin, D., Barvainis, R., Gordon, M.A., Antonucci, R.R.J. **265**, 429
Multiwavelength observations of the quasar Q 1821+643 during the ROSAT All Sky Survey
Ulrich, M.-H., Fink, H.H., Schaeidt, S., Baganoff, F., Malkan, M.A., Heidt, J., Wagner, S. **266**, 183
A northern 2 Jy sample of compact extragalactic radio sources suitable for millimeter and space VLBI observations
Valtaoja, E., Lähteenmäki, A., Teräsranta, H. **266**, 629; ***95***, *73*
A finding list of extragalactic radio jets and statistical results
Liu, F.K., Xie, G.Z. **266**, 631; ***95***, *249*
Optical astrometry of Benchmark radio sources. I
Costa, E., Loyola, P. **266**, 641; ***96***, *183*
X-ray observations of flat spectrum radio sources with the HEAO-A, Einstein and EXOSAT observatories
Biermann, P.L., Schaaf, R., Pietsch, W., Schmutzler, T., Witzel, A., Kühr, H. **266**, 643; ***96***, *339*

(Galaxies:) quasars: individual: . . .

HS 1946+7658

HS 1946+7658: the most luminous QSO so far
Hagen, H.-J., Cordis, L., Engels, D., Groote, D., Haug, U., Heber, U., Köhler, T., Wiskotzki, L., Reimers, D. **253**, L5

IR 0914-62

Near-infrared emission of the bright quasar IR 0914–62
Courvoisier, T.J.-L., Bouchet, P., Robson, E.I. **258**, 272

MR 2251-178

Kinematics of the ionized gas around the quasar MR 2251-178
Mulder, P.S., Valentijn, E.A. **259**, 435

PKS 1217+023

Monitoring of active galactic nuclei. I. The quasars 1302−102 and 1217+023
Jackson, N., O'Brien, P.T., Goad, M., Alloin, D., Axon, D.J., de Bruyn, A.G., Clavel, J., Dietrich, M., Gondhalekar, P.M., van Groningen, E., Kollatschny, W., Laurikainen, E., Lawrence, A., McHardy, I.M., Penston, M.V., Pérez, E., Pérez-Fournon, I., Robinson, A., Stirpe, G.M., Tadhunter, C.N., Terlevich, R.J., Wagner, S. **262**, 17

PKS 1302-102

Monitoring of active galactic nuclei. I. The quasars 1302−102 and 1217+023
Jackson, N., O'Brien, P.T., Goad, M., Alloin, D., Axon, D.J., de Bruyn, A.G., Clavel, J., Dietrich, M., Gondhalekar, P.M., van Groningen, E., Kollatschny, W., Laurikainen, E., Lawrence, A., McHardy, I.M., Penston, M.V., Pérez, E., Pérez-Fournon, I., Robinson, A., Stirpe, G.M., Tadhunter, C.N., Terlevich, R.J., Wagner, S. **262**, 17

PKS 2126–158

First X-ray spectrum of the most luminous quasar PKS 2126–158
Ghosh, K.K., Soundararajaperumal, S. **265**, 413

Q 0000-263

Molecules at early epochs. VI. A search for molecular hydrogen in the $z=3.391$ damped Lyman alpha system toward Q0000-263
Levshakov, S.A., Chaffee, F.H., Foltz, C.B., Black, J.H. **262**, 385

Q 0102-190

Discovery of $z \sim 1$ galaxies causing quasar absorption lines
Bergeron, J., Cristiani, S., Shaver, P.A. **257**, 417

Q 0642+449

The compact radio structure of the high redshift quasars 0642 + 449, 1402 + 044, 1614 + 051
Gurvits, L.I., Kardashev, N.S., Popov, M.V., Schilizzi, R.T., Barthel, P.D., Pauliny-Toth, I.I.K., Kellermann, K.I. **260**, 82

Q 0836+710

MERLIN and VLBI observations of the quasar 0836+710: morphology of a parsec-kiloparsec scale jet
Hummel, C.A., Muxlow, T.W.B., Krichbaum, T.P., Quirrenbach, A., Schalinski, C.J., Witzel, A., Johnston, K.J. **266**, 93

Q 0957 + 561 A, B

Wavelet analysis of "double quasar" flux data
Hjorth, P.G., Villemoes, L.F., Teuber, J., Florentin-Nielsen, R. **255**, L20

Q 1208+1011

Q 1208+1011: the most distant multiply imaged quasar, or a binary?
Magain, P., Surdej, J., Vanderriest, C., Pirenne, B., Hutsemékers, D. **253**, L13

Q 1402+044

The compact radio structure of the high redshift quasars 0642 + 449, 1402 + 044, 1614 + 051
Gurvits, L.I., Kardashev, N.S., Popov, M.V., Schilizzi, R.T., Barthel, P.D., Pauliny-Toth, I.I.K., Kellermann, K.I. **260**, 82

Q 1614+051

The compact radio structure of the high redshift quasars 0642 + 449, 1402 + 044, 1614 + 051
Gurvits, L.I., Kardashev, N.S., Popov, M.V., Schilizzi, R.T., Barthel, P.D., Pauliny-Toth, I.I.K., Kellermann, K.I. **260**, 82

Q 1821+643

Multiwavelength observations of the quasar Q 1821+643 during the ROSAT All Sky Survey
Ulrich, M.-H., Fink, H.H., Schaeidt, S., Baganoff, F., Malkan, M.A., Heidt, J., Wagner, S. **266**, 183

Q 1928+738

The jets of quasar 1928+738: superluminal motion and large-scale structure
Hummel, C.A., Schalinski, C.J., Krichbaum, T.P., Rioja, M.J., Quirrenbach, A., Witzel, A., Muxlow, T.W.B., Johnston, K.J., Matveyenko, L.I., Shevchenko, A. **257**, 489

Q 2206-199

Discovery of z ~1 galaxies causing quasar absorption lines
Bergeron, J., Cristiani, S., Shaver, P.A. **257**, 417

Q 2224-408 A

The expected ionization of H I by line-of-sight neighbour quasars: measuring the quasar beaming
Møller, P., Kjærgaard, P. **258**, 234

Q 2319+272

2319+272: a flat spectrum quasar viewed through the cluster Abell 2584
Stickel, M., Kühr, H. **264**, 68

3C 48

Is there a megaparsec component to 3C 48?
Woan, G. **254**, 25

3C 120

The origin of the X-ray emission in 3C 273 and 3C 120
Walter, R., Courvoisier, T.J.-L. **258**, 255

3C 179

3C 179: a high fidelity image of the double-lobed superluminal quasar at 5 GHz
Akujor, C.E. **259**, L61

3C 216

The curved jets in 3C216 and 3C446
Fejes, I., Porcas, R.W., Akujor, C.E. **257**, 459

3C 245

NTT discovery of a radio-quiet giant elliptical galaxy with $z=$ 1.013 in the neighbourhood of the quasar 3C 245
Le Fèvre, O., Hammer, F. **254**, L29

3C 273

The origin of the X-ray emission in 3C 273 and 3C 120
Walter, R., Courvoisier, T.J.-L. **258**, 255

Six years of monitoring 3C 273 at millimetre wavelengths
Steppe, H. **259**, 61

Multiwavelength observations of the quasar Q 1821+643 during the ROSAT All Sky Survey
Ulrich, M.-H., Fink, H.H., Schaeidt, S., Baganoff, F., Malkan, M.A., Heidt, J., Wagner, S. **266**, 183

3C 279

Gamma-ray flaring of 3C 279: a proton-initiated cascade in the jet?
Mannheim, K., Biermann, P.L. **253**, L21

3C 345

High dynamic range VLBI observations of 3C 345 at 18 cm wavelength
Rantakyrö, F.T., Bååth, L.B., Pauliny-Toth, I.I.K., Matveyenko, L.I., Unwin, S.C. **259**, 8

3C 446

The curved jets in 3C216 and 3C446
Fejes, I., Porcas, R.W., Akujor, C.E. **257**, 459

4C 21.35

Two new candidate superluminal quasars: 4C 28.45 and 4C 21.35
Hooimeyer, J.R.A., Schilizzi, R.T., Miley, G.K., Barthel, P.D. **261**, 5

4C 28.45

Two new candidate superluminal quasars: 4C 28.45 and 4C 21.35
Hooimeyer, J.R.A., Schilizzi, R.T., Miley, G.K., Barthel, P.D. **261**, 5

4C 34.47

Monitoring of the superluminal quasar 4C 34.47
Hooimeyer, J.R.A., Barthel, P.D., Schilizzi, R.T., Miley, G.K. **261**, 1

Galaxies: Seyfert

Fitting the broad line spectrum and UV continuum by accretion discs in active galactic nuclei
Rokaki, E., Boisson, C., Collin-Souffrin, S. **253**, 57

ROSAT active galactic nuclei identified on objective prism plates
Bade, N., Engels, D., Fink, H.H., Hagen, H.-J., Reimers, D., Voges, W., Wisotzki, L. **254**, L21

X-ray spectrum of NGC 3783: detection of soft excess and an emission line
Ghosh, K.K., Soundararajaperumal, S., Kalai Selvi, M., Sivarani, T. **255**, 119

Optical variability of Seyfert nuclei. II. Fairall 9
Lub, J., de Ruiter, H.R. **256**, 33

SIGMA observation of a steep spectral shape in NGC 4151 above 35 keV
Jourdain, E., Bassani, L., Bouchet, L., Mandrou, P., Ballet, J., Lebrun, F., Paul, J., Laurent, P., Churazov, E., Gilfanov, M., Sunyaev, R., Dyachkov, A., Khavenson, N., Chulkov, I., Kuznetsov, A., Novikov, B. **256**, L38

Iron Kα line from X-ray illuminated relativistic disks
Matt, G., Perola, G.C., Piro, L., Stella, L. **257**, 63

The origin of the X-ray emission in 3C 273 and 3C 120
Walter, R., Courvoisier, T.J.-L. **258**, 255

Decreasing diameter of a molecular ring
Combes, F., Gerin, M., Nakai, N., Kawabe, R., Shaw, M.A. **259**, L27

Spectral monitoring of powerful radio sources
Hooimeyer, J.R.A., Miley, G.K., de Waard, G.J., Schilizzi, R.T. **261**, 9

Correlated variations of lines and continuum by disc reprocessing in NGC 5548
Rokaki, E., Magnan, C. **261**, 41
ROSAT All Sky Survey observations of IRAS galaxies
Boller, T., Meurs, E.J.A., Brinkmann, W., Fink, H.H., Zimmermann, U., Adorf, H.-M. **261**, 57
The X-ray variability of the Seyfert galaxy NGC 6814
Fiore, F., Massaro, E., Barone, P. **261**, 405
Time-resolved spectral analysis of three Seyfert galaxies observed with Ginga
Fiore, F., Perola, G.C., Matsuoka, M., Yamauchi, M., Piro, L. **262**, 37
The spectroscopic analysis of emission line galaxies identified from an objective prism survey
Winkler, H., Stirpe, G.M., Sekiguchi, K. **262**, 383; ***94***, *103*
Erratum: Iron Kα line from X-ray illuminated relativistic disks
Matt, G., Perola, G.C., Piro, L., Stella, L. **263**, 453
Absorption line variability in Markarian 231
Kollatschny, W., Dietrich, M., Hagen, H. **264**, L5
Speckle masking observations of the Seyfert galaxy NGC 1386
Mauder, W., Appenzeller, I., Hofmann, K.-H., Wagner, S.J., Weigelt, G., Zeidler, P. **264**, L9
Radio structure of the Seyfert galaxy Markarian 509
Singh, K.P., Westergaard, N.J. **264**, 489
On the disappearance of the broad emission component of Hβ of NGC 5548 in May 1992
Iijima, T., Rafanelli, P., Bianchini, A. **265**, L25
CO emission from radio quiet quasars: new detections support a thermal origin for the FIR emission
Alloin, D., Barvainis, R., Gordon, M.A., Antonucci, R.R.J. **265**, 429
Kinematics of the [O III]-emitting gas in the 1-arcsecond circumnuclear core of the Seyfert galaxy NGC 1068
Afanasyev, V.L., Balega, Y.Y., Orlov, V.G., Vasyuk, V.A. **266**, 15
X-ray variability in a sample of Seyfert 1 type AGN
Walter, R., Courvoisier, T.J.-L. **266**, 57
A link between X-ray variability and ultraviolet emission in Seyfert 1 type AGN
Walter, R., Courvoisier, T.J.-L. **266**, 65
ESO 138 G1: a high excitation Seyfert 2 nucleus in a low luminosity early-type galaxy
Alloin, D., Bica, E., Bonatto, C., Prugniel, P. **266**, 117
Star formation efficiency in active galaxies
Chini, R., Krügel, E., Kreysa, E. **266**, 177
X-ray observations of flat spectrum radio sources with the HEAO-A, Einstein and EXOSAT observatories
Biermann, P.L., Schaaf, R., Pietsch, W., Schmutzler, T., Witzel, A., Kühr, H. **266**, 643; ***96***, *339*
Warm IRAS sources. II. Optical spectroscopy of objects from the Point Source Catalog
de Grijp, M.H.K., Keel, W.C., Miley, G.K., Goudfrooij, P., Lub, J. **266**, 645; ***96***, *389*

Galaxies: spiral

Intergalactic magnetic fields and the periphery of spiral galaxies
Battaner, E., Florido, E., Sanchez-Saavedra, M.L. **253**, 89
Emission line galaxies in the Bootes void
Peimbert, M., Torres-Peimbert, S. **253**, 349
A sensitive radio continuum survey of low surface brightness dwarf galaxies
Klein, U., Giovanardi, C., Altschuler, D.R., Wunderlich, E. **255**, 49
Dark-to-luminous mass ratio in spiral galaxies
Jablonka, J., Arimoto, N. **255**, 63
On the quadrisymmetric ($m=2$) magnetic fields in spiral galaxies
Vallée, J.P. **255**, 100
The colour gradient in M 31: evidence for disc formation by biased infall?
Josey, S.A., Arimoto, N. **255**, 105
The mass distribution of the dwarf spiral NGC 1560
Broeils, A.H. **256**, 19
Disk morphology of NGC 628 from large field CCD *UBVRI* photometry
Natali, G., Pedichini, F., Righini, M. **256**, 79
The mass-to-light ratio in spiral galaxies
Forbes, D.A. **256**, 325; ***92***, *583*
The influence of boundary conditions on the excitation of disk dynamo modes
Moss, D., Brandenburg, A. **256**, 371
The influence of environment on outer rings and pseudo-rings in galaxies
Elmegreen, D.M., Elmegreen, B.G., Combes, F., Bellin, A.D. **257**, 17
The stellar velocity dispersion of the spiral galaxies NGC 1566 and NGC 2815
Bottema, R. **257**, 69
Multiband analysis of the surface brightness distributions of Sb and Sc spirals from CCD images. II. Bulge-disc decomposition
Prieto, M., Beckman, J.E., Cepa, J., Varela, A.M. **257**, 85
Erratum: The magnetic field structure in the radio halos of NGC 891 and NGC 4631
Hummel, E., Beck, R., Dahlem, M. **258**, 605
Erratum: Magnetic fields and interstellar gas clouds in the spiral galaxy NGC 6946
Beck, R. **258**, 605
Decreasing diameter of a molecular ring
Combes, F., Gerin, M., Nakai, N., Kawabe, R., Shaw, M.A. **259**, L27
Near-infrared surface photometry of NGC 253
Forbes, D.A., DePoy, D.L. **259**, 97
Dynamos in discs and halos of galaxies
Brandenburg, A., Donner, K.J., Moss, D., Shukurov, A., Sokoloff, D.D., Tuominen, I. **259**, 453
Axial ratios of edge-on spirals
Guthrie, B.N.G. **259**, 723; ***93***, *255*
Fourier analysis of structure in spiral galaxies
Puerari, I., Dottori, H.A. **260**, 557; ***93***, *469*
Multiband analysis of the surface brightness distributions of Sb and Sc spirals CCD images. I. Observations
Prieto, M., Longley, D.P.T., Perez, E., Beckman, J.E., Varela, A.M., Cepa, J. **260**, 559; ***93***, *557*
The central region of NGC 613 revisited
Hummel, E., Jörsäter, S. **261**, 85
The magnetic field structure of M 51
Neininger, N. **263**, 30
Evolutionary models for disk galaxies
Firmani, C., Tutukov, A. **264**, 37
Numerical models of 3-D galactic dynamos
Panesar, J.S., Nelson, A.H. **264**, 77
Dynamos in resonance
Schmitt, D., Rüdiger, G. **264**, 319
Diffusion-generated electromotive force and seed magnetic field problem
Lazarian, A. **264**, 326

Pattern recognition of the regular magnetic field in disks of spiral galaxies
Sokoloff, D., Shukurov, A., Krause, M. **264**, 396
Steady gas flow with a shock wave in a potential well
Kovalenko, I.G., Levy, V.V. **264**, 406
The radial distribution of supernovae in galaxies
Bartunov, O.S., Makarova, I.N., Tsvetkov, D.Y. **264**, 428
A CO(1-0) and CO(2-1) survey of nearby spiral galaxies. II. Physical conditions in the nuclear gas
Braine J., Combes, F. **264**, 433
Global recent star formation in normal galaxies from a multi-wavelength study. Comparison with their gas content
Buat, V. **264**, 444
Pairing properties of Markarian starburst galaxies
Keel, W.C., van Soest, E.T.M. **264**, 722; ***94***, *553*
Galactic dynamos and their radio signatures
Elstner, D., Meinel, R., Beck, R. **264**, 723; ***94***, *587*
Faraday effects in the spiral galaxy M 51
Horellou, C., Beck, R., Berkhuijsen, E.M., Krause, M., Klein, U. **265**, 417
Molecular gas distribution and dynamics of the edge-on spiral galaxy NGC 891. Discovery of a molecular halo
Garcia-Burillo, S., Guélin, M., Cernicharo, J., Dahlem, M. **266**, 21
Models of patchy-structured galaxies
Nezhinskij, E.M., Ollongren, A. **266**, 140
BVRI CCD photometry of 361,281 objects in the field of M 31
Magnier, E.A., Lewin, W.H.G., van Paradijs, J., Hasinger, G., Jain, A., Pietsch, W., Trümper, J. **266**, 644; ***96***, *379*
New H I observations for some edge-on spiral galaxies
Garcia, A.M., Bottinelli, L., Garnier, R., Gouguenheim, L., Paturel, G. **266**, 645; ***96***, *435*

Galaxies: star clusters

Metallicities from CCD Strömgren photometry of the young cluster NGC 330 and nearby field stars in the Small Magellanic Cloud
Grebel, E.K., Richtler, T. **253**, 359
New globular clusters in the bulge of M 31
Aurière, M., Coupinot, G., Hecquet, J. **256**, 95
Spectral types and *UBV* magnitudes of stars in the 30 Doradus complex
Schild, H., Testor, G. **257**, 410; ***92***, *729*
OB associations in four stellar fields of M 31
Battinelli, P. **258**, 269
Photometry of the LMC H II region N 159 A and of its stellar content. II. Young stars, gas, and dust
Deharveng, L., Caplan, J. **259**, 480
Photometric analysis of astronomical images by the wavelet transform
Coupinot, G., Hecquet, J., Aurière, M., Futaully, R. **259**, 701
Ages and metallicities of M 31 star clusters
Jablonka, P., Alloin, D., Bica, E. **260**, 97
Super metal-rich clusters G 158 and G 177 in M 31: clues on the inner bulge/disc transition
Bica, E., Jablonka, P., Santos Jr., J.F.C., Alloin, D., Dottori, H. **260**, 109
Photometry of the LMC HII region N159A and of its stellar content. I. Stellar observations and reductions
Deharveng, L., Caplan, J., Lombard, J. **264**, 720; ***94***, *359*
The stellar content of the Large Magellanic Cloud H II region N 59 A
Armand, C., Deharveng, L., Caplan, J. **265**, 504
Erratum: Photometry of the LMC H II region N 159A and of its stellar content. I. Stellar observations and reductions
Deharveng, L., Caplan, J., Lombard, J. **266**, 000; ***95***, *601*
Near-infrared photometry of globular clusters in the outer halo of M 31. II. New TIRGO and UKIRT data
Bònoli, F., Delpino, F., Federici, L., Fusi Pecci, F., Longmore, A.J. **266**, 641; ***96***, *163*

Galaxies: starburst

Evolutionary synthesis of the radio and far-infrared emission in starbursts
Mas-Hesse, J.M. **253**, 49
Emission line galaxies in the Bootes void
Peimbert, M., Torres-Peimbert, S. **253**, 349
Gaps and filaments in the synchrotron halo of M82. Evidence for poloidal magnetic fields
Reuter, H.-P., Klein, U., Lesch, H., Wielebinski, R., Kronberg, P.P. **256**, 10
Spectroscopic evolutionary synthesis of the emission lines He II λ4686 and C III λ4650 in Wolf-Rayet galaxies
Krüger, H., Fritze-v. Alvensleben, U., Fricke, K.J., Loose, H.-H. **259**, L73
The evolution of nitrogen and oxygen abundances in dwarf irregular galaxies
Pilyugin, L.S. **260**, 58
Extranuclear high-excitation gas in the starburst galaxy NGC 2782
Boer, B., Schulz, H., Keel, W.C. **260**, 67
The far-infrared/Hα correlation of extreme IRAS galaxies
van den Broek, A.C. **261**, L1
Models and observations of starbursts. I. Methods of evolutionary models and the starburst in M 82
Bernlöhr, K. **263**, 54
Pairing properties of Markarian starburst galaxies
Keel, W.C., van Soest, E.T.M. **264**, 722; ***94***, *553*
The giant outflow cone in NGC 253
Schulz, H., Wegner, G. **266**, 167
Star formation efficiency in active galaxies
Chini, R., Krügel, E., Kreysa, E. **266**, 177

Galaxies: stellar content

The calcium infrared triplet lines in stellar spectra
Jørgensen, U.G., Carlsson, M., Johnson, H.R. **254**, 258
Star formation histories of galaxies from their stellar luminosity functions
Mighell, K.J., Butcher, H.R. **255**, 26
The colour gradient in M 31: evidence for disc formation by biased infall?
Josey, S.A., Arimoto, N. **255**, 105
Multiband analysis of the surface brightness distributions of Sb and Sc spirals from CCD images. II. Bulge-disc decomposition
Prieto, M., Beckman, J.E., Cepa, J., Varela, A.M. **257**, 85
Spectral types and *UBV* magnitudes of stars in the 30 Doradus complex
Schild, H., Testor, G. **257**, 410; ***92***, *729*
Properties of fast winds in hot stars in the Magellanic Clouds
Patriarchi, P., Perinotto, M. **258**, 285
Massive star population in M 31 OB associations
Cananzi, K. **259**, 17
Spectroscopic evolutionary synthesis of the emission lines He II λ4686 and C III λ4650 in Wolf-Rayet galaxies
Krüger, H., Fritze-v. Alvensleben, U., Fricke, K.J., Loose, H.-H. **259**, L73

Ages and metallicities of M 31 star clusters
Jablonka, P., Alloin, D., Bica, E. **260**, 97
Super metal-rich clusters G 158 and G 177 in M 31: clues on the inner bulge/disc transition
Bica, E., Jablonka, P., Santos Jr., J.F.C., Alloin, D., Dottori, H. **260**, 109
Multiband analysis of the surface brightness distributions of Sb and Sc spirals CCD images. I. Observations
Prieto, M., Longley, D.P.T., Perez, E., Beckman, J.E., Varela, A.M., Cepa, J. **260**, 559; ***93***, *557*
Optical spectroscopy of WR stars in M 33 and M 31. II. The WO population and discovery of an Ofp/WN 9 star in M 33
Willis, A.J., Schild, H., Smith, L.J. **261**, 419
The far-infrared properties of parent galaxies of supernovae
Petrosian, A.R., Turatto, M. **261**, 433
Cool star flux spectra for population studies in galaxies
Malagnini, M.L., Morossi, C., Buser, R., Parthasarathy, M. **261**, 558
The radial distribution of supernovae in galaxies
Bartunov, O.S., Makarova, I.N., Tsvetkov, D.Y. **264**, 428
Global recent star formation in normal galaxies from a multi-wavelength study. Comparison with their gas content
Buat, V. **264**, 444
Photometry of the LMC H II region N159A and of its stellar content. I. Stellar observations and reductions
Deharveng, L., Caplan, J., Lombard, J. **264**, 720; ***94***, *359*
The stellar content of the Large Magellanic Cloud H II region N 59 A
Armand, C., Deharveng, L., Caplan, J. **265**, 504
Erratum: Photometry of the LMC H II region N 159A and of its stellar content. I. Stellar observations and reductions
Deharveng, L., Caplan, J., Lombard, J. **266**, 000; ***95***, *601*
ESO 138 G1: a high excitation Seyfert 2 nucleus in a low luminosity early-type galaxy
Alloin, D., Bica, E., Bonatto, C., Prugniel, P. **266**, 117
Ten little Wolf-Rayet stars in NGC 300
Schild, H., Testor, G. **266**, 145
The brightest blue and red stars in the galaxy M 81
Georgiev, T.B., Bilkina, B.I., Tikhonov, N.A. **266**, 637; ***95***, *581*
BVRI CCD photometry of 361,281 objects in the field of M 31
Magnier, E.A., Lewin, W.H.G., van Paradijs, J., Hasinger, G., Jain, A., Pietsch, W., Trümper, J. **266**, 644; ***96***, *379*
A library of near-IR stellar spectra from 1.428 to 2.5 μm
Lançon, A., Rocca-Volmerange, B. **266**, 649; ***96***, *593*
Stellar associations and aggregates in NGC 628
Ivanov, G.R., Popravko, G., Efremo, Y.N., Tikhonov, N.A., Karachentsev, I.D. **266**, 650; ***96***, *645*

Galaxy: abundances

Abundances in planetary nebulae near the galactic center. II. Abundance distributions
Ratag, M.A., Pottasch, S.R., Dennefeld, M., Menzies, J.W. **255**, 255
The G-dwarf problem: a synthetical approach
Meusinger, H., Stecklum, B. **256**, 415
The age of the Galaxy from thorium in G dwarfs, a re-analysis
Morell, O., Källander, D., Butcher, H.R. **259**, 543
Metallicity of the star III-17 in the bulge globular cluster NGC 6553
Barbuy, B., Castro, S., Ortolani, S., Bica, E. **259**, 607
Synthetic Mg_1, Mg_2 and Mgb indices: relative intensities of molecular bands as a function of stellar parameters
Barbuy, B., Erdelyi-Mendes, M., Milone, A. **259**, 722; ***93***, *235*
Oxygen abundances in F and G dwarfs derived from the [O I] line at 6300 Å
Nissen, P.E., Edvardsson, B. **261**, 255
Oxygen abundances in halo stars as tests of galaxy formation
Matteuci, F., François, P. **262**, L1
The ($^{12}CO/^{13}CO$) ratio toward ζ Ophiuchi
Wilson, T.L., Mauersberger, R., Langer, W.D., Glassgold, A.E., Wilson, R.W. **262**, 248
On abundance gradients in spiral galaxies
Götz, M., Köppen, J. **262**, 455
Spectrophotometric survey of southern planetary nebulae. III. Automatic ionization modelling
Samland, M., Köppen, J., Acker, A., Stenholm, B. **264**, 184
Derivation of the age-metallicity relation and initial mass function of stars in the solar neighbourhood
Rana, N.C., Basu, S. **265**, 499
A study of open one-zone models for the chemical evolution of the local galactic disk
Meusinger, H. **266**, 190

Galaxy: center

Abundances in planetary nebulae near the galactic center. II. Abundance distributions
Ratag, M.A., Pottasch, S.R., Dennefeld, M., Menzies, J.W. **255**, 255
OH/IR stars close to the galactic centre. I. Observational data
Lindqvist, M., Winnberg, A., Habing, H.J., Matthews, H.E. **255**, 496; ***92***, *43*
Shklovsky distances to galactic bulge planetary nebulae
Pottasch, S.R., Zijlstra, A.A. **256**, 251
Observations of a highly polarized radio filament near the great annihilator 1E1740.7-2942
Reich, W., Schlickeiser, R. **256**, 408
The galactic center in the far-red
Rosa, M.R., Zinnecker, H., Moneti, A., Melnick, J. **257**, 515
Distribution and studies of the infrared stellar population in the galaxy. III. Baade's window photometry
Ruelas-Mayorga, R.A., Teague, P.F. **257**, 844; ***93***, *61*
Position and morphology of the compact non-thermal radio source at the galactic center
Marcaide, J.M., Alberdi, A., Bartel, N., Clark, T.A., Corey, B.E., Elósegui, P., Gorenstein, M.V., Guirado, J.C., Kardashev, N., Popov, M., Preston, R., Ratner, M.I., Rioja, M.J., Rogers, A.E.E., Shapiro, I.I. **258**, 295
Molecular abundances in the Sagittarius A molecular cloud
Minh, Y.C., Irvine, W.M., Friberg, P. **258**, 489
OH/IR stars close to the galactic centre. II. Their spatial and kinematic properties and the mass distribution within 5–100 pc from the galactic centre
Lindqvist, M., Habing, H.J., Winnberg, A. **259**, 118
High resolution *I*-band imaging of the 1E 1740.7-2942 region
Leahy, D.A., Langill, P., Kwok, S. **259**, 209
Observations of five molecular species in absorption towards Sagittarius B2
Greaves, J.S., White, G.J., Ohishi, M., Hasegawa, T., Sunada, K. **260**, 381
High-velocity OH/IR stars at the Galactic centre
van Langevelde, H.J., Brown, A.G.A., Lindqvist, M., Habing, H.J., de Zeeuw, P.T. **261**, L17
Anatomy of the Sagittarius A complex. II. λ1300 μm and λ870 μm continuum observations of Sgr A* and its submm/IR spectrum
Zylka, R., Mezger, P.G., Lesch, H. **261**, 119

Synchrotron modelling of the 400 pc spur at the galactic center
Pohl, M., Reich, W., Schlickeiser, R. **262**, 441
New planetary nebulae in the galactic bulge
Acker, A., Cuisinier, F., Stenholm, B., Terzan, A. **264**, 217
The origin of monoenergetic electrons in the arc of the galactic center. Particle acceleration by magnetic reconnection
Lesch, H., Reich, W. **264**, 493
Polarized arcs near the galactic centre
Haynes, R.F., Stewart, R.T., Gray, A.D., Reich, W., Reich, P., Mebold, U. **264**, 500
The gas distribution in the central region of the Galaxy. V. ^{12}CO in the direction of the Sagittarius source complex
Burton, W.B., Liszt, H.S. **266**, 628; ***95***, *9*
Distribution and studies of the infrared stellar population in the Galaxy. Baade's window spectroscopy
Ruelas-Mayorga, R.A., Teague, P.F. **266**, 633; ***95***, *379*
H_2CO survey in the Galactic Center: $0°.5 \leqq l \leqq 4°.0$
Zylka, R., Güsten, R., Henkel, C., Batria, W. **266**, 647; ***96***, *525*

Galaxy: evolution

CH^+ λ3957 towards ζ Ophiuchi
Stahl, O., Wilson, T.L. **254**, 327
The G-dwarf problem: a synthetical approach
Meusinger, H., Stecklum, B. **256**, 415
The s-process in massive stars of variable composition
Baraffe, I., El Eid, M.F., Prantzos, N. **258**, 357
The age of the Galaxy from thorium in G dwarfs, a re-analysis
Morell, O., Källander, D., Butcher, H.R. **259**, 543
Main sequence and white dwarf stars – a consistent calculation of galactic evolution
Yuan, J.W. **261**, 105
Oxygen abundances in F and G dwarfs derived from the [O I] line at 6300 Å
Nissen, P.E., Edvardsson, B. **261**, 255
Oxygen abundances in halo stars as tests of galaxy formation
Matteuci, F., François, P. **262**, L1
On abundance gradients in spiral galaxies
Götz, M., Köppen, J. **262**, 455
Diffusion-generated electromotive force and seed magnetic field problem
Lazarian, A. **264**, 326
Derivation of the age-metallicity relation and initial mass function of stars in the solar neighbourhood
Rana, N.C., Basu, S. **265**, 499
A study of open one-zone models for the chemical evolution of the local galactic disk
Meusinger, H. **266**, 190

Galaxy: formation

The reconciliation of the several calibrations of the horizontal-branch absolute magnitude as a function of metallicity: a progress report
Catelan, M. **261**, 443
Oxygen abundances in halo stars as tests of galaxy formation
Matteuci, F., François, P. **262**, L1

Galaxy: general

Distribution and studies of the infrared stellar population in the galaxy. III. Baade's window photometry
Ruelas-Mayorga, R.A., Teague, P.F. **257**, 844; ***93***, *61*
Dynamos in discs and halos of galaxies
Brandenburg, A., Donner, K.J., Moss, D., Shukurov, A., Sokoloff, D.D., Tuominen, I. **259**, 453
Photoelectric *UBV* photometry of stars in four fields near the galactic plane
Saurer, W., Pfitscher, K., Weinberger, R., Hartl, H. **260**, 559; ***93***, *553*
Numerical models of 3-D galactic dynamos
Panesar, J.S., Nelson, A.H. **264**, 77
The radial structure of the galactic disc
Robin, A.C., Crézé, M., Mohan, V. **265**, 32

(Galaxy:) globular clusters: general

The use of velocity dispersion in globular clusters as a distance indicator
Paturel, G., Garnier, R. **254**, 93
IUE observations of UV-bright stars in M3
Buzzoni, A., Cacciari, C., Fusi Pecci, F., Buonanno, R., Corsi, C.E. **254**, 110
RR Lyrae variables in dwarf galaxies
Finzi, A. **255**, 115
New globular clusters in the bulge of M 31
Aurière, M., Coupinot, G., Hecquet, J. **256**, 95
A new age–metallicity relation for Galactic globular clusters in the α-enhanced scenario: cosmological implications
Catelan, M., de Freitas Pacheco, J.A. **258**, L5
High resolution kinematics of galactic globular clusters. I
Zaggia, S.R., Capaccioli, M., Piotto, G., Stiavelli, M. **258**, 302
UV-(2000 Å) imaging of globular clusters. I. The projected radial distributions and counts of the blue horizontal-branch stars in M 3, M 5, M 13 and M 92
Laget, M., Burgarella, D., Milliard, B., Donas, J. **259**, 510
Metallicity of the star III-17 in the bulge globular cluster NGC 6553
Barbuy, B., Castro, S., Ortolani, S., Bica, E. **259**, 607
Ages and metallicities of M 31 star clusters
Jablonka, P., Alloin, D., Bica, E. **260**, 97
Super metal-rich clusters G 158 and G 177 in M 31: clues on the inner bulge/disc transition
Bica, E., Jablonka, P., Santos Jr., J.F.C., Alloin, D., Dottori, H. **260**, 109
The reconciliation of the several calibrations of the horizontal-branch absolute magnitude as a function of metallicity: a progress report
Catelan, M. **261**, 443
The Sandage effect revisited
Catelan, M. **261**, 457
Pulsar-irradiated stars in dense globular clusters
Tavani, M. **261**, 472
CNO overabundances in six stars of ω Centauri
Milone, A., Barbuy, B., Spite, M., Spite, F. **261**, 551
Radial distribution of blue stragglers and surface brightness profile in the post-core-collapse globular cluster NGC 6397
Lauzeral, C., Ortolani, S., Aurière, M., Melnick, J. **262**, 63
The globular cluster system of NGC 1404
Richtler, T., Grebel, E.K., Domgörgen, H., Hilker, M., Kissler, M. **264**, 25
Is the star 'BS' a member of the cluster 47 Tucanae?
Thejll, P.A. **264**, 86
Member counts: a new method to constrain the tidal radii of globular clusters
Tucholke, H.-J. **264**, 513

Non-standard neutrino interactions and the evolution of red giants
Raffelt, G., Weiss, A. **264**, 536
The metal-rich globular cluster NGC 6553: clump morphology and age
Demarque, P., Lee, Y.-W. **265**, 40
Multiple stars and the velocity dispersion measurements inside galactic globular clusters
Zaggia, S.R., Capaccioli, M., Piotto, G. **265**, 43
Possible observational indication for Gurzadyan-Savvidy relaxation for globular clusters
Vesperini, E. **266**, 215

(Galaxy:) globular clusters: individual: . . .

M 15

An astrometric catalogue of stars in the region of M 15
Le Campion, J.-F., Geffert, M., Dulou, M.R., Colin, J. **266**, 631; ***95***, *233*

M 71

CCD photometry in the Vilnius photometric system. IV. Interstellar reddening in the direction of the globular cluster M 71
Boyle, R.P., Dasgupta, A.K., Smriglio, F., Straižys, V., Nandy, K. **266**, 629; ***95***, *51*

NGC 362

Astrometry of globular clusters. II. Relative proper motions and the space motion on NGC 362
Tucholke, H.-J. **259**, 723; ***93***, *311*

NGC 6397

Radial distribution of blue stragglers and surface brightness profile in the post-core-collapse globular cluster NGC 6397
Lauzeral, C., Ortolani, S., Aurière, M., Melnick, J. **262**, 63

NGC 6528

CCD photometry of NGC 6528: a high metallicity inner bulge globular cluster
Ortolani, S., Bica, E., Barbuy, B. **256**, 323; ***92***, *441*

NGC 6553

Metallicity of the star III-17 in the bulge globular cluster NGC 6553
Barbuy, B., Castro, S., Ortolani, S., Bica, E. **259**, 607
The metal-rich globular cluster NGC 6553: clump morphology and age
Demarque, P., Lee, Y.-W. **265**, 40

NGC 6712

NTT observations of the globular cluster X-ray binary NGC 6712:S/X 1850–086
Aurière, M., Koch-Miramond, L. **263**, 82

NGC 7099

Multiple stars and the velocity dispersion measurements inside galactic globular clusters
Zaggia, S.R., Capaccioli, M., Piotto, G. **265**, 43

ω Cen

CNO overabundances in six stars of ω Centauri
Milone, A., Barbuy, B., Spite, M., Spite, F. **261**, 551

47 Tuc

Astrometry of globular clusters. I. Relative proper motions for stars in 47 Tucanae
Tucholke, H.-J. **259**, 723; ***93***, *293*
Is the star 'BS' a member of the cluster 47 Tucanae?
Thejll, P.A. **264**, 86

Galaxy: halo

On the nature of the dark halo of our Galaxy
De Rújula, A., Jetzer, P., Massó, E. **254**, 99
A model for the Magellanic Stream
Liu, Y.-Z. **257**, 505
A new age–metallicity relation for Galactic globular clusters in the α-enhanced scenario: cosmological implications
Catelan, M., de Freitas Pacheco, J.A. **258**, L5
Dynamos in discs and halos of galaxies
Brandenburg, A., Donner, K.J., Moss, D., Shukurov, A., Sokoloff, D.D., Tuominen, I. **259**, 453
A survey of very low redshift Mg II absorption systems in quasar spectra
Boissé, P., Boulade, O., Kunth, D., Tytler, D., Vigroux, L. **262**, 401

Galaxy: kinematics and dynamics

Types of escapes in a simple Hamiltonian system
Contopoulos, G., Kaufmann, D. **253**, 379
A magnitude, colour, and proper-motion probe of the Galaxy at an intermediate galactic latitude
Bienaymé, O., Mohan, V., Crézé, M., Considère, S., Robin, A.C. **253**, 389
The solar motion. II. From proper motions
Jaschek, C., Valbousquet, A. **255**, 124
A model for the Magellanic Stream
Liu, Y.-Z. **257**, 505
OH/IR stars close to the galactic centre. II. Their spatial and kinematic properties and the mass distribution within 5–100 pc from the galactic centre
Lindqvist, M., Habing, H.J., Winnberg, A. **259**, 118
Liouville's equation. IV. The full symmetries of quadratic potentials
Sobouti, Y., Dehghani, M.H. **259**, 128
Milliarcsecond proper motion measurements with MAMA
Soubiran, C. **259**, 394
Hydrodynamics of encounters between star clusters and molecular clouds. I. Code validation and preliminary results
Theuns, T. **259**, 493
Hydrodynamics of encounters between star clusters and molecular clouds. II. Limits on cluster lifetimes
Theuns, T. **259**, 503
High-velocity OH/IR stars at the Galactic centre
van Langevelde, H.J., Brown, A.G.A., Lindqvist, M., Habing, H.J., de Zeeuw, P.T. **261**, L17
Kinematics of disk planetary nebulae
Maciel, W.J., Dutra, C.M. **262**, 271
Radial velocities. V. Ground based measurements for Hipparcos (*Text in French*)
Duflot, M., Fehrenbach, C., Mannone, C., Burnage, R., Genty, V. **264**, 721; ***94***, *479*
The gas distribution in the central region of the Galaxy. V. ^{12}CO in the direction of the Sagittarius source complex
Burton, W.B., Liszt, H.S. **266**, 628; ***95***, *9*

Radial velocities. VI. Ground based measurements for Hipparcos (*Text in French*)
Fehrenbach, C., Burnage, R., Figuière, J. **266**, 637; ***95***, *541*

(Galaxy:) open clusters and associations: general

Age subgroups in open clusters
Strobel, A. **253**, 374
Which evolution for an Am star?
Berthet, S. **253**, 451
Investigation of the Pleiades cluster. I. Radial velocities of corona stars
Rosvick, J.M., Mermilliod, J.-C., Mayor, M. **255**, 130
Four-colour and Hβ photometry for low-mass members in open clusters. II. The Hyades
Reglero, V., Fabregat, J., Suso, J. **256**, 324; ***92***, *565*
A photometric and spectroscopic study of a supposed subclustering of pre-main sequence stars towards the Scorpius OB1 association
Piers, R.P.A., Thé, P.S., van Genderen, A.M. **256**, 325; ***92***, *609*
A study of Scorpius OB1 and NGC 6231. III. The luminosity function for the massive stars
Perry, C.L., Hill, G. **257**, 128
OB associations in four stellar fields of M 31
Battinelli, P. **258**, 269
Hydrodynamics of encounters between star clusters and molecular clouds. I. Code validation and preliminary results
Theuns, T. **259**, 493
Hydrodynamics of encounters between star clusters and molecular clouds. II. Limits on cluster lifetimes
Theuns, T. **259**, 503
Erratum: Investigation of the Pleiades cluster. I. Radial velocities of corona stars
Rosvick, J.M., Mermilliod, J.-C., Mayor, M. **259**, 720
Estimation of the ages and distances of open clusters from the Palomar Observatory Sky Survey
Strobel, A., Skaba, W., Proga, D. **259**, 723; ***93***, *271*
The initial mass function on the Coma Berenices open cluster (Mel 111)
Bounatiro, L., Arimoto, N. **260**, 112
CCD observations in 7 open clusters: NGC 2421, NGC 2439, NGC 2489, NGC 2567, NGC 2627, NGC 2658 and NGC 2910
Ramsay, G., Pollacco, D.L. **262**, 383; ***94***, *73*
Near-infrared images of the Serpens cloud core: the stellar cluster
Eiroa, C., Casali, M.M. **262**, 468
Galactic OB associations in the northern Milky Way galaxy. Longitudes 55° to 150°
Garmany, C.D., Stencel, R.E. **264**, 718; ***94***, *211*
A photometric analysis of the Cepheus OB3 region
Jordi, C., Trullols, E., Rosselló, G., Lahulla, F. **264**, 722; ***94***, *519*
A cluster of infrared sources towards M 16
Chini, R., Krügel, E., Wargau, W.F. **265**, 45
Investigation of the Pleiades cluster. II. Binary stars in the F5-K0 spectral region
Mermilliod, J.-C., Rosvick, J.M., Duquennoy, A., Mayor, M. **265**, 513
Possible young stellar objects in the region of the Cygnus OB2 (VI Cygni) association from IRAS observations
Parthasarathy, M., Jain, S.K., Bhatt, H.C. **266**, 202
Membership, binarity and metallicity of red giants in the open cluster NGC 6134
Claria, J.J., Mermilliod, J.-C. **266**, 635; ***95***, *429*

(Galaxy:) open clusters and associations: individual: . . .

Cep OB3

A photometric analysis of the Cepheus OB3 region
Jordi, C., Trullols, E., Rosselló, G., Lahulla, F. **264**, 722; ***94***, *519*

Com (Mel 111)

The initial mass function on the Coma Berenices open cluster (Mel 111)
Bounatiro, L., Arimoto, N. **260**, 112

Cyg OB 2

Possible young stellar objects in the region of the Cygnus OB2 (VI Cygni) association from IRAS observations
Parthasarathy, M., Jain, S.K., Bhatt, H.C. **266**, 202

Haffner 18ab

Two *BV* and *GR* CCD stellar sequences in the galactic open clusters Haffner 18ab and 19
Labhardt, L., Spaenhauer, A., Schwengeler, H. **265**, 869

Haffner 19

Two *BV* and *GR* CCD stellar sequences in the galactic open clusters Haffner 18ab and 19
Labhardt, L., Spaenhauer, A., Schwengeler, H. **265**, 869

Hyades

Four-colour and Hβ photometry for low-mass members in open clusters. II. The Hyades
Reglero, V., Fabregat, J., Suso, J. **256**, 324; ***92***, *565*

M 67

Tests of the CM model for turbulent convection. I. Application to M 67
D'Antona, F., Mazzitelli, I., Gratton, R.G. **257**, 539

NGC 6134

Membership, binarity and metallicity of red giants in the open cluster NGC 6134
Claria, J.J., Mermilliod, J.-C. **266**, 635; ***95***, *429*

NGC 6193

Binary stars: another effect contributing to the supposed abnormal extinction law in NGC 6193?
Vázquez, R.A., Feinstein, A. **257**, 411; ***92***, *863*

NGC 6231

A study of Scorpius OB1 and NGC 6231. III. The luminosity function for the massive stars
Perry, C.L., Hill, G. **257**, 128

NGC 6611 (M 16)

A cluster of infrared sources towards M 16
Chini, R., Krügel, E., Wargau, W.F. **265**, 45

Pleiades

Investigation of the Pleiades cluster. I. Radial velocities of corona stars
Rosvick, J.M., Mermilliod, J.-C., Mayor, M. **255**, 130

Erratum: Investigation of the Pleiades cluster. I. Radial velocities of corona stars
Rosvick, J.M., Mermilliod, J.-C., Mayor, M. **259**, 720
Investigation of the Pleiades cluster. II. Binary stars in the F5-K0 spectral region
Mermilliod, J.-C., Rosvick, J.M., Duquennoy, A., Mayor, M. **265**, 513

Sco OB1

A study of Scorpius OB1 and NGC 6231. III. The luminosity function for the massive stars
Perry, C.L., Hill, G. **257**, 128

Sco-Cen associations

Interactions of stars and interstellar matter in Scorpio Centaurus
de Geus, E.J. **262**, 258

Tr 16

Binary stars: another effect contributing to the supposed abnormal extinction law in NGC 6193?
Vázquez, R.A., Feinstein, A. **257**, 411; ***92***, *863*

30 Dor cluster (LMC)

Spectral types and *UBV* magnitudes of stars in the 30 Doradus complex
Schild, H., Testor, G. **257**, 410; ***92***, *729*

(Galaxy:) solar neighbourhood

An analysis of the influence of interstellar scattering on interplanetary scintillation observations
Hajivassiliou, C.A. **253**, 244
Observational evidence for a high velocity cloud collision
Meyerdierks, H. **253**, 515
CH^+ λ3957 towards ζ Ophiuchi
Stahl, O., Wilson, T.L. **254**, 327
The solar motion. II. From proper motions
Jaschek, C., Valbousquet, A. **255**, 124
The interstellar neutral-gas experiment on ULYSSES
Witte, M., Rosenbauer, H., Keppler, E., Fahr, H.-J., Hemmerich, P., Lauche, H., Loidl, A., Zwick, R. **255**, 500; ***92***, *333*
A tridimensional model of the galactic interstellar extinction
Arenou, F., Grenon, M., Gómez, A. **258**, 104
A very dense H I filament within the Local Hot Bubble
Wennmacher, A., Lilienthal, D., Herbstmeier, U. **261**, L9
The oblique impact of a high velocity cloud on the galactic disk
Comerón, F., Torra, J. **261**, 94
Main sequence and white dwarf stars – a consistent calculation of galactic evolution
Yuan, J.W. **261**, 105
Derivation of the age-metallicity relation and initial mass function of stars in the solar neighbourhood
Rana, N.C., Basu, S. **265**, 499
A study of open one-zone models for the chemical evolution of the local galactic disk
Meusinger, H. **266**, 190
Northern-hemisphere observations of nearby interstellar gas. Possible detection of the local cloud
Lallement, R., Bertin, P. **266**, 479

Galaxy: stellar content

A magnitude, colour, and proper-motion probe of the Galaxy at an intermediate galactic latitude
Bienaymé, O., Mohan, V., Crézé, M., Considère, S., Robin, A.C. **253**, 389
The stellar coronal component of the Galaxy. I. The X-COUNT numerical model
Favata, F., Micela, G., Sciortino, S., Vaiana, G.S. **256**, 86
Distribution and studies of the infrared stellar population in the galaxy. III. Baade's window photometry
Ruelas-Mayorga, R.A., Teague, P.F. **257**, 844; ***93***, *61*
Photoelectric *UBV* photometry of stars in four fields near the galactic plane
Saurer, W., Pfitscher, K., Weinberger, R., Hartl, H. **260**, 559; ***93***, *553*
The radial structure of the galactic disc
Robin, A.C., Crézé, M., Mohan, V. **265**, 32
On the possible existence of two classes of progenitors for classical novae
Della Valle, M., Bianchini, A., Livio, M., Orio, M. **266**, 232

Galaxy: structure

A magnitude, colour, and proper-motion probe of the Galaxy at an intermediate galactic latitude
Bienaymé, O., Mohan, V., Crézé, M., Considère, S., Robin, A.C. **253**, 389
K giant magnitude calibration from parallaxes
Gould, A., Flynn, C. **254**, 105
The stellar coronal component of the Galaxy. I. The X-COUNT numerical model
Favata, F., Micela, G., Sciortino, S., Vaiana, G.S. **256**, 86
Shklovsky distances to galactic bulge planetary nebulae
Pottasch, S.R., Zijlstra, A.A. **256**, 251
The distance and reddening of stars near the luminous blue variable AG Carinae
Hoekzema, N.M., Lamers, H.J.G.L.M., van Genderen, A.M. **257**, 118
Deep Hα survey of the Milky Way. I. Instrument description and detection of a distant H II region
Le Coarer, E., Amram, P., Boulesteix, J., Georgelin, Y.M., Georgelin, Y.P., Marcelin, M., Joulié, P., Urios, J. **257**, 389
Distribution and studies of the infrared stellar population in the galaxy. III. Baade's window photometry
Ruelas-Mayorga, R.A., Teague, P.F. **257**, 844; ***93***, *61*
A tridimensional model of the galactic interstellar extinction
Arenou, F., Grenon, M., Gómez, A. **258**, 104
The oblique impact of a high velocity cloud on the galactic disk
Comerón, F., Torra, J. **261**, 94
Low-frequency variability and the galactic distribution of electron-density fluctuation
Ghosh, T., Rao, A.P. **264**, 203
Dynamos in resonance
Schmitt, D., Rüdiger, G. **264**, 319
Galactic OB associations in the northern Milky Way galaxy. Longitudes 55° to 150°
Garmany, C.D., Stencel, R.E. **264**, 718; ***94***, *211*
UBV photometry in the vicinity of L 379
Lahulla, J.F., Hilton, J. **264**, 719; ***94***, *265*
A photometric analysis of the Cepheus OB3 region
Jordi, C., Trullols, E., Rosselló, G., Lahulla, F. **264**, 722; ***94***, *519*
The radial structure of the galactic disc
Robin, A.C., Crézé, M., Mohan, V. **265**, 32

CCD photometry in the Vilnius photometric system. IV. Interstellar reddening in the direction of the globular cluster M 71
Boyle, R.P., Dasgupta, A.K., Smriglio, F., Straižys, V., Nandy, K. **266**, 629; **95**, *51*

The extinction constants for galactic planetary nebulae
Tylenda, R., Acker, A., Stenholm, B., Köppen, J. **266**, 632; **95**, *337*

Distribution and studies of the infrared stellar population in the Galaxy. Baade's window spectroscopy
Ruelas-Mayorga, R.A., Teague, P.F. **266**, 633; **95**, *379*

Radial velocities. VI. Ground based measurements for Hipparcos (*Text in French*)
Fehrenbach, C., Burnage, R., Figuière, J. **266**, 637; **95**, *541*

Gamma rays: bursts

Another TeV gamma-ray burst from the Crab pulsar
Acharya, B.S., Bhat, P.N., Gandhi, V.N., Ramana Murthy, P.V., Sathyanarayana, G.P., Vishwanath, P.R. **254**, 412

The gamma-ray burst of 3 May 1991 observed by COMPTEL on board GRO
Winkler, C., Bennett, K., Bloemen, H., Collmar, W., Connors, A., Diehl, R., van Dordrecht, A., den Herder, J.W., Hermsen, W., Kippen, M., Kuiper, L., Lichti, G., Lockwood, J., McConnell, M., Morris, D., Ryan, J., Schönfelder, V., Stacy, G., Steinle, H., Strong, A., Swanenburg, B., Taylor B.G., Varendorff, M., de Vries, C. **255**, L9

EGRET detection of high energy gamma rays from the gamma-ray burst of 3 May 1991
Schneid, E.J., Bertsch, D.L., Fichtel, C.E., Hartman, R.C., Hunter, S.D., Kanbach, G., Kniffen, D.A., Kwok, P.W., Lin, Y.C., Mattox, J.R., Mayer-Hasselwander, H.A., Michelson, P.F., von Montigny, C., Nolan, P.L., Pinkau, K., Rothermel, H., Sommer, M., Sreekumar, P., Thompson, D.J. **255**, L13

The solar X-ray/cosmic gamma-ray burst experiment aboard Ulysses
Hurley, K., Sommer, M., Atteia, J.-L., Boer, M., Cline, T., Cotin, F., Henoux, J.-C., Kane, S., Lowes, P., Niel, M., Van Rooijen, J., Vedrenne, G. **255**, 501; **92**, *401*

HDE 249119 and its possible relation to the 1979 Sep 29 γ-ray burst
Borovička, J., Hudec, R., Dědoch, A. **258**, 379

Another TeV gamma-ray burst from the Crab pulsar
Acharya, B.S., Bhat, P.N., Gandhi, V.N., Ramana Murthy, P.V., Sathyanarayana, G.P., Vishwanath, P.R. **258**, 412

Background events in optical transient searches on astronomical plates
Varady, M., Hudec, R. **261**, 365

Rejection of archival photographic objects as optical counterparts of γ-ray bursters
Greiner, J. **264**, 121

Gamma rays: observations

Gamma-ray flaring of 3C 279: a proton-initiated cascade in the jet?
Mannheim, K., Biermann, P.L. **253**, L21

Soft gamma ray observations of Cygnus X-1 with the coded-aperture SIGMA telescope
Salotti, L., Ballet, J., Cordier, B., Lambert, A., Bonazzola, S., Mereghetti, S., Mandrou, P., Roques, J.P., Sunyaev, R., Gilfanov, M., Churazov, E., Chulkov, I., Kuznetsov, A., Dyachkov, A., Khavenson, N., Novikov, B. **253**, 145

Neutral particle emission from the X-ray binary 2A 1822–37 at energies above 10^{17} eV
Clay, R.W., Meyhandan, R., Horton, L., Ulrichs, J., Winn, M.M. **255**, 167

The solar X-ray/cosmic gamma-ray burst experiment aboard Ulysses
Hurley, K., Sommer, M., Atteia, J.-L., Boer, M., Cline, T., Cotin, F., Henoux, J.-C., Kane, S., Lowes, P., Niel, M., Van Rooijen, J., Vedrenne, G. **255**, 501; **92**, *401*

SIGMA observation of a steep spectral shape in NGC 4151 above 35 keV
Jourdain, E., Bassani, L., Bouchet, L., Mandrou, P., Ballet, J., Lebrun, F., Paul, J., Laurent, P., Churazov, E., Gilfanov, M., Sunyaev, R., Dyachkov, A., Khavenson, N., Chulkov, I., Kuznetsov, A., Novikov, B. **256**, L38

Another TeV gamma-ray burst from the Crab pulsar
Acharya, B.S., Bhat, P.N., Gandhi, V.N., Ramana Murthy, P.V., Sathyanarayana, G.P., Vishwanath, P.R. **258**, 412

Optical imaging of the fields of the two hard X-ray sources in the galactic center region: 1E 1740.7-2942 and GRS 1758-258
Mereghetti, S., Caraveo, P., Bignami, G.F., Belloni, T. **259**, 205

High resolution *I*-band imaging of the 1E 1740.7-2942 region
Leahy, D.A., Langill, P., Kwok, S. **259**, 209

Observation of 4U 1700-377 with the SIGMA telescope
Laurent, P., Goldwurm, A., Lebrun, F., Paul, J., Mereghetti, S., Barret, D., Bouchet, L., Roques, J.P., Churazov, E., Gilfanov, M., Kuznetzov, A., Sunyaev, R., Chulkov, I., Dyachkov, A., Khavenson, N., Novikov, B. **260**, 237

A search for TeV gamma rays from Cassiopeia gamma-1
Rannot, R.C., Sapru, M.L., Tickoo, A.K., Bhat, C.L., Kaul, R.K., Rawat, H.S., Senecha, V.K., Razdan, H. **262**, L41

SIGMA observations of the Virgo cluster
Lebrun, F., Ballet, J., Paul, J., Laurent, P., Jourdain, E., Bassani, L., Roques, J.-P., Mandrou, P., Finogenov, A., Sunyaev, R., Churazov, E., Gilfanov, M., Khavenson, N., Kovtunenko, V., Kremnev, R., Sukhanov, K. **264**, 22

Gamma rays: theory

The possibility of observation of the Lα-line of positronium ($e^+ e^-$) from astronomical objects
Burdyuzha, V.V., Kauts, V.L., Yudin, N.P. **255**, 459

High-energy gamma radiation from extragalactic radio sources
Dermer, C.D., Schlickeiser, R., Mastichiadis, A. **256**, L27

Cosmological γ-rays from the decay of fourth family neutrinos: possibility and constraints
Cline, D.B., Gao, Y.T. **256**, 351

Observations of a highly polarized radio filament near the great annihilator 1E1740.7-2942
Reich, W., Schlickeiser, R. **256**, 408

2CG 353+16 and the fourteenth century B.C. supernova
Xu, J.J., Wang, Z.R., Qu, Q.Y. **256**, 483

Relativistic neutrons in active galactic nuclei. II. Gamma-rays of high and very high energies
Atoyan, A.M. **257**, 476

Large-scale magnetic steering of particles in X-ray binaries
Mannings, V. **258**, 335

Gamma-ray light curves and spectra for Type Ia supernovae
Höflich, P., Khokhlov, A., Müller, E. **259**, 549

Neutrinos from flat-spectrum radio quasars
Mannheim, K., Stanev, T., Biermann, P.L. **260**, L1

Origin of PeV gamma rays from Cygnus X-3
Apparao, K.M.V. **261**, 565

Pair absorption of TeV γ-rays in accreting binaries
Carramiñana, A. **264**, 127
The emission mechanism of neutral particles from discrete sources in the TeV–EeV energy range
Bednarek, W. **264**, 331

Gravitation

Effects of Wesson's 5D-STM theory of gravity on the 4D Universe model
Fukui, T. **253**, 1
Inversion of the amplification bias and the number excess of foreground galaxies around high-redshift QSOs
Schneider, P. **254**, 14
The gravitational wave experiment
Bertotti, B., Ambrosini, R., Asmar, S.W., Brenkle, J.P., Comoretto, G., Giampieri, G., Iess, L., Messeri, A., Wahlquist, H.D. **255**, 502; **92**, *431*
Dynamical friction between two elliptical galaxies
Prugniel, P., Combes, F. **259**, 25
Chaotic interaction of charged particles with a gravitational wave
Varvoglis, H., Papadopoulos, D. **261**, 664
Resonant asteroids and the equivalence principle
Plastino, A.R., Vucetich, H. **262**, 321
Analysis of X-ray galaxy clusters in the framework of modified Newtonian dynamics
Gerbal, D., Durret, F., Lachièze-Rey, M., Lima-Neto, G. **262**, 395
Gravitational instability in a coasting universe
Lemons, D.S., Peter, W. **265**, 373

History and philosophy of astronomy

2CG 353+16 and the fourteenth century B.C. supernova
Xu, J.J., Wang, Z.R., Qu, Q.Y. **256**, 483
The total solar eclipse of A.D. 1221 and the rotation of the Earth
Stephenson, F.R., Yau, K.K.C. **260**, 485

Hydrodynamics

The hydrodynamics of aspherical planetary nebulae. II. Numerical modelling of the early evolution
Icke, V., Balick, B., Frank, A. **253**, 224
Dynamics of flaring loops. II. Flare evolution in the density-temperature diagram
Jakimiec, J., Sylwester, B., Sylwester, J., Serio, S., Peres, G., Reale, F. **253**, 269
Carbon detonations in rapidly rotating white dwarfs
Steinmetz, M., Müller, E., Hillebrandt, W. **254**, 177
Evolution of a self-gravitating protocloud with turbulence
Battinelli, P., Capuzzo-Dolcetta, R., Di Fazio, A., Urpin, V.A., Vereshchagin, S.V. **254**, 331
Radiative shocks in atomic and molecular stellar-like atmospheres. V. Influence of the excited level of the hydrogen atom: the precursor structure
Huguet, E., Gillet,D., Lafon, J.-P.J. **255**, 233
Nonradial and nonpolytropic astrophysical outflows. I. Hydrodynamic solutions with flaring streamlines
Tsinganos, K., Sauty, C. **255**, 405
Erratum: Instability and clumping in SN 1987 A
Müller, E., Fryxell, B., Arnett, D. **256**, 322
On the local stability of accretion disks
Dubrulle, B., Knobloch, E. **256**, 673
Numerical simulation for cosmological fluid flows
Ducloux, E., Léorat, J., Gerbal, D., Alecian, G. **257**, 425
On the contribution of ^{22}Ne to the synthesis of ^{54}Fe and ^{58}Ni in thermonuclear supernovae
Bravo, E., Isern, J., Canal, R., Labay, J. **257**, 534
Linear polarization as a consequence of rotation in exploding stars
Steinmetz, M., Höflich, P. **257**, 641
Asymmetric explosion in SN 1987 A
Ishikawa, S., Yamada, S., Kiguchi, M., Sato, K. **258**, 415
Ultrarelativistic hydrodynamics: high-resolution shock-capturing methods
Marquina, A., Martí, J.M., Ibáñez, J.M., Miralles, J.A., Donat, R. **258**, 566
Numerical experiments on the effects of horizontal turbulent diffusion on transport by meridional circulation
Charbonneau, P. **259**, 134
Equations of state and bump Cepheids. II. Non-linear results
Kanbur, S.M. **259**, 175
Hydrodynamics of encounters between star clusters and molecular clouds. I. Code validation and preliminary results
Theuns, T. **259**, 493
Hydrodynamics of encounters between star clusters and molecular clouds. II. Limits on cluster lifetimes
Theuns, T. **259**, 503
Ekman circulation and the synchronization of binary stars
Rieutord, M. **259**, 581
Non-linear development of $m=1$ instabilities in a self-gravitating gaseous disc
Heemskerk, M.H.M., Papaloizou, J.C., Savonije, G.J. **260**, 161
Fourier analysis of the hydrodynamic models of classical Cepheids
Fadeyev, Y.A., Muthsam, H. **260**, 195
Radiative unstable modes in the jets of young stellar objects
Massaglia, S., Trussoni, E., Bodo, G., Rossi, P., Ferrari, A. **260**, 243
The maintenance of the Sun's differential rotation and its temporal variations
Chiu, H.-Y., Paternò, L. **260**, 441
On the reflection of linear hydrodynamic waves at continuous temperature steps in stellar atmospheres
Schmitz, F., Fleck, B. **260**, 447
On the possibility of cyclic phase changes in the interstellar medium of elliptical galaxies
Kritsuk, A.G. **261**, 78
The oblique impact of a high velocity cloud on the galactic disk
Comerón, F., Torra, J. **261**, 94
A note on the radial–azimuthal instability of an isothermal accretion disk around a black hole
Xinwu Cao **262**, 350
Fluid motions in the solar atmosphere. III. A possible explanation of the downflows
Qing-Qi Cheng **262**, 581
The role of sound waves in Be-star winds
Koninx, J.P.M., Hearn, A.G. **263**, 208
Proper motion measurements in the HH 34 jet and its associated bow shocks
Eislöffel, J., Mundt, R. **263**, 292
Consequences of rotation in energetics of accretion disks
Dubrulle, B., Valdettaro, L. **263**, 387
Steady gas flow with a shock wave in a potential well
Kovalenko, I.G., Levy, V.V. **264**, 406

Return current losses in pulse beam heating of the solar atmosphere
Karlický, M., Hénoux, J.-C. **264**, 679
On the long-term periodicities in Be stars
Papaloizou, J.C., Savonije, G.J., Henrichs, H.F. **265**, L45
Collisions between a white dwarf and a main-sequence star. II. Simulations using multiple-nested refined grids
Ruffert, M. **265**, 82
The applicability of the linearized theory of sound-wave driven winds
Koninx, J.-P.M., Pijpers, F.P. **265**, 183
On the early light curve of Supernova 1987A
Mair, G., Hillebrandt, W., Höflich, P., Dorfi, A. **266**, 266
Circumstellar dust shells around long-period variables. I. Dynamical models of C-stars including dust formation, growth and evaporation
Fleischer, A.J., Gauger, A., Sedlmayr, E. **266**, 321
Fluid motions in the solar atmosphere. I. On the origin and decay of spicules
Cheng, Q.-Q. **266**, 537
Fluid motions in the solar atmosphere. II. A spicule model with emission lines
Cheng, Q.-Q. **266**, 549
Spectral diagnostics for a thermal hydrodynamical model of a solar flare loop
Gan, W.Q., Rieger, E., Fang, C., Zhang, H.Q. **266**, 573
A turbulent closure model for thin accretion disks
Dubrulle, B. **266**, 592

Infrared: galaxies

Rapid variations and a large infrared antiflare in the light curve of Markarian 501
Kidger, M., Takalo, L., de Diego, J.A. **254**, 65
A sensitive radio continuum survey of low surface brightness dwarf galaxies
Klein, U., Giovanardi, C., Altschuler, D.R., Wunderlich, E. **255**, 49
A model for the photometric evolution of disc galaxies from UV to far-IR
Mazzei, P., Xu, C., De Zotti, G. **256**, 45
A radio continuum study of the Magellanic Clouds. II. The far-infrared/radio correlation in the Large Magellanic Cloud
Xu, C., Klein, U., Meinert, D., Wielebinski, R., Haynes, R.F. **257**, 47
The far-infrared properties of the CfA galaxy sample. I. The catalog
Thuan, T.X., Sauvage, M. **257**, 411; **92**, *749*
High time resolution monitoring at 2.2 μm of the Seyfert 1 galaxy NGC 4051
Hunt, L.K., Mannucci, F., Salvati, M., Stanga, R.M. **257**, 434
Coordinated visible and infrared monitoring of rapid variations of Markarian 501-first results with FOVIA
Kidger, M.R., Diego, J.A. **257**, 844; **93**, *1*
Near-infrared emission of the bright quasar IR 0914–62
Courvoisier, T.J.-L., Bouchet, P., Robson, E.I. **258**, 272
Statistical properties of the sky distribution of extragalactic infrared sources: source-number fluctuations and density peaks
Fabbri, R. **259**, 1
Near-infrared surface photometry of NGC 253
Forbes, D.A., DePoy, D.L. **259**, 97
Supervised selection of galaxy candidates from the IRAS PSC: the quality of the selection and the infrared properties of the galaxy candidates
Boller, T., Meurs, E.J.A., Adorf, H.-M. **259**, 101
Infrared properties of interacting IRAS galaxies
Lutz, D. **259**, 462
The far-infrared/Hα correlation of extreme IRAS galaxies
van den Broek, A.C. **261**, L1
Identification of IRAS point sources in Scorpio-Centaurus-Lupus
Carballo, R., Wesselius, P.R., Whittet, D.C.B. **262**, 106
Multifrequency windows on spiral galaxies. II. The A262 and Cancer clusters
Scodeggio, M., Boselli, A., Gavazzi, G., Trinchieri, G., Garilli, B. **264**, 719; **94**, *299*
IRAS 10214+4724: an elliptical galaxy in formation?
Elbaz, D., Arnaud, M., Cassé, M., Mirabel, I.F., Prantzos, N., Vangioni-Flam, E. **265**, L29
A multi-line study of the molecular interstellar medium in M 82's starburst nucleus
Wild, W., Harris, A.I., Eckart, A., Genzel, R., Graf, U.U., Jackson, J.M., Russell, A.P.G., Stutzki, J. **265**, 447
Fine structure lines of C^+ and N^+ in the galaxy
Gry, C., Lequeux, J., Boulanger, F. **266**, 457
Near-infrared photometry of globular clusters in the outer halo of M 31. II. New TIRGO and UKIRT data
Bònoli, F., Delpino, F., Federici, L., Fusi Pecci, F., Longmore, A.J. **266**, 641; **96**, *163*
Warm IRAS sources. II. Optical spectroscopy of objects from the Point Source Catalog
de Grijp, M.H.K., Keel, W.C., Miley, G.K., Goudfrooij, P., Lub, J. **266**, 645; **96**, *389*

Infrared: general

The OH airglow spectrum: a calibration source for infrared spectrometers
Oliva, E., Origlia, L. **254**, 466
Three-beam chopping: an efficient infrared observing technique
Landau, R., Grasdalen, G, Sloan, G.C. **259**, 696

Infrared: interstellar: continuum

Physics of the rotation of a PAH molecule in interstellar environments
Rouan, D., Léger, A., Omont, A., Giard, M. **253**, 498
Carbon monoxide in active galaxies
Chini, R., Krügel, E., Steppe, H. **255**, 87
A quantitative study of the 7.7 and 11.3 μm emission bands based on IRAS/LRS spectra
Zavagno, A., Cox, A., Baluteau, J.-P. **259**, 241
G54.4–0.3: CO shell and star formation region surrounding a shell-type supernova remnant. II. Compact CO clouds and the star formation scenario
Junkes, N., Fürst, E., Reich, W. **261**, 289
The far-infrared properties of parent galaxies of supernovae
Petrosian, A.R., Turatto, M. **261**, 433
Constraints on cosmic silicates
Ossenkopf, V., Henning, T., Mathis, J.S. **261**, 567
The distribution and nature of small-diameter radio sources along the southern galactic plane
Whiteoak, J.B.Z. **262**, 251

Modelling of IR emission of interstellar clouds. I. Emission of isolated clouds and dust abundance variations
Bernard, J.P., Boulanger, F., Désert, F.-X., Puget, J.L. **263**, 258
The 3.3 μm emission in M 17
Giard, M., Bernard, J.P., Dennefeld, M. **264**, 610
Submillimeter dust continuum observations of three low luminosity protostellar IRAS sources
Zinnecker, H., Bastien, P., Arcoragi, J.-P., Yorke, H.W. **265**, 726
Carbon monoxide and far-infrared observations of the S 155–Cepheus B region
Minchin, N.R., Ward-Thompson, D., White, G.J. **265**, 733
Near-IR observations of the bipolar outflow sources IRAS 03271+3013 and IRAS 03282+3035
Aspin, C. **266**, 416
An optical/infrared/millimetre study of HH 90/91
Gredel, R., Reipurth, B., Heathcote, S. **266**, 439
Balloon-borne far-infrared imaging of the Cygnus-X region
Holenstein, A.P., Schenker, G., Huguenin, D., Kneubühl, F.K. **266**, 639; **96**, *115*
Fine structure lines of C^+ and N^+ in the galaxy
Gry, C., Lequeux, J., Boulanger, F. **266**, 457

Infrared: interstellar: lines

Hot, dense, molecular gas associated with ultracompact H II regions
Churchwell, E., Walmsley, C.M., Wood, D.O.S. **253**, 541
Laboratory spectra of gas-phase coronene at elevated temperatures
Kurtz, J. **255**, L1
The 2140 cm^{-1} band of frozen CO in ion-irradiated and unirradiated mixtures with methanol and water
Palumbo, M.E., Strazzulla, G. **259**, L12
A quantitative study of the 7.7 and 11.3 μm emission bands based on IRAS/LRS spectra
Zavagno, A., Cox, A., Baluteau, J.-P. **259**, 241
Dust model containing polycyclic aromatic hydrocarbons in various environments
Siebenmorgen, R., Krügel, E. **259**, 614
Molecular hydrogen emission in Herbig–Haro complexes. III. Outflows with jets
Zealey, W.J., Williams, P.M., Sandell, G., Taylor, K.N.R., Ray, T.P. **262**, 570
Non-detection of the 1.67 μm band in Hb 5? Implications for PAH-related models
Magazzù, A., Strazzulla, G. **263**, 281
The 3.3 μm emission in M 17
Giard, M., Bernard, J.P., Dennefeld, M. **264**, 610
Near-IR observations of the bipolar outflow sources IRAS 03271+3013 and IRAS 03282+3035
Aspin, C. **266**, 416

Infrared: solar system

Solar hydrogen lines in the infrared
Carlsson, M., Rutten, R.J. **259**, L53
Three-micron observations of comet Austin 1989 c1
Mizutani, K., Nagata, T., Maihara, T., Suto, H., Yamamoto, T. **261**, 336
The spectrum of Mars in the (1–0) vibrational band of CO
Billebaud, F., Maillard, J.P., Lellouch, E., Encrenaz, T. **261**, 647
Infrared lines as probes of solar magnetic features. I. A many-line analysis of a network region
Muglach, K., Solanki, S.K. **263**, 301
Infrared lines as probes of solar magnetic features. II. Diagnostic capabilities of Fe I 15648.5 Å and 15652.9 Å
Solanki, S.K., Rüedi, I., Livingston, W. **263**, 312
Infrared lines as probes of solar magnetic features. III. Strong and weak magnetic fields in plages
Rüedi, I., Solanki, S.K., Livingston, W., Stenflo, J.O. **263**, 323
Infrared lines as probes of solar magnetic features. V. The magnetic structure of a simple sunspot and its canopy
Solanki, S.K., Rüedi, I., Livingston, W. **263**, 339
Observations of Galilean satellites at 2.2 μm
Souchay, J., Hiromoto, N., Takami, T., Nakamura, T., Descamps, P., Aruga, T. **264**, 314

Infrared: stars

A flux-limited sample of galactic carbon stars
Groenewegen, M.A.T., de Jong, T., van der Bliek, N.S., Slijkhuis, S., Willems, F.J. **253**, 150
Measure of the grain velocity structure in the circumstellar envelope "Frosty Leo"
Dougados, C., Rouan, D., Léna, P. **253**, 464
On the 21-μm feature of pre-planetary nebulae
Sourisseau, C., Coddens, G., Papoular, R. **254**, L1
Red/infrared observations of Wolf 424 AB: are the components substellar?
Henry, T.J., Johnson, D.S., McCarthy Jr., D.W., Kirkpatrick, J.D. **254**, 116
The long-period symbiotic binary CH Cygni. II. The M giant component: increasing pulsation period and spot-like activity
Mikolajewski, M., Mikolajewska, J., Khudyakova, T.N. **254**, 127
Lunar occultations of southern near-infrared stellar sources
Richichi, A., Lisi, F., Di Giacomo, A. **254**, 149
Evidence for heavy element dust clumps from the increasing 1300 μm emission from Supernova 1987 A
Biermann, P.L., Chini, R., Haslam, C.G.T., Kreysa, E., Lemke, R., Sievers, A. **255**, L5
Photometric properties of symbiotic stars and the nature of the cool component
Whitelock, P.A., Munari, U. **255**, 171
Pupil plane interferometry in the near infrared. I. Methodology of observation and first results
Mariotti, J.-M., Monin, J.-L., Ghez, P., Perrier, C., Zadrozny, A. **255**, 462
Constraints on Be star wind geometry by linear polarisation and IR excess
Waters, L.B.F.M., Marlborough, J.M. **256**, 195
The galactic center in the far-red
Rosa, M.R., Zinnecker, H., Moneti, A., Melnick, J. **257**, 515
Distribution and studies of the infrared stellar population in the galaxy. III. Baade's window photometry
Ruelas-Mayorga, R.A., Teague, P.F. **257**, 844; **93**, *61*
Near-infrared photometry of a sample of IRAS point sources
Fouqué, P., Le Bertre, T., Epchtein, N., Guglielmo, F., Kerschbaum, F. **257**, 846; **93**, *151*
An IRAS study of pre-main sequence stars in B209
Prusti, T., Clark, F.O., Laureijs, R.J., Wakker, B.P., Wesselius, P.R. **259**, 537
The double nature of RCW57/IRS1
Moneti, A. **259**, 627

IRAS identification of pre-main sequence stars in the Chamaeleon II association
Prusti, T., Whittet, D.C.B., Assendorp, R., Wesselius, P.R. **260**, 151
IR survey of OB emission-line stars in the SMC: detection of a new B[e] supergiant, AV 172
Zickgraf, F.-J., Stahl, O., Wolf, B. **260**, 205
Pupil plane interferometry in the near infrared. II. Phase recovery and image reconstruction
Monin, J.-L., Mariotti, J.-M., Ghez, P., Perrier, C., Desbat, L. **260**, 510
Near-infrared images of the 30 Doradus region
Rubio, M., Roth, M., García, J. **261**, L29
Young stellar objects in the IRAS point source catalog
Prusti, T., Adorf, H.-M., Meurs, E.J.A. **261**, 685
Identification of IRAS point sources in Scorpio-Centaurus-Lupus
Carballo, R., Wesselius, P.R., Whittet, D.C.B. **262**, 106
Multiwavelength observations of RV Tauri stars. I. AC Herculis
Shenton, M., Albinson, J.S., Barrett, P., Davies, J.K., Evans, A., Goldsmith, M.J., Hutchinson, M.G., Maddison, R.C., Weight, A. **262**, 138
Near-infrared images of the Serpens cloud core: the stellar cluster
Eiroa, C., Casali, M.M. **262**, 468
The near-infrared variation of the magnetic star HD 125248
Catalano, F.A., Kroll, R., Leone, F. **263**, 203
Carbon-star lightcurves in the 1–20 μm range
Le Bertre, T. **264**, 720; **94**, *377*
Interrupted mass loss on the asymptotic giant branch
Zijlstra, A.A., Loup, C., Waters, L.B.F.M., de Jong, T. **265**, L5
A cluster of infrared sources towards M 16
Chini, R., Krügel, E., Wargau, W.F. **265**, 45
Accurate angular diameter and effective temperature of seven late-type stars
Richichi, A., Di Giacomo, A., Lisi, F., Calamai, G. **265**, 535
Star formation in the Vela molecular clouds. I. The IRAS-bright Class I sources
Liseau, R., Lorenzetti, D., Nisini, B., Spinoglio, L., Moneti, A. **265**, 577
Submillimeter dust continuum observations of three low luminosity protostellar IRAS sources
Zinnecker, H., Bastien, P., Arcoragi, J.-P., Yorke, H.W. **265**, 726
Possible young stellar objects in the region of the Cygnus OB2 (VI Cygni) association from IRAS observations
Parthasarathy, M., Jain, S.K., Bhatt, H.C. **266**, 202
Mid–IR spectroscopy of GGD 27-IRS: evidence for a PMS stellar cluster
Aspin, C., Geballe, T.R. **266**, 219
Near-IR observations of the bipolar outflow sources IRAS 03271+3013 and IRAS 03282+3035
Aspin, C. **266**, 416
Distribution and studies of the infrared stellar population in the Galaxy. Baade's window spectroscopy
Ruelas-Mayorga, R.A., Teague, P.F. **266**, 633; **95**, *379*
A library of near-IR stellar spectra from 1.428 to 2.5 μm
Lançon, A., Rocca-Volmerange, B. **266**, 649; **96**, *593*
SAO stars with infrared excess in the IRAS Point Source Catalog
Oudmaijer, R.D., van der Veen, W.E.C.J., Waters, L.B.F.M., Trams, N.R., Waelkens, C., Engelsmann, E. **266**, 650; **96**, *625*

Instabilities

Erratum: Instability and clumping in SN 1987 A
Müller, E., Fryxell, B., Arnett, D. **256**, 322
Non-linear evolution of synchrotron thermal instabilities
Bodo, G., Ferrari, A., Massaglia, S., Rossi, P., Shibata, K., Uchida, Y. **256**, 689
Non-linear development of $m=1$ instabilities in a self-gravitating gaseous disc
Heemskerk, M.H.M., Papaloizou, J.C., Savonije, G.J. **260**, 161
On the possibility of cyclic phase changes in the interstellar medium of elliptical galaxies
Kritsuk, A.G. **261**, 78
Investigation of macroscopic instabilities at the heliopause boundary surface
Baranov, V.B., Fahr, H.J., Ruderman, M.S. **261**, 341
On the instability parameters of stellar atmospheres
Lobel, A., Achmad, L., de Jager, C., Nieuwenhuijzen,H. **264**, 147
A library of near-IR stellar spectra from 1.428 to 2.5 μm
Lançon, A., Rocca-Volmerange, B. **266**, 649; **96**, *593*

Instrumentation: detectors

Evolutionary synthesis of the radio and far-infrared emission in starbursts
Mas-Hesse, J.M. **253**, 49
Soft gamma ray observations of Cygnus X-1 with the coded-aperture SIGMA telescope
Salotti, L., Ballet, J., Cordier, B., Lambert, A., Bonazzola, S., Mereghetti, S., Mandrou, P., Roques, J.P., Sunyaev, R., Gilfanov, M., Churazov, E., Chulkov, I., Kuznetsov, A., Dyachkov, A., Khavenson, N., Novikov, B. **253**, 145
Heliosphere instrument for spectra, composition and anisotropy at low energies
Lanzerotti, L.J., Gold, R.E., Anderson, K.A., Armstrong, T.P., Lin, R.P., Krimigis, S.M., Pick, M., Roelof, E.C., Sarris, E.T., Simnett, G.M., Frain, W.E. **255**, 500; **92**, *349*
The solar X-ray/cosmic gamma-ray burst experiment aboard Ulysses
Hurley, K., Sommer, M., Atteia, J.-L., Boer, M., Cline, T., Cotin, F., Henoux, J.-C., Kane, S., Lowes, P., Niel, M., Van Rooijen, J., Vedrenne, G. **255**, 501; **92**, *401*
The Ulysses dust experiment
Grün, E., Fechtig, H., Giese, R.H., Kissel, J., Linkert, D., Maas, D., McDonnell, J.A.M., Morfill, G.E., Schwehm, G., Zook, H.A. **255**, 502; **92**, *411*

Instrumentation: interferometers

Differential VLBI measurements of the Venus atmosphere dynamics by balloons: VEGA project
Sagdeyev, R.Z., Kerzhanovitch, V.V., Kogan, L.R., Kostenko, V.I., Linkin, V.M., Matveyenko, L.I., Nazirov, R.R., Pogrebenko, S.V., Struckov, I.A., Preston, R.A., Purcel, J., Hildebrand, C.E., Grishmanovskiy, V.A., Kozlov, A.N., Molotov, E.P., Blamont, J.E., Boloh, L., Laurans, G., Kaufmann, P., Galt, J., Biraud, F., Boischot, A., Ortega-Molina, A., Rosolen, C., Petit, G., Mezger, P.G., Schwartz, R., Rönnäng, B.O., Spencer, R.E., Nicolson, G., Rogers, A.E.E., Cohen, M.H., Martirosyan, R.M., Moiseyev, I.G., Jatskiv, J.S. **254**, 387
Optical aperture synthesis and wave-front sensing
Tallon, M., Tallon-Bosc, I. **256**, 715

Deep Hα survey of the Milky Way. I. Instrument description and detection of a distant H II region
Le Coarer, E., Amram, P., Boulesteix, J., Georgelin, Y.M., Georgelin, Y.P., Marcelin, M., Joulié, P., Urios, J. **257**, 389

The IRAM interferometer on Plateau de Bure *(Plateau de Bure Series, Paper 1)*
Guilloteau, S., Delannoy, J., Downes, D., Greve, A., Guélin, M., Lucas, R., Morris, D., Radford, S.J.E., Wink, J., Cernicharo, J., Forveille, T., García-Burillo, S., Neri, R., Blondel, J., Perrigouard, A., Plathner, D., Torres, M. **262**, 624

Interferometric measurement of tropospheric phase fluctuations at 86 GHz on antenna spacings of 24 m to 288 m *(Plateau de Bure Series, Paper 5)*
Olmi, L., Downes, D. **262**, 634

Instrumentation: miscellaneous

The magnetic field investigation on the Ulysses mission: instrumentation and preliminary scientific results
Balogh, A., Beek, T.J., Forsyth, R.J., Hedgecock, P.C., Marquedant, R.J., Smith, E.J., Southwood, D.J., Tsurutani, B.T. **255**, 498; **92**, *221*

The ULYSSES energetic particle composition experiment EPAC
Keppler, E., Blake, J.B., Hovestadt, D., Korth, A., Quenby, J., Umlauft, G., Woch, J. **255**, 500; **92**, *317*

The interstellar neutral-gas experiment on ULYSSES
Witte, M., Rosenbauer, H., Keppler, E., Fahr, H.-J., Hemmerich, P., Lauche, H., Loidl, A., Zwick, R. **255**, 500; **92**, *333*

The coronal-sounding experiment
Bird, M.K., Asmar, S.W., Brenkle, J.P., Edenhofer, P., Pätzold, M., Volland, H. **255**, 502; **92**, *425*

The white-light coronograph for KORONAS-I
Buzaši, J., Klocok, L., Rybanský, M. **257**, L7

A Fourier-Bessel telescope for hard X-ray astronomy
Cardini, D., Poulsen, J.M., Costa, E., Dal Fiume, D., Emanuele, A., Frontera, F., Basili, A., Franceschini, T., Frutti, M., Landini, G., Silvestri, S. **257**, 824

In-orbit performance of the Hipparcos astrometry satellite
Perryman, M.A.C., Høg, E., Kovalevsky, J., Lindegren, L., Turon, C., Bernacca, P.L., Crézé, M., Donati, F., Grenon, M., Grewing, M., van Leeuwen, F., van der Marel, H., Murray, C.A., Le Poole, R.S., Schrijver, H. **258**, 1

Geometrical calibration and assessment of the stability of the Hipparcos payload
Schrijver, H., van der Marel, H. **258**, 31

Geometrical stability and evolution of the Hipparcos telescope
Lindegren, L., Le Poole, R.S., Perryman, M.A.C., Petersen, C. **258**, 35

Modelling the torques affecting the Hipparcos satellite
van Leeuwen, F., Penston, M.J., Perryman, M.A.C., Evans, D.W., Ramamani, N. **258**, 53

Hipparcos great-circle reduction. Theory, results and intercomparisons
van der Marel, H., Petersen, C. **258**, 60

Positions and parallaxes from the Hipparcos satellite. A first attempt at a global astrometric solution
Lindegren, L., van Leeuwen, F., Petersen, C., Perryman, M.A.C., Söderhjelm, S. **258**, 134

Tycho transit detection
Bässgen, G., Wicenec, A., Andreasen, G.K., Høg, E., Wagner, K., Wesselius, P.R. **258**, 186

Tycho astrometry calibration
Høg, E., Bastian, U., Hansen, P.C., van Leeuwen, F., Lindegren, L., Pedersen, H., Saust, A.B., Schwekendiek, P., Wagner, K. **258**, 201

Visible and infrared wavefront sensing for astronomical adaptive optics
Rigaut, F., Cuby, J.G., Caes, M., Monin, J.L., Vittot, M., Richard, J.C., Rousset, G., Léna, P. **259**, L57

Balloon-borne far-infrared imaging of the Cygnus-X region
Holenstein, A.P., Schenker, G., Huguenin, D., Kneubühl, F.K. **266**, 639; **96**, *115*

Instrumentation: photometers

Improvements to photometry. V. High-order moments in transformation theory
Young, A.T. **257**, 366

Tycho data analysis. Overview of the adopted reduction software and first results
Høg, E., Bastian, U., Egret, D., Grewing, M., Halbwachs, J.L., Wicenec, A., Bässgen, G., Bernacca, P.L., Donati, F., Kovalevsky, J., van Leeuwen, F., Lindegren, L., Pedersen, H., Perryman, M.A.C., Petersen, C., Scales, D., Snijders, M.A.J., Wesselius, P.R. **258**, 177

Three-beam chopping: an efficient infrared observing technique
Landau, R., Grasdalen, G, Sloan, G.C. **259**, 696

Instrumentation: polarimeters

The solar F-corona: calculations of the optical and infrared brightness of circumsolar dust
Mann, I. **261**, 329

High-frequency radio continuum observations of low-luminosity radio galaxies. I. A sample of sources with angular sizes > 4′
Gregorini, L., Klein, U., Parma, P., Schlickeiser, R., Wielebinski, R. **262**, 382; **94**, *13*

Instrumentation: spectrographs

Solar radial velocity and oscillations as measured by sodium and potassium resonant scattering spectrometers
Pallé, P.L., Régulo, C., Roca Cortés, T., Sánchez Duarte, L., Schmider, F.X. **254**, 348

Deep Hα survey of the Milky Way. I. Instrument description and detection of a distant H II region
Le Coarer, E., Amram, P., Boulesteix, J., Georgelin, Y.M., Georgelin, Y.P., Marcelin, M., Joulié, P., Urios, J. **257**, 389

A new instrument for high resolution, two-dimensional solar spectroscopy
Bendlin, C., Volkmer, R., Kneer, F. **257**, 817

Three-beam chopping: an efficient infrared observing technique
Landau, R., Grasdalen, G, Sloan, G.C. **259**, 696

MUSICOS: a fiber-fed spectrograph for multi-site observations
Baudrand, J., Böhm, T. **259**, 711

Emission-line objects in the Large Magellanic Cloud. Observations obtained with the FLAIR system
Morgan, D.H., Watson, F.G., Parker, Q.A. **260**, 558; **93**, *495*

Interplanetary medium

An analysis of the influence of interstellar scattering on interplanetary scintillation observations
Hajivassiliou, C.A. **253**, 244

An analytical solution for the heliopause boundary and its comparison with numerical solutions
Ratkiewicz, R. **255**, 383

The Ulysses mission
Wenzel, K.-P., Marsden, R.G., Page, D.E., Smith, E.J. **255**, 498; **92**, *207*
The magnetic field investigation on the Ulysses mission: instrumentation and preliminary scientific results
Balogh, A., Beek, T.J., Forsyth, R.J., Hedgecock, P.C., Marquedant, R.J., Smith, E.J., Southwood, D.J., Tsurutani, B.T. **255**, 498; **92**, *221*
The Ulysses solar wind plasma experiment
Bame, S.J., McComas, D.J., Barraclough, B.L., Phillips, J.L., Sofaly, K.J., Chavez, J.C., Goldstein, B.E., Sakurai, R.K. **255**, 498; **92**, *237*
The Solar Wind Ion Composition Spectrometer
Gloeckler, G., Geiss, J., Balsiger, H., Bedini, P., Cain, J.C., Fischer, J., Fisk, L.A., Galvin, A.B., Gliem, F., Hamilton, D.C., Hollweg, J.V., Ipavich, F.M., Joos, R., Livi, S., Lundgren, R., Mall, U., McKenzie, J.F., Ogilvie, K.W., Ottens, F., Rieck, W., Tums, E.O., von Steiger, R., Weiss, W., Wilken, B. **255**, 499; **92**, *267*
The unified radio and plasma wave investigation
Stone, R.G., Bougeret, J.L., Caldwell, J., Canu, P., de Conchy, Y., Cornilleau-Wehrlin, N., Desch, M.D., Fainberg, J., Goetz, K., Goldstein, M.L., Harvey, C.C., Hoang, S., Howard, R., Kaiser, M.L., Kellogg, P.J., Klein, B., Knoll, R., Lecacheux, A., Lengyel-Frey, D., MacDowall, R.J., R.J., Manning, R.., Meetre, C.A., Meyer, A., Monge, N., Monson, S., Nicol, G., Reiner, M.J., Steinberg, J.L., Torres, E., de Villedary, C., Wouters, F., Zarka, P. **255**, 499; **92**, *291*
The Ulysses dust experiment
Grün, E., Fechtig, H., Giese, R.H., Kissel, J., Linkert, D., Maas, D., McDonnell, J.A.M., Morfill, G.E., Schwehm, G., Zook, H.A. **255**, 502; **92**, *411*
The coronal-sounding experiment
Bird, M.K., Asmar, S.W., Brenkle, J.P., Edenhofer, P., Pätzold, M., Volland, H. **255**, 502; **92**, *425*
The gravitational wave experiment
Bertotti, B., Ambrosini, R., Asmar, S.W., Brenkle, J.P., Comoretto, G., Giampieri, G., Iess, L., Messeri, A., Wahlquist, H.D. **255**, 502; **92**, *431*
Origin of sungrazers: a frequent cometary end-state
Bailey, M.E., Chambers, J.E., Hahn, G. **257**, 315
A different view of plasma flow inside P/Halley
Neugebauer, M., Goldstein, B.E., Goldstein, R., Fuselier, S.A., Neubauer, F.M., Balsiger, H., Ip, W.-H. **258**, 549
Cosmic-ray kinetics in a random anisotropic reflective non-invariant magnetic field
Fedorov, Y.I., Katz, M.E., Kichatinov, L.L., Stehlik, M. **260**, 499
Investigation of macroscopic instabilities at the heliopause boundary surface
Baranov, V.B., Fahr, H.J., Ruderman, M.S. **261**, 341
Radiation pressure forces of fluffy porous grains
Mukai, T., Ishimoto, H., Kozasa, T., Blum, J., Greenberg, J.M. **262**, 315
Optical properties of dust aggregates. I. Wavelength dependence
Kozasa, T., Blum, J., Mukai, T. **263**, 423
The influence of Alfvénic cross and magnetic helicity on the phase space distribution of charged particles. I. The spatial convection term of the anisotropy
Dung, R. **263**, 433
A Boltzmann-kinetic approach to describe the entrance of neutral interstellar hydrogen into the heliosphere
Osterbart, R., Fahr, H.J. **264**, 260
Heliospheric interface modifications of interstellar neutral hydrogen compatible with Lyman α glow observations
Quémerais, E., Lallement, R., Bertaux, J.L. **265**, 806
Northern-hemisphere observations of nearby interstellar gas. Possible detection of the local cloud
Lallement, R., Bertin, P. **266**, 479

Interstellar medium: abundances

Interstellar detection of deuterated methyl acetylene
Gerin, M., Combes, F., Wlodarczak, G., Encrenaz, P., Laurent, C. **253**, L29
Photodissociation of H_2 and the H/H_2 transition in interstellar clouds
Abgrall, H., Le Bourlot, J., Pineau des Forêts, G., Roueff, E., Flower, D.R., Heck, L. **253**, 525
SiO emission as a tracer of shocked gas in molecular outflows
Martín-Pintado, J., Bachiller, R., Fuente, A. **254**, 315
On the analysis of collision strengths and rate coefficients
Burgess, A., Tully, J.A. **254**, 436
Partition functions and equilibrium constants for H_3^+ and H_2D^+
Sidhu, K.S., Miller, S., Tennyson, J. **255**, 453
Isotopic abundances in carbon-rich circumstellar envelopes: a further iteration on the oxygen isotope puzzle
Kahane, C., Cernicharo, J., Gómez-González, J., Guélin, M. **256**, 235
A study of HCN, HNC and their isotopomers in OMC-1. I. Abundances and chemistry
Schilke, P., Walmsley, C.M., Pineau des Forêts, G., Roueff, E., Flower, D.R., Guilloteau, S. **256**, 595
Search for H_2D^+ at 372 GHz in dense interstellar clouds
Pagani, L., Wannier, P.G., Frerking, M.A., Kuiper, T.B.H., Gulkis, S., Zimmermann, P., Encrenaz, P.J., Whiteoak, J.B., Destombes, J.L., Pickett, H.M. **258**, 472
Molecular abundances in the Sagittarius A molecular cloud
Minh, Y.C., Irvine, W.M., Friberg, P. **258**, 489
Interstellar detection of deuterated methyl cyanide
Gerin, M., Combes, F., Wlodarczak, G., Jacq, T., Guélin, M., Encrenaz, P., Laurent, C. **259**, L35
Atomic carbon near the molecular cloud/H II region interface in S 140
Hernichel, J., Krause, D., Röhrig, R., Stutzki, J., Winnewisser, G. **259**, L77
Reaction rates of C^+ with OH at low interstellar temperatures
Dubernet, M.L., Gargaud, M., McCarroll, R. **259**, 373
Spatially resolved spectroscopy of WR ring nebulae. III. New results and chemical properties of the sample
Esteban, C., Vilchez, J.M., Smith, L.J., Clegg, R.E.S. **259**, 629
Observations of five molecular species in absorption towards Sagittarius B2
Greaves, J.S., White, G.J., Ohishi, M., Hasegawa, T., Sunada, K. **260**, 381
Organometallic chemistry in the interstellar medium. I. Are organometallic reactions efficient processes in astrochemistry?
Serra, G., Chaudret, B., Saillard, Y., Le Beuze, A., Rabaa, H., Ristorcelli, I., Klotz, A. **260**, 489
Ground-based searches for interstellar H_2D^+
van Dishoeck, E.F., Phillips, T.G., Keene, J., Blake, G.A. **261**, L13
Chemical abundances of disk planetary nebulae
de Freitas Pacheco, J.A., Maciel, W.J., Costa, R.D.D. **261**, 579

Quantum chemical calculations for a better understanding of the mechanism of $CH_3^+ + H_2$ radiative association
Talbi, D., Saxon, R.P. **261**, 671
Chemical abundances in early B-type stars. IV. He, CNO, and Si abundances
Kilian, J. **262**, 171
The ($^{12}CO/^{13}CO$) ratio toward ζ Ophiuchi
Wilson, T.L., Mauersberger, R., Langer, W.D., Glassgold, A.E., Wilson, R.W. **262**, 248
Spectrophotometric survey of southern planetary nebulae. III. Automatic ionization modelling
Samland, M., Köppen, J., Acker, A., Stenholm, B. **264**, 184
The physical and chemical state of a dense core in the high-latitude cloud MCLD 123.5+24.9
Großmann, V., Heithausen, A. **264**, 195
Far UV nonlinear rise extinction in relation to CH and CH^+ abundances
Jenniskens, P., Ehrenfreund, P., Désert, F.-X. **265**, L1

Interstellar medium: atoms

Atomic carbon near the molecular cloud/H II region interface in S 140
Hernichel, J., Krause, D., Röhrig, R., Stutzki, J., Winnewisser, G. **259**, L77
Fine structure lines of C^+ and N^+ in the galaxy
Gry, C., Lequeux, J., Boulanger, F. **266**, 457

Interstellar medium: bubbles

N 120 in the LMC: a sample of nebulae of different types
Laval, A., Rosado, M., Boulesteix, J., Georgelin, Y.P., Le Coarer, E., Marcelin, M., Viale, A. **253**, 213
The hydrodynamics of aspherical planetary nebulae. II. Numerical modelling of the early evolution
Icke, V., Balick, B., Frank, A. **253**, 224
Observational evidence for a high velocity cloud collision
Meyerdierks, H. **253**, 515
Sharpless 183: an H II region in the Perseus arm
Landecker, T.L., Anderson, M.D., Routledge, D., Vaneldik, J.F. **258**, 495
Spatially resolved spectroscopy of WR ring nebulae. III. New results and chemical properties of the sample
Esteban, C., Vilchez, J.M., Smith, L.J., Clegg, R.E.S. **259**, 629
A very dense H I filament within the Local Hot Bubble
Wennmacher, A., Lilienthal, D., Herbstmeier, U. **261**, L9
A dynamical model for the outer nebula of R Aquarii
Henney, W.J., Dyson, J.E. **261**, 301
Interactions of stars and interstellar matter in Scorpio Centaurus
de Geus, E.J. **262**, 258
A study of the neutral hydrogen in direction to the Gum nebula
Dubner, G., Giacani, E., Cappa de Nicolau, C., Reynoso, E. **266**, 647; **96**, *505*

Interstellar medium: clouds

Observational evidence for a high velocity cloud collision
Meyerdierks, H. **253**, 515
Energy loss rates for water in molecular clouds
Chandra, S., Tarafdar, S.P. **253**, 537
Hot, dense, molecular gas associated with ultracompact H II regions
Churchwell, E., Walmsley, C.M., Wood, D.O.S. **253**, 541
SiO emission as a tracer of shocked gas in molecular outflows
Martín-Pintado, J., Bachiller, R., Fuente, A. **254**, 315
Evolution of a self-gravitating protocloud with turbulence
Battinelli, P., Capuzzo-Dolcetta, R., Di Fazio, A., Urpin, V.A., Vereshchagin, S.V. **254**, 331
A magnitude-limited spectroscopic and photometric survey of ϱ Ophiuchus X-ray sources
Bouvier, J., Appenzeller, I. **256**, 324; **92**, *481*
Dust emission from star-forming regions. II. The NGC 2024 cloud core – revisited
Mezger, P.G., Sievers, A.W., Haslam, C.G.T., Kreysa, E., Lemke, R., Mauersberger, R., Wilson, T.L. **256**, 631
The structure of the high-latitude molecular cloud toward HD 210121
Gredel, R., van Dishoeck, E.F., de Vries, C.P., Black, J.H. **257**, 245
A search for Hα emission stars in regions of high latitude molecular clouds
Kun, M. **257**, 412; **92**, *875*
The small-scale density and velocity structure of quiescent molecular clouds
Falgarone, E., Puget, J.-L., Pérault, M. **257**, 715
The chemistry of H_2D^+ in cold clouds
Pagani, L., Salez, M., Wannier, P.G. **258**, 479
Atomic carbon near the molecular cloud/H II region interface in S 140
Hernichel, J., Krause, D., Röhrig, R., Stutzki, J., Winnewisser, G. **259**, L77
Magnetic diffusion in clumpy molecular clouds
Elmegreen, B.G., Combes, F. **259**, 232
UV irradiated clumps in the Orion A molecular cloud: interpretation of low-*J* CO observations
Gierens, K.M., Stutzki, J., Winnewisser, G. **259**, 271
Molecular outflows associated with HH 52–54 and IRAS 12496–7650
Knee, L.B.G. **259**, 283
Physical conditions of the molecular gas and dust associated with the Herbig Ae/Be stars
Fuente, A., Martín-Pintado, J., Cernicharo, J., Brouillet, N., Duvert, G. **260**, 341
Observations of five molecular species in absorption towards Sagittarius B2
Greaves, J.S., White, G.J., Ohishi, M., Hasegawa, T., Sunada, K. **260**, 381
The 5780 diffuse band in peculiar interstellar clouds
Porceddu, I., Benvenuti, P., Krelowski, J. **260**, 391
On the possibility of detecting solid O_2 in interstellar grain mantles
Ehrenfreund, P., Breukers, R., d'Hendecourt, L., Greenberg, J.M. **260**, 431
Maser search towards young stellar objects
Henning, T., Cesaroni, R., Walmsley, M., Pfau, W. **260**, 558; **93**, *525*
The oblique impact of a high velocity cloud on the galactic disk
Comerón, F., Torra, J. **261**, 94
G54.4–0.3: CO shell and star formation region surrounding a shell-type supernova remnant. II. Compact CO clouds and the star formation scenario
Junkes, N., Fürst, E., Reich, W. **261**, 289
The physical structure of the small and isolated cometary globule Orion-I-2
Cernicharo, J., Bachiller, R., Duvert, G., González-Alfonso, E., Gómez-González, J. **261**, 589

Identification of IRAS point sources in Scorpio-Centaurus-Lupus
Carballo, R., Wesselius, P.R., Whittet, D.C.B. **262**, 106

Structure and kinematics of neutral hydrogen gas in the Large Magellanic Cloud
Luks, T., Rohlfs, K. **263**, 41

Modelling of IR emission of interstellar clouds. I. Emission of isolated clouds and dust abundance variations
Bernard, J.P., Boulanger, F., Désert, F.-X., Puget, J.L. **263**, 258

Submm/mm observations of the Monoceros R2 cloud core
Henning, T., Chini, R., Pfau, W. **263**, 285

The physical and chemical state of a dense core in the high-latitude cloud MCLD 123.5+24.9
Großmann, V., Heithausen, A. **264**, 195

An analysis of OH excited state absorption lines in DR 21 and K 3-50
Jones, K.N., Doel, R.C., Field, D., Gray, M.D., Walker, R.N.F. **264**, 220

Large-scale interaction of the H II region and the quiescent gas in Orion A
Rodríguez-Franco, A., Pintado-Martín, J., Gómez-González, J., Planesas, P. **264**, 592

CO(J=4–3) map of OMC 1
Schulz, A., Krügel, E., Beckmann, U. **264**, 629

CO observations in NGC 604. I. Physical properties
Viallefond, F., Boulanger, F., Cox, P., Lequeux, J., Pérault, M., Vogel, S.N. **265**, 437

Star formation in the Vela molecular clouds. I. The IRAS-bright Class I sources
Liseau, R., Lorenzetti, D., Nisini, B., Spinoglio, L., Moneti, A. **265**, 577

Dust emission from star-forming regions. III. The Rho Ophiuchus cloud – where are the low-mass protostars?
Mezger, P.G., Sievers, A., Zylka, R., Haslam, C.G.T., Kreysa, E., Lemke, R. **265**, 743

Recalibration of the absorption/photodissociation spectra of CO and its isotopes between 91 and 115 nm
Eidelsberg, M., Benayoun, J.J., Viala, Y., Rostas, F., Smith, P.L., Yoshino, K., Stark, G., Shettle, C.A. **265**, 839

Carbonaceous material by ion irradiation in space
Strazzulla, G., Baratta, G.A. **266**, 434

High resolution CO observations of S88-B
White, G.J., Fridlung, C.V.M. **266**, 452

The abundance of nitric oxide in molecular clouds
Gerin, M., Viala, Y., Pauzat, F., Ellinger, Y. **266**, 463

Northern-hemisphere observations of nearby interstellar gas. Possible detection of the local cloud
Lallement, R., Bertin, P. **266**, 479

The edge of a molecular cloud: observations of millimetric ^{13}CO and $C^{18}O$ transitions in W 40
Vallée, J.P., Guilloteau, S., MacLeod, J.M. **266**, 520

New probable members of the young Orion stellar population. I. The obscured regions in Cassiopeia, Vela and Scorpius
Márquez-Limón, A., López-Molina, M.G., Chavarría-K, C. **266**, 633; **95**, *391*

H_2CO survey in the Galactic Center: $0°.5 \leqq l \leqq 4°.0$
Zylka, R., Güsten, R., Henkel, C., Batria, W. **266**, 647; **96**, *525*

(Interstellar medium:) cosmic rays

Electron acceleration at a supernova blast wave. A model for the prompt radio flare from SN 1987 A
Kirk, J.G., Wassmann, M. **254**, 167

Neutral particle emission from the X-ray binary 2A 1822–37 at energies above 10^{17} eV
Clay, R.W., Meyhandan, R., Horton, L., Ulrichs, J., Winn, M.M. **255**, 167

Shock drift acceleration for a near-perpendicular shock in a turbulent astrophysical plasma
Newman, P.L., Moussas, X., Quenby, J.J., Valdes-Galicia, J.F., Theodossiou-Ekaterinidi, Z. **255**, 443

Heliosphere instrument for spectra, composition and anisotropy at low energies
Lanzerotti, L.J., Gold, R.E., Anderson, K.A., Armstrong, T.P., Lin, R.P., Krimigis, S.M., Pick, M., Roelof, E.C., Sarris, E.T., Simnett, G.M., Frain, W.E. **255**, 500; **92**, *349*

The Ulysses cosmic ray and solar particle investigation
Simpson, J.A., Anglin, J.D., Balogh, A., Bercovitch, M., Bouman, J.M., Budzinski, E.E., Burrows, J.R., Carvell, R., Connell, J.J., Ducros, R., Ferrando, P., Firth, J., Garcia-Munoz, M., Henrion, J., Hynds, R.J., Iwers, B., Jacquet, R., Kunow, H., Lentz, G., Marsden, R.G., McKibben, R.B., Mueller-Mellin, R., Page, D.E., Perkins, M., Raviart, A., Sanderson, T.R., Sierks, H., Treguer, L., Tuzzolino, A.J., Wenzel, K.-P., Wibberenz, G. **255**, 501; **92**, *365*

Gaps and filaments in the synchrotron halo of M82. Evidence for poloidal magnetic fields
Reuter, H.-P., Klein, U., Lesch, H., Wielebinski, R., Kronberg, P.P. **256**, 10

Magnetic-drift-driven instability and cosmic-ray acceleration
Pajot-el Abed, P., Melikidze, G., Tagger, M. **257**, L9

Relativistic neutrons in active galactic nuclei. II. Gamma-rays of high and very high energies
Atoyan, A.M. **257**, 476

A note on the hydrodynamical description of cosmic ray propagation
Ko, C.-M. **259**, 377

Combined first- and second-order Fermi acceleration in radio galaxy hot spots
Krülls, W.M. **260**, 49

Cosmic-ray kinetics in a random anisotropic reflective non-invariant magnetic field
Fedorov, Y.I., Katz, M.E., Kichatinov, L.L., Stehlik, M. **260**, 499

The self-consistent acceleration of cosmic rays in modified shocks with Bohm-type diffusion
Duffy, P. **262**, 281

Synchrotron modelling of the 400 pc spur at the galactic center
Pohl, M., Reich, W., Schlickeiser, R. **262**, 441

Continuous reacceleration of cosmic rays in galaxies. An alternative explanation for flat low frequency radio spectra
Pohl, M., Schlickeiser, R. **263**, 37

Alfvén wave transmission and stochastic particle acceleration at parallel astrophysical shock waves
Campeanu, A., Schlickeiser, R. **263**, 413

The origin of monoenergetic electrons in the arc of the galactic center. Particle acceleration by magnetic reconnection
Lesch, H., Reich, W. **264**, 493

Polarized arcs near the galactic centre
Haynes, R.F., Stewart, R.T., Gray, A.D., Reich, W., Reich, P., Mebold, U. **264**, 500

Charged particle dynamics within the spherical wave field of a rotating magnetic dipole beyond the acceleration boundary
Tolan, M. **264**, 708
A fast simulation method for particle acceleration
Achterberg, A., Krülls, W.M. **265**, L13

(Interstellar medium:) dust, extinction

Measure of the grain velocity structure in the circumstellar envelope "Frosty Leo"
Dougados, C., Rouan, D., Léna, P. **253**, 464
Physics of the rotation of a PAH molecule in interstellar environments
Rouan, D., Léger, A., Omont, A., Giard, M. **253**, 498
Photodissociation of H_2 and the H/H_2 transition in interstellar clouds
Abgrall, H., Le Bourlot, J., Pineau des Forêts, G., Roueff, E., Flower, D.R., Heck, L. **253**, 525
On the 21-μm feature of pre-planetary nebulae
Sourisseau, C., Coddens, G., Papoular, R. **254**, L1
Line scattering in an expanding shell: interferometric and polarimetric profiles
Lefèvre, J. **254**, 274
SiO emission as a tracer of shocked gas in molecular outflows
Martin-Pintado, J., Bachiller, R., Fuente, A. **254**, 315
Evidence for heavy element dust clumps from the increasing 1300 μm emission from Supernova 1987 A
Biermann, P.L., Chini, R., Haslam, C.G.T., Kreysa, E., Lemke, R., Sievers, A. **255**, L5
Evidence for heavy element clumps from the increasing 1300 μm emission from Supernova 987 A
Biermann, P.L., Chini, R., Haslam, C.G.T., Kreysa, E., Lemke, R., Sievers, A. **255**, L5
Carbon monoxide in active galaxies
Chini, R., Krügel, E., Steppe, H. **255**, 87
Discovery of a red luminescence band in the spectrum of the Orion Nebula
Perrin, J.-M., Sivan, J.-P. **255**, 271
Diffuse circumstellar bands in NGC 7027 and IRAS 21282+5050
Le Bertre, T., Lequeux, J. **255**, 288
A model for the photometric evolution of disc galaxies from UV to far-IR
Mazzei, P., Xu, C., De Zotti, G. **256**, 45
Variability pattern from X-ray to IR wavelengths in the active nucleus of NGC 1566
Baribaud, T., Alloin, D., Glass, I., Pelat, D. **256**, 375
Dust emission from star-forming regions. II. The NGC 2024 cloud core – revisited
Mezger, P.G., Sievers, A.W., Haslam, C.G.T., Kreysa, E., Lemke, R., Mauersberger, R., Wilson, T.L. **256**, 631
The internal structure of molecular clouds. III. Evidence for molecular depletion in the NGC 2024 condensations
Mauersberger, R., Wilson, T.L., Mezger, P.G., Gaume, R., Johnston, K.J. **256**, 640
A radio continuum study of the Magellanic Clouds. II. The far-infrared/radio correlation in the Large Magellanic Cloud
Xu, C., Klein, U., Meinert, D., Wielebinski, R., Haynes, R.F. **257**, 47
The distance and reddening of stars near the luminous blue variable AG Carinae
Hoekzema, N.M., Lamers, H.J.G.L.M., van Genderen, A.M. **257**, 118
The far-infrared properties of the CfA galaxy sample. I. The catalog
Thuan, T.X., Sauvage, M. **257**, 411; **92**, *749*
Binary stars: another effect contributing to the supposed abnormal extinction law in NGC 6193?
Vázquez, R.A., Feinstein, A. **257**, 411; **92**, *863*
Anomalous extinction and diffuse interstellar bands in the direction of two Be stars
Porceddu, I., Benvenuti, P., Krelowski, J. **257**, 745
Fulleranes, fullerenes and the interstellar extinction
Webster, A.S. **257**, 750
A tridimensional model of the galactic interstellar extinction
Arenou, F., Grenon, M., Gómez, A. **258**, 104
The 2140 cm^{-1} band of frozen CO in ion-irradiated and unirradiated mixtures with methanol and water
Palumbo, M.E., Strazzulla, G. **259**, L12
Search for the 4430 Å DIB in the spectra of coronene cation and neutral ovalene
Ehrenfreund, P., d'Hendecourt, L., Verstraete, L., Léger, A., Schmidt, W., Defourneau, D. **259**, 257
Cometary globules in the Gum nebula. II. Low mass star formation in cometary globule 22
Sahu, M., Sahu, K.C. **259**, 265
Dust model containing polycyclic aromatic hydrocarbons in various environments
Siebenmorgen, R., Krügel, E. **259**, 614
Four-colour *uvby* and Hβ photometry of all stars earlier than G0 and brighter than $m_{pg} \approx 10^{m}7$ in Selected Area 203 towards the Chamealeon-Musca dark clouds
Franco, G.A.P. **259**, 725; **93**, *373*
Galaxy photometry at millimetric wavelengths
Andreani, P., Franceschini, A. **260**, 89
Hydrogen chemisorption on a graphite surface
Klose, S. **260**, 321
Physical conditions of the molecular gas and dust associated with the Herbig Ae/Be stars
Fuente, A., Martin-Pintado, J., Cernicharo, J., Brouillet, N., Duvert, G. **260**, 341
The 5780 diffuse band in peculiar interstellar clouds
Porceddu, I., Benvenuti, P., Krelowski, J. **260**, 391
On the possibility of detecting solid O_2 in interstellar grain mantles
Ehrenfreund, P., Breukers, R., d'Hendecourt, L., Greenberg, J.M. **260**, 431
Narrow band multicolor photometry of reddened and unreddened early-type stars
Bastiaansen, P.A. **260**, 557; **93**, *449*
The far-infrared/Hα correlation of extreme IRAS galaxies
van den Broek, A.C. **261**, L1
Anatomy of the Sagittarius A complex. II. λ1300 μm and λ870 μm continuum observations of Sgr A* and its submm/IR spectrum
Zylka, R., Mezger, P.G., Lesch, H. **261**, 119
Three-micron observations of comet Austin 1989 c1
Mizutani, K., Nagata, T., Maihara, T., Suto, H., Yamamoto, T. **261**, 336
Constraints on cosmic silicates
Ossenkopf, V., Henning, T., Mathis, J.S. **261**, 567
Radiation pressure forces of fluffy porous grains
Mukai, T., Ishimoto, H., Kozasa, T., Blum, J., Greenberg, J.M. **262**, 315

Modelling of IR emission of interstellar clouds. I. Emission of isolated clouds and dust abundance variations
Bernard, J.P., Boulanger, F., Désert, F.-X., Puget, J.L. **263**, 258

Circumstellar and interstellar fullerenes and their analogues
Kroto, H.W., Jura, M. **263**, 275

Submm/mm observations of the Monoceros R2 cloud core
Henning, T., Chini, R., Pfau, W. **263**, 285

Optical properties of dust aggregates. I. Wavelength dependence
Kozasa, T., Blum, J., Mukai, T. **263**, 423

The 3.3 μm emission in M 17
Giard, M., Bernard, J.P., Dennefeld, M. **264**, 610

UBV photometry in the vicinity of L 379
Lahulla, J.F., Hilton, J. **264**, 719; ***94***, *265*

A photometric analysis of the Cepheus OB3 region
Jordi, C., Trullols, E., Rosselló, G., Lahulla, F. **264**, 722; ***94***, *519*

Far UV nonlinear rise extinction in relation to CH and CH^+ abundances
Jenniskens, P., Ehrenfreund, P., Désert, F.-X. **265**, L1

A cluster of infrared sources towards M 16
Chini, R., Krügel, E., Wargau, W.F. **265**, 45

The circumstellar silicate dust as seen by IRAS. II. Evolution of circumstellar envelopes
David, P., Papoular, R. **265**, 195

Dust formation in winds of long-period variables. II. Dust energetics, optical properties, chemistry, time scales
Höfner, S., Dorfi, E.A. **265**, 207

The envelopes of R Coronae Borealis stars. I. A physical model of the decline events due to dust formation
Goeres, A., Sedlmayr, E. **265**, 216

Photometry of the spiral pair NGC 450/UGC 807 and the optical thickness of galactic disks
Andredakis, Y.C., van der Kruit, P.C. **265**, 396

CO emission from radio quiet quasars: new detections support a thermal origin for the FIR emission
Alloin, D., Barvainis, R., Gordon, M.A., Antonucci, R.R.J. **265**, 429

Chemistry in circumstellar shells. I. Chromospheric radiation fields and dust formation in optically thin shells of M-giants
Beck, H.K.B., Gail, H.-P., Henkel, R., Sedlmayr, E. **265**, 626

Submillimeter dust continuum observations of three low luminosity protostellar IRAS sources
Zinnecker, H., Bastien, P., Arcoragi, J.-P., Yorke, H.W. **265**, 726

Dust emission from star-forming regions. III. The Rho Ophiuchus cloud – where are the low-mass protostars?
Mezger, P.G., Sievers, A., Zylka, R., Haslam, C.G.T., Kreysa, E., Lemke, R. **265**, 743

Apparent alignment of stellar outflows due to selective extinction
Raga, A.C. **265**, 767

New clues for ionized polycyclic aromatic hydrocarbons as possible carriers of diffuse interstellar bands
Parisel, O., Berthier, G., Ellinger, Y. **266**, L1

Star formation efficiency in active galaxies
Chini, R., Krügel, E., Kreysa, E. **266**, 177

Mid–IR spectroscopy of GGD 27-IRS: evidence for a PMS stellar cluster
Aspin, C., Geballe, T.R. **266**, 219

Visible absorption bands of coal pitch extract – implications for the diffuse interstellar bands
Ehrenfreund, P., d'Hendecourt, L., Joblin, C., Léger, A. **266**, 429

Carbonaceous material by ion irradiation in space
Strazzulla, G., Baratta, G.A. **266**, 434

Comparison of two methods for determining the interstellar extinction of planetary nebulae
Stasińska, G., Tylenda, R., Acker, A., Stenholm, B. **266**, 486

Radiative transfer for transiently heated particles
Siebenmorgen, R., Krügel, E., Mathis, J.S. **266**, 501

The visible and ultraviolet absorption of large polycyclic aromatic hydrocarbons
Verstraete, L., Léger, A. **266**, 513

CCD photometry in the Vilnius photometric system. IV. Interstellar reddening in the direction of the globular cluster M 71
Boyle, R.P., Dasgupta, A.K., Smriglio, F., Straižys, V., Nandy, K. **266**, 629; ***95***, *51*

The extinction constants for galactic planetary nebulae
Tylenda, R., Acker, A., Stenholm, B., Köppen, J. **266**, 632; ***95***, *337*

Balloon-borne far-infrared imaging of the Cygnus-X region
Holenstein, A.P., Schenker, G., Huguenin, D., Kneubühl, F.K. **266**, 639; ***96***, *115*

Interstellar medium: general

An analysis of the influence of interstellar scattering on interplanetary scintillation observations
Hajivassiliou, C.A. **253**, 244

The ionization of the diffuse gas in NGC 891 and the decaying dark matter theory
Dettmar, R.-J., Schulz, H. **254**, L25

On the decay of the magnetic fields of single radio pulsars
Bhattacharya, D., Wijers, R.A.M.J., Hartman, J.W., Verbunt, F. **254**, 198

Cavities around progenitors of Ib SNe: Effelsberg H I observations towards six galactic Wolf-Rayet stars
Arnal, E.M. **254**, 305

The Hercules H I shell: distances of the gas clouds and topography of the shell
Lilienthal, D., Hirth, W., Mebold, U., de Boer, K.S. **255**, 323

The DRAO galactic-plane survey. III. Field at $l = 85°$
Normandeau, M., Joncas, G., Green, D.A. **255**, 497; ***92***, *63*

The interstellar neutral-gas experiment on ULYSSES
Witte, M., Rosenbauer, H., Keppler, E., Fahr, H.-J., Hemmerich, P., Lauche, H., Loidl, A., Zwick, R. **255**, 500; ***92***, *333*

Radio observations of the bright X-ray supernova remnant G156.2+5.7
Reich, W., Fürst, E., Arnal, E.M. **256**, 214

Erratum: The interstellar lines catalogue
Garcia, B. **257**, 412; ***92***, *885*

Statistics of intraday variability in extragalactic radio sources
Quirrenbach, A., Witzel, A., Krichbaum, T.P., Hummel, C.A., Wegner, R., Schalinski, C.J., Ott, M., Alberdi, A., Rioja, M. **258**, 279

The jet/interstellar medium interaction and the radiation properties of extragalactic jets
Fraix-Burnet, D. **259**, 445

Organometallic chemistry in the interstellar medium. I. Are organometallic reactions efficient processes in astrochemistry?
Serra, G., Chaudret, B., Saillard, Y., Le Beuze, A., Rabaa, H., Ristorcelli, I., Klotz, A. **260**, 489

The physical structure of the small and isolated cometary globule Orion-I-2
Cernicharo, J., Bachiller, R., Duvert, G., González-Alfonso, E., Gómez-González, J. **261**, 589
Low-frequency variability and the galactic distribution of electron-density fluctuation
Ghosh, T., Rao, A.P. **264**, 203
A Boltzmann-kinetic approach to describe the entrance of neutral interstellar hydrogen into the heliosphere
Osterbart, R., Fahr, H.J. **264**, 260
Truncated photoionized autogravitating clouds at high redshift
Petitjean, P., Bergeron, J., Puget, J.L. **265**, 375
Heliospheric interface modifications of interstellar neutral hydrogen compatible with Lyman α glow observations
Quémerais, E., Lallement, R., Bertaux, J.L. **265**, 806
Fine structure lines of C^+ and N^+ in the galaxy
Gry, C., Lequeux, J., Boulanger, F. **266**, 457
Northern-hemisphere observations of nearby interstellar gas. Possible detection of the local cloud
Lallement, R., Bertin, P. **266**, 479

(Interstellar medium:) H II regions

Hot, dense, molecular gas associated with ultracompact H II regions
Churchwell, E., Walmsley, C.M., Wood, D.O.S. **253**, 541
Hot ammonia toward ultracompact H II regions
Cesaroni, R., Walmsley, C.M., Churchwell, E. **256**, 618
Deep Hα survey of the Milky Way. I. Instrument description and detection of a distant H II region
Le Coarer, E., Amram, P., Boulesteix, J., Georgelin, Y.M., Georgelin, Y.P., Marcelin, M., Joulié, P., Urios, J. **257**, 389
Atomic carbon near the molecular cloud/H II region interface in S 140
Hernichel, J., Krause, D., Röhrig, R., Stutzki, J., Winnewisser, G. **259**, L77
A quantitative study of the 7.7 and 11.3 μm emission bands based on IRAS/LRS spectra
Zavagno, A., Cox, A., Baluteau, J.-P. **259**, 241
Spatially resolved spectroscopy of WR ring nebulae. III. New results and chemical properties of the sample
Esteban, C., Vilchez, J.M., Smith, L.J., Clegg, R.E.S. **259**, 629
The evolution of nitrogen and oxygen abundances in dwarf irregular galaxies
Pilyugin, L.S. **260**, 58
H II regions in Sextans A
Aparicio, A., Rodriguez-Ulloa, J.A. **260**, 77
Density studies on giant extragalactic H II regions
Castañeda, H.O., Vilchez, J.M., Copetti, M.V.F. **260**, 370
The distribution and nature of small-diameter radio sources along the southern galactic plane
Whiteoak, J.B.Z. **262**, 251
Structure and kinematics of neutral hydrogen gas in the Large Magellanic Cloud
Luks, T., Rohlfs, K. **263**, 41
An analysis of OH excited state absorption lines in DR 21 and K 3-50
Jones, K.N., Doel, R.C., Field, D., Gray, M.D., Walker, R.N.F. **264**, 220
The 3.3 μm emission in M 17
Giard, M., Bernard, J.P., Dennefeld, M. **264**, 610
Unified NLTE model atmospheres including spherical extension and stellar winds. III. The EUV fluxes of hot massive stars and He II emission in extragalactic giant H II regions
Gabler, R., Gabler, A., Kudritzki, R.P., Méndez, R.H. **265**, 656
Comparison of two methods for determining the interstellar extinction of planetary nebulae
Stasińska, G., Tylenda, R., Acker, A., Stenholm, B. **266**, 486

Interstellar medium: individual objects: . . . (except planetary nebulae)

B 5 (molecular cloud)

Warm neutral halos around molecular clouds. IV. H I and continuum: aperture synthesis observations towards the molecular cloud B 5
Andersson, B.-G., Roger, R.S., Wannier, P.G. **260**, 355

B 209

An IRAS study of pre-main sequence stars in B209
Prusti, T., Clark, F.O., Laureijs, R.J., Wakker, B.P., Wesselius, P.R. **259**, 537

B 335

Star formation in Bok globules and low-mass clouds. IV. Herbig-Haro objects in B335
Reipurth, B., Heathcote, S., Vrba, F. **256**, 225

Cas A

The rate of decrease of the flux density of Cassiopeia A at 81.5 MHz
Hook, I.M., Duffett-Smith, P.J., Shakeshaft, J.R. **255**, 285

Cepheus B

Carbon monoxide and far-infrared observations of the S 155–Cepheus B region
Minchin, N.R., Ward-Thompson, D., White, G.J. **265**, 733

Chamaeleon clouds

Molecular outflows associated with HH 52–54 and IRAS 12496–7650
Knee, L.B.G. **259**, 283
Four-colour *uvby* and Hβ photometry of all stars earlier than G0 and brighter than $m_{pg} \approx 10^{m}.7$ in Selected Area 203 towards the Chamealeon-Musca dark clouds
Franco, G.A.P. **259**, 725; ***93**, 373*
IRAS identification of pre-main sequence stars in the Chamaeleon II association
Prusti, T., Whittet, D.C.B., Assendorp, R., Wesselius, P.R. **260**, 151

Cloud toward HD 210121

The structure of the high-latitude molecular cloud toward HD 210121
Gredel, R., van Dishoeck, E.F., de Vries, C.P., Black, J.H. **257**, 245

Cygnus Loop

Optical kinematics in the Cygnus Loop. II. Interpretation
Greidanus, H., Strom, R.G. **257**, 265

Cyg-X

Balloon-borne far-infrared imaging of the Cygnus-X region
Holenstein, A.P., Schenker, G., Huguenin, D., Kneubühl, F.K. **266**, 639; **96**, *115*

DR 21

An analysis of OH excited state absorption lines in DR 21 and K 3-50
Jones, K.N., Doel, R.C., Field, D., Gray, M.D., Walker, R.N.F. **264**, 220

G 34.3

Interstellar detection of deuterated methyl cyanide
Gerin, M., Combes, F., Wlodarczak, G., Jacq, T., Guélin, M., Encrenaz, P., Laurent, C. **259**, L35

G 54.4–0.3

G54.4–0.3: CO shell and star formation region surrounding a shell-type supernova remnant. II. Compact CO clouds and the star formation scenario
Junkes, N., Fürst, E., Reich, W. **261**, 289
G54.4–0.3: CO shell and star formation region surrounding a shell-type supernova remnant. I. Properties of the CO shell
Junkes, N., Fürst, E., Reich, W. **266**, 638; **96**, *1*

G 156.2+5.7

Radio observations of the bright X-ray supernova remnant G156.2+5.7
Reich, W., Fürst, E., Arnal, E.M. **256**, 214

G 296.5+10.0

Bilateral symmetry in the supernova remnant G 296.5+10.0
Storey, M.C., Staveley-Smith, L., Manchester, R.N., Kesteven, M.J. **265**, 752

GGD 17

A Herbig-Haro flow associated with the T Tauri star Bretz 4 in GGD 17
Carballo, R., Eiroa, C. **262**, 295

GGD 27-IRS

Mid–IR spectroscopy of GGD 27-IRS: evidence for a PMS stellar cluster
Aspin, C., Geballe, T.R. **266**, 219

GL 490 (03236+5836)

On the polarization of GL 490
Haas, M., Leinert, C., Lenzen, R. **261**, 130

Gum nebula

A molecular outflow associated with Herbig-Haro jet HH 46/47
Olberg, M., Reipurth, B., Booth, R.S. **259**, 252
Cometary globules in the Gum nebula. II. Low mass star formation in cometary globule 22
Sahu, M., Sahu, K.C. **259**, 265
A study of the neutral hydrogen in direction to the Gum nebula
Dubner, G., Giacani, E., Cappa de Nicolau, C., Reynoso, E. **266**, 647; **96**, *505*

Hercules H I shell

The Hercules H I shell: distances of the gas clouds and topography of the shell
Lilienthal, D., Hirth, W., Mebold, U., de Boer, K.S. **255**, 323

K 3-50

An analysis of OH excited state absorption lines in DR 21 and K 3-50
Jones, K.N., Doel, R.C., Field, D., Gray, M.D., Walker, R.N.F. **264**, 220

L 379

UBV photometry in the vicinity of L 379
Lahulla, J.F., Hilton, J. **264**, 719; **94**, *265*

L 1251

The optical counterpart of the IRAS point source 22343+7501 in L 1251
Balázs, L.G., Eislöffel, J., Holl, A., Kelemen, J., Kun, M. **255**, 281

L 1448

First observations of young bipolar outflows with the IRAM interferometer: 2″ resolution SiO images of the molecular jet in L 1448
Guilloteau, S., Bachiller, R., Fuente, A., Lucas, R. **265**, L49

L 1630

An optical/infrared/millimetre study of HH 90/91
Gredel, R., Reipurth, B., Heathcote, S. **266**, 439

L 1641

Emission-line stars in L 1641
Wouterloot, J.G.A., Brand, J. **265**, 144

LVC 88+36-2

A very dense H I filament within the Local Hot Bubble
Wennmacher, A., Lilienthal, D., Herbstmeier, U. **261**, L9

M 17

Isotopic CO observations of M 17(SW)
Greaves, J.S., White, G.J., Williams, P.G. **257**, 731
The 3.3 μm emission in M 17
Giard, M., Bernard, J.P., Dennefeld, M. **264**, 610

MCLD 123.5+24.9

The physical and chemical state of a dense core in the high-latitude cloud MCLD 123.5+24.9
Großmann, V., Heithausen, A. **264**, 195

Mon R2

Submm/mm observations of the Monoceros R2 cloud core
Henning, T., Chini, R., Pfau, W. **263**, 285

Musca cloud

Four-colour *uvby* and Hβ photometry of all stars earlier than G0 and brighter than $m_{pg} \approx 10^{m}7$ in Selected Area 203 towards the Chamealeon-Musca dark clouds
Franco, G.A.P. **259**, 725; **93**, *373*

N 59 A (LMC)

The stellar content of the Large Magellanic Cloud H II region N 59 A
Armand, C., Deharveng, L., Caplan, J. **265**, 504

N 82 (LMC)

Discovery of a peculiar Of?-like star in the LMC
Heydari-Malayeri, M., Melnick, J. **258**, L13

N 120 (LMC)

N 120 in the LMC: a sample of nebulae of different types
Laval, A., Rosado, M., Boulesteix, J., Georgelin, Y.P., Le Coarer, E., Marcelin, M., Viale, A. **253**, 213

N 159 A (LMC)

Photometry of the LMC H II region N 159 A and of its stellar content. II. Young stars, gas, and dust
Deharveng, L., Caplan, J. **259**, 480
Photometry of the LMC HII region N159A and of its stellar content. I. Stellar observations and reductions
Deharveng, L., Caplan, J., Lombard, J. **264**, 720; ***94***, *359*
Erratum: Photometry of the LMC H II region N 159A and of its stellar content. I. Stellar observations and reductions
Deharveng, L., Caplan, J., Lombard, J. **266**, 000; ***95***, *601*

NGC 604 (in M 33)

CO observations in NGC 604. I. Physical properties
Viallefond, F., Boulanger, F., Cox, P., Lequeux, J., Pérault, M., Vogel, S.N. **265**, 437

NGC 1333/SSV 13

The infrared variability of SSV 13
Liseau, R., Lorenzetti, D., Molinari, S. **253**, 119

NGC 2024 clouds

Dust emission from star-forming regions. II. The NGC 2024 cloud core – revisited
Mezger, P.G., Sievers, A.W., Haslam, C.G.T., Kreysa, E., Lemke, R., Mauersberger, R., Wilson, T.L. **256**, 631
The internal structure of molecular clouds. III. Evidence for molecular depletion in the NGC 2024 condensations
Mauersberger, R., Wilson, T.L., Mezger, P.G., Gaume, R., Johnston, K.J. **256**, 640

NGC 7129

Herbig-Haro objects in the star formation region NGC 7129
Eiroa, C., Gómez de Castro, A.I., Miranda, L.F. **257**, 410; ***92***, *721*

Ori-I-2 cometary globule

The physical structure of the small and isolated cometary globule Orion-I-2
Cernicharo, J., Bachiller, R., Duvert, G., González-Alfonso, E., Gómez-González, J. **261**, 589

Orion molecular clouds

Detection of compact SiO maser emission at 43 GHz using a European very long baseline interferometer
Colomer, F., Graham, D.A., Krichbaum, T.P., Rönnäng, B.O., de Vicente, P., Witzel, A., Barcia, A., Baudry, A., Booth, R.S., Gómez-González, J., Alcolea, J., Daigne, G. **254**, L17
A study of HCN, HNC and their isotopomers in OMC-1. I. Abundances and chemistry
Schilke, P., Walmsley, C.M., Pineau des Forêts, G., Roueff, E., Flower, D.R., Guilloteau, S. **256**, 595
Interstellar detection of deuterated methyl cyanide
Gerin, M., Combes, F., Wlodarczak, G., Jacq, T., Guélin, M., Encrenaz, P., Laurent, C. **259**, L35
UV irradiated clumps in the Orion A molecular cloud: interpretation of low-*J* CO observations
Gierens, K.M., Stutzki, J., Winnewisser, G. **259**, 271
Submillimeter observations of vibrationally excited NH_3 towards Orion-KL
Schilke, P., Güsten, R., Schulz, A., Serabyn, E., Walmsley, C.M. **261**, L5
Large-scale interaction of the H II region and the quiescent gas in Orion A
Rodríguez-Franco, A., Pintado-Martín, J., Gómez-González, J., Planesas, P. **264**, 592
CO(J=4–3) map of OMC 1
Schulz, A., Krügel, E., Beckmann, U. **264**, 629

Orion nebula

Discovery of a red luminescence band in the spectrum of the Orion Nebula
Perrin, J.-M., Sivan, J.-P. **255**, 271
Large-scale interaction of the H II region and the quiescent gas in Orion A
Rodríguez-Franco, A., Pintado-Martín, J., Gómez-González, J., Planesas, P. **264**, 592

Pup A

A simple method to enhance radio polarization features
Milne, D.K. **261**, 694

R CrA clouds

The evolutionary stage of the Herbig Ae/Be stars in the R Coronae Australis star-forming region
Bibo, E.A., Thé, P.S., Dawanas, D.N. **260**, 293

RCW 57=NGC 3576

The double nature of RCW57/IRS1
Moneti, A. **259**, 627

RCW 86

X-ray spectroscopy of the young supernova remnant RCW 86
Kaastra, J.S., Asaoka, I., Koyama, K., Yamauchi, S. **264**, 654

S 140

Atomic carbon near the molecular cloud/H II region interface in S 140
Hernichel, J., Krause, D., Röhrig, R., Stutzki, J., Winnewisser, G. **259**, L77

S 155

Carbon monoxide and far-infrared observations of the S 155–Cepheus B region
Minchin, N.R., Ward-Thompson, D., White, G.J. **265**, 733

S 183 (G 123.2+2.8)

Sharpless 183: an H II region in the Perseus arm
Landecker, T.L., Anderson, M.D., Routledge, D., Vaneldik, J.F. **258**, 495

S 287

Optical traces of two IRAS sources driving bipolar outflows in the S 287 molecular cloud
Neckel, T., Staude, H.J. **254**, 339

S 88-B

High resolution CO observations of S88-B
White, G.J., Fridlung, C.V.M. **266**, 452

Serpens cloud

Discovery of four Herbig-Haro objects in Serpens
Reipurth, B., Eiroa, C. **256**, L1
Near-infrared images of the Serpens cloud core: the stellar cluster
Eiroa, C., Casali, M.M. **262**, 468

Sgr A cloud

Molecular abundances in the Sagittarius A molecular cloud
Minh, Y.C., Irvine, W.M., Friberg, P. **258**, 489
Anatomy of the Sagittarius A complex. II. λ1300 μm and λ870 μm continuum observations of Sgr A* and its submm/IR spectrum
Zylka, R., Mezger, P.G., Lesch, H. **261**, 119

Vela clouds

Star formation in the Vela molecular clouds. I. The IRAS-bright Class I sources
Liseau, R., Lorenzetti, D., Nisini, B., Spinoglio, L., Moneti, A. **265**, 577

W 3(OH)

An analysis of intense OH maser emission in star-forming regions
Gray, M.D., Field, D., Doel, R.C. **262**, 555

W 40

The edge of a molecular cloud: observations of millimetric ^{13}CO and $C^{18}O$ transitions in W 40
Vallée, J.P., Guilloteau, S., MacLeod, J.M. **266**, 520

W 43A

Evolved stars with high velocity H_2O maser features: bipolar outflows with velocity symmetry
Likkel, L., Morris, M., Maddalena, R.J. **256**, 581

ζ Oph cloud

CH^+ λ3957 towards ζ Ophiuchi
Stahl, O., Wilson, T.L. **254**, 327

π Oph cloud

A magnitude-limited spectroscopic and photometric survey of ϱ Ophiuchus X-ray sources
Bouvier, J., Appenzeller, I. **256**, 324; **92**, *481*

ϱ Oph cloud

2CG 353+16 and the fourteenth century B.C. supernova
Xu, J.J., Wang, Z.R., Qu, Q.Y. **256**, 483
Interactions of stars and interstellar matter in Scorpio Centaurus
de Geus, E.J. **262**, 258
Dust emission from star-forming regions. III. The Rho Ophiuchus cloud – where are the low-mass protostars?
Mezger, P.G., Sievers, A., Zylka, R., Haslam, C.G.T., Kreysa, E., Lemke, R. **265**, 743

30 Dor (LMC)

Near-infrared images of the 30 Doradus region
Rubio, M., Roth, M., García, J. **261**, L29

Interstellar medium: jets and outflows

The surprising presence of an OI line in a Wolf-Rayet spectrum
Andrillat, Y., Vreux, J.-M. **253**, L37
The infrared variability of SSV 13
Liseau, R., Lorenzetti, D., Molinari, S. **253**, 119
Optical traces of two IRAS sources driving bipolar outflows in the S 287 molecular cloud
Neckel, T., Staude, H.J. **254**, 339
The optical counterpart of the IRAS point source 22343+7501 in L 1251
Balázs, L.G., Eislöffel, J., Holl, A., Kelemen, J., Kun, M. **255**, 281
Molecular outflows and H_2O masers: what type of connection?
Felli, M., Palagi, F., Tofani, G. **255**, 293
Nonradial and nonpolytropic astrophysical outflows. I. Hydrodynamic solutions with flaring streamlines
Tsinganos, K., Sauty, C. **255**, 405
Discovery of four Herbig-Haro objects in Serpens
Reipurth, B., Eiroa, C. **256**, L1
Star formation in Bok globules and low-mass clouds. IV. Herbig-Haro objects in B335
Reipurth, B., Heathcote, S., Vrba, F. **256**, 225
On stellar accretion of matter through a disk and the ejection of bipolar flows
Torbett, M.V., Gilden, D.L. **256**, 686
High-resolution spectroscopy of the inner R Aquarii nebula: evidence for bow shock excitation by collimated wind from the symbiotic system
Solf, J. **257**, 228
Herbig-Haro objects in the star formation region NGC 7129
Eiroa, C., Gómez de Castro, A.I., Miranda, L.F. **257**, 410; **92**, *721*
Multiple bow shocks in the HH 34 system
Reipurth, B., Heathcote, S. **257**, 693
A molecular outflow associated with Herbig-Haro jet HH 46/47
Olberg, M., Reipurth, B., Booth, R.S. **259**, 252
Molecular outflows associated with HH 52–54 and IRAS 12496–7650
Knee, L.B.G. **259**, 283
Radiative unstable modes in the jets of young stellar objects
Massaglia, S., Trussoni, E., Bodo, G., Rossi, P., Ferrari, A. **260**, 243
Long-slit spectroscopy of the planetary nebula NGC 6543: collimated bipolar ejections from a precessing central source?
Miranda, L.F., Solf, J. **260**, 397
A survey of CH emission in molecular outflows
Magnani, L., Sandell, G., Lada, E.A. **260**, 558; **93**, *509*
CO line formation in bipolar flows. III. The energetics of molecular flows and ionized winds
Cabrit, S., Bertout, C. **261**, 274
Sub-arcsecond images of the young star DD Tauri at optical and near-IR wavelengths
Bouvier, J., Tessier, E., Cabrit, S. **261**, 451
R Aquarii: an attempt at a unified model
Burgarella, D., Vogel, M., Paresce, F. **262**, 83
Herbig-Haro outflows associated with high-luminosity young stellar objects – AFGL 2591 and MWC 1080
Poetzel, R., Mundt, R., Ray, T.P. **262**, 229
A Herbig-Haro flow associated with the T Tauri star Bretz 4 in GGD 17
Carballo, R., Eiroa, C. **262**, 295
Molecular hydrogen emission in Herbig–Haro complexes. III. Outflows with jets
Zealey, W.J., Williams, P.M., Sandell, G., Taylor, K.N.R., Ray, T.P. **262**, 570

Proper motion measurements in the HH 34 jet and its associated bow shocks
Eislöffel, J., Mundt, R. **263**, 292
First observations of young bipolar outflows with the IRAM interferometer: 2″ resolution SiO images of the molecular jet in L 1448
Guilloteau, S., Bachiller, R., Fuente, A., Lucas, R. **265**, L49
Apparent alignment of stellar outflows due to selective extinction
Raga, A.C. **265**, 767
Mid–IR spectroscopy of GGD 27-IRS: evidence for a PMS stellar cluster
Aspin, C., Geballe, T.R. **266**, 219
Near-IR observations of the bipolar outflow sources IRAS 03271+3013 and IRAS 03282+3035
Aspin, C. **266**, 416
An optical/infrared/millimetre study of HH 90/91
Gredel, R., Reipurth, B., Heathcote, S. **266**, 439

Interstellar medium: kinematics and dynamics

N 120 in the LMC: a sample of nebulae of different types
Laval, A., Rosado, M., Boulesteix, J., Georgelin, Y.P., Le Coarer, E., Marcelin, M., Viale, A. **253**, 213
Molecular outflows and H_2O masers: what type of connection?
Felli, M., Palagi, F., Tofani, G. **255**, 293
Dynamics and spectra of magnetically cushioned radiative shocks
Innes, D.E. **256**, 660
Optical kinematics in the Cygnus Loop. II. Interpretation
Greidanus, H., Strom, R.G. **257**, 265
The molecular cloud content of early–type galaxies. III. A nuclear molecular ring in NGC 3593
Wiklind, T., Henkel, C. **257**, 437
The small-scale density and velocity structure of quiescent molecular clouds
Falgarone, E., Puget, J.-L., Pérault, M. **257**, 715
Magnetic diffusion in clumpy molecular clouds
Elmegreen, B.G., Combes, F. **259**, 232
A molecular outflow associated with Herbig-Haro jet HH 46/47
Olberg, M., Reipurth, B., Booth, R.S. **259**, 252
Warm neutral halos around molecular clouds. IV. H I and continuum: aperture synthesis observations towards the molecular cloud B 5
Andersson, B.-G., Roger, R.S., Wannier, P.G. **260**, 355
The oblique impact of a high velocity cloud on the galactic disk
Comerón, F., Torra, J. **261**, 94
Anatomy of the Sagittarius A complex. II. λ1300 μm and λ870 μm continuum observations of Sgr A* and its submm/IR spectrum
Zylka, R., Mezger, P.G., Lesch, H. **261**, 119
Interactions of stars and interstellar matter in Scorpio Centaurus
de Geus, E.J. **262**, 258
An analysis of intense OH maser emission in star-forming regions
Gray, M.D., Field, D., Doel, R.C. **262**, 555
Structure and kinematics of neutral hydrogen gas in the Large Magellanic Cloud
Luks, T., Rohlfs, K. **263**, 41
Proper motion measurements in the HH 34 jet and its associated bow shocks
Eislöffel, J., Mundt, R. **263**, 292
Large-scale interaction of the H II region and the quiescent gas in Orion A
Rodríguez-Franco, A., Pintado-Martín, J., Gómez-González, J., Planesas, P. **264**, 592

Interstellar medium: magnetic fields

On the quadrisymmetric ($m=2$) magnetic fields in spiral galaxies
Vallée, J.P. **255**, 100
Gaps and filaments in the synchrotron halo of M82. Evidence for poloidal magnetic fields
Reuter, H.-P., Klein, U., Lesch, H., Wielebinski, R., Kronberg, P.P. **256**, 10
Radio observations of the bright X-ray supernova remnant G156.2+5.7
Reich, W., Fürst, E., Arnal, E.M. **256**, 214
Erratum: Magnetic fields and interstellar gas clouds in the spiral galaxy NGC 6946
Beck, R. **258**, 605
Magnetic diffusion in clumpy molecular clouds
Elmegreen, B.G., Combes, F. **259**, 232
The magnetic field structure of M 51
Neininger, N. **263**, 30
Diffusion-generated electromotive force and seed magnetic field problem
Lazarian, A. **264**, 326
Pattern recognition of the regular magnetic field in disks of spiral galaxies
Sokoloff, D., Shukurov, A., Krause, M. **264**, 396
The origin of monoenergetic electrons in the arc of the galactic center. Particle acceleration by magnetic reconnection
Lesch, H., Reich, W. **264**, 493
Polarized arcs near the galactic centre
Haynes, R.F., Stewart, R.T., Gray, A.D., Reich, W., Reich, P., Mebold, U. **264**, 500
Galactic dynamos and their radio signatures
Elstner, D., Meinel, R., Beck, R. **264**, 723; ***94***, *587*
Faraday effects in the spiral galaxy M 51
Horellou, C., Beck, R., Berkhuijsen, E.M., Krause, M., Klein, U. **265**, 417

Interstellar medium: molecules

Interstellar detection of deuterated methyl acetylene
Gerin, M., Combes, F., Wlodarczak, G., Encrenaz, P., Laurent, C. **253**, L29
Physics of the rotation of a PAH molecule in interstellar environments
Rouan, D., Léger, A., Omont, A., Giard, M. **253**, 498
Photodissociation of H_2 and the H/H_2 transition in interstellar clouds
Abgrall, H., Le Bourlot, J., Pineau des Forêts, G., Roueff, E., Flower, D.R., Heck, L. **253**, 525
Energy loss rates for water in molecular clouds
Chandra, S., Tarafdar, S.P. **253**, 537
Hot, dense, molecular gas associated with ultracompact H II regions
Churchwell, E., Walmsley, C.M., Wood, D.O.S. **253**, 541
SiO emission as a tracer of shocked gas in molecular outflows
Martín-Pintado, J., Bachiller, R., Fuente, A. **254**, 315
CH^+ λ3957 towards ζ Ophiuchi
Stahl, O., Wilson, T.L. **254**, 327

Laboratory spectra of gas-phase coronene at elevated temperatures
Kurtz, J. **255**, L1
Discovery of a red luminescence band in the spectrum of the Orion Nebula
Perrin, J.-M., Sivan, J.-P. **255**, 271
Partition functions and equilibrium constants for H_3^+ and H_2D^+
Sidhu, K.S., Miller, S., Tennyson, J. **255**, 453
A study of HCN, HNC and their isotopomers in OMC-1. I. Abundances and chemistry
Schilke, P., Walmsley, C.M., Pineau des Forêts, G., Roueff, E., Flower, D.R., Guilloteau, S. **256**, 595
Hot ammonia toward ultracompact H II regions
Cesaroni, R., Walmsley, C.M., Churchwell, E. **256**, 618
Dust emission from star-forming regions. II. The NGC 2024 cloud core – revisited
Mezger, P.G., Sievers, A.W., Haslam, C.G.T., Kreysa, E., Lemke, R., Mauersberger, R., Wilson, T.L. **256**, 631
The internal structure of molecular clouds. III. Evidence for molecular depletion in the NGC 2024 condensations
Mauersberger, R., Wilson, T.L., Mezger, P.G., Gaume, R., Johnston, K.J. **256**, 640
Theoretical study of the deexcitation of C_2 in collisions with helium
Robbe, J.M., Lavendy, H., Lemoine, D., Pouilly, B. **256**, 679
Improved determination of the ground state molecular constants of the CS^+ cation to aid possible astrophysical detection
Horani, M., Vervloet, M. **256**, 683
The structure of the high-latitude molecular cloud toward HD 210121
Gredel, R., van Dishoeck, E.F., de Vries, C.P., Black, J.H. **257**, 245
The molecular cloud content of early–type galaxies. III. A nuclear molecular ring in NGC 3593
Wiklind, T., Henkel, C. **257**, 437
The small-scale density and velocity structure of quiescent molecular clouds
Falgarone, E., Puget, J.-L., Pérault, M. **257**, 715
Isotopic CO observations of M 17(SW)
Greaves, J.S., White, G.J., Williams, P.G. **257**, 731
Search for acetic acid in interstellar clouds
Wootten, A., Wlodarczak, G., Mangum, J.G., Combes, F., Encrenaz, P.J., Gerin, M. **257**, 740
Anomalous extinction and diffuse interstellar bands in the direction of two Be stars
Porceddu, I., Benvenuti, P., Krelowski, J. **257**, 745
Fulleranes, fullerenes and the interstellar extinction
Webster, A.S. **257**, 750
Search for H_2D^+ at 372 GHz in dense interstellar clouds
Pagani, L., Wannier, P.G., Frerking, M.A., Kuiper, T.B.H., Gulkis, S., Zimmermann, P., Encrenaz, P.J., Whiteoak, J.B., Destombes, J.L., Pickett, H.M. **258**, 472
The chemistry of H_2D^+ in cold clouds
Pagani, L., Salez, M., Wannier, P.G. **258**, 479
Molecular abundances in the Sagittarius A molecular cloud
Minh, Y.C., Irvine, W.M., Friberg, P. **258**, 489
The 2140 cm^{-1} band of frozen CO in ion-irradiated and unirradiated mixtures with methanol and water
Palumbo, M.E., Strazzulla, G. **259**, L12
Interstellar detection of deuterated methyl cyanide
Gerin, M., Combes, F., Wlodarczak, G., Jacq, T., Guélin, M., Encrenaz, P., Laurent, C. **259**, L35
A quantitative study of the 7.7 and 11.3 μm emission bands based on IRAS/LRS spectra
Zavagno, A., Cox, A., Baluteau, J.-P. **259**, 241
Search for the 4430 Å DIB in the spectra of coronene cation and neutral ovalene
Ehrenfreund, P., d'Hendecourt, L., Verstraete, L., Léger, A., Schmidt, W., Defourneau, D. **259**, 257
UV irradiated clumps in the Orion A molecular cloud: interpretation of low-*J* CO observations
Gierens, K.M., Stutzki, J., Winnewisser G. **259**, 271
Reaction rates of C^+ with OH at low interstellar temperatures
Dubernet, M.L., Gargaud, M., McCarroll, R. **259**, 373
Hydrogen chemisorption on a graphite surface
Klose, S. **260**, 321
Physical conditions of the molecular gas and dust associated with the Herbig Ae/Be stars
Fuente, A., Martín-Pintado, J., Cernicharo, J., Brouillet, N., Duvert, G. **260**, 341
Observations of five molecular species in absorption towards Sagittarius B2
Greaves, J.S., White, G.J., Ohishi, M., Hasegawa, T., Sunada, K. **260**, 381
The 5780 diffuse band in peculiar interstellar clouds
Porceddu, I., Benvenuti, P., Krelowski, J. **260**, 391
On the possibility of detecting solid O_2 in interstellar grain mantles
Ehrenfreund, P., Breukers, R., d'Hendecourt, L., Greenberg, J.M. **260**, 431
A survey of CH emission in molecular outflows
Magnani, L., Sandell, G., Lada, E.A. **260**, 558; ***93***, *509*
Maser search towards young stellar objects
Henning, T., Cesaroni, R., Walmsley, M., Pfau, W. **260**, 558; ***93***, *525*
Submillimeter observations of vibrationally excited NH_3 towards Orion-KL
Schilke, P., Güsten, R., Schulz, A., Serabyn, E., Walmsley, C.M. **261**, L5
Ground-based searches for interstellar H_2D^+
van Dishoeck, E.F., Phillips, T.G., Keene, J., Blake, G.A. **261**, L13
G54.4–0.3: CO shell and star formation region surrounding a shell-type supernova remnant. II. Compact CO clouds and the star formation scenario
Junkes, N., Fürst, E., Reich, W. **261**, 289
The physical structure of the small and isolated cometary globule Orion-I-2
Cernicharo, J., Bachiller, R., Duvert, G., González-Alfonso, E., Gómez-González, J. **261**, 589
Quantum chemical calculations for a better understanding of the mechanism of $CH_3^+ + H_2$ radiative association
Talbi, D., Saxon, R.P. **261**, 671
Detection of an intergalactic molecular complex?
Brouillet, N., Henkel, C., Baudry, A. **262**, L5
A search for moderate redshift CO absorption
Douglas, N.G., Radford, S.J.E., Roland, J., Webb, J.K. **262**, 8
Search for molecular gas in polar ring galaxies and the giant low surface brightness galaxy Malin 1
Radford, S.J.E. **262**, 13
The ($^{12}CO/^{13}CO$) ratio toward ζ Ophiuchi
Wilson, T.L., Mauersberger, R., Langer, W.D., Glassgold, A.E., Wilson, R.W. **262**, 248

Molecules at early epochs. VI. A search for molecular hydrogen in the $z=3.391$ damped Lyman alpha system toward Q0000-263
Levshakov, S.A., Chaffee, F.H., Foltz, C.B., Black, J.H. **262**, 385
An analysis of intense OH maser emission in star-forming regions
Gray, M.D., Field, D., Doel, R.C. **262**, 555
Molecular hydrogen emission in Herbig–Haro complexes. III. Outflows with jets
Zealey, W.J., Williams, P.M., Sandell, G., Taylor, K.N.R., Ray, T.P. **262**, 570
Modelling of IR emission of interstellar clouds. I. Emission of isolated clouds and dust abundance variations
Bernard, J.P., Boulanger, F., Désert, F.-X., Puget, J.L. **263**, 258
Circumstellar and interstellar fullerenes and their analogues
Kroto, H.W., Jura, M. **263**, 275
Non-detection of the 1.67 μm band in Hb 5? Implications for PAH-related models
Magazzù, A., Strazzulla, G. **263**, 281
The physical and chemical state of a dense core in the high-latitude cloud MCLD 123.5+24.9
Großmann, V., Heithausen, A. **264**, 195
An analysis of OH excited state absorption lines in DR 21 and K 3-50
Jones, K.N., Doel, R.C., Field, D., Gray, M.D., Walker, R.N.F. **264**, 220
Large-scale interaction of the H II region and the quiescent gas in Orion A
Rodríguez-Franco, A., Pintado-Martín, J., Gómez-González, J., Planesas, P. **264**, 592
The 3.3 μm emission in M 17
Giard, M., Bernard, J.P., Dennefeld, M. **264**, 610
CO($J=4$–3) map of OMC 1
Schulz, A., Krügel, E., Beckmann, U. **264**, 629
Far UV nonlinear rise extinction in relation to CH and CH^+ abundances
Jenniskens, P., Ehrenfreund, P., Désert, F.-X. **265**, L1
Star formation and molecular clouds in blue compact galaxies
Sage, L.J., Salzer, J.J., Loose, H.-H., Henkel, C. **265**, 19
First observations of young bipolar outflows with the IRAM interferometer: 2″ resolution SiO images of the molecular jet in L 1448
Guilloteau, S., Bachiller, R., Fuente, A., Lucas, R. **265**, L49
A multi-line study of the molecular interstellar medium in M 82's starburst nucleus
Wild, W., Harris, A.I., Eckart, A., Genzel, R., Graf, U.U., Jackson, J.M., Russell, A.P.G., Stutzki, J. **265**, 447
Carbon monoxide and far-infrared observations of the S 155–Cepheus B region
Minchin, N.R., Ward-Thompson, D., White, G.J. **265**, 733
Recalibration of the absorption/photodissociation spectra of CO and its isotopes between 91 and 115 nm
Eidelsberg, M., Benayoun, J.J., Viala, Y., Rostas, F., Smith, P.L., Yoshino, K., Stark, G., Shettle, C.A. **265**, 839
New clues for ionized polycyclic aromatic hydrocarbons as possible carriers of diffuse interstellar bands
Parisel, O., Berthier, G., Ellinger, Y. **266**, L1
Molecular gas distribution and dynamics of the edge-on spiral galaxy NGC 891. Discovery of a molecular halo
García-Burillo, S., Guélin, M., Cernicharo, J., Dahlem, M. **266**, 21
Visible absorption bands of coal pitch extract – implications for the diffuse interstellar bands
Ehrenfreund, P., d'Hendecourt, L., Joblin, C., Léger, A. **266**, 429
An optical/infrared/millimetre study of HH 90/91
Gredel, R., Reipurth, B., Heathcote, S. **266**, 439
High resolution CO observations of S88-B
White, G.J., Fridlung, C.V.M. **266**, 452
The abundance of nitric oxide in molecular clouds
Gerin, M., Viala, Y., Pauzat, F., Ellinger, Y. **266**, 463
Radiative transfer for transiently heated particles
Siebenmorgen, R., Krügel, E., Mathis, J.S. **266**, 501
The visible and ultraviolet absorption of large polycyclic aromatic hydrocarbons
Verstraete, L., Léger, A. **266**, 513
The edge of a molecular cloud: observations of millimetric ^{13}CO and $C^{18}O$ transitions in W 40
Vallée, J.P., Guilloteau, S., MacLeod, J.M. **266**, 520
The gas distribution in the central region of the Galaxy. V. ^{12}CO in the direction of the Sagittarius source complex
Burton, W.B., Liszt, H.S. **266**, 628; ***95**, 9*
G54.4–0.3: CO shell and star formation region surrounding a shell-type supernova remnant. I. Properties of the CO shell
Junkes, N., Fürst, E., Reich, W. **266**, 638; ***96**, 1*

(Interstellar medium:) planetary nebulae: general

The hydrodynamics of aspherical planetary nebulae. II. Numerical modelling of the early evolution
Icke, V., Balick, B., Frank, A. **253**, 224
Abundances in planetary nebulae near the galactic center. II. Abundance distributions
Ratag, M.A., Pottasch, S.R., Dennefeld, M., Menzies, J.W. **255**, 255
Millimeter recombination lines in the planetary nebula BD+30° 3639
Bachiller, R., Huggins, P.J., Martín-Pintado, J., Cox, P. **256**, 231
Isotopic abundances in carbon-rich circumstellar envelopes: a further iteration on the oxygen isotope puzzle
Kahane, C., Cernicharo, J., Gómez-González, J., Guélin, M. **256**, 235
Shklovsky distances to galactic bulge planetary nebulae
Pottasch, S.R., Zijlstra, A.A. **256**, 251
New planetary nebulae in the Large Magellanic Cloud
Morgan, D.H., Good, A.R. **256**, 325; ***92**, 571*
The molecular emission of young preplanetary nebulae
Bujarrabal, V., Alcolea, J., Planesas, P. **257**, 701
Carbon monoxide emission from the planetary nebula M 3–28
Gómez, Y., Rodríguez, L.F., Garay, G. **258**, 469
A quantitative study of the 7.7 and 11.3 μm emission bands based on IRAS/LRS spectra
Zavagno, A., Cox, A., Baluteau, J.-P. **259**, 241
Kinematics of planetary nebulae: expansion velocities
Bianchi, L. **260**, 314
On central star luminosities and optical thicknesses in planetary nebulae
Méndez, R.H., Kudritzki, R.P., Herrero, A. **260**, 329
Long-slit spectroscopy of the planetary nebula NGC 6543: collimated bipolar ejections from a precessing central source?
Miranda, L.F., Solf, J. **260**, 397
Emission-line objects in the Large Magellanic Cloud. Observations obtained with the FLAIR system
Morgan, D.H., Watson, F.G., Parker, Q.A. **260**, 558; ***93**, 495*

New photometric and spectroscopic observations of the central star of Abell 35
Jasniewicz, G., Acker, A., Freire Ferrero, R., Burnet, M. **261**, 314
Chemical abundances of disk planetary nebulae
de Freitas Pacheco, J.A., Maciel, W.J., Costa, R.D.D. **261**, 579
Identification of IRAS point sources in Scorpio-Centaurus-Lupus
Carballo, R., Wesselius, P.R., Whittet, D.C.B. **262**, 106
Kinematics of disk planetary nebulae
Maciel, W.J., Dutra, C.M. **262**, 271
M 1–16: multiple shocked outflows from an evolved object
Schwarz, H.E. **264**, L1
Spectrophotometric survey of southern planetary nebulae. III. Automatic ionization modelling
Samland, M., Köppen, J., Acker, A., Stenholm, B. **264**, 184
New planetary nebulae in the galactic bulge
Acker, A., Cuisinier, F., Stenholm, B., Terzan, A. **264**, 217
Extended X-ray emission from planetary nebulae
Kreysing, H.C., Diesch, C., Zweigle, J., Staubert, R., Grewing, M., Hasinger, G. **264**, 623
A catalogue of absolute fluxes and distances of planetary nebulae
Cahn, J.H., Kaler, J.B., Stanghellini, L. **264**, 721; ***94***, *399*
BI Crucis: a post-PN nebula?
Schwarz, H.E., Corradi, R.L.M. **265**, L37
Ultraviolet and optical spectra of central stars of halo planetary nebulae
Peña, M., Torres-Peimbert, S., Ruiz, M.T. **265**, 757
Auger decay of light cosmic ions: overwhelming population of final excited states
Petrini, D. **265**, 857
Chemistry in the molecular envelopes of the planetary nebulae NGC 6072 and IC 4406
Cox, P., Omont, A., Huggins, P.J., Bachiller, R., Forveille, T. **266**, 420
Comparison of two methods for determining the interstellar extinction of planetary nebulae
Stasińska, G., Tylenda, R., Acker, A., Stenholm, B. **266**, 486
The extinction constants for galactic planetary nebulae
Tylenda, R., Acker, A., Stenholm, B., Köppen, J. **266**, 632; ***95***, *337*
A catalogue of narrow band images of planetary nebulae based on observations obtained at the European Southern Observatory
Schwarz, H.E., Corradi, R.L.M., Melnick, J. **266**, 639; ***96***, *23*

(Interstellar medium:) planetary nebulae: individual: . . .

A 35

New photometric and spectroscopic observations of the central star of Abell 35
Jasniewicz, G., Acker, A., Freire Ferrero, R., Burnet, M. **261**, 314

BD+30 3639

Millimeter recombination lines in the planetary nebula BD+30° 3639
Bachiller, R., Huggins, P.J., Martín-Pintado, J., Cox, P. **256**, 231

CRL 618

The molecular structure of CRL 618
Phillips, J.P., Williams, P.G., Mampaso, A., Ukita, N. **260**, 283
CRL 618: the nature of the 200 $km\,s^{-1}$ molecular outflow *(Plateau de Bure Series, Paper 3)*
Neri, R., García-Burillo, S., Guélin, M., Cernicharo, J., Guilloteau, S., Lucas, R. **262**, 544

Hb 5

Non-detection of the 1.67 μm band in Hb 5? Implications for PAH-related models
Magazzù, A., Strazzulla, G. **263**, 281

HD 44179 (Red-Rectangle)

High-resolution spectroscopy of the central star of the Red-Rectangle nebula
Waelkens, C., Van Winckel, H., Trams, N.R., Waters, L.B.F.M. **256**, L15
The origin of the extremely metal-poor post-AGB stars
Mathis, J.S., Lamers H.J.G.L.M. **259**, L39
Identification of CH^+ emission in the Red Rectangle
Balm, S.P., Jura, M. **261**, L25

IC 4406

Chemistry in the molecular envelopes of the planetary nebulae NGC 6072 and IC 4406
Cox, P., Omont, A., Huggins, P.J., Bachiller, R., Forveille, T. **266**, 420

IRAS 21282+5050

Diffuse circumstellar bands in NGC 7027 and IRAS 21282+5050
Le Bertre, T., Lequeux, J. **255**, 288

M 1–16

M 1–16: multiple shocked outflows from an evolved object
Schwarz, H.E. **264**, L1

M 3–28

Carbon monoxide emission from the planetary nebula M 3–28
Gómez, Y., Rodríguez, L.F., Garay, G. **258**, 469

NGC 40

Mass loss from central stars of Planetary Nebulae. II. NGC 40
Bianchi, L. **253**, 447

NGC 2242

Ultraviolet and optical spectra of central stars of halo planetary nebulae
Peña, M., Torres-Peimbert, S., Ruiz, M.T. **265**, 757

NGC 6072

Chemistry in the molecular envelopes of the planetary nebulae NGC 6072 and IC 4406
Cox, P., Omont, A., Huggins, P.J., Bachiller, R., Forveille, T. **266**, 420

NGC 6543

Long-slit spectroscopy of the planetary nebula NGC 6543: collimated bipolar ejections from a precessing central source?
Miranda, L.F., Solf, J. **260**, 397

NGC 7027

Diffuse circumstellar bands in NGC 7027 and IRAS 21282+5050
Le Bertre, T., Lequeux, J. **255**, 288

(Interstellar medium:) reflection nebulae

Discovery of a red luminescence band in the spectrum of the Orion Nebula
Perrin, J.-M., Sivan, J.-P. **255**, 271
Optical CCD imaging of some Herbig Ae/Be stars
Bhatt, H.C., Sagar, R. **256**, 323; ***93***, *473*
A quantitative study of the 7.7 and 11.3 μm emission bands based on IRAS/LRS spectra
Zavagno, A., Cox, A., Baluteau, J.-P. **259**, 241
Physical conditions of the molecular gas and dust associated with the Herbig Ae/Be stars
Fuente, A., Martín-Pintado, J., Cernicharo, J., Brouillet, N., Duvert, G. **260**, 341
On the polarization of GL 490
Haas, M., Leinert, C., Lenzen, R. **261**, 130

Interstellar medium: structure

An analysis of the influence of interstellar scattering on interplanetary scintillation observations
Hajivassiliou, C.A. **253**, 244
Optical kinematics in the Cygnus Loop. II. Interpretation
Greidanus, H., Strom, R.G. **257**, 265
UV irradiated clumps in the Orion A molecular cloud: interpretation of low-*J* CO observations
Gierens, K.M., Stutzki, J., Winnewisser, G. **259**, 271
Anatomy of the Sagittarius A complex. II. λ1300 μm and λ870 μm continuum observations of Sgr A* and its submm/IR spectrum
Zylka, R., Mezger, P.G., Lesch, H. **261**, 119
Low-frequency variability and the galactic distribution of electron-density fluctuation
Ghosh, T., Rao, A.P. **264**, 203
The edge of a molecular cloud: observations of millimetric ^{13}CO and C^{18}O transitions in W 40
Vallée, J.P., Guilloteau, S., MacLeod, J.M. **266**, 520

Interstellar medium: supernova remnants

Cavities around progenitors of Ib SNe: Effelsberg H I observations towards six galactic Wolf-Rayet stars
Arnal, E.M. **254**, 305
Non-equilibrium, non-LTE ionization in supernova remnants
Brinkmann, W. **254**, 460
The rate of decrease of the flux density of Cassiopeia A at 81.5 MHz
Hook, I.M., Duffett-Smith, P.J., Shakeshaft, J.R. **255**, 285
Radio observations of the bright X-ray supernova remnant G156.2+5.7
Reich, W., Fürst, E., Arnal, E.M. **256**, 214
The interstellar medium of M 31. III. Narrow-band imagery in Hα and [SII]
Walterbos, R.A.M., Braun, R. **256**, 326; ***92***, *625*
Dynamics and spectra of magnetically cushioned radiative shocks
Innes, D.E. **256**, 660
G54.4–0.3: CO shell and star formation region surrounding a shell-type supernova remnant. II. Compact CO clouds and the star formation scenario
Junkes, N., Fürst, E., Reich, W. **261**, 289
X-ray spectroscopy of the young supernova remnant RCW 86
Kaastra, J.S., Asaoka, I., Koyama, K., Yamauchi, S. **264**, 654
Bilateral symmetry in the supernova remnant G 296.5+10.0
Storey, M.C., Staveley-Smith, L., Manchester, R.N., Kesteven, M.J. **265**, 752
G54.4–0.3: CO shell and star formation region surrounding a shell-type supernova remnant. I. Properties of the CO shell
Junkes, N., Fürst, E., Reich, W. **266**, 638; ***96***, *1*
A study of the neutral hydrogen in direction to the Gum nebula
Dubner, G., Giacani, E., Cappa de Nicolau, C., Reynoso, E. **266**, 647; ***96***, *505*

Line: formation

The third spectrum of praseodymium in magnetic Ap stars
Mathys, G., Cowley, C.R. **253**, 199
The effects of the velocity stratification of a Mira photosphere on line strengths and curves of growth
Scholz, M. **253**, 203
Measure of the grain velocity structure in the circumstellar envelope "Frosty Leo"
Dougados, C., Rouan, D., Léna, P. **253**, 464
The formation of the Mg I emission features near 12 μm
Carlsson, M., Rutten, R.J., Shchukina, N.G. **253**, 567
Acoustic waves in the solar atmosphere. IX. Three minute pulsations driven by shock overtaking
Rammacher, W., Ulmschneider, P. **253**, 586
Monte Carlo simulations of Raman scattered O VI emission lines in symbiotic stars
Schmid, H.M. **254**, 224
A two-wind radiation-driven model for the atmospheric features of β Lyrae
Mazzali, P.A., Pauldrach, A.W.A., Puls, J., Plavec, M.J. **254**, 241
The calcium infrared triplet lines in stellar spectra
Jørgensen, U.G., Carlsson, M., Johnson, H.R. **254**, 258
Hydrogen in the strong magnetic field of the white dwarf PG 1031+234
Östreicher, R., Seifert, W., Friedrich, S., Ruder, H., Schaich, M., Wolf, D., Wunner, G. **257**, 353
Barium and other s-process elements in the early-time spectrum of SN 1987 A
Mazzali, P.A., Lucy, L.B., Butler, K. **258**, 399
The spectrum of the VV Cephei star KQ Puppis. IV. The Fe II spectrum, level population and spectral synthesis
Muratorio, G., Viotti, R., Friedjung, M., Baratta, G.B., Rossi, C. **258**, 423
Hanle effect with partial frequency redistribution. II. Linear polarization of the solar Ca I 4227 Å line
Faurobert-Scholl, M. **258**, 521
Solar hydrogen lines in the infrared
Carlsson, M., Rutten, R.J. **259**, L53
An accelerated lambda iteration method for multilevel radiative transfer. II. Overlapping transitions with full continuum
Rybicki, G.B., Hummer, D.G. **262**, 209
An investigation of the effects of rotational broadening on abundance determinations. I. HgMn stars
Ansari, S.G. **259**, 211
Line polarization observed in chromospheric flares: calculations for electron impact excitation of Hα
Aboudarham, J., Berrington, K., Callaway, J., Feautrier, N., Hénoux, J.-C., Peach, G., Saraph, H.E. **262**, 302

Statistical properties of AGN emission lines in relation to the accretion disc model
Dumont, A.M., Joly, M. **263**, 75
Infrared lines as probes of solar magnetic features. I. A many-line analysis of a network region
Muglach, K., Solanki, S.K. **263**, 301
Infrared lines as probes of solar magnetic features. II. Diagnostic capabilities of Fe I 15648.5 Å and 15652.9 Å
Solanki, S.K., Rüedi, I., Livingston, W. **263**, 312
Infrared lines as probes of solar magnetic features. III. Strong and weak magnetic fields in plages
Rüedi, I., Solanki, S.K., Livingston, W., Stenflo, J.O. **263**, 323
Infrared lines as probes of solar magnetic features. V. The magnetic structure of a simple sunspot and its canopy
Solanki, S.K., Rüedi, I., Livingston, W. **263**, 339
A recalculation of the line emissivities for the strongest UV and extreme-UV lines in the 400–2800 Å wavelength range
Doyle, J.G., Keenan, F.P. **264**, 173
The formation of helioseismology lines. I. NLTE effects in alkali spectra
Bruls, J.H.M.J., Rutten, R.J., Shchukina, N.G. **265**, 237
The formation of helioseismology lines. II. Modeling of alkali resonance lines with granulation
Bruls, J.H.M.J., Rutten, R.J. **265**, 257
The formation of helioseismology lines. III. Partial redistribution effects in weak solar resonance lines
Uitenbroek, H., Bruls, J.H.M.J. **265**, 268
Non-LTE line formation for iron group elements. I. Fe V
Becker, S.R., Butler, K. **265**, 647
The formation of weak metal lines in the atmospheres of O-stars. The role of microturbulence and transonic matter outflow
Kudritzki, R.P. **266**, 395

Line: identification

Laboratory spectra of gas-phase coronene at elevated temperatures
Kurtz, J. **255**, L1
Discovery of a peculiar Of?-like star in the LMC
Heydari-Malayeri, M., Melnick, J. **258**, L13
Theoretical analysis of the Fe XVIII X-ray spectrum and application to solar coronal observations
Cornille, M., Dubau, J., Loulergue, M., Bely-Dubau, F., Faucher, P. **259**, 669
Identification of CH^+ emission in the Red Rectangle
Balm, S.P., Jura, M. **261**, L25
The Spacelab-1 very wide field survey of UV-excess objects. III. Analysis of the IUE high-resolution spectra of two very hot sdO stars
Deleuil, M., Viton, M. **263**, 190
On the accuracy of CO line positions for high resolution IR stellar spectroscopy
Sauval, A.J., Farrenq, R., Guelachvili, G., Grevesse, N., Farmer, C.B., Norton, R.H. **265**, 355
New clues for ionized polycyclic aromatic hydrocarbons as possible carriers of diffuse interstellar bands
Parisel, O., Berthier, G., Ellinger, Y. **266**, L1

Line: profiles

Line broadening of HD immersed in He and H_2 gas
Schaefer, J., Monchick, L. **252**, 859
Hydrogen infrared recombination line profiles in Be star winds
Waters, L.B.F.M., Marlborough, J.M. **253**, L25
The effects of the velocity stratification of a Mira photosphere on line strengths and curves of growth
Scholz, M. **253**, 203
The formation of the Mg I emission features near 12 μm
Carlsson, M., Rutten, R.J., Shchukina, N.G. **253**, 567
Stark shifts of singly-ionized nitrogen spectral lines
Djeniže, S., Srećković, A., Labat, J. **253**, 632
A modelling of circumstellar Ba II lines for the hypergiant ϱ Cassiopeiae
Gesicki, K. **254**, 280
Optical traces of two IRAS sources driving bipolar outflows in the S 287 molecular cloud
Neckel, T., Staude, H.J. **254**, 339
Atmospheric motions in the population II Cepheid W Virginis
Lèbre, A., Gillet, D. **255**, 221
WR 134 line-profile variability revisited
Vreux, J.-M., Gosset, E., Bohannan, B., Conti, P. **256**, 148
Iron Kα line from X-ray illuminated relativistic disks
Matt, G., Perola, G.C., Piro, L., Stella, L. **257**, 63
Hydrogen in the strong magnetic field of the white dwarf PG 1031+234
Östreicher, R., Seifert, W., Friedrich, S., Ruder, H., Schaich, M., Wolf, D., Wunner, G. **257**, 353
Mass loss in main-sequence A-type stars?
Lanz, T., Catala, C. **257**, 663
The atmospheric motion of the β Cephei star: 12 Lacertae
Mathias, P., Gillet, D., Crowe, R. **257**, 681
Theoretical profiles of Lyman α satellites and application to synthetic spectra of DA white dwarfs
Allard, N.F., Koester, D. **258**, 464
Solar hydrogen lines in the infrared
Carlsson, M., Rutten, R.J. **259**, L53
An investigation of the effects of rotational broadening on abundance determinations. I. HgMn stars
Ansari, S.G. **259**, 211
On the origin of the alternating deep and shallow light minima in RV Tauri stars: R Scuti and AC Herculis
Gillet, D. **259**, 219
Stark broadening of spectral lines of multicharged ions of astrophysical interest. III. O VI lines
Dimitrijević, M.S., Sahal-Bréchot, S. **259**, 724; **93**, *359*
Infrared lines as probes of solar magnetic features. IV. Discovery of a siphon flow
Rüedi, I., Solanki, S.K., Rabin, D. **261**, L21
Non-coherent scattering in vertically extended Be star disks: winebottle-type emission-line profiles
Hummel, W., Dachs, J. **262**, L17
A spectroscopic investigation of η Carinae and the Homunculus Nebula. I. Overview of the spectra
Hillier, D.J., Allen, D.A. **262**, 153
Time evolution of arch filaments
Tsiropoula, G., Georgakilas, A.A., Alissandrakis, C.E., Mein, P. **262**, 587
Spectral analysis of a white-light flare
Sotirovski, P., Boyer, R., Hiei, E., Vince, I. **262**, 597
Statistical properties of AGN emission lines in relation to the accretion disc model
Dumont, A.M., Joly, M. **263**, 75
Erratum: Iron Kα line from X-ray illuminated relativistic disks
Matt, G., Perola, G.C., Piro, L., Stella, L. **263**, 453

Short-term spectroscopic variability of the Be star EW Lacertae (HD 217050)
Floquet, M., Hubert, A.M., Janot-Pacheco, E., Mekkas, A., Hubert, H., Leister, N.V. **264**, 177
On the long-term periodicities in Be stars
Papaloizou, J.C., Savonije, G.J., Henrichs, H.F. **265**, L45
The formation of helioseismology lines. II. Modeling of alkali resonance lines with granulation
Bruls, J.H.M.J., Rutten, R.J. **265**, 257
Possible detection of Lyman α emission in the A7 III star γ Bootis
Marilli, E., Catalano, S., Freire Ferrero, R., Gouttebroze, P. **265**, 643
Circularly polarized spectroscopic observations of RS CVn systems
Donati, J.-F., Semel, M., Rees, D.E. **265**, 669
Influence of non-thermal broadening on the He 3889/H_8 emission ratio in prominence fine-structures
Stellmacher, G., Wiehr, E., Grupe, D. **265**, 781
Line broadening of HD immersed in He and H_2 gas
Schaefer, J., Monchick, L. **265**, 859
Mode identification of pulsating stars from line profile variations with the moment method. An example: the β Cephei star δ Ceti
Aerts, C., De Pauw, M., Waelkens, C. **266**, 294
The A and Am-Fm stars. II. Equivalent widths for the Li region, microturbulence, and comments on curious-looking line profiles
Coupry, M.F., Burkhart, C. **266**, 628; ***95***, *41*
Stark broadening of spectral lines of multicharged ions of astrophysical interest. IV. N V lines
Dimitrijević, M.S., Sahal-Bréchot, S. **266**, 630; ***95***, *109*
Stark broadening of spectral lines of multicharged ions of astrophysical interest. V. Sc III and Ti IV lines
Dimitrijević, M.S., Sahal-Bréchot, S. **266**, 630; ***95***, *121*
A study of high-resolution emission-line profiles for Be stars
Dachs, J., Hummel, W., Hanuschik, R.W. **266**, 635; ***95***, *437*

Magnetic fields

Intergalactic magnetic fields and the periphery of spiral galaxies
Battaner, E., Florido, E., Sanchez-Saavedra, M.L. **253**, 89
Stochastic fluctuations of the solar dynamo
Choudhuri, A.R. **253**, 277
Formation of electric-current sheets in the magnetostatic atmosphere
Low, B.C. **253**, 311
On the quadrisymmetric ($m=2$) magnetic fields in spiral galaxies
Vallée, J.P. **255**, 100
The influence of boundary conditions on the excitation of disk dynamo modes
Moss, D., Brandenburg, A. **256**, 371
Erratum: The magnetic field structure in the radio halos of NGC 891 and NGC 4631
Hummel, E., Beck, R., Dahlem, M. **258**, 605
Dynamos in discs and halos of galaxies
Brandenburg, A., Donner, K.J., Moss, D., Shukurov, A., Sokoloff, D.D., Tuominen, I. **259**, 453
Dynamo effect at high order approximation
Carvalho, J.C. **261**, 348
High-frequency radio continuum observations of low-luminosity radio galaxies. I. A sample of sources with angular sizes > 4′
Gregorini, L., Klein, U., Parma, P., Schlickeiser, R., Wielebinski, R. **262**, 382; ***94***, *13*
The magnetic field structure of M 51
Neininger, N. **263**, 30
Continuous reacceleration of cosmic rays in galaxies. An alternative explanation for flat low frequency radio spectra
Pohl, M., Schlickeiser, R. **263**, 37
Infrared lines as probes of solar magnetic features. I. A many-line analysis of a network region
Muglach, K., Solanki, S.K. **263**, 301
Infrared lines as probes of solar magnetic features. II. Diagnostic capabilities of Fe I 15648.5 Å and 15652.9 Å
Solanki, S.K., Rüedi, I., Livingston, W. **263**, 312
Infrared lines as probes of solar magnetic features. III. Strong and weak magnetic fields in plages
Rüedi, I., Solanki, S.K., Livingston, W., Stenflo, J.O. **263**, 323
Determination of force-free magnetic fields above the photosphere using three-component boundary conditions. II. Analysis and minimization of scale-related growing modes and of computational induced singularities
Démoulin, P., Cuperman, S., Semel, M. **263**, 351
Numerical models of 3-D galactic dynamos
Panesar, J.S., Nelson, A.H. **264**, 77
Dynamos in resonance
Schmitt, D., Rüdiger, G. **264**, 319
Diffusion-generated electromotive force and seed magnetic field problem
Lazarian, A. **264**, 326
Anomalous rotation measures of the radio galaxy 3C 194
Taylor, G.B., Inoue, M., Tabara, H. **264**, 415
Anomalous rotation measures of the compact steep spectrum source 3C 318
Taylor, G.B., Inoue, M., Tabara, H. **264**, 421
Galactic dynamos and their radio signatures
Elstner, D., Meinel, R., Beck, R. **264**, 723; ***94***, *587*

Magnetohydrodynamics (MHD)

Stochastic fluctuations of the solar dynamo
Choudhuri, A.R. **253**, 277
Formation of electric-current sheets in the magnetostatic atmosphere
Low, B.C. **253**, 311
The effect of coupling of a corona to the turbulence in an accretion disk
Geertsema, G.T., Kuperus, M. **254**, 426
Turbulence in differentially rotating thin disks: a multi-component cascade model
Geertsema, G.T., Achterberg, A. **255**, 427
Shock drift acceleration for a near-perpendicular shock in a turbulent astrophysical plasma
Newman, P.L., Moussas, X., Quenby, J.J., Valdes-Galicia, J.F., Theodossiou-Ekaterinidi, Z. **255**, 443
The modes of oscillation of a prominence. I. The slab with longitudinal magnetic field
Joarder, P.S., Roberts, B. **256**, 264
The stability of current-carrying jets
Appl, S., Camenzind, M. **256**, 354
The influence of boundary conditions on the excitation of disk dynamo modes
Moss, D., Brandenburg, A. **256**, 371
Dynamics and spectra of magnetically cushioned radiative shocks
Innes, D.E. **256**, 660

Non-linear evolution of synchrotron thermal instabilities
Bodo, G., Ferrari, A., Massaglia, S., Rossi, P., Shibata, K., Uchida, Y. **256**, 689
Nonradial and nonpolytropic astrophysical outflows. II. Topology of MHD solutions with flaring streamlines
Tsinganos, K., Sauty, C. **257**, 790
Magnetic diffusion in clumpy molecular clouds
Elmegreen, B.G., Combes, F. **259**, 232
An integral on the shape of isolated magnetic loops
Cheng, J. **259**, 296
Relaxation processes in magnetohydrodynamics: a triad-interaction model
Carbone, V., Veltri, P. **259**, 359
Dynamos in discs and halos of galaxies
Brandenburg, A., Donner, K.J., Moss, D., Shukurov, A., Sokoloff, D.D., Tuominen, I. **259**, 453
A note on the hydrodynamical description of cosmic ray propagation
Ko, C.-M. **259**, 377
MHD equilibria with flows in uniform gravity. I. 1-D prominence- and arcade-type solutions
Tsinganos, K., Surlantzis, G. **259**, 585
Magnetic-field advection in inhomogeneous turbulence
Kichatinov, L.L., Rüdiger, G. **260**, 494
Investigation of macroscopic instabilities at the heliopause boundary surface
Baranov, V.B., Fahr, H.J., Ruderman, M.S. **261**, 341
Dynamo effect at high order approximation
Carvalho, J.C. **261**, 348
The effect of a tapered magnetic field on the modal structure in a flux tube
Nasiri, S. **261**, 615
The modes of oscillation of a prominence. II. The slab with transverse magnetic field
Joarder, P.S., Roberts, B. **261**, 625
Magnetic field, reconnection, and particle acceleration in extragalactic jets
Romanova, M.M., Lovelace, R.V.E. **262**, 26
Amplification of neutron star magnetic fields by thermoelectric effects. III. Growth limits in nonlinear calculations
Wiebicke, H.-J., Geppert, U. **262**, 125
Consequences of rotation in energetics of accretion disks
Dubrulle, B., Valdettaro, L. **263**, 387
Magnetized thin accretion disks in active galactic nuclei. A quantitative analysis of field topologies and their dynamic importance
Khanna, R., Camenzind, M. **263**, 401
The influence of Alfvénic cross and magnetic helicity on the phase space distribution of charged particles. I. The spatial convection term of the anisotropy
Dung, R. **263**, 433
Equations for the motion of an isolated thin magnetic flux tube
Cheng, J. **264**, 243
Dynamos in resonance
Schmitt, D., Rüdiger, G. **264**, 319
Storage of magnetic flux tubes in a convective overshoot region
Moreno-Insertis, F., Schüssler, M., Ferriz Mas, A. **264**, 686
Galactic dynamos and their radio signatures
Elstner, D., Meinel, R., Beck, R. **264**, 723; ***94***, *587*
Stratification and thermodynamics in mean-field dynamos
Brandenburg, A., Moss, D., Tuominen, I. **265**, 328
Towards a consistent treatment of thermally conductive magnetohydrodynamic flows in helmet-streamer coronal structures
Cuperman, S., Detman, T.R., Bruma, C., Dryer, M. **265**, 785
Extended massive current sheet in a two-dimensional constant-α force-free field: a model for quiescent prominences. II. Existence and properties of inverse configurations
Amari, T., Aly, J.J. **265**, 791
Stochastic effects in mean-field dynamos
Moss, D., Brandenburg, A., Tavakol, R., Tuominen, I. **265**, 843
A magnetic flare model for X-ray variability in AGN
de Vries, M., Kuijpers, J. **266**, 77

Masers

^{29}SiO and ^{30}SiO maser emission from evolved stars
Alcolea, J., Bujarrabal, V. **253**, 475
Detection of compact SiO maser emission at 43 GHz using a European very long baseline interferometer
Colomer, F., Graham, D.A., Krichbaum, T.P., Rönnäng, B.O., de Vicente, P., Witzel, A., Barcia, A., Baudry, A., Booth, R.S., Gómez-González, J., Alcolea, J., Daigne, G. **254**, L17
A complete survey of OH/IR objects from the IRAS LRS sources within a domain of the color diagram
Le Squeren, A.M., Sivagnanam, P., Dennefeld, M., David, P. **254**, 133
Molecular outflows and H_2O masers: what type of connection?
Felli, M., Palagi, F., Tofani, G. **255**, 293
OH/IR stars close to the galactic centre. I. Observational data
Lindqvist, M., Winnberg, A., Habing, H.J., Matthews, H.E. **255**, 496; ***92***, *43*
Monitoring of the recombination line maser in MWC349
Thum, C., Martin-Pintado, J., Bachiller, R. **256**, 507
Evolved stars with high velocity H_2O maser features: bipolar outflows with velocity symmetry
Likkel, L., Morris, M., Maddalena, R.J. **256**, 581
Interferometric observations of HCN ($v=2$) emission from IRC +10216
Lucas, R., Guilloteau, S. **259**, L23
Maser search towards young stellar objects
Henning, T., Cesaroni, R., Walmsley, M., Pfau, W. **260**, 558; ***93***, *525*
High-velocity OH/IR stars at the Galactic centre
van Langevelde, H.J., Brown, A.G.A., Lindqvist, M., Habing, H.J., de Zeeuw, P.T. **261**, L17
An analysis of intense OH maser emission in star-forming regions
Gray, M.D., Field, D., Doel, R.C. **262**, 555

Meteoroids

Orbits of meteorite producing fireballs. The Glanerbrug – a case study
Jenniskens, P., Borovička, J., Betlem, H., ter Kuile, C., Bettonvil, F., Heinlein, D. **255**, 373
Earth-grazing fireball of October 13, 1990
Borovička, J., Ceplecha, Z. **257**, 323
Influx of interplanetary bodies onto Earth
Ceplecha, Z. **263**, 361

Methods: analytical

A note on positivity of equilibrium populations in radiative transfer theory
Damgaard, P.H., Hjorth, P.G., Thejll, P.A. **254**, 422

Statistical analysis and separation of systematic errors in astrometric data
Bougeard, M.L. **255**, 388
Particle heated atmospheres of magnetic white dwarfs
Woelk, U., Beuermann, K. **256**, 498
Weak chaos in long-period variables
Icke, V., Frank, A., Heske, A. **258**, 341
Liouville's equation. IV. The full symmetries of quadratic potentials
Sobouti, Y., Dehghani, M.H. **259**, 128
Interpretation of lightcurves of atmosphereless bodies. I. General theory and new inversion schemes
Kaasalainen, M., Lamberg, L., Lumme, K., Bowell, E. **259**, 318
Interpretation of lightcurves of atmosphereless bodies. II. Practical aspects of inversion
Kaasalainen, M., Lamberg, L., Lumme, K. **259**, 333
Mapping for the asteroidal resonances
Šidlichovský, M. **259**, 341
Approximative methods for calculating the radiation inside a planetary atmosphere
Wauben, W.M.F., Hovenier, J.W. **261**, 640
Observations of radio lines from unresolved sources: telescope coupling, Doppler effects, and cosmological corrections
Gordon, M.A., Baars, J.W.M., Cocke, W.J. **264**, 337
On the effects of chromospheric magnetic perturbations on solar oscillation frequencies
Wright, A.N., Thompson, M.J. **264**, 701

Methods: data analysis

A search for a quantitative comparison of galaxy clustering algorithms
Garcia, A.M., Morenas, V., Paturel, G. **253**, 74
Physical and dynamical properties of two clusters of galaxies derived from X-ray data
Gerbal, D., Durret, F., Lima-Neto, G., Lachièze-Rey, M. **253**, 77
Modelling the stellar intensity and radial velocity fields in triaxial galaxies by sums of Gaussian functions
Monnet, G., Bacon, R., Emsellem, E. **253**, 366
High spatial resolution magnetograms of solar active regions
Keller, C.U., Stenflo, J.O., von der Lühe, O. **254**, 355
CPC 2 – the Second Cape Photographic Catalog. II. Conventional plate adjustment and catalog construction
Zacharias, N., de Vegt, C., Nicholson, W., Penston, M.J. **254**, 397
Wavelet analysis of "double quasar" flux data
Hjorth, P.G., Villemoes, L.F., Teuber, J., Florentin-Nielsen, R. **255**, L20
Pulsational behaviour of the δ Scuti star X Caeli
Mantegazza, L., Poretti, E. **255**, 153
Statistical analysis and separation of systematic errors in astrometric data
Bougeard, M.L. **255**, 388
The solution of the light curve of 44 Tauri: insights into the pulsational behaviour of δ Scuti stars
Poretti, E., Mantegazza, L., Riboni, E. **256**, 113
High resolution spectra of Io's neutral sodium cloud
Cremonese, G., Thomas, N., Barbieri, C., Pernechele, C. **256**, 286
Improvements to photometry. V. High-order moments in transformation theory
Young, A.T. **257**, 366
A method for characterizing transient ionospheric disturbances using a large radiotelescope array
Jacobson, A.R., Erickson, W.C. **257**, 401
The FAST Hipparcos Data Reduction Consortium: overview of the reduction software
Kovalevsky, J., Falin, J.L., Pieplu, J.L., Bernacca, P.L., Donati, F., Froeschlé, M., Galligani, I., Mignard, F., Morando, B., Perryman, M.A.C., Schrijver, H., van Daalen, D.T., van der Marel, H., Villenave, M., Walter, H.G., Badiali, M., Borriello, L., Brouw, W.N., Canuto, E., Guerry, A., Hering, R., Huc, C., Iorio-Fili, D., Lacroute, P., Lattanzi, M., Le Poole, R.S., Murgolo, F.P., Preston, R.A., Röser, S., Sansò, F., Wielen, R., Belforte, P., Bernstein, H.H., Bucciarelli, B., Cardini, D., Emanuele, A., Fassino, B., Lenhart, H., Lestrade, J.F., Prezioso, G., Tommasini Montanari, T. **258**, 7
The NDAC Hipparcos data analysis consortium. Overview of the reduction methods
Lindegren, L., Høg, E., van Leeuwen, F., Murray, C.A., Evans, D.W., Penston, M.J., Perryman, M.A.C., Petersen, C., Ramamani, N., Snijders, M.A.J., Söderhjelm, S., Andreasen, G.K., Cruise, A.M., Elton, N., Lund, N., Poder, K. **258**, 18
Geometrical calibration and assessment of the stability of the Hipparcos payload
Schrijver, H., van der Marel, H. **258**, 31
Geometrical stability and evolution of the Hipparcos telescope
Lindegren, L., Le Poole, R.S., Perryman, M.A.C., Petersen, C. **258**, 35
Attitude determination in the Hipparcos revised mission
Donati, F., Froeschlé, M., Falin, J.L., Canuto, E., Kovalevsky, J. **258**, 41
Method of comparison between determinations of the Hipparcos attitude
Donati, F., Sechi, G. **258**, 46
Modelling the torques affecting the Hipparcos satellite
van Leeuwen, F., Penston, M.J., Perryman, M.A.C., Evans, D.W., Ramamani, N. **258**, 53
Hipparcos great-circle reduction. Theory, results and intercomparisons
van der Marel, H., Petersen, C. **258**, 60
Comparison of Hipparcos results obtained on different dates on the same great circle
Schrijver, H. **258**, 70
The Hipparcos Input Catalogue. II. Astrometric data
Jahreiß, H., Réquième, Y., Argue, A.N., Dommanget, J., Rousseau, M., Lederle, T., Le Poole, R.S., Mazurier, J.M., Morrison, L.V., Nys, O., Penston, M.J., Périé, J.P., Prévot, L., Tucholke, H.-J., de Vegt, C. **258**, 82
Computation of ephemerides for long-period variable stars for the Hipparcos mission
Mennessier, M.O., Barthés, D., Boughaleb, H., Figueras, F., Mattei, J.A. **258**, 99
Early improvements to the Hipparcos Input Catalogue through the accumulation of data from the satellite (including the NDAC attitude reconstruction description)
van Leeuwen, F., Evans, D.W., Lindegren, L., Penston, M.J., Ramamani, N. **258**, 119
Comparison of the first results from the Hipparcos star mappers with the Hipparcos Input Catalogue
Turon, C., Arenou, F., Evans, D.W., van Leeuwen, F. **258**, 125
Positions and parallaxes from the Hipparcos satellite. A first attempt at a global astrometric solution
Lindegren, L., van Leeuwen, F., Petersen, C., Perryman, M.A.C., Söderhjelm, S. **258**, 134

Hipparcos photometry: FAST main mission reduction
Mignard, F., Froeschlé, M., Falin, J.L. **258**, 142
Hipparcos photometry: NDAC reductions
Evans, D.W., van Leeuwen, F., Penston, M.J., Ramamani, N., Høg, E. **258**, 149
Detection and measurement of double stars with the Hipparcos satellite: NDAC reductions
Söderhjelm, S., Evans, D.W., van Leeuwen, F., Lindegren, L. **258**, 157
Hipparcos double star recognition and processing within the FAST consortium
Mignard, F., Froeschlé, M., Badiali, M., Cardini, D., Emanuele, A., Falin, J.L., Kovalevsky, J. **258**, 165
Tycho data analysis. Overview of the adopted reduction software and first results
Høg, E., Bastian, U., Egret, D., Grewing, M., Halbwachs, J.L., Wicenec, A., Bässgen, G., Bernacca, P.L., Donati, F., Kovalevsky, J., van Leeuwen, F., Lindegren, L., Pedersen, H., Perryman, M.A.C., Petersen, C., Scales, D., Snijders, M.A.J., Wesselius, P.R. **258**, 177
Tycho transit detection
Bässgen, G., Wicenec, A., Andreasen, G.K., Høg, E., Wagner, K., Wesselius, P.R. **258**, 186
Tycho star recognition
Halbwachs, J.L., Høg, E., Bastian, U., Hansen, P.C., Schwekendiek, P. **258**, 193
Tycho background determination and monitoring
Wicenec, A., Bässgen, G. **258**, 206
Tycho photometry calibration and first results
Scales, D.R., Snijders, M.A.J., Andreasen, G.K., Grenon, M., Grewing, M., Høg, E., van Leeuwen, F., Lindegren, L., Mauder, H. **258**, 211
The Tycho Input Catalogue. Cross-matching the Guide Star Catalog with the Hipparcos INCA Data Base
Egret, D., Didelon, P., McLean, B.J., Russell, J.L., Turon, C. **258**, 217
Systematic color transformation effects in Strömgren photometry
Manfroid, J., Sterken, C. **258**, 600
The proximity parameter
Luri, X., Torra, J., Figueras, F. **259**, 382
Revision of the Theil fitting method
Pegoraro, A. **259**, 386
Milliarcsecond proper motion measurements with MAMA
Soubiran, C. **259**, 394
A new method for filling gaps in data
Serre, T., Auvergne, M., Goupil, M.J. **259**, 404
Are there any comets coming from interstellar space?
Kresák, Ľ. **259**, 682
The peculiar orbit of comet 1976 I Sato
Kresák, Ľ. **259**, 692
Photometric analysis of astronomical images by the wavelet transform
Coupinot, G., Hecquet, J., Aurière, M., Futaully, R. **259**, 701
Physical constraints on color transformations
Manfroid, J. **260**, 517
The Fourier decomposition as a mode discriminator: new first overtone pulsators among Cepheids with $P < 5.5$ d
Mantegazza, L., Poretti, E. **261**, 137
Young stellar objects in the IRAS point source catalog
Prusti, T., Adorf, H.-M., Meurs, E.J.A. **261**, 685
A simple method to enhance radio polarization features
Milne, D.K. **261**, 694
Galaxy classification using pattern recognition methods
Burda, P., Feitzinger, J.V. **261**, 697
Statistical limits to superresolution
Lucy, L.B. **261**, 706
Observations of mutual phenomena of the Galilean satellites of Jupiter made at the Observatoire de la Côte d'Azur
Froeschlé, M., Meyer, C., Mignard, F. **262**, 308
A quasi-global reduction method for astrolabe observations (Text in French)
Chollet, F., Najid, N.-E. **262**, 341
Automatic strategies for astrophysical inverse problems
Thompson, A.M., Craig, I.J.D. **262**, 359
The identification problem in asteroid surveys
Kristensen, L.K. **262**, 606
IRIS data merging. I. A solution to minimize the low and intermediate frequency noise
Fossat, E. **263**, 443
Speckle masking observations of the Seyfert galaxy NGC 1386
Mauder, W., Appenzeller, I., Hofmann, K.-H., Wagner, S.J., Weigelt, G., Zeidler, P. **264**, L9
Rejection of archival photographic objects as optical counterparts of γ-ray bursters
Greiner, J. **264**, 121
Global block adjustment simulations using the CPC 2 data structure
Zacharias, N. **264**, 296
Global treatment of the Bordeaux meridian observations
Teixeira, R., Réquième, Y., Benevides-Soares, P., Rapaport, M. **264**, 307
Photometric accuracy. The impact of extrapolation in differing color-transformation schemes
Manfroid, J., Sterken, C., Gosset, E. **264**, 345
Power spectra of gapped time series: a comparison of several methods
Carbonell, M., Oliver, R., Ballester, J.L. **264**, 350
New evidence for subclustering in the Coma cluster using the wavelet analysis
Escalera, E., Slezak, E., Mazure, A. **264**, 379
Photometry of the LMC H II region N159A and of its stellar content. I. Stellar observations and reductions
Deharveng, L., Caplan, J., Lombard, J. **264**, 720; ***94***, *359*
Inference of non-thermal electron energy distributions from hard X-ray spectra
Thompson, A.M., Brown, J.C., Craig, I.J.D., Fulber, C. **265**, 278
Estimating the Sun's rotation from solar oscillations by regularisation
Thompson, A.M. **265**, 289
Erratum: Photometry of the LMC H II region N 159A and of its stellar content. I. Stellar observations and reductions
Deharveng, L., Caplan, J., Lombard, J. **266**, 000; ***95***, *601*
Seeing and aperture effects on [O III]-based flux calibration of AGN spectra. NGC 3516: a case study
Wanders, I., Peterson, B.M., Pogge, R.W., DeRobertis, M.M., van Groningen, E. **266**, 72

Methods: numerical

Monte Carlo simulations of Raman scattered O VI emission lines in symbiotic stars
Schmid, H.M. **254**, 224
Groups of galaxies within 80 Mpc. I. Grouping hierarchical method and statistical properties
Gourgoulhon, E., Chamaraux, P., Fouqué, P. **255**, 69

Statistical analysis and separation of systematic errors in astrometric data
Bougeard, M.L. **255**, 388
Upgrading the Accelerated Lambda Iteration technique by means of "least change secant methods"
Koesterke, L., Hamann, W.-R., Kosmol, P. **255**, 490
Artificial opacity – numerical implementation into flux-limited neutrino diffusion
Dgani, R., Janka, H.-T. **256**, 428
Flux-limited neutrino diffusion versus Monte Carlo neutrino transport
Janka, H.-T. **256**, 452
Numerical simulation for cosmological fluid flows
Ducloux, E., Léorat, J., Gerbal, D., Alecian, G. **257**, 425
Gravity wave and convection interaction in the solar interior
Andreassen, Ø., Andersen, B.N., Wasberg, C.E. **257**, 763
Computation of ephemerides for long-period variable stars for the Hipparcos mission
Mennessier, M.O., Barthés, D., Boughaleb, H., Figueras, F., Mattei, J.A. **258**, 99
Tycho transit detection
Bässgen, G., Wicenec, A., Andreasen, G.K., Høg, E., Wagner, K., Wesselius, P.R. **258**, 186
Tycho background determination and monitoring
Wicenec, A., Bässgen, G. **258**, 206
Ultrarelativistic hydrodynamics: high-resolution shock-capturing methods
Marquina, A., Martí, J.M., Ibáñez, J.M., Miralles, J.A., Donat, R. **258**, 566
Radio-interferometric imaging of spectral lines. The problem of continuum subtraction
Cornwell, T.J., Uson, J.M., Haddad, N. **258**, 583
Gravitational microlensing: powerful combination of ray-shooting and parametric representation of caustics
Wambsganss, J., Witt, H.J., Schneider, P. **258**, 591
Mapping for the asteroidal resonances
Šidlichovský, M. **259**, 341
Revision of the Theil fitting method
Pegoraro, A. **259**, 386
A new method for filling gaps in data
Serre, T., Auvergne, M., Goupil, M.J. **259**, 404
Hydrodynamics of encounters between star clusters and molecular clouds. I. Code validation and preliminary results
Theuns, T. **259**, 493
Hydrodynamics of encounters between star clusters and molecular clouds. II. Limits on cluster lifetimes
Theuns, T. **259**, 503
The types of motion in hierarchical and non-hierarchical triple systems: numerical experiments
Anosova, J.P., Orlov, V.V. **260**, 473
Radio-interferometric imaging of very large fields. The problem of non-coplanar arrays
Cornwell, T.J., Perley, R.A. **261**, 353
Faster formulations of the optimally localized averages method for helioseismic inversions
Pijpers, F.P., Thompson, M.J. **262**, L33
Amplification of neutron star magnetic fields by thermoelectric effects. III. Growth limits in nonlinear calculations
Wiebicke, H.-J., Geppert, U. **262**, 125
An accelerated lambda iteration method for multilevel radiative transfer. II. Overlapping transitions with full continuum
Rybicki, G.B., Hummer, D.G. **262**, 209
Accelerated complete-linearization method for calculating NLTE model stellar atmospheres
Hubeny, I., Lanz, T. **262**, 501
Multifractal analysis of a cold dark matter universe
Colombi, S., Bouchet, F.R., Schaeffer, R. **263**, 1
Global treatment of the Bordeaux meridian observations
Teixeira, R., Réquième, Y., Benevides-Soares, P., Rapaport, M. **264**, 307
Power spectra of gapped time series: a comparison of several methods
Carbonell, M., Oliver, R., Ballester, J.L. **264**, 350
A fast simulation method for particle acceleration
Achterberg, A., Krülls, W.M. **265**, L13
Collisions between a white dwarf and a main-sequence star. II. Simulations using multiple-nested refined grids
Ruffert, M. **265**, 82
Estimating the Sun's rotation from solar oscillations by regularisation
Thompson, A.M. **265**, 289
Fermion angular distribution and maximum entropy Eddington factors
Janka, H.-T., Dgani, R., van den Horn, L.J. **265**, 345
Approximate radiative transfer by two-moment closure – when is it possible?
Körner, A., Janka, H.-T. **266**, 613
An automated determination of the absolute magnitudes of stars in the Vilnius photometric system
Smriglio, F., Dasgupta, A.K., Boyle, R.P. **266**, 634; **95**, *417*

Methods: observational

On the relationship between conventional and overlap reduction techniques in positional astronomy
Benevides-Soares, P., Teixeira, R. **253**, 307
The Cramér-Rao lower bound and stellar photometry with aberrated HST images
Jakobsen, P., Greenfield, P., Jedrzejewski, R. **253**, 329
How to monitor optimum exposure times for high resolution imaging modes?
Lopez, B. **253**, 635
Be star surveys with CCD photometry. I. NGC 330 and its high Be star content
Grebel, E.K., Richtler, T., de Boer, K.S. **254**, L5
The OH airglow spectrum: a calibration source for infrared spectrometers
Oliva, E., Origlia, L. **254**, 466
On the correction of stellar spectra for the loss of radiation during its passage through the Earth's atmosphere and through the spectrograph-slit
Fluks, M.A., Thé, P.S. **255**, 477
Observations of solar-system bodies with the Belgrade Meridian Circle
Sadžakov, S., Dačić, M., Cvetković, Z. **256**, 325; **92**, *605*
Photon bias compensation in triple correlation imaging and observation of R 136
Pehlemann, E., Hofmann, K.-H., Weigelt, G. **256**, 701
Optical aperture synthesis and wave-front sensing
Tallon, M., Tallon-Bosc, I. **256**, 715
A method for characterizing transient ionospheric disturbances using a large radiotelescope array
Jacobson, A.R., Erickson, W.C. **257**, 401
Calibration of radioastronomical observations in the presence of a radome
Abraham, Z., Kokubun, F. **257**, 831

Very high spatial resolution two-dimensional solar spectroscopy with video CCDs
Johannesson, A., Bida, T., Lites, B., Scharmer, G.B. **258**, 572
Radio-interferometric imaging of spectral lines. The problem of continuum subtraction
Cornwell, T.J., Uson, J.M., Haddad, N. **258**, 583
MUSICOS: a fiber-fed spectrograph for multi-site observations
Baudrand, J., Böhm, T. **259**, 711
Three-beam chopping: an efficient infrared observing technique
Landau, R., Grasdalen, G, Sloan, G.C. **259**, 696
Emission-line objects in the Large Magellanic Cloud. Observations obtained with the FLAIR system
Morgan, D.H., Watson, F.G., Parker, Q.A. **260**, 558; ***93***, *495*
Radio-interferometric imaging of very large fields. The problem of non-coplanar arrays
Cornwell, T.J., Perley, R.A. **261**, 353
Laser guide star in adaptive optics: the tilt determination problem
Rigaut, F., Gendron, E. **261**, 677
Almucantar deformations in the method of equal altitudes
Pešek, I. **262**, 621
IRIS data merging. I. A solution to minimize the low and intermediate frequency noise
Fossat, E. **263**, 443
The emission-line lobes of 3C 368
Meisenheimer, K., Hippelein, H. **264**, 455
The β Pictoris circumstellar disk. XIII. Survey of the variable Ca II lines
Lagrange-Henri, A.M., Gosset, E., Beust, H., Ferlet, R., Vidal-Madjar, A. **264**, 637
Atmospheric extinction and meteorological conditions: a long time photometric study
Reimann, H.-G., Ossenkopf, V., Beyersdorfer, S. **265**, 360
Seeing and aperture effects on [O III]-based flux calibration of AGN spectra. NGC 3516: a case study
Wanders, I., Peterson, B.M., Pogge, R.W., DeRobertis, M.M., van Groningen, E. **266**, 72
First CCD observations of mutual phenomena of the Galilean satellites
Le Campion, J.-F., Montignac, G., Chauvet, F., Colin, J., Desbats, J.M., Dourneau, G., Rapaport, M. **266**, 568

Methods: statistical

Statistical analysis and separation of systematic errors in astrometric data
Bougeard, M.L. **255**, 388
Supervised selection of galaxy candidates from the IRAS PSC: the quality of the selection and the infrared properties of the galaxy candidates
Boller, T., Meurs, E.J.A., Adorf, H.-M. **259**, 101

Minor planets

Asteroid collisional evolution: An integrated model for the evolution of asteroid rotation rates
Farinella, P., Davis, D.R., Paolicchi, P., Cellino, A., Zappalà, V. **253**, 604
Physical study of the asteroid 243 Ida, second fly-by target of the Galileo spacecraft
Gonano-Beurer, M., Di Martino, M., Mottola, S., Neukum, G. **254**, 393
Orbits of meteorite producing fireballs. The Glanerbrug – a case study
Jenniskens, P., Borovička, J., Betlem, H., ter Kuile, C., Bettonvil, F., Heinlein, D. **255**, 373
The collisional lifetime of asteroid 951 Gaspra
Farinella, P., Davis, D.R., Cellino, A., Zappalà, V. **257**, 329
A study of the polarimetric lightcurve of the asteroid 16 Psyche
Broglia, P., Manara, A. **257**, 770
Ephemerides of the 48 Hipparcos minor planets for the year 1992
Bec-Borsenberger, A. **257**, 844; ***93***, *11*
Solar system objects observed by Hipparcos
Bec-Borsenberger, A. **258**, 94
Interpretation of lightcurves of atmosphereless bodies. I. General theory and new inversion schemes
Kaasalainen, M., Lamberg, L., Lumme, K., Bowell, E. **259**, 318
Interpretation of lightcurves of atmosphereless bodies. II. Practical aspects of inversion
Kaasalainen, M., Lamberg, L., Lumme, K. **259**, 333
Mapping for the asteroidal resonances
Šidlichovský, M. **259**, 341
Resonant asteroids and the equivalence principle
Plastino, A.R., Vucetich, H. **262**, 321
Physical studies asteroids. XXIV. Phase relations for 48 asteroids obtained with the Carlsberg Meridian Circle
Lagerkvist, C.-I., Magnusson, P., Williams, I.P., Buontempo, M.E., Argyle, R.W., Morrison, L.V. **262**, 383; ***94***, *43*
The identification problem in asteroid surveys
Kristensen, L.K. **262**, 606
Positions of asteroids for use in mass determinations
Schubart, J. **264**, 719; ***94***, *259*
Ground-based Gaspra modelling: comparison with the first Galileo image
Barucci, M.A., Cellino, A., De Sanctis, C., Fulchignoni, M., Lumme, K., Zappala, V., Magnusson, P. **266**, 385
M-type asteroids: rotational properties of 16 objects
Dotto, E., Barucci, M.A., Fulchignoni, M., Di Martino, M., Rotundi, A., Burchi, R., Di Paolantonio, A. **266**, 630; ***95***, *195*
Physical studies of asteroids. XXV. Photoelectric photometry of asteroids obtained at ESO and Hoher List Observatory
Lagerkvist, C.-I., Magnusson, P., Debehogne, H., Hoffmann, M., Erikson, A., De Campos, A., Cutispoto, G. **266**, 636; ***95***, *461*

Miscellaneous

StarWays. A database of astronomy, space sciences and related organisations of the world (Announcement of a database)
Heck, A., Ciarlo, A., Stokke, H. **266**, 648; ***96***, *565*

Molecular data

On the 21-μm feature of pre-planetary nebulae
Sourisseau, C., Coddens, G., Papoular, R. **254**, L1
The OH airglow spectrum: a calibration source for infrared spectrometers
Oliva, E., Origlia, L. **254**, 466
Laboratory spectra of gas-phase coronene at elevated temperatures
Kurtz, J. **255**, L1
Partition functions and equilibrium constants for H_3^+ and H_2D^+
Sidhu, K.S., Miller, S., Tennyson, J. **255**, 453

Theoretical study of the deexcitation of C_2 in collisions with helium
Robbe, J.M., Lavendy, H., Lemoine, D., Pouilly, B. **256**, 679
Improved determination of the ground state molecular constants of the CS^+ cation to aid possible astrophysical detection
Horani, M., Vervloet, M. **256**, 683
Erratum: **(RN)** Electron collisional rates for atomic hydrogen, revisited
Chang, E.S., Avrett, E.H., Loeser, R. **256**, 724
Search for the 4430 Å DIB in the spectra of coronene cation and neutral ovalene
Ehrenfreund, P., d'Hendecourt, L., Verstraete, L., Léger, A., Schmidt, W., Defourneau, D. **259**, 257
Reaction rates of C^+ with OH at low interstellar temperatures
Dubernet, M.L., Gargaud, M., McCarroll, R. **259**, 373
Quantum chemical calculations for a better understanding of the mechanism of $CH_3^+ + H_2$ radiative association
Talbi, D., Saxon, R.P. **261**, 671
Molecular opacities for solar and enhanced CNO abundances: relevance for accretion disks
Sharp, C.M. **262**, 382; **94**, *1*
On the accuracy of CO line positions for high resolution IR stellar spectroscopy
Sauval, A.J., Farrenq, R., Guelachvili, G., Grevesse, N., Farmer, C.B., Norton, R.H. **265**, 355
Recalibration of the absorption/photodissociation spectra of CO and its isotopes between 91 and 115 nm
Eidelsberg, M., Benayoun, J.J., Viala, Y., Rostas, F., Smith, P.L., Yoshino, K., Stark, G., Shettle, C.A. **265**, 839
Visible absorption bands of coal pitch extract – implications for the diffuse interstellar bands
Ehrenfreund, P., d'Hendecourt, L., Joblin, C., Léger, A. **266**, 429
The visible and ultraviolet absorption of large polycyclic aromatic hydrocarbons
Verstraete, L., Léger, A. **266**, 513

Molecular processes

Physics of the rotation of a PAH molecule in interstellar environments
Rouan, D., Léger, A., Omont, A., Giard, M. **253**, 498
Photodissociation of H_2 and the H/H_2 transition in interstellar clouds
Abgrall, H., Le Bourlot, J., Pineau des Forêts, G., Roueff, E., Flower, D.R., Heck, L. **253**, 525
Partition functions and equilibrium constants for H_3^+ and H_2D^+
Sidhu, K.S., Miller, S., Tennyson, J. **255**, 453
A study of HCN, HNC and their isotopomers in OMC-1. I. Abundances and chemistry
Schilke, P., Walmsley, C.M., Pineau des Forêts, G., Roueff, E., Flower, D.R., Guilloteau, S. **256**, 595
The internal structure of molecular clouds. III. Evidence for molecular depletion in the NGC 2024 condensations
Mauersberger, R., Wilson, T.L., Mezger, P.G., Gaume, R., Johnston, K.J. **256**, 640
Theoretical study of the deexcitation of C_2 in collisions with helium
Robbe, J.M., Lavendy, H., Lemoine, D., Pouilly, B. **256**, 679
Erratum: **(RN)** Electron collisional rates for atomic hydrogen, revisited
Chang, E.S., Avrett, E.H., Loeser, R. **256**, 724
Fulleranes, fullerenes and the interstellar extinction
Webster, A.S. **257**, 750
The chemistry of H_2D^+ in cold clouds
Pagani, L., Salez, M., Wannier, P.G. **258**, 479
Interstellar detection of deuterated methyl cyanide
Gerin, M., Combes, F., Wlodarczak, G., Jacq, T., Guélin, M., Encrenaz, P., Laurent, C. **259**, L35
Reaction rates of C^+ with OH at low interstellar temperatures
Dubernet, M.L., Gargaud, M., McCarroll, R. **259**, 373
Hydrogen chemisorption on a graphite surface
Klose, S. **260**, 321
Organometallic chemistry in the interstellar medium. I. Are organometallic reactions efficient processes in astrochemistry?
Serra, G., Chaudret, B., Saillard, Y., Le Beuze, A., Rabaa, H., Ristorcelli, I., Klotz, A. **260**, 489
Ground-based searches for interstellar H_2D^+
van Dishoeck, E.F., Phillips, T.G., Keene, J., Blake, G.A. **261**, L13
Identification of CH^+ emission in the Red Rectangle
Balm, S.P., Jura, M. **261**, L25
Quantum chemical calculations for a better understanding of the mechanism of $CH_3^+ + H_2$ radiative association
Talbi, D., Saxon, R.P. **261**, 671
An analysis of intense OH maser emission in star-forming regions
Gray, M.D., Field, D., Doel, R.C. **262**, 555
Circumstellar and interstellar fullerenes and their analogues
Kroto, H.W., Jura, M. **263**, 275
Formaldehyde in comets. I. Microwave observations of P/Brorsen-Metcalf (1989 X), Austin (1990 V) and Levy (1990 XX)
Colom, P., Crovisier, J., Bockelée-Morvan, D., Despois, D., Paubert, G. **264**, 270
Formaldehyde in comets. II. Excitation of the rotational lines
Bockelée-Morvan, D., Crovisier, J. **264**, 282
The envelopes of R Coronae Borealis stars. I. A physical model of the decline events due to dust formation
Goeres, A., Sedlmayr, E. **265**, 216
Chemistry in circumstellar shells. I. Chromospheric radiation fields and dust formation in optically thin shells of M-giants
Beck, H.K.B., Gail, H.-P., Henkel, R., Sedlmayr, E. **265**, 626
Recalibration of the absorption/photodissociation spectra of CO and its isotopes between 91 and 115 nm
Eidelsberg, M., Benayoun, J.J., Viala, Y., Rostas, F., Smith, P.L., Yoshino, K., Stark, G., Shettle, C.A. **265**, 839
Line broadening of HD immersed in He and H_2 gas
Schaefer, J., Monchick, L. **265**, 859
Chemistry in the molecular envelopes of the planetary nebulae NGC 6072 and IC 4406
Cox, P., Omont, A., Huggins, P.J., Bachiller, R., Forveille, T. **266**, 420
The abundance of nitric oxide in molecular clouds
Gerin, M., Viala, Y., Pauzat, F., Ellinger, Y. **266**, 463

Nuclear reactions, nucleosynthesis, abundances

The rate of mixing in semiconvective zones
Spruit, H.C. **253**, 131
Lithium in RS CVn binaries and related chromospherically active stars. I. Observational results
Pallavicini, R., Randich, S., Giampapa, M.S. **253**, 185
Astrophysical implications of the direct measurement of the $^{13}N(p,\gamma)^{14}O$ cross section
Arnould, M., Paulus, G., Jorissen, A. **254**, L9
Nucleosynthesis in a thick accretion disk around a 10 $M_\odot$ black hole
Arai, K., Hashimoto, M. **254**, 191

Relativistic neutrons in active galactic nuclei. I. Energy transport from the core
Atoyan, A.M. **257**, 465
On the contribution of ^{22}Ne to the synthesis of ^{54}Fe and ^{58}Ni in thermonuclear supernovae
Bravo, E., Isern, J., Canal, R., Labay, J. **257**, 534
The s-process in massive stars of variable composition
Baraffe, I., El Eid, M.F., Prantzos, N. **258**, 357
Barium and other s-process elements in the early-time spectrum of SN 1987 A
Mazzali, P.A., Lucy, L.B., Butler, K. **258**, 399
The age of the Galaxy from thorium in G dwarfs, a re-analysis
Morell, O., Källander, D., Butcher, H.R. **259**, 543
Fluorine production in thermal pulses on the asymptotic giant branch
Forestini, M., Goriely, S., Jorissen, A., Arnould, M. **261**, 157
Fluorine in red giant stars: evidence for nucleosynthesis
Jorissen, A., Smith, V.V., Lambert, D.L. **261**, 164
The r-process in the light of a microscopic model for nuclear masses
Goriely, S., Arnould, M. **262**, 73
Light element abundances in barium stars
Barbuy, B., Jorissen, A., Rossi, S.C.F., Arnould, M. **262**, 216
Stellar yields as a function of initial metallicity and mass limit for black hole formation
Maeder, A. **264**, 105
The emission mechanism of neutral particles from discrete sources in the TeV–EeV energy range
Bednarek, W. **264**, 331
Helium enrichment in massive early type stars
Langer, N. **265**, L17

Occultations

Observation of the OH radio lines in comet Okazaki-Levy-Rudenko 1989 XIX during the occultation of a point radio source
Crovisier, J., Bockelée-Morvan, D., Bourgois, G., Gérard, E. **253**, 286
Lunar occultations of southern near-infrared stellar sources
Richichi, A., Lisi, F., Di Giacomo, A. **254**, 149
A catalogue of the observations of the mutual phenomena of the Galilean satellites of Jupiter made in 1985 during the PHEMU85 campaign
Arlot, J.E., Thuillot, W., Barroso Jr., J., Bergeal, L., Blanco, C., Boninsegna, R., Bouchet, P., Bourgeois, J., Briot, D., Bulder, H., Burchi, R., Cano, J.A., Colas, F., D'Ambrosio, V., Di Paolantonio, A., Dourneau, G., Dumont, M., Ferrand, S., Figer, A., Francou, G., Froeschlé, M., Gomez-Forrellad, J.M., Gouiffes, C., Helmer, G., Jablonsky, F.J., Laques, P., Le Campion, J.F., Lecacheux, J., Lecontel, J.M., Manfroid, J., Meyer, C., Morando, B., Quast, G.R., Rémis, J., Renaudineau, J., Rouan, D., Ruatti, C., Sareyan, J.P., Schmieder, F.X., Sèvre, F., Souchay, J., Valtier, J.C., Vu, D.T., Wahiche, J.D. **255**, 497; **92**, *151*
Observations of mutual phenomena of the Galilean satellites of Jupiter made at the Observatoire de la Côte d'Azur
Froeschlé, M., Meyer, C., Mignard, F. **262**, 308
Observations of Galilean satellites at 2.2 μm
Souchay, J., Hiromoto, N., Takami, T., Nakamura, T., Descamps, P., Aruga, T. **264**, 314
Eclipses of Iapetus in 1993
Sôma, M. **265**, L21
Accurate angular diameter and effective temperature of seven late-type stars
Richichi, A., Di Giacomo, A., Lisi, F., Calamai, G. **265**, 535
First CCD observations of mutual phenomena of the Galilean satellites
Le Campion, J.-F., Montignac, G., Chauvet, F., Colin, J., Desbats, J.M., Dourneau, G., Rapaport, M. **266**, 568

Planets and satellites: general

Differential VLBI measurements of the Venus atmosphere dynamics by balloons: VEGA project
Sagdeyev, R.Z., Kerzhanovitch, V.V., Kogan, L.R., Kostenko, V.I., Linkin, V.M., Matveyenko, L.I., Nazirov, R.R., Pogrebenko, S.V., Struckov, I.A., Preston, R.A., Purcel, J., Hildebrand, C.E., Grishmanovskiy, V.A., Kozlov, A.N., Molotov, E.P., Blamont, J.E., Boloh, L., Laurans, G., Kaufmann, P., Galt, J., Biraud, F., Boischot, A., Ortega-Molina, A., Rosolen, C., Petit, G., Mezger, P.G., Schwartz, R., Rönnäng, B.O., Spencer, R.E., Nicolson, G., Rogers, A.E.E., Cohen, M.H., Martirosyan, R.M., Moiseyev, I.G., Jatskiv, J.S. **254**, 387
The unified radio and plasma wave investigation
Stone, R.G., Bougeret, J.L., Caldwell, J., Canu, P., de Conchy, Y., Cornilleau-Wehrlin, N., Desch, M.D., Fainberg, J., Goetz, K., Goldstein, M.L., Harvey, C.C., Hoang, S., Howard, R., Kaiser, M.L., Kellogg, P.J., Klein, B., Knoll, R., Lecacheux, A., Lengyel-Frey, D., MacDowall, R.J., R.J., Manning, R.., Meetre, C.A., Meyer, A., Monge, N., Monson, S., Nicol, G., Reiner, M.J., Steinberg, J.L., Torres, E., de Villedary, C., Wouters, F., Zarka, P. **255**, 499; **92**, *291*
High resolution spectra of Io's neutral sodium cloud
Cremonese, G., Thomas, N., Barbieri, C., Pernechele, C. **256**, 286
Erratum: Jupiter's atmospheric parameters derived from spectroscopic observations in the red region during the 1988 opposition
Moreno, F., Molina, A. **256**, 321
A general theory of motion for the eight major satellites of Saturn. III. Long-period perturbations
Vienne, A., Duriez, L. **257**, 331
Planet survival?
Postnov, K.A., Prokhorov, M.E. **258**, L17
Solar system objects observed by Hipparcos
Bec-Borsenberger, A. **258**, 94
Approximative methods for calculating the radiation inside a planetary atmosphere
Wauben, W.M.F., Hovenier, J.W. **261**, 640
First Earth-based observations of Neptune's satellite Proteus
Colas, F., Buil, C. **262**, L13
Would a collision on Uranus explain its systematic residuals?
Brunini, A. **264**, 292
Mutual perturbations of the four outer planets in terms of only one angular variable (Text in French)
Simon, J.L., Joutel, F., Bretagnon, P. **265**, 308
A synthetic theory for the perturbations of Titan on Hyperion
Taylor, D.B. **265**, 825
Line broadening of HD immersed in He and H_2 gas
Schaefer, J., Monchick, L. **265**, 859

Planets and satellites: individual: . . . (alphabetic order)

Ceres

Positions of asteroids for use in mass determinations
Schubart, J. **264**, 719; **94**, *259*

Deimos

Astrometric observations of Phobos and Deimos during the 1988 opposition of Mars
Colas, F. **266**, 646; **96**, *485*

Hyperion

A synthetic theory for the perturbations of Titan on Hyperion
Taylor, D.B. **265**, 825

Iapetus

Eclipses of Iapetus in 1993
Sôma, M. **265**, L21

Io

High resolution spectra of Io's neutral sodium cloud
Cremonese, G., Thomas, N., Barbieri, C., Pernechele, C. **256**, 286

Near-ultraviolet imaging of Jupiter's satellite Io with the Hubble Space Telescope
Paresce, F., Sartoretti, P., Albrecht, R., Barbieri, C., Blades, J.C., Boksenberg, A., Crane, P., Deharveng, J.M., Disney, M.J., Jakobsen, P., Kamperman, T.M., King, I.R., Macchetto, F., Mackay, C.D., Weigelt, G., Baxter, D., Greenfield, P., Jedrzejewski, R., Nota, A., Sparks, W.B. **262**, 617

Observations of Galilean satellites at 2.2 μm
Souchay, J., Hiromoto, N., Takami, T., Nakamura, T., Descamps, P., Aruga, T. **264**, 314

Jupiter

The complete polarization state of a storm of millisecond bursts from Jupiter
Dulk, G.A., Lecacheux, A., Leblanc, Y. **253**, 292

The Solar Wind Ion Composition Spectrometer
Gloeckler, G., Geiss, J., Balsiger, H., Bedini, P., Cain, J.C., Fischer, J., Fisk, L.A., Galvin, A.B., Gliem, F., Hamilton, D.C., Hollweg, J.V., Ipavich, F.M., Joos, R., Livi, S., Lundgren, R., Mall, U., McKenzie, J.F., Ogilvie, K.W., Ottens, F., Rieck, W., Tums, E.O., von Steiger, R., Weiss, W., Wilken, B. **255**, 499; **92**, *267*

Equivalent widths of the CH_4-6190 Å bands across Jupiter's disk: variations from 1985 to 1989
Molina, A., Moreno, F. **256**, 299

Erratum: Jupiter's atmospheric parameters derived from spectroscopic observations in the red region during the 1988 opposition
Moreno, F., Molina, A. **256**, 321

Spectroscopic observations at different regions of Jupiter during the 1991 opposition: absolute reflectivities and CH_4-6190 Å and NH_3-6450 Å absorption bands
Ortiz, J.L., Moreno, F., Molina, A. **260**, 465

Jupiter: satellites

A catalogue of the observations of the mutual phenomena of the Galilean satellites of Jupiter made in 1985 during the PHEMU85 campaign
Arlot, J.E., Thuillot, W., Barroso Jr., J., Bergeal, L., Blanco, C., Boninsegna, R., Bouchet, P., Bourgeois, J., Briot, D., Bulder, H., Burchi, R., Cano, J.A., Colas, F., D'Ambrosio, V., Di Paolantonio, A., Dourneau, G., Dumont, M., Ferrand, S., Figer, A., Francou, G., Froeschlé, M., Gomez-Forrellad, J.M., Gouiffes, C., Helmer, G., Jablonsky, F.J., Laques, P., Le Campion, J.F., Lecacheux, J., Lecontel, J.M., Manfroid, J., Meyer, C., Morando, B., Quast, G.R., Rémis, J., Renaudineau, J., Rouan, D., Ruatti, C., Sareyan, J.P., Schmieder, F.X., Sèvre, F., Souchay, J., Valtier, J.C., Vu, D.T., Wahiche, J.D. **255**, 497; **92**, *151*

Observations of mutual phenomena of the Galilean satellites of Jupiter made at the Observatoire de la Côte d'Azur
Froeschlé, M., Meyer, C., Mignard, F. **262**, 308

Observations of Galilean satellites at 2.2 μm
Souchay, J., Hiromoto, N., Takami, T., Nakamura, T., Descamps, P., Aruga, T. **264**, 314

First CCD observations of mutual phenomena of the Galilean satellites
Le Campion, J.-F., Montignac, G., Chauvet, F., Colin, J., Desbats, J.M., Dourneau, G., Rapaport, M. **266**, 568

Mars

Opacities of the 1973 dust storm over the Solis Lacus, Hellas, and Syrtis Major areas of Mars
Akabane, T., Iwasaki, K., Saito, Y., Narumi, Y. **255**, 377

The spectrum of Mars in the (1–0) vibrational band of CO
Billebaud, F., Maillard, J.P., Lellouch, E., Encrenaz, T. **261**, 647

The determination of the precession rate of Mars from Phobos and Deimos observations
Sinclair, A.T., Morley, T.A. **262**, 326

Moon

Comparison of a 7000-year lunar ephemeris with analytical theory
Moshier, S.L. **262**, 613

Pallas

Positions of asteroids for use in mass determinations
Schubart, J. **264**, 719; **94**, *259*

Phobos

Astrometric observations of Phobos and Deimos during the 1988 opposition of Mars
Colas, F. **266**, 646; **96**, *485*

Pluto

First meridian circle observations of Pluto
Morrison, L.V., Buontempo, M.E., Fabricius, C., Helmer, L. **262**, 347

Proteus

First Earth-based observations of Neptune's satellite Proteus
Colas, F., Buil, C. **262**, L13

Saturn

Corrections to right ascension and declination for the planet Saturn for observations performed with the San Fernando and Paris astrolabes (1970–1978) (*Text in French*)
Sanchez, M., Débarbat, S. **266**, 633; ***95***, *371*

Saturn: satellites

A general theory of motion for the eight major satellites of Saturn. III. Long-period perturbations
Vienne, A., Duriez, L. **257**, 331
1980–1985 astrometric observations of the first eight satellites of Saturn at Pic-du-Midi, ESO and CFH
Veillet, C., Dourneau, G. **264**, 719; ***94***, *291*

Uranus

On the ephemerides of Uranus
Brunini, A. **255**, 401
Would a collision on Uranus explain its systematic residuals?
Brunini, A. **264**, 292

Uranus: satellites

Astrographic observations of the major Uranian satellites from Voyager 2
Jacobson, R.A. **266**, 648; ***96***, *549*

Venus

Differential VLBI measurements of the Venus atmosphere dynamics by balloons: VEGA project
Sagdeyev, R.Z., Kerzhanovitch, V.V., Kogan, L.R., Kostenko, V.I., Linkin, V.M., Matveyenko, L.I., Nazirov, R.R., Pogrebenko, S.V., Struckov, I.A., Preston, R.A., Purcel, J., Hildebrand, C.E., Grishmanovskiy, V.A., Kozlov, A.N., Molotov, E.P., Blamont, J.E., Boloh, L., Laurans, G., Kaufmann, P., Galt, J., Biraud, F., Boischot, A., Ortega-Molina, A., Rosolen, C., Petit, G., Mezger, P.G., Schwartz, R., Rönnäng, B.O., Spencer, R.E., Nicolson, G., Rogers, A.E.E., Cohen, M.H., Martirosyan, R.M., Moiseyev, I.G., Jatskiv, J.S. **254**, 387

Vesta

Positions of asteroids for use in mass determinations
Schubart, J. **264**, 719; ***94***, *259*

16 Psyche

A study of the polarimetric lightcurve of the asteroid 16 Psyche
Broglia, P., Manara, A. **257**, 770

243 Ida

Physical study of the asteroid 243 Ida, second fly-by target of the Galileo spacecraft
Gonano-Beurer, M., Di Martino, M., Mottola, S., Neukum, G. **254**, 393

951 Gaspra

The collisional lifetime of asteroid 951 Gaspra
Farinella, P., Davis, D.R., Cellino, A., Zappalà, V. **257**, 329
Ground-based Gaspra modelling: comparison with the first Galileo image
Barucci, M.A., Cellino, A., De Sanctis, C., Fulchignoni, M., Lumme, K., Zappala, V., Magnusson, P. **266**, 385

Plasmas

An analysis of the influence of interstellar scattering on interplanetary scintillation observations
Hajivassiliou, C.A. **253**, 244
The effects of magnetic field geometry on the confinement of energetic electrons in solar flares
McClements, K.G. **253**, 253
The complete polarization state of a storm of millisecond bursts from Jupiter
Dulk, G.A., Lecacheux, A., Leblanc, Y. **253**, 292
Formation of electric-current sheets in the magnetostatic atmosphere
Low, B.C. **253**, 311
Limit cycle instabilities in a free accretion disk – a source of energy in SN 1987A?
Meyer-Hofmeister, E. **253**, 459
A possible explanation for intraday variability in active galactic nuclei. Magnetic reconnection and coherent plasma emission
Lesch, H., Pohl, M. **254**, 29
Electron acceleration at a supernova blast wave. A model for the prompt radio flare from SN 1987 A
Kirk, J.G., Wassmann, M. **254**, 167
Non-equilibrium, non-LTE ionization in supernova remnants
Brinkmann, W. **254**, 460
An analytical solution for the heliopause boundary and its comparison with numerical solutions
Ratkiewicz, R. **255**, 383
Shock drift acceleration for a near-perpendicular shock in a turbulent astrophysical plasma
Newman, P.L., Moussas, X., Quenby, J.J., Valdes-Galicia, J.F., Theodossiou-Ekaterinidi, Z. **255**, 443
The unified radio and plasma wave investigation
Stone, R.G., Bougeret, J.L., Caldwell, J., Canu, P., de Conchy, Y., Cornilleau-Wehrlin, N., Desch, M.D., Fainberg, J., Goetz, K., Goldstein, M.L., Harvey, C.C., Hoang, S., Howard, R., Kaiser, M.L., Kellogg, P.J., Klein, B., Knoll, R., Lecacheux, A., Lengyel-Frey, D., MacDowall, R.J., R.J., Manning, R.., Meetre, C.A., Meyer, A., Monge, N., Monson, S., Nicol, G., Reiner, M.J., Steinberg, J.L., Torres, E., de Villedary, C., Wouters, F., Zarka, P. **255**, 499; **92**, *291*
Non-linear evolution of synchrotron thermal instabilities
Bodo, G., Ferrari, A., Massaglia, S., Rossi, P., Shibata, K., Uchida, Y. **256**, 689
Magnetic-drift-driven instability and cosmic-ray acceleration
Pajot-el Abed, P., Melikidze, G., Tagger, M. **257**, L9
Relativistic neutrons in active galactic nuclei. I. Energy transport from the core
Atoyan, A.M. **257**, 465
The simultaneous effects of collisions, reverse currents and magnetic trapping on the temporal evolution of energetic electrons in a flaring coronal loop
McClements, K.G. **258**, 542
A different view of plasma flow inside P/Halley
Neugebauer, M., Goldstein, B.E., Goldstein, R., Fuselier, S.A., Neubauer, F.M., Balsiger, H., Ip, W.-H. **258**, 549
The highly magnetic ($B \sim 500$ MG) white dwarf PG 1031+234: discovery of wavelength dependent polarization and intensity variations
Piirola, V., Reiz, A. **259**, 143
Current adjustment in pulsars
Lyubarskii, Y.E. **261**, 544
The effect of a non-Maxwellian distribution on excitation and ionization of hydrogen in solar flares
Peyraud-Cuenca, N. **261**, 633
Magnetic field, reconnection, and particle acceleration in extragalactic jets
Romanova, M.M., Lovelace, R.V.E. **262**, 26

The self-consistent acceleration of cosmic rays in modified shocks with Bohm-type diffusion
Duffy, P. **262**, 281
Radiation-driven winds of hot luminous stars. XI. Frictional heating in a multicomponent stellar wind plasma and decoupling of radiatively accelerated ions
Springmann, U.W.E., Pauldrach, A.W.A. **262**, 515
The influence of Alfvénic cross and magnetic helicity on the phase space distribution of charged particles. I. The spatial convection term of the anisotropy
Dung, R. **263**, 433
A Boltzmann-kinetic approach to describe the entrance of neutral interstellar hydrogen into the heliosphere
Osterbart, R., Fahr, H.J. **264**, 260
Possible mechanism of pulsar radio emission
Lyubarskii, Y.E. **265**, L33
Towards a consistent treatment of thermally conductive magnetohydrodynamic flows in helmet-streamer coronal structures
Cuperman, S., Detman, T.R., Bruma, C., Dryer, M. **265**, 785

Polarization

Spectropolarimetry of the nova-like variable RW Trianguli
Rutten, R.G.M., Dhillon, V.S. **253**, 139
The complete polarization state of a storm of millisecond bursts from Jupiter
Dulk, G.A., Lecacheux, A., Leblanc, Y. **253**, 292
Physics of the rotation of a PAH molecule in interstellar environments
Rouan, D., Léger, A., Omont, A., Giard, M. **253**, 498
Monte Carlo simulations of Raman scattered O VI emission lines in symbiotic stars
Schmid, H.M. **254**, 224
High spatial resolution magnetograms of solar active regions
Keller, C.U., Stenflo, J.O., von der Lühe, O. **254**, 355
A search for polarization variability in Babcock's star
Berdyugin, A., Breger, M., Polosukhina, N. **255**, 149
Separation of the polarization modes in several pulsars
Gil, J.A., Lyne, A.G., Rankin, J.M., Snakowski, J.K., Stinebring, D.R. **255**, 181
Constraints on Be star wind geometry by linear polarisation and IR excess
Waters, L.B.F.M., Marlborough, J.M. **256**, 195
Observations of a highly polarized radio filament near the great annihilator 1E1740.7-2942
Reich, W., Schlickeiser, R. **256**, 408
Curvature radiation and subpulse polarization characteristics in the observed emission of PSR 2303+30
Gil, J.A. **256**, 495
Hydrogen in the strong magnetic field of the white dwarf PG 1031+234
Östreicher, R., Seifert, W., Friedrich, S., Ruder, H., Schaich, M., Wolf, D., Wunner, G. **257**, 353
Linear polarization as a consequence of rotation in exploding stars
Steinmetz, M., Höflich, P. **257**, 641
Hanle effect with partial frequency redistribution. II. Linear polarization of the solar Ca I 4227 Å line
Faurobert-Scholl, M. **258**, 521
The highly magnetic ($B \sim 500$ MG) white dwarf PG 1031+234: discovery of wavelength dependent polarization and intensity variations
Piirola, V., Reiz, A. **259**, 143
Radio flares and magnetic fields on weak-line T Tauri stars
White, S.M., Pallavicini, R., Kundu, M.R. **259**, 149
Stokes *V* asymmetry due to stationary siphon flows
Degenhardt, D., Kneer, F. **260**, 411
Millisecond microwave spikes at 8 GHz during solar flares
Benz, A.O., Su, H., Magun, A., Stehling, W. **260**, 558; ***93***, *539*
Infrared lines as probes of solar magnetic features. IV. Discovery of a siphon flow
Rüedi, I., Solanki, S.K., Rabin, D. **261**, L21
On the polarization of GL 490
Haas, M., Leinert, C., Lenzen, R. **261**, 130
Photoabsorption in magnetic neutron star atmospheres
Ventura, J., Herold, H., Ruder, H., Geyer, F. **261**, 235
Solar speckle polarimetry
Keller, C.U., von der Lühe, O. **261**, 321
The solar F-corona: calculations of the optical and infrared brightness of circumsolar dust
Mann, I. **261**, 329
Investigation of macroscopic instabilities at the heliopause boundary surface
Baranov, V.B., Fahr, H.J., Ruderman, M.S. **261**, 341
First simultaneous *UBVRI* photopolarimetric observations of a sample of normal quasars
Takalo, L.O., Kidger, M.R., de Diego, J.A., Sillanpää, A. **261**, 415
Approximative methods for calculating the radiation inside a planetary atmosphere
Wauben, W.M.F., Hovenier, J.W. **261**, 640
A simple method to enhance radio polarization features
Milne, D.K. **261**, 694
Line polarization observed in chromospheric flares: calculations for electron impact excitation of Hα
Aboudarham, J., Berrington, K., Callaway, J., Feautrier, N., Hénoux, J.-C., Peach, G., Saraph, H.E. **262**, 302
High-frequency radio continuum observations of low-luminosity radio galaxies. I. A sample of sources with angular sizes > 4′
Gregorini, L., Klein, U., Parma, P., Schlickeiser, R., Wielebinski, R. **262**, 382; ***94***, *13*
Polarized arcs near the galactic centre
Haynes, R.F., Stewart, R.T., Gray, A.D., Reich, W., Reich, P., Mebold, U. **264**, 500
Galactic dynamos and their radio signatures
Elstner, D., Meinel, R., Beck, R. **264**, 723; ***94***, *587*
Derivation of episodic mass loss functions for hot stars from polarimetric and absorption line data
Brown, J.C., Wood, K. **265**, 663
Circularly polarized spectroscopic observations of RS CVn systems
Donati, J.-F., Semel, M., Rees, D.E. **265**, 669

Radiation mechanisms: Compton and inverse Compton

The origin of the X-ray emission in 3C 273 and 3C 120
Walter, R., Courvoisier, T.J.-L. **258**, 255
Origin of PeV gamma rays from Cygnus X-3
Apparao, K.M.V. **261**, 565

Radiation mechanisms: cyclotron and synchrotron

Gamma-ray flaring of 3C 279: a proton-initiated cascade in the jet?
Mannheim, K., Biermann, P.L. **253**, L21
Electron acceleration at a supernova blast wave. A model for the prompt radio flare from SN 1987 A
Kirk, J.G., Wassmann, M. **254**, 167

Separation of the polarization modes in several pulsars
Gil, J.A., Lyne, A.G., Rankin, J.M., Snakowski, J.K., Stinebring, D.R. **255**, 181
Observations of a highly polarized radio filament near the great annihilator 1E1740.7-2942
Reich, W., Schlickeiser, R. **256**, 408
Particle heated atmospheres of magnetic white dwarfs
Woelk, U., Beuermann, K. **256**, 498
On the efficiency of electron cyclotron maser instability in solar flares
Mackinnon, A., Vlahos, L., Vilmer, N. **256**, 613
Non-linear evolution of synchrotron thermal instabilities
Bodo, G., Ferrari, A., Massaglia, S., Rossi, P., Shibata, K., Uchida, Y. **256**, 689
Two-dimensional model maps of flaring loops at cm-wavelengths
Preka-Papadema, P., Alissandrakis, C.E. **257**, 307
Modelling Cygnus X-3 radio outbursts: particle injection into twin jets
Martí, J., Paredes, J.M., Estalella, R. **258**, 309
The jet/interstellar medium interaction and the radiation properties of extragalactic jets
Fraix-Burnet, D. **259**, 445
Combined first- and second-order Fermi acceleration in radio galaxy hot spots
Krülls, W.M. **260**, 49
Current adjustment in pulsars
Lyubarskii, Y.E. **261**, 544
Simultaneous *UBVRI* photopolarimetric observations of blazars. II
Takalo, L.O., Sillanpää, A., Nilsson, K., Kidger, M., de Diego, J.A., Piirola, V. **262**, 382; ***94***, *37*
Synchrotron modelling of the 400 pc spur at the galactic center
Pohl, M., Reich, W., Schlickeiser, R. **262**, 441
Continuous reacceleration of cosmic rays in galaxies. An alternative explanation for flat low frequency radio spectra
Pohl, M., Schlickeiser, R. **263**, 37

Radiation mechanisms: gravitational

Constraints on the evolution of AM Herculis stars derived from the observed distribution of orbital periods
Ritter, H., Kolb, U. **259**, 159
Chaotic interaction of charged particles with a gravitational wave
Varvoglis, H., Papadopoulos, D. **261**, 664

Radiation mechanisms: miscellaneous

The possibility of observation of the Lα-line of positronium ($e^+ e^-$) from astronomical objects
Burdyuzha, V.V., Kauts, V.L., Yudin, N.P. **255**, 459
Curvature radiation and subpulse polarization characteristics in the observed emission of PSR 2303+30
Gil, J.A. **256**, 495
Radiation – hydrodynamic waves in an optically gray atmosphere. I. Homogeneous model
Dzhalilov, N.S., Zhugzhda, Y.D., Staude, J. **257**, 359
Relativistic neutrons in active galactic nuclei. II. Gamma-rays of high and very high energies
Atoyan, A.M. **257**, 476
Neutrinos from flat-spectrum radio quasars
Mannheim, K., Stanev, T., Biermann, P.L. **260**, L1
HEXE observations of active galactic nuclei: constraints on pairs and Compton reflection
Maisack, M., Kendziorra, E., Mony, B., Staubert, R., Doebereiner, S., Englhauser, J., Pietsch, W., Reppin, C., Trümper, J., Efremov, V., Kaniovsky, S., Kusnetzov, A., Sunyaev, R. **262**, 433
The emission mechanism of neutral particles from discrete sources in the TeV–EeV energy range
Bednarek, W. **264**, 331
Possible mechanism of pulsar radio emission
Lyubarskii, Y.E. **265**, L33

Radiation mechanisms: thermal

Cooling functions for hot dense gas: application to accretion discs in close binaries
Dumont, A.M. **254**, 454
Optical properties of dust aggregates. I. Wavelength dependence
Kozasa, T., Blum, J., Mukai, T. **263**, 423

Radiative transfer

Line scattering in an expanding shell: interferometric and polarimetric profiles
Lefèvre, J. **254**, 274
A modelling of circumstellar Ba II lines for the hypergiant ϱ Cassiopeiae
Gesicki, K. **254**, 280
A note on positivity of equilibrium populations in radiative transfer theory
Damgaard, P.H., Hjorth, P.G., Thejll, P.A. **254**, 422
Cooling functions for hot dense gas: application to accretion discs in close binaries
Dumont, A.M. **254**, 454
Radiative shocks in atomic and molecular stellar-like atmospheres. V. Influence of the excited level of the hydrogen atom: the precursor structure
Huguet, E., Gillet,D., Lafon, J.-P.J. **255**, 233
Upgrading the Accelerated Lambda Iteration technique by means of "least change secant methods"
Koesterke, L., Hamann, W.-R., Kosmol, P. **255**, 490
Particle heated atmospheres of magnetic white dwarfs
Woelk, U., Beuermann, K. **256**, 498
Radiative transfer in rotating stars
Hadrava, P. **256**, 519
Radiation – hydrodynamic waves in an optically gray atmosphere. I. Homogeneous model
Dzhalilov, N.S., Zhugzhda, Y.D., Staude, J. **257**, 359
Near-critical spherical accretion onto magnetized neutron stars: modified magnetospheric radius
Mitra, A. **257**, 807
UV irradiated clumps in the Orion A molecular cloud: interpretation of low-*J* CO observations
Gierens, K.M., Stutzki, J., Winnewisser, G. **259**, 271
Stokes *V* asymmetry due to stationary siphon flows
Degenhardt, D., Kneer, F. **260**, 411
Determination of plasma parameters in a quiescent prominence
Wiik, J.E., Heinzel, P., Schmieder, B. **260**, 419
Submillimeter observations of vibrationally excited NH_3 towards Orion-KL
Schilke, P., Güsten, R., Schulz, A., Serabyn, E., Walmsley, C.M. **261**, L5
Correlated variations of lines and continuum by disc reprocessing in NGC 5548
Rokaki, E., Magnan, C. **261**, 41

Approximative methods for calculating the radiation inside a planetary atmosphere
Wauben, W.M.F., Hovenier, J.W. **261**, 640
Non-coherent scattering in vertically extended Be star disks: winebottle-type emission-line profiles
Hummel, W., Dachs, J. **262**, L17
An accelerated lambda iteration method for multilevel radiative transfer. II. Overlapping transitions with full continuum
Rybicki, G.B., Hummer, D.G. **262**, 209
Accelerated complete-linearization method for calculating NLTE model stellar atmospheres
Hubeny, I., Lanz, T. **262**, 501
An analysis of intense OH maser emission in star-forming regions
Gray, M.D., Field, D., Doel, R.C. **262**, 555
Modelling of IR emission of interstellar clouds. I. Emission of isolated clouds and dust abundance variations
Bernard, J.P., Boulanger, F., Désert, F.-X., Puget, J.L. **263**, 258
Non-LTE radiative transfer with lambda-acceleration: convergence properties using exact full and diagonal lambda-operators
MacFarlane, J.J. **264**, 153
On the photospheric temperature in small-scale magnetic flux concentrations
Fabiani Bendicho, P., Kneer, F., Trujillo Bueno, J. **264**, 229
The circumstellar silicate dust as seen by IRAS. II. Evolution of circumstellar envelopes
David, P., Papoular, R. **265**, 195
Radiative transfer for transiently heated particles
Siebenmorgen, R., Krügel, E., Mathis, J.S. **266**, 501
Fluid motions in the solar atmosphere. II. A spicule model with emission lines
Cheng, Q.-Q. **266**, 549
Approximate radiative transfer by two-moment closure – when is it possible?
Körner, A., Janka, H.-T. **266**, 613

Radio continuum: galaxies

Evolutionary synthesis of the radio and far-infrared emission in starbursts
Mas-Hesse, J.M. **253**, 49
A powerful, ultra-steep spectrum radio galaxy having an extremely low-excitation emission line spectrum
Gopal-Krishna, Giraud, E., Melnick, J., Steppe, H. **254**, 42
Five years monitoring of extragalactic radio sources. III. Generalized shock models and the dependence of variability on frequency
Valtaoja, E., Teräsranta, H., Urpo, S., Nesterov, N.S., Lainela, M., Valtonen, M. **254**, 71
Five years monitoring of extragalactic radio sources. IV. Variability statistics and unified models for AGN
Valtaoja, E., Teräsranta, H., Urpo, S., Nesterov, N.S., Lainela, M., Valtonen, M. **254**, 80
Massive binary black holes and wiggling jets
Kaastra, J.S., Roos, N. **254**, 96
Optical and radio morphology of elliptical dust-lane galaxies. Comparison between CCD images and VLA maps
Möllenhoff, C., Hummel, E., Bender, R. **255**, 35
A sensitive radio continuum survey of low surface brightness dwarf galaxies
Klein, U., Giovanardi, C., Altschuler, D.R., Wunderlich, E. **255**, 49
Gaps and filaments in the synchrotron halo of M82. Evidence for poloidal magnetic fields
Reuter, H.-P., Klein, U., Lesch, H., Wielebinski, R., Kronberg, P.P. **256**, 10
High-energy gamma radiation from extragalactic radio sources
Dermer, C.D., Schlickeiser, R., Mastichiadis, A. **256**, L27
Compact Steep-Spectrum 3 CR sources: VLA observations at 1.5, 15 and 22.5 GHz
van Breugel, W.J.M., Fanti, C., Fanti, R., Stanghellini, C., Schilizzi, R.T., Spencer, R.E. **256**, 56
The stability of current-carrying jets
Appl, S., Camenzind, M. **256**, 354
A statistical analysis of complete samples of BL Lacertae objects
Padovani, P. **256**, 399
The unification of radio galaxies and quasars and their linear size evolution
Gopal-Krishna, Kulkarni, V.K. **257**, 11
VLBI observations of active galactic nuclei at 3 mm
Bååth, L.B., Rogers, A.E.E., Inoue, M., Padin, S., Wright, M.C.H., Zensus, A., Kus, A.J., Backer, D.C., Booth, R.S., Carlstrom, J.E., Dickman, R.L., Emerson, D.T., Hirabayashi, H., Hodges, M.W., Kobayashi, H., Lamb, J., Moran, J.M., Morimoto, M., Plambeck, R.L., Predmore, C.R., Rönnäng, B., Woody, D. **257**, 31
A radio continuum study of the Magellanic Clouds. II. The far-infrared/radio correlation in the Large Magellanic Cloud
Xu, C., Klein, U., Meinert, D., Wielebinski, R., Haynes, R.F. **257**, 47
The curved jets in 3C216 and 3C446
Fejes, I., Porcas, R.W., Akujor, C.E. **257**, 459
Upper limit to the 45-MHz flux density of SN 1987A
Alvarez, H., Aparici, J., May, J., Olmos, F. **257**, 575
Statistics of intraday variability in extragalactic radio sources
Quirrenbach, A., Witzel, A., Krichbaum, T.P., Hummel, C.A., Wegner, R., Schalinski, C.J., Ott, M., Alberdi, A., Rioja, M. **258**, 279
Erratum: Magnetic fields and interstellar gas clouds in the spiral galaxy NGC 6946
Beck, R. **258**, 605
Erratum: The magnetic field structure in the radio halos of NGC 891 and NGC 4631
Hummel, E., Beck, R., Dahlem, M. **258**, 605
High dynamic range VLBI observations of 3C 345 at 18 cm wavelength
Rantakyrö, F.T., Bååth, L.B., Pauliny-Toth, I.I.K., Matveyenko, L.I., Unwin, S.C. **259**, 8
Six years of monitoring 3C 273 at millimetre wavelengths
Steppe, H. **259**, 61
Swinging jets and the variability of active galactic nuclei
Gopal-Krishna, Wiita, P.J. **259**, 109
The jet/interstellar medium interaction and the radiation properties of extragalactic jets
Fraix-Burnet, D. **259**, 445
The large-scale radio structure of 3C 31 and 3C 449
Andernach, H., Feretti, L., Giovannini, G., Klein, U., Rossetti, E., Schnaubelt, J. **259**, 724; **93**, *331*
Combined first- and second-order Fermi acceleration in radio galaxy hot spots
Krülls, W.M. **260**, 49
The compact radio structure of the high redshift quasars 0642 + 449, 1402 + 044, 1614 + 051
Gurvits, L.I., Kardashev, N.S., Popov, M.V., Schilizzi, R.T., Barthel, P.D., Pauliny-Toth, I.I.K., Kellermann, K.I. **260**, 82

Galaxy photometry at millimetric wavelengths
Andreani, P., Franceschini, A. **260**, 89
Optical identifications of faint ultra-steep spectrum radio sources
Wieringa, M.H., Katgert, P. **260**, 556; ***93***, *399*
Monitoring of the superluminal quasar 4C 34.47
Hooimeyer, J.R.A., Barthel, P.D., Schilizzi, R.T., Miley, G.K. **261**, 1
Spectral monitoring of powerful radio sources
Hooimeyer, J.R.A., Miley, G.K., de Waard, G.J., Schilizzi, R.T. **261**, 9
The radio structure of extended quasars. I. A VLBI survey of the nuclear emission
Hooimeyer, J.R.A., Barthel, P.D., Schilizzi, R.T., Miley, G.K. **261**, 18
The radio structure of extended quasars. II. The radio emission on pc- and kpc-scales
Hooimeyer, J.R.A., Schilizzi, R.T., Miley, G.K., Barthel, P.D. **261**, 25
The integrated radio continuum spectrum of M 33: evidence for free-free absorption by cool ionized gas
Israel, F.P., Mahoney, M.J., Howarth, N. **261**, 47
The central region of NGC 613 revisited
Hummel, E., Jörsäter, S. **261**, 85
Images of the BL Lacertae object 1749+701 at 5 GHz
Baath, L.B., Zhang, F.J. **262**, 1
Magnetic field, reconnection, and particle acceleration in extragalactic jets
Romanova, M.M., Lovelace, R.V.E. **262**, 26
High-frequency radio continuum observations of low-luminosity radio galaxies. I. A sample of sources with angular sizes $> 4'$
Gregorini, L., Klein, U., Parma, P., Schlickeiser, R., Wielebinski, R. **262**, 382; ***94***, *13*
Ten years monitoring of extragalactic radio sources at 22, 37 and 87 GHz
Teräsranta, H., Tornikoski, M., Valtaoja, E., Urpo, S., Nesterov, N., Lainela, M., Kotilainen, J., Wiren, S., Laine, S., Nilsson, K., Valtonen, M. **262**, 384; ***94***, *121*
The structure of the hot spots in 3C 295
Taylor, G.B., Perley, R.A. **262**, 417
HCN in the center of the galaxy IC 342 *(Plateau de Bure Series, Paper 4)*
Downes, D., Radford, S.J.E., Guilloteau, S., Guélin, M., Greve, A., Morris, D. **262**, 424
The magnetic field structure of M 51
Neininger, N. **263**, 30
Pattern recognition of the regular magnetic field in disks of spiral galaxies
Sokoloff, D., Shukurov, A., Krause, M. **264**, 396
Anomalous rotation measures of the radio galaxy 3C 194
Taylor, G.B., Inoue, M., Tabara, H. **264**, 415
Anomalous rotation measures of the compact steep spectrum source 3C 318
Taylor, G.B., Inoue, M., Tabara, H. **264**, 421
Radio structure of the Seyfert galaxy Markarian 509
Singh, K.P., Westergaard, N.J. **264**, 489
Multifrequency windows on spiral galaxies. II. The A262 and Cancer clusters
Scodeggio, M., Boselli, A., Gravazzi, G., Trinchieri, G., Garilli, B. **264**, 719; ***94***, *299*
Galactic dynamos and their radio signatures
Elstner, D., Meinel, R., Beck, R. **264**, 723; ***94***, *587*
Tailed radio sources as probes of the intergalactic medium pressure
Feretti, L., Perola, G.C., Fanti, R. **265**, 9
Faraday effects in the spiral galaxy M 51
Horellou, C., Beck, R., Berkhuijsen, E.M., Krause, M., Klein, U. **265**, 417
Related stellar, ionized gas and radio properties of the elliptical galaxies NGC 4782/4783 = 3C 278. Velocity mapping of interacting galaxies
Madejsky, R. **265**, 478
Observational study of the spiral galaxy NGC 6946. I. HI and radio-continuum observations
Boulanger, F., Viallefond, F. **266**, 37
Star formation efficiency in active galaxies
Chini, R., Krügel, E., Kreysa, E. **266**, 177
A northern 2 Jy sample of compact extragalactic radio sources suitable for millimeter and space VLBI observations
Valtaoja, E., Lähteenmäki, A., Teräsranta, H. **266**, 629; ***95***, *73*
X-ray observations of flat spectrum radio sources with the HEAO-A, Einstein and EXOSAT observatories
Biermann, P.L., Schaaf, R., Pietsch, W., Schmutzler, T., Witzel, A., Kühr, H. **266**, 643; ***96***, *339*
Millimeter continuum measurements of extragalactic radio sources. II
Steppe, H., Liechti, S., Mauersberger, R., Kömpe, C., Brunswig, W., Ruiz-Moreno, M. **266**, 646; ***96***, *441*
The RATAN-600 7.6 cm catalogue of radio sources within the interval 22^h–4^h at declination of SS 433
Parijskij, Y.N., Bursov, N.N., Lipovka, N.M., Soboleva, N.S., Temirova, A.V., Chepurnov, A.V. **266**, 649; ***96***, *583*

Radio continuum: general

Observations of a highly polarized radio filament near the great annihilator 1E1740.7-2942
Reich, W., Schlickeiser, R. **256**, 408
Position and morphology of the compact non-thermal radio source at the galactic center
Marcaide, J.M., Alberdi, A., Bartel, N., Clark, T.A., Corey, B.E., Elósegui, P., Gorenstein, M.V., Guirado, J.C., Kardashev, N., Popov, M., Preston, R., Ratner, M.I., Rioja, M.J., Rogers, A.E.E., Shapiro, I.I. **258**, 295
The distribution and nature of small-diameter radio sources along the southern galactic plane
Whiteoak, J.B.Z. **262**, 251
Low-frequency variability and the galactic distribution of electron-density fluctuation
Ghosh, T., Rao, A.P. **264**, 203
Millimeter continuum measurements of extragalactic radio sources. II
Steppe, H., Liechti, S., Mauersberger, R., Kömpe, C., Brunswig, W., Ruiz-Moreno, M. **266**, 646; ***96***, *441*
The RATAN-600 7.6 cm catalogue of radio sources within the interval 22^h–4^h at declination of SS 433
Parijskij, Y.N., Bursov, N.N., Lipovka, N.M., Soboleva, N.S., Temirova, A.V., Chepurnov, A.V. **266**, 649; ***96***, *583*

Radio continuum: interstellar

Evidence for heavy element clumps from the increasing 1300 μm emission from Supernova 987 A
Biermann, P.L., Chini, R., Haslam, C.G.T., Kreysa, E., Lemke, R., Sievers, A. **255**, L5

The rate of decrease of the flux density of Cassiopeia A at 81.5 MHz
Hook, I.M., Duffett-Smith, P.J., Shakeshaft, J.R. **255**, 285
The DRAO galactic-plane survey. III. Field at $l = 85°$
Normandeau, M., Joncas, G., Green, D.A. **255**, 497; **92**, *63*
Radio observations of the bright X-ray supernova remnant G156.2+5.7
Reich, W., Fürst, E., Arnal, E.M. **256**, 214
Observations of a highly polarized radio filament near the great annihilator 1E1740.7-2942
Reich, W., Schlickeiser, R. **256**, 408
Warm neutral halos around molecular clouds. IV. H I and continuum: aperture synthesis observations towards the molecular cloud B 5
Andersson, B.-G., Roger, R.S., Wannier, P.G. **260**, 355
The distribution and nature of small-diameter radio sources along the southern galactic plane
Whiteoak, J.B.Z. **262**, 251
Submm/mm observations of the Monoceros R2 cloud core
Henning, T., Chini, R., Pfau, W. **263**, 285
Low-frequency variability and the galactic distribution of electron-density fluctuation
Ghosh, T., Rao, A.P. **264**, 203
The origin of monoenergetic electrons in the arc of the galactic center. Particle acceleration by magnetic reconnection
Lesch, H., Reich, W. **264**, 493
Polarized arcs near the galactic centre
Haynes, R.F., Stewart, R.T., Gray, A.D., Reich, W., Reich, P., Mebold, U. **264**, 500
Dust emission from star-forming regions. III. The Rho Ophiuchus cloud – where are the low-mass protostars?
Mezger, P.G., Sievers, A., Zylka, R., Haslam, C.G.T., Kreysa, E., Lemke, R. **265**, 743

Radio continuum: solar system

The complete polarization state of a storm of millisecond bursts from Jupiter
Dulk, G.A., Lecacheux, A., Leblanc, Y. **253**, 292

Radio continuum: stars

Quiescent radio emission in UX Arietis
Massi, M., Chiuderi-Drago, F. **253**, 403
Evidence for heavy element dust clumps from the increasing 1300 μm emission from Supernova 1987 A
Biermann, P.L., Chini, R., Haslam, C.G.T., Kreysa, E., Lemke, R., Sievers, A. **255**, L5
A 5 GHz radio survey of selected post T Tauri and naked T Tauri stars
White, S.M., Pallavicini, R., Kundu, M.R. **257**, 557
High-precision VLBI astrometry of the radio-emitting star σ CrB – a step in linking the Hipparcos and extragalactic reference frames
Lestrade, J.-F., Phillips, R.B., Preston, R.A., Gabuzda, D.C. **258**, 112
Modelling Cygnus X-3 radio outbursts: particle injection into twin jets
Martí, J., Paredes, J.M., Estalella, R. **258**, 309
Radio flares and magnetic fields on weak-line T Tauri stars
White, S.M., Pallavicini, R., Kundu, M.R. **259**, 149
Dynamic phenomena on the RS Canum Venaticorum binary II Pegasi in August 1989. II. An interpretation
Doyle, J.G., van den Oord, G.H.J., Kellett, B.J. **262**, 533
Radio and X-ray emission from main-sequence K stars
Güdel, M. **264**, L31
Optical positions of radio stars observed with the meridian circle of the Real Instituto y Observatorio de la Armada en San Fernando
Muiños, J.L., Caparrós, R., Cayetano, J.M., Gutiérrez, F. **266**, 632; **95**, *269*
Dynamic phenomena on the RS Canum Venaticorum binary II Pegasi in August 1989. I. Observational data
Doyle, J.G., Kellett, B.J., Butler, C.J., Byrne, P.B., Neff, J.E., Brown, A., Fox, D., Linsky, J.E., Bromage, G.E., Avgoloupis, S., Mavridis, L.N., Seiradakis, J.H., Mathioudakis, M., Murphy, H.M., Krzesinski, J., Pajdosz, G., Dadonas, V., Sperauskas, J., van Wyk, F., Marang, F., Olah, K., Collier Cameron, A., Antonopoulou, E., Rovithis, P., Rovithis-Livaniou, H. **266**, 644; **96**, *351*
Astrometric observations of radio stars α Scorpii A and 9 Sagittarii
Noël, F., Débarbat, S. **266**, 648; **96**, *567*

Radio lines: atomic

Kinematics of the extended H I disk of NGC 628. High velocity gas and deviations from circular rotation
Kamphuis, J., Briggs, F. **253**, 335
Observational evidence for a high velocity cloud collision
Meyerdierks, H. **253**, 515
Cavities around progenitors of Ib SNe: Effelsberg H I observations towards six galactic Wolf-Rayet stars
Arnal, E.M. **254**, 305
The Hercules H I shell: distances of the gas clouds and topography of the shell
Lilienthal, D., Hirth, W., Mebold, U., de Boer, K.S. **255**, 323
The DRAO galactic-plane survey. III. Field at $l = 85°$
Normandeau, M., Joncas, G., Green, D.A. **255**, 497; **92**, *63*
The mass distribution of the dwarf spiral NGC 1560
Broeils, A.H. **256**, 19
Radio observations of the bright X-ray supernova remnant G156.2+5.7
Reich, W., Fürst, E., Arnal, E.M. **256**, 214
Millimeter recombination lines in the planetary nebula BD+30° 3639
Bachiller, R., Huggins, P.J., Martín-Pintado, J., Cox, P. **256**, 231
A Westerbork search for high redshift H I
Wieringa, M.H., de Bruyn, A.G., Katgert, P. **256**, 331
Monitoring of the recombination line maser in MWC349
Thum, C., Martín-Pintado, J., Bachiller, R. **256**, 507
Observational data for the kinematics of the local universe. I. Radial velocity measurements
Bottinelli, L., Durand, N., Fouqué, P., Garnier, R., Gouguenheim, L., Paturel, G., Teerikorpi, P. **257**, 846; **93**, *173*
Atomic carbon near the molecular cloud/H II region interface in S 140
Hernichel, J., Krause, D., Röhrig, R., Stutzki, J., Winnewisser, G. **259**, L77
Warm neutral halos around molecular clouds. IV. H I and continuum: aperture synthesis observations towards the molecular cloud B 5
Andersson, B.-G., Roger, R.S., Wannier, P.G. **260**, 355
A very dense H I filament within the Local Hot Bubble
Wennmacher, A., Lilienthal, D., Herbstmeier, U. **261**, L9

Interactions of stars and interstellar matter in Scorpio Centaurus
de Geus, E.J. **262**, 258

Structure and kinematics of neutral hydrogen gas in the Large Magellanic Cloud
Luks, T., Rohlfs, K. **263**, 41

NGC 1792: surprising radio properties
Dahlem, M. **264**, 483

Observational study of the spiral galaxy NGC 6946. I. H I and radio-continuum observations
Boulanger, F., Viallefond, F. **266**, 37

H I-observations of galaxies in the zone of avoidance in Puppis
Kraan-Korteweg, R.C., Huchtmeier, W.K. **266**, 150

New H I observations for some edge-on spiral galaxies
Garcia, A.M., Bottinelli, L., Garnier, R., Gouguenheim, L., Paturel, G. **266**, 645; **96**, *435*

A study of the neutral hydrogen in direction to the Gum nebula
Dubner, G., Giacani, E., Cappa de Nicolau, C., Reynoso, E. **266**, 647; **96**, *505*

Radio lines: molecular: circumstellar

The circumstellar envelope of the carbon star S Scuti
Olofsson, H., Carlström, U., Eriksson, K., Gustafsson, B. **253**, L17

Discovery of a fast, bipolar mass-outflow from the prototype S-star π^1 Gruis
Sahai, R. **253**, L33

Erratum: The post-AGB evolution of low-mass stars
Alcolea, J., Bujarrabal, V. **253**, 333

^{29}SiO and ^{30}SiO maser emission from evolved stars
Alcolea, J., Bujarrabal, V. **253**, 475

Detection of compact SiO maser emission at 43 GHz using a European very long baseline interferometer
Colomer, F., Graham, D.A., Krichbaum, T.P., Rönnäng, B.O., de Vicente, P., Witzel, A., Barcia, A., Baudry, A., Booth, R.S., Gómez-González, J., Alcolea, J., Daigne, G. **254**, L17

Millimeter recombination lines in the planetary nebula BD+30° 3639
Bachiller, R., Huggins, P.J., Martín-Pintado, J., Cox, P. **256**, 231

Isotopic abundances in carbon-rich circumstellar envelopes: a further iteration on the oxygen isotope puzzle
Kahane, C., Cernicharo, J., Gómez-González, J., Guélin, M. **256**, 235

Monitoring of the recombination line maser in MWC349
Thum, C., Martín-Pintado, J., Bachiller, R. **256**, 507

The molecular emission of young preplanetary nebulae
Bujarrabal, V., Alcolea, J., Planesas, P. **257**, 701

A survey of circumstellar CO emission from a sample of IRAS point sources
Nyman, L.-Å, Booth, R.S., Carlström, U., Habing, H.J., Heske, A., Sahai, R., Stark, R., van der Veen, W.E.C.J., Winnberg, A. **257**, 845; **93**, *121*

Interferometric observations of HCN ($v=2$) emission from IRC +10216
Lucas, R., Guilloteau, S. **259**, L23

The molecular structure of CRL 618
Phillips, J.P., Williams, P.G., Mampaso, A., Ukita, N. **260**, 283

Interferometric observations of SiO $v=0$ thermal emission from evolved stars *(Plateau de Bure Series, Paper 2)*
Lucas, R., Bujarrabal, V., Guilloteau, S., Bachiller, R., Baudry, A., Cernicharo, J., Delannoy, J., Forveille, T., Guélin, M., Radford, S.J.E. **262**, 491

CRL 618: the nature of the 200 km s^{-1} molecular outflow *(Plateau de Bure Series, Paper 3)*
Neri, R., García-Burillo, S., Guélin, M., Cernicharo, J., Guilloteau, S., Lucas, R. **262**, 544

The IRAM interferometer on Plateau de Bure *(Plateau de Bure Series, Paper 1)*
Guilloteau, S., Delannoy, J., Downes, D., Greve, A., Guélin, M., Lucas, R., Morris, D., Radford, S.J.E., Wink, J., Cernicharo, J., Forveille, T., García-Burillo, S., Neri, R., Blondel, J., Perrigouard, A., Plathner, D., Torres, M. **262**, 624

Carbon-bearing molecules in the envelopes around oxygen-rich stars. First detection of formaldehyde in an oxygen-rich circumstellar envelope
Lindqvist, M., Olofsson, H., Winnberg, A., Nyman, L.-A. **263**, 183

Sub-millimetre molecular lines in the circumstellar envelope IRC+10216
Williams, P.G., White G.J. **266**, 365

Chemistry in the molecular envelopes of the planetary nebulae NGC 6072 and IC 4406
Cox, P., Omont, A., Huggins, P.J., Bachiller, R., Forveille, T. **266**, 420

Radio lines: molecular: interstellar

Interstellar detection of deuterated methyl acetylene
Gerin, M., Combes, F., Wlodarczak, G., Encrenaz, P., Laurent, C. **253**, L29

Carbon monoxide in active galaxies
Chini, R., Krügel, E., Steppe, H. **255**, 87

A study of HCN, HNC and their isotopomers in OMC-1. I. Abundances and chemistry
Schilke, P., Walmsley, C.M., Pineau des Forêts, G., Roueff, E., Flower, D.R., Guilloteau, S. **256**, 595

Hot ammonia toward ultracompact H II regions
Cesaroni, R., Walmsley, C.M., Churchwell, E. **256**, 618

The internal structure of molecular clouds. III. Evidence for molecular depletion in the NGC 2024 condensations
Mauersberger, R., Wilson, T.L., Mezger, P.G., Gaume, R., Johnston, K.J. **256**, 640

The structure of the high-latitude molecular cloud toward HD 210121
Gredel, R., van Dishoeck, E.F., de Vries, C.P., Black, J.H. **257**, 245

The molecular cloud content of early–type galaxies. III. A nuclear molecular ring in NGC 3593
Wiklind, T., Henkel, C. **257**, 437

The detection of the CO emission of the elliptical galaxy NGC 7176
Huchtmeier, W.K., Tammann, G.A. **257**, 455

The small-scale density and velocity structure of quiescent molecular clouds
Falgarone, E., Puget, J.-L., Pérault, M. **257**, 715

Isotopic CO observations of M 17(SW)
Greaves, J.S., White, G.J., Williams, P.G. **257**, 731

Search for acetic acid in interstellar clouds
Wootten, A., Wlodarczak, G., Mangum, J.G., Combes, F., Encrenaz, P.J., Gerin, M. **257**, 740

Search for H_2D^+ at 372 GHz in dense interstellar clouds
Pagani, L., Wannier, P.G., Frerking, M.A., Kuiper, T.B.H., Gulkis, S., Zimmermann, P., Encrenaz, P.J., Whiteoak, J.B., Destombes, J.L., Pickett, H.M. **258**, 472
Molecular abundances in the Sagittarius A molecular cloud
Minh, Y.C., Irvine, W.M., Friberg, P. **258**, 489
Interstellar detection of deuterated methyl cyanide
Gerin, M., Combes, F., Wlodarczak, G., Jacq, T., Guélin, M., Encrenaz, P., Laurent, C. **259**, L35
Molecular clouds in a polar ring
Combes, F., Braine, J., Casoli, F., Gerin, M., van Driel, W. **259**, L65
A molecular outflow associated with Herbig-Haro jet HH 46/47
Olberg, M., Reipurth, B., Booth, R.S. **259**, 252
UV irradiated clumps in the Orion A molecular cloud: interpretation of low-*J* CO observations
Gierens, K.M., Stutzki, J., Winnewisser, G. **259**, 271
Observations of five molecular species in absorption towards Sagittarius B2
Greaves, J.S., White, G.J., Ohishi, M., Hasegawa, T., Sunada, K. **260**, 381
A survey of CH emission in molecular outflows
Magnani, L., Sandell, G., Lada, E.A. **260**, 558; ***93***, *509*
Maser search towards young stellar objects
Henning, T., Cesaroni, R., Walmsley, M., Pfau, W. **260**, 558; ***93***, *525*
Submillimeter observations of vibrationally excited NH_3 towards Orion-KL
Schilke, P., Güsten, R., Schulz, A., Serabyn, E., Walmsley, C.M. **261**, L5
Ground-based searches for interstellar H_2D^+
van Dishoeck, E.F., Phillips, T.G., Keene, J., Blake, G.A. **261**, L13
CO line formation in bipolar flows. III. The energetics of molecular flows and ionized winds
Cabrit, S., Bertout, C. **261**, 274
G54.4–0.3: CO shell and star formation region surrounding a shell-type supernova remnant. II. Compact CO clouds and the star formation scenario
Junkes, N., Fürst, E., Reich, W. **261**, 289
The physical structure of the small and isolated cometary globule Orion-I-2
Cernicharo, J., Bachiller, R., Duvert, G., González-Alfonso, E., Gómez-González, J. **261**, 589
Detection of an intergalactic molecular complex?
Brouillet, N., Henkel, C., Baudry, A. **262**, L5
A search for moderate redshift CO absorption
Douglas, N.G., Radford, S.J.E., Roland, J., Webb, J.K. **262**, 8
Search for molecular gas in polar ring galaxies and the giant low surface brightness galaxy Malin 1
Radford, S.J.E. **262**, 13
HCN in the center of the galaxy IC 342 *(Plateau de Bure Series, Paper 4)*
Downes, D., Radford, S.J.E., Guilloteau, S., Guélin, M., Greve, A., Morris, D. **262**, 424
The IRAM interferometer on Plateau de Bure *(Plateau de Bure Series, Paper 1)*
Guilloteau, S., Delannoy, J., Downes, D., Greve, A., Guélin, M., Lucas, R., Morris, D., Radford, S.J.E., Wink, J., Cernicharo, J., Forveille, T., García-Burillo, S., Neri, R., Blondel, J., Perrigouard, A., Plathner, D., Torres, M. **262**, 624
A molecular line survey of the merger NGC 3256
Casoli, F., Dupraz, C., Combes, F. **264**, 49
The physical and chemical state of a dense core in the high-latitude cloud MCLD 123.5+24.9
Großmann, V., Heithausen, A. **264**, 195
An analysis of OH excited state absorption lines in DR 21 and K 3-50
Jones, K.N., Doel, R.C., Field, D., Gray, M.D., Walker, R.N.F. **264**, 220
Observations of radio lines from unresolved sources: telescope coupling, Doppler effects, and cosmological corrections
Gordon, M.A., Baars, J.W.M., Cocke, W.J. **264**, 337
A CO(1-0) and CO(2-1) survey of nearby spiral galaxies. II. Physical conditions in the nuclear gas
Braine J., Combes, F. **264**, 433
Large-scale interaction of the H II region and the quiescent gas in Orion A
Rodriguez-Franco, A., Pintado-Martín, J., Gómez-González, J., Planesas, P. **264**, 592
CO(J=4–3) map of OMC 1
Schulz, A., Krügel, E., Beckmann, U. **264**, 629
Star formation and molecular clouds in blue compact galaxies
Sage, L.J., Salzer, J.J., Loose, H.-H., Henkel, C. **265**, 19
First observations of young bipolar outflows with the IRAM interferometer: 2″ resolution SiO images of the molecular jet in L 1448
Guilloteau, S., Bachiller, R., Fuente, A., Lucas, R. **265**, L49
Deducing a molecular ring structure in the nucleus of NGC 4945 from CO line profiles
Bergman, P., Aalto, S., Black, J.H., Rydbeck, G. **265**, 403
CO emission from radio quiet quasars: new detections support a thermal origin for the FIR emission
Alloin, D., Barvainis, R., Gordon, M.A., Antonucci, R.R.J. **265**, 429
CO observations in NGC 604. I. Physical properties
Viallefond, F., Boulanger, F., Cox, P., Lequeux, J., Pérault, M., Vogel, S.N. **265**, 437
A multi-line study of the molecular interstellar medium in M 82's starburst nucleus
Wild, W., Harris, A.I., Eckart, A., Genzel, R., Graf, U.U., Jackson, J.M., Russell, A.P.G., Stutzki, J. **265**, 447
Molecular-line emission from the centres of Centaurus A and other southern galaxies
Israel, F.P. **265**, 487
Carbon monoxide and far-infrared observations of the S 155–Cepheus B region
Minchin, N.R., Ward-Thompson, D., White, G.J. **265**, 733
Molecular gas distribution and dynamics of the edge-on spiral galaxy NGC 891. Discovery of a molecular halo
García-Burillo, S., Guélin, M., Cernicharo, J., Dahlem, M. **266**, 21
High resolution CO observations of S88-B
White, G.J., Fridlung, C.V.M. **266**, 452
The abundance of nitric oxide in molecular clouds
Gerin, M., Viala, Y., Pauzat, F., Ellinger, Y. **266**, 463
The edge of a molecular cloud: observations of millimetric ^{13}CO and $C^{18}O$ transitions in W 40
Vallée, J.P., Guilloteau, S., MacLeod, J.M. **266**, 520
The gas distribution in the central region of the Galaxy. V. ^{12}CO in the direction of the Sagittarius source complex
Burton, W.B., Liszt, H.S. **266**, 628; ***95***, *9*
G54.4–0.3: CO shell and star formation region surrounding a shell-type supernova remnant. I. Properties of the CO shell
Junkes, N., Fürst, E., Reich, W. **266**, 638; ***96***, *1*

H_2CO survey in the Galactic Center: $0.^{\circ}5 \leqq l \leqq 4.^{\circ}0$
Zylka, R., Güsten, R., Henkel, C., Batria, W. **266**, 647; **96**, *525*

Reference systems

CPC 2 – the Second Cape Photographic Catalog. II. Conventional plate adjustment and catalog construction
Zacharias, N., de Vegt, C., Nicholson, W., Penston, M.J. **254**, 397
In-orbit performance of the Hipparcos astrometry satellite
Perryman, M.A.C., Høg, E., Kovalevsky, J., Lindegren, L., Turon, C., Bernacca, P.L., Crézé, M., Donati, F., Grenon, M., Grewing, M., van Leeuwen, F., van der Marel, H., Murray, C.A., Le Poole, R.S., Schrijver, H. **258**, 1
The NDAC Hipparcos data analysis consortium. Overview of the reduction methods
Lindegren, L., Høg, E., van Leeuwen, F., Murray, C.A., Evans, D.W., Penston, M.J., Perryman, M.A.C., Petersen, C., Ramamani, N., Snijders, M.A.J., Söderhjelm, S., Andreasen, G.K., Cruise, A.M., Elton, N., Lund, N., Poder, K. **258**, 18
Method of comparison between determinations of the Hipparcos attitude
Donati, F., Sechi, G. **258**, 46
The Hipparcos Input Catalogue. II. Astrometric data
Jahreiß, H., Réquième, Y., Argue, A.N., Dommanget, J., Rousseau, M., Lederle, T., Le Poole, R.S., Mazurier, J.M., Morrison, L.V., Nys, O., Penston, M.J., Périé, J.P., Prévot, L., Tucholke, H.-J., de Vegt, C. **258**, 82
High-precision VLBI astrometry of the radio-emitting star σ CrB – a step in linking the Hipparcos and extragalactic reference frames
Lestrade, J.-F., Phillips, R.B., Preston, R.A., Gabuzda, D.C. **258**, 112
Comparison of the first results from the Hipparcos star mappers with the Hipparcos Input Catalogue
Turon, C., Arenou, F., Evans, D.W., van Leeuwen, F. **258**, 125
Positions and parallaxes from the Hipparcos satellite. A first attempt at a global astrometric solution
Lindegren, L., van Leeuwen, F., Petersen, C., Perryman, M.A.C., Söderhjelm, S. **258**, 134
Optical astrometric positions of southern quasars
Assafin, M., Vieira Martins, R. **259**, 722; **93**, *247*
Global block adjustment simulations using the CPC 2 data structure
Zacharias, N. **264**, 296
Santiago Fundamental Catalogue. A catalogue of 1105 FK5 stars (equinox J2000.0)
Carrasco, G., Loyola, P. **266**, 633; **95**, *355*
Optical astrometry of Benchmark radio sources. I
Costa, E., Loyola, P. **266**, 641; **96**, *183*
Catalogue of stars observed with the photoelectric astrolabe CERGA (1988–1991) (*Text in French*)
Vigouroux, G., Billaud, G., Boche, R., Chauvineau, B., Furia, M., Journet, A., Kovalevsky, J. **266**, 646; **96**, *477*

Relativity

Relativistic geocentric satellite equations of motion in closed form
Brumberg, V.A. **257**, 777
Ultrarelativistic hydrodynamics: high-resolution shock-capturing methods
Marquina, A., Martí, J.M., Ibáñez, J.M., Miralles, J.A., Donat, R. **258**, 566
Resonant asteroids and the equivalence principle
Plastino, A.R., Vucetich, H. **262**, 321
Two theorems in multiple deflection gravitational lens theory
Seitz, S., Schneider, P. **265**, 1

Shock waves

Acoustic waves in the solar atmosphere. IX. Three minute pulsations driven by shock overtaking
Rammacher, W., Ulmschneider, P. **253**, 586
Electron acceleration at a supernova blast wave. A model for the prompt radio flare from SN 1987 A
Kirk, J.G., Wassmann, M. **254**, 167
Atmospheric motions in the population II Cepheid W Virginis
Lèbre, A., Gillet, D. **255**, 221
Radiative shocks in atomic and molecular stellar-like atmospheres. V. Influence of the excited level of the hydrogen atom: the precursor structure
Huguet, E., Gillet,D., Lafon, J.-P.J. **255**, 233
An analytical solution for the heliopause boundary and its comparison with numerical solutions
Ratkiewicz, R. **255**, 383
Shock drift acceleration for a near-perpendicular shock in a turbulent astrophysical plasma
Newman, P.L., Moussas, X., Quenby, J.J., Valdes-Galicia, J.F., Theodossiou-Ekaterinidi, Z. **255**, 443
Atmospheric model and dynamical state of the atmosphere of the supergiant Eta Leonis (A0Ib)
Lobel, A., Achmad, L., de Jager, C., Nieuwenhuijzen, H. **256**, 159
Erratum: Instability and clumping in SN 1987 A
Müller, E., Fryxell, B., Arnett, D. **256**, 322
Dynamics and spectra of magnetically cushioned radiative shocks
Innes, D.E. **256**, 660
Speckle observations of solar granulation
de Boer, C.R., Kneer, F., Nesis, A. **257**, L4
High-resolution spectroscopy of the inner R Aquarii nebula: evidence for bow shock excitation by collimated wind from the symbiotic system
Solf, J. **257**, 228
Optical kinematics in the Cygnus Loop. II. Interpretation
Greidanus, H., Strom, R.G. **257**, 265
The atmospheric motion of the β Cephei star: 12 Lacertae
Mathias, P., Gillet, D., Crowe, R. **257**, 681
Ultrarelativistic hydrodynamics: high-resolution shock-capturing methods
Marquina, A., Martí, J.M., Ibáñez, J.M., Miralles, J.A., Donat, R. **258**, 566
On the origin of the alternating deep and shallow light minima in RV Tauri stars: R Scuti and AC Herculis
Gillet, D. **259**, 219
R Aquarii: an attempt at a unified model
Burgarella, D., Vogel, M., Paresce, F. **262**, 83
The self-consistent acceleration of cosmic rays in modified shocks with Bohm-type diffusion
Duffy, P. **262**, 281
Fluid motions in the solar atmosphere. III. A possible explanation of the downflows
Qing-Qi Cheng **262**, 581
Alfvén wave transmission and stochastic particle acceleration at parallel astrophysical shock waves
Campeanu, A., Schlickeiser, R. **263**, 413

Steady gas flow with a shock wave in a potential well
Kovalenko, I.G., Levy, V.V. **264**, 406
The emission-line lobes of 3C 368
Meisenheimer, K., Hippelein, H. **264**, 455
The extended line-emission from 3C 352
Hippelein, H., Meisenheimer, K. **264**, 472
A fast simulation method for particle acceleration
Achterberg, A., Krülls, W.M. **265**, L13
Collisions between a white dwarf and a main-sequence star. II. Simulations using multiple-nested refined grids
Ruffert, M. **265**, 82
The applicability of the linearized theory of sound-wave driven winds
Koninx, J.-P.M., Pijpers, F.P. **265**, 183
Circumstellar dust shells around long-period variables. I. Dynamical models of C-stars including dust formation, growth and evaporation
Fleischer, A.J., Gauger, A., Sedlmayr, E. **266**, 321
A semi-empirical model for the X-ray emission from single Wolf-Rayet stars
Baum, E., Hamann, W.-R., Koesterke, L., Wessolowski, U. **266**, 402
Fluid motions in the solar atmosphere. I. On the origin and decay of spicules
Cheng, Q.-Q. **266**, 537
Fluid motions in the solar atmosphere. II. A spicule model with emission lines
Cheng, Q.-Q. **266**, 549

Site testing

How to monitor optimum exposure times for high resolution imaging modes?
Lopez, B. **253**, 635
Optical seeing at La Palma Observatory. I. General guidelines and preliminary results at the Nordic Optical Telescope
Vernin, J., Muñoz-Tuñón, C. **257**, 811
The contribution of the lower atmospheric layers to the seeing at some mountain observatories
Gur'yanov, A.E., Kallistratova, M.A., Kutyrev, A.S., Petenko, I.V., Shcheglov, P.V., Tokovinin, A.A. **262**, 373

Solar system: general

An analytical solution for the heliopause boundary and its comparison with numerical solutions
Ratkiewicz, R. **255**, 383
The Ulysses mission
Wenzel, K.-P., Marsden, R.G., Page, D.E., Smith, E.J. **255**, 498; **92**, *207*
Erratum: Plasma flow inside comet P/Halley
Formisano, V., Amata, E., Cattaneo, M.B., Torrente, P., Johnstone, A., Coates, A., Wilken, B., Jockers, K., Borg, H. **256**, 723
Investigation of macroscopic instabilities at the heliopause boundary surface
Baranov, V.B., Fahr, H.J., Ruderman, M.S. **261**, 341
Optical properties of dust aggregates. I. Wavelength dependence
Kozasa, T., Blum, J., Mukai, T. **263**, 423
Heliospheric interface modifications of interstellar neutral hydrogen compatible with Lyman α glow observations
Quémerais, E., Lallement, R., Bertaux, J.L. **265**, 806

Stars: abundances

Lithium in RS CVn binaries and related chromospherically active stars. I. Observational results
Pallavicini, R., Randich, S., Giampapa, M.S. **253**, 185
The effects of the velocity stratification of a Mira photosphere on line strengths and curves of growth
Scholz, M. **253**, 203
Metallicities from CCD Strömgren photometry of the young cluster NGC 330 and nearby field stars in the Small Magellanic Cloud
Grebel, E.K., Richtler, T. **253**, 359
Which evolution for an Am star?
Berthet, S. **253**, 451
Spectroscopic study of microturbulence in the atmosphere of Arcturus
Takeda, Y. **253**, 487
Astrophysical implications of the direct measurement of the $^{13}N(p,\gamma)^{14}O$ cross section
Arnould, M., Paulus, G., Jorissen, A. **254**, L9
Rotation-induced mixing and lithium depletion in galactic clusters
Charbonnel, C., Vauclair, S., Zahn, J.-P. **255**, 191
Radiative lifetimes in B I using ultraviolet and vacuum-ultraviolet laser-induced fluorescence
O'Brian, T.R., Lawler, J.E. **255**, 420
Oscillator strengths and branching ratios of transitions between low-lying levels in the barium II spectrum
Davidson, M.D., Snoek, L.C., Volten, H., Dönszelmann, A. **255**, 457
High-resolution spectroscopy of the central star of the Red-Rectangle nebula
Waelkens, C., Van Winckel, H., Trams, N.R., Waters, L.B.F.M. **256**, L15
The inhomogeneous distribution of oxygen on the surface of the magnetic Ap star HD 125248
Mathys, G. **256**, L31
Isotopic abundances in carbon-rich circumstellar envelopes: a further iteration on the oxygen isotope puzzle
Kahane, C., Cernicharo, J., Gómez-González, J., Guélin, M. **256**, 235
On the post-T-Tauri nature of late-type visual companions to B-type stars
Martín, E.L., Magazzù, A., Rebolo, R. **257**, 186
On the contribution of ^{22}Ne to the synthesis of ^{54}Fe and ^{58}Ni in thermonuclear supernovae
Bravo, E., Isern, J., Canal, R., Labay, J. **257**, 534
Chemical abundances in symbiotic nebulae
de Freitas Pacheco, J.A., Costa, R.D.D. **257**, 619
A new age–metallicity relation for Galactic globular clusters in the α-enhanced scenario: cosmological implications
Catelan, M., de Freitas Pacheco, J.A. **258**, L5
Magnetically confined wind on the Ap star 53 Camelopardalis?
Babel, J. **258**, 449
The origin of the extremely metal-poor post-AGB stars
Mathis, J.S., Lamers H.J.G.L.M. **259**, L39
Chemical composition effects and double-mode RR Lyrae masses
Kovács, G., Buchler, J.R., Marom, A., Iglesias, C.A., Rogers, F.J. **259**, L46
Numerical experiments on the effects of horizontal turbulent diffusion on transport by meridional circulation
Charbonneau, P. **259**, 134

An investigation of the effects of rotational broadening on abundance determinations. I. HgMn stars
Ansari, S.G. **259**, 211
The age of the Galaxy from thorium in G dwarfs, a re-analysis
Morell, O., Källander, D., Butcher, H.R. **259**, 543
On the starspot temperature of HD 12545
Strassmeier, K.G., Oláh, K. **259**, 595
Metallicity of the star III-17 in the bulge globular cluster NGC 6553
Barbuy, B., Castro, S., Ortolani, S., Bica, E. **259**, 607
Synthetic Mg_1, Mg_2 and Mgb indices: relative intensities of molecular bands as a function of stellar parameters
Barbuy, B., Erdelyi-Mendes, M., Milone, A. **259**, 722; ***93***, *235*
The extreme helium star BD−9° 4395
Jeffery, C.S., Heber, U. **260**, 133
Theoretical model of the binary system ϑ^2 Tauri. I. Evolutionary status of ϑ^2 Tauri and its implications for Hyades chemical composition
Królikowska, M. **260**, 183
Fluorine production in thermal pulses on the asymptotic giant branch
Forestini, M., Goriely, S., Jorissen, A., Arnould, M. **261**, 157
Fluorine in red giant stars: evidence for nucleosynthesis
Jorissen, A., Smith, V.V., Lambert, D.L. **261**, 164
Oxygen abundances in F and G dwarfs derived from the [O I] line at 6300 Å
Nissen, P.E., Edvardsson, B. **261**, 255
The reconciliation of the several calibrations of the horizontal-branch absolute magnitude as a function of metallicity: a progress report
Catelan, M. **261**, 443
The Sandage effect revisited
Catelan, M. **261**, 457
CNO overabundances in six stars of ω Centauri
Milone, A., Barbuy, B., Spite, M., Spite, F. **261**, 551
Oxygen abundances in halo stars as tests of galaxy formation
Matteuci, F., François, P. **262**, L1
A scenario for the selective depletion of stellar atmospheres
Waters, L.B.F.M., Trams, N.R., Waelkens, C. **262**, L37
Chemical abundances in early B-type stars. IV. He, CNO, and Si abundances
Kilian, J. **262**, 171
Light element abundances in barium stars
Barbuy, B., Jorissen, A., Rossi, S.C.F., Arnould, M. **262**, 216
Molecular opacities for solar and enhanced CNO abundances: relevance for accretion disks
Sharp, C.M. **262**, 382; ***94***, *1*
Basic relations between physical parameters of Wolf-Rayet stars
Schaerer, D., Maeder, A. **263**, 129
The Spacelab-1 very wide field survey of UV-excess objects. III. Analysis of the IUE high-resolution spectra of two very hot sdO stars
Deleuil, M., Viton, M. **263**, 190
The 1992 detailed analyses of α Centauri A and α Centauri B
Chmielewski, Y., Friel, E., Cayrel de Strobel, G., Bentolila, C. **263**, 219
Stratification of chemical elements in the atmosphere of the Ap star 53 Camelopardalis
Babel, J., Lanz, T. **263**, 232
A fine analysis of calcium and iron lines in the spectrum of the subdwarf Groombridge 1830
Smith, G., Lambert, D.L., Ruck, M.J. **263**, 249
Lithium observations for two extremely active giant stars
de Medeiros, J.R., Lèbre, A. **264**, L21
The chemical composition of the high velocity post-AGB star HD 56126 (F 5I)
Parthasarathy, M., García Lario, P., Pottasch, S.R. **264**, 159
On the rate of destruction of lithium in late-type main-sequence stars
Christensen-Dalsgaard, J., Gough, D.O., Thompson, M.J. **264**, 518
Helium enrichment in massive early type stars
Langer, N. **265**, L17
The metal-rich globular cluster NGC 6553: clump morphology and age
Demarque, P., Lee, Y.-W. **265**, 40
New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars and subgiants
Charbonnel, C., Vauclair, S. **265**, 55
Circulation and turbulence in rotating stars
Zahn, J.-P. **265**, 115
Derivation of the age-metallicity relation and initial mass function of stars in the solar neighbourhood
Rana, N.C., Basu, S. **265**, 499
The WO stars. I. Helium in the optical spectrum of Sand 4
Polcaro, V.F., Viotti, R., Rossi, C., Norci, L. **265**, 563
Non-LTE line formation for iron group elements. I. Fe v
Becker, S.R., Butler, K. **265**, 647
Medium resolution spectroscopy of field stars in the SMC and the LMC
Thévenin, F., Jasniewicz, G. **266**, 85
The formation of weak metal lines in the atmospheres of O-stars. The role of microturbulence and transonic matter outflow
Kudritzki, R.P. **266**, 395
The A and Am-Fm stars. II. Equivalent widths for the Li region, microturbulence, and comments on curious-looking line profiles
Coupry, M.F., Burkhart, C. **266**, 628; ***95***, *41*
A catalogue of [Fe/H] determinations: 1991 edition
Cayrel de Strobel, G., Hauck, B., François, P., Thévenin, F., Friel, E., Mermilliod, M., Borde, S. **266**, 632; ***95***, *273*
Membership, binarity and metallicity of red giants in the open cluster NGC 6134
Claria, J.J., Mermilliod, J.-C. **266**, 635; ***95***, *429*

Stars: activity

An extremely active giant star: HD 218153
de Medeiros, R.J., Mayor, M., Simon, T. **254**, L36
The long-period symbiotic binary CH Cygni. II. The M giant component: increasing pulsation period and spot-like activity
Mikolajewski, M., Mikolajewska, J., Khudyakova, T.N. **254**, 127
Photospheric activity of HD 220140, the optical counterpart of the X-ray source H 2311+77
Mantegazza, L., Poretti, E., Antonello, E., Bossi, M. **256**, 459
The effect of irradiation in Algol-type binaries: metallicity and position in the HR diagram
Claret, A., Giménez, A. **256**, 572
A 5 GHz radio survey of selected post T Tauri and naked T Tauri stars
White, S.M., Pallavicini, R., Kundu, M.R. **257**, 557
Long-term photometric variations in DH Leonis
Aslan, Z., Derman, E., Akalin, A., Özdemir, T. **257**, 580

Magnetic structure in cool stars. XVIII. UV-line emissions from T Tauri stars
Lemmens, A.F.P., Rutten, R.G.M., Zwaan, C. **257**, 671
Nearly simultaneous observations of chromospheric and coronal radiative losses of cool stars
Schrijver, C.J., Dobson, A.K., Radick, R.R. **258**, 432
Time-series photometric spot modeling. I. Parameter study and application to HD 17433 = VY Arietis
Strassmeier, K.G., Bopp, B.W. **259**, 183
Spectrum variations of HD 215441 (Babcock's star)
Malanushenko, V.P., Polosukhina, N.S., Weiss, W.W. **259**, 567
On the starspot temperature of HD 12545
Strassmeier, K.G., Oláh, K. **259**, 595
Surface distribution of active regions as a probe of internal stellar rotation
Belvedere, G. **261**, 475
The FK Comae-type candidate 1E 1751 + 7046: *UBVRI* photometry
Jetsu, L., Anttila, R., Dmitrienko, E., Grankin, K.N., Huovelin, J., Melnikov, S.Y., Shevchenko, V.S., Tuominen, I. **262**, 188
Chromospheres of late-type active and quiescent dwarfs. III. Variability of Ca II H emission profiles
García López, R.J., Crivellari, L., Beckman, J.E., Rebolo, R. **262**, 195
Chromospheric heating in late-type dwarfs: acoustic or magnetic?
Mathioudakis, M., Doyle, J.G. **262**, 523
A long-duration optical flare on the FK Comae-type star HD 32918 (= YY Mensae)
Cutispoto, G., Pagano, I., Rodonò, M. **263**, L3
Why rapid rotators have polar spots
Schüssler, M., Solanki, S.K. **264**, L13
Lithium observations for two extremely active giant stars
de Medeiros, J.R., Lèbre, A. **264**, L21
Radio and X-ray emission from main-sequence K stars
Güdel, M. **264**, L31
Long-term stability of the light curves of CQ Ursae Majoris
Jetsu, L., Kokko, M., Tuominen, I. **265**, 547
On the choice of chromospheric activity indices for lower main-sequence stars
Teplitskaya, R.B. **265**, 701
Chromospheric activity and stellar evolution: clues from IUE data
Pasquini, L., Brocato, E. **266**, 340
Long-term monitoring of active stars. I. 1988–89 *UBV* photometry with the Phoenix APT
Rodonó, M., Cutispoto, G. **266**, 629; **95**, *55*
Long-term monitoring of active stars. II. *UBV (RI)*$_c$ observations at ESO during January-March 1989
Cutispoto, G. **266**, 634; **95**, *397*

Stars: asymptotic, post-asymptotic giant branch (AGB, post-AGB)

The circumstellar envelope of the carbon star S Scuti
Olofsson, H., Carlström, U., Eriksson, K., Gustafsson, B. **253**, L17
Discovery of a fast, bipolar mass-outflow from the prototype S-star π^1 Gruis
Sahai, R. **253**, L33
The effects of the velocity stratification of a Mira photosphere on line strengths and curves of growth
Scholz, M. **253**, 203
Erratum: The post-AGB evolution of low-mass stars
Alcolea, J., Bujarrabal, V. **253**, 333
Measure of the grain velocity structure in the circumstellar envelope "Frosty Leo"
Dougados, C., Rouan, D., Léna, P. **253**, 464
^{29}SiO and ^{30}SiO maser emission from evolved stars
Alcolea, J., Bujarrabal, V. **253**, 475
On the 21-μm feature of pre-planetary nebulae
Sourisseau, C., Coddens, G., Papoular, R. **254**, L1
Astrophysical implications of the direct measurement of the $^{13}N(p,\gamma)^{14}O$ cross section
Arnould, M., Paulus, G., Jorissen, A. **254**, L9
An extremely active giant star: HD 218153
de Medeiros, R.J., Mayor, M., Simon, T. **254**, L36
IUE observations of UV-bright stars in M3
Buzzoni, A., Cacciari, C., Fusi Pecci, F., Buonanno, R., Corsi, C.E. **254**, 110
The long-period symbiotic binary CH Cygni. II. The M giant component: increasing pulsation period and spot-like activity
Mikolajewski, M., Mikolajewska, J., Khudyakova, T.N. **254**, 127
A complete survey of OH/IR objects from the IRAS LRS sources within a domain of the color diagram
Le Squeren, A.M., Sivagnanam, P., Dennefeld, M., David, P. **254**, 133
Radiative shocks in atomic and molecular stellar-like atmospheres. V. Influence of the excited level of the hydrogen atom: the precursor structure
Huguet, E., Gillet,D., Lafon, J.-P.J. **255**, 233
OH/IR stars close to the galactic centre. I. Observational data
Lindqvist, M., Winnberg, A., Habing, H.J., Matthews, H.E. **255**, 496; **92**, *43*
Isotopic abundances in carbon-rich circumstellar envelopes: a further iteration on the oxygen isotope puzzle
Kahane, C., Cernicharo, J., Gómez-González, J., Guélin, M. **256**, 235
Erratum: The evolution of carbon stars in the Magellanic Clouds
Westerlund, B.E., Azzopardi, M., Breysacher, J., Rebeirot, E. **256**, 326; **92**, *683*
Evolved stars with high velocity H_2O maser features: bipolar outflows with velocity symmetry
Likkel, L., Morris, M., Maddalena, R.J. **256**, 581
The molecular emission of young preplanetary nebulae
Bujarrabal, V., Alcolea, J., Planesas, P. **257**, 701
Computation of ephemerides for long-period variable stars for the Hipparcos mission
Mennessier, M.O., Barthés, D., Boughaleb, H., Figueras, F., Mattei, J.A. **258**, 99
Weak chaos in long-period variables
Icke, V., Frank, A., Heske, A. **258**, 341
Interferometric observations of Mira (*o* Ceti)
Quirrenbach, A., Mozurkewich, D., Armstrong, J.T., Johnston, K.J., Colavita, M.M., Shao, M. **259**, L19
Interferometric observations of HCN ($v=2$) emission from IRC +10216
Lucas, R., Guilloteau, S. **259**, L23
The origin of the extremely metal-poor post-AGB stars
Mathis, J.S., Lamers H.J.G.L.M. **259**, L39
Faint carbon stars in the Small Magellanic Cloud
Westerlund, B.E., Azzopardi, M., Breysacher, J., Rebeirot, E. **260**, L4

Orbital elements of S stars: revisiting the evolutionary status of S stars
Jorissen, A., Mayor, M. **260**, 115
UV observations of LB 3193 and LB 3116: Two hot post-AGB objects in the galactic halo?
Quin, D.A., Lamers, H.J.G.L.M. **260**, 261
The molecular structure of CRL 618
Phillips, J.P., Williams, P.G., Mampaso, A., Ukita, N. **260**, 283
On central star luminosities and optical thicknesses in planetary nebulae
Méndez, R.H., Kudritzki, R.P., Herrero, A. **260**, 329
High-velocity OH/IR stars at the Galactic centre
van Langevelde, H.J., Brown, A.G.A., Lindqvist, M., Habing, H.J., de Zeeuw, P.T. **261**, L17
Identification of CH^+ emission in the Red Rectangle
Balm, S.P., Jura, M. **261**, L25
Fluorine production in thermal pulses on the asymptotic giant branch
Forestini, M., Goriely, S., Jorissen, A., Arnould, M. **261**, 157
Fluorine in red giant stars: evidence for nucleosynthesis
Jorissen, A., Smith, V.V., Lambert, D.L. **261**, 164
Effects of sphericity in carbon star atmospheres
Jørgensen, U.G., Johnson, H.R., Nordlund, A. **261**, 263
Multiwavelength observations of RV Tauri stars. I. AC Herculis
Shenton, M., Albinson, J.S., Barrett, P., Davies, J.K., Evans, A., Goldsmith, M.J., Hutchinson, M.G., Maddison, R.C., Weight, A. **262**, 138
Light element abundances in barium stars
Barbuy, B., Jorissen, A., Rossi, S.C.F., Arnould, M. **262**, 216
Interferometric observations of SiO $v=0$ thermal emission from evolved stars *(Plateau de Bure Series, Paper 2)*
Lucas, R., Bujarrabal, V., Guilloteau, S., Bachiller, R., Baudry, A., Cernicharo, J., Delannoy, J., Forveille, T., Guélin, M., Radford, S.J.E. **262**, 491
CRL 618: the nature of the 200 $km\,s^{-1}$ molecular outflow *(Plateau de Bure Series, Paper 3)*
Neri, R., García-Burillo, S., Guélin, M., Cernicharo, J., Guilloteau, S., Lucas, R. **262**, 544
Semiregular variables of types SRa and SRb. Basic properties in the visual and the IRAS-range
Kerschbaum, F., Hron, J. **263**, 97
Carbon-bearing molecules in the envelopes around oxygen-rich stars. First detection of formaldehyde in an oxygen-rich circumstellar envelope
Lindqvist, M., Olofsson, H., Winnberg, A., Nyman, L.-A. **263**, 183
M 1–16: multiple shocked outflows from an evolved object
Schwarz, H.E. **264**, L1
The chemical composition of the high velocity post-AGB star HD 56126 (F 5I)
Parthasarathy, M., García Lario, P., Pottasch, S.R. **264**, 159
Interrupted mass loss on the asymptotic giant branch
Zijlstra, A.A., Loup, C., Waters, L.B.F.M., de Jong, T. **265**, L5
BI Crucis: a post-PN nebula?
Schwarz, H.E., Corradi, R.L.M. **265**, L37
Radiative force on molecules and its possible role for mass loss in evolved AGB stars
Jørgensen, U.G., Johnson, H.R. **265**, 168
The applicability of the linearized theory of sound-wave driven winds
Koninx, J.-P.M., Pijpers, F.P. **265**, 183
The circumstellar silicate dust as seen by IRAS. II. Evolution of circumstellar envelopes
David, P., Papoular, R. **265**, 195
Dust formation in winds of long-period variables. II. Dust energetics, optical properties, chemistry, time scales
Höfner, S., Dorfi, E.A. **265**, 207
The envelopes of R Coronae Borealis stars. I. A physical model of the decline events due to dust formation
Goeres, A., Sedlmayr, E. **265**, 216
Sub-millimetre molecular lines in the circumstellar envelope IRC+10216
Williams, P.G., White G.J. **266**, 365
SAO stars with infrared excess in the IRAS Point Source Catalog
Oudmaijer, R.D., van der Veen, W.E.C.J., Waters, L.B.F.M., Trams, N.R., Waelkens, C., Engelsmann, E. **266**, 650; **96**, *625*

Stars: atmospheres

Effective temperature of B-type stars from the Si II lines of the UV multiplet 13.04 at 130.5–130.9 nm
Singh, J., Castelli, F. **253**, 431
Spectroscopic study of microturbulence in the atmosphere of Arcturus
Takeda, Y. **253**, 487
The calcium infrared triplet lines in stellar spectra
Jørgensen, U.G., Carlsson, M., Johnson, H.R. **254**, 258
Line scattering in an expanding shell: interferometric and polarimetric profiles
Lefèvre, J. **254**, 274
Optical spectra of ζ Aurigae binary systems. III. The 1989 eclipse of τ Persei
Griffin, R.E.M., Schröder, K.-P., Misch, A., Griffin, R.F. **254**, 289
Modelling the spectrum of WC-type Wolf-Rayet stars
Hamann, W.-R., Leuenhagen, U., Koesterke, L., Wessolowski, U. **255**, 200
Upgrading the Accelerated Lambda Iteration technique by means of "least change secant methods"
Koesterke, L., Hamann, W.-R., Kosmol, P. **255**, 490
Radiative transfer in rotating stars
Hadrava, P. **256**, 519
Spherical opacity sampling model atmospheres for M-giants. I. Techniques, data and discussion
Plez, B., Brett, J.M., Nordlund, Å. **256**, 551
Optical spectra of ζ Aurigae systems. IV. The January 1990 eclipse of HR 2554: detection of chromospheric absorption and extended plasma at $\approx 10^5$ K
Schröder, K.-P., Hünsch, M. **257**, 219
Radiation-driven winds of hot luminous stars. X. The determination of stellar masses, radii and distances from terminal velocities and mass-loss rates
Kudritzki, R.P., Hummer, D.G., Pauldrach, A.W.A., Puls, J., Najarro, F., Imhoff, J. **257**, 655
Mass loss in main-sequence A-type stars?
Lanz, T., Catala, C. **257**, 663
Radiation-driven winds of hot stars: a simplified model
Villata, M. **257**, 677
DF Hydrae: a W UMa system with spotted components
Niarchos, P., Hoffmann, M., Duerbeck, H.W. **258**, 323
Magnetically confined wind on the Ap star 53 Camelopardalis?
Babel, J. **258**, 449

Theoretical profiles of Lyman α satellites and application to synthetic spectra of DA white dwarfs
Allard, N.F., Koester, D. **258**, 464

Interferometric observations of Mira (*o* Ceti)
Quirrenbach, A., Mozurkewich, D., Armstrong, J.T., Johnston, K.J., Colavita, M.M., Shao, M. **259**, L19

A spectacular mass-loss event of the central star of Longmore 4
Werner, K., Hamann, W.-R., Heber, U., Napiwotzki, R., Rauch, T., Wessolowski, U. **259**, L69

A new nonlinear approximation to the limb-darkening of hot stars
Díaz-Cordovés, J., Giménez, A. **259**, 227

A photometric study on the G0-4 Ia^+ hypergiant HD 96918 (V 382 Carinae)
Achmad, L., Lamers, H.J.G.L.M., Nieuwenhuijzen, H., van Genderen, A.M. **259**, 600

Synthetic Mg_1, Mg_2 and Mgb indices: relative intensities of molecular bands as a function of stellar parameters
Barbuy, B., Erdelyi-Mendes, M., Milone, A. **259**, 722; ***93***, *235*

The effect of EUV and X-ray radiation on stellar atmospheres and the problem of helium abundance in B-stars
Mitskevich, A.S., Tsymbal, V.V. **260**, 303

On the reflection of linear hydrodynamic waves at continuous temperature steps in stellar atmospheres
Schmitz, F., Fleck, B. **260**, 447

Intrinsic parameters of galactic luminous OB stars
Herrero, A., Kudritzki, R.P., Vilchez, J.M., Kunze, D., Butler, K., Haser, S. **261**, 209

Oxygen abundances in F and G dwarfs derived from the [O I] line at 6300 Å
Nissen, P.E., Edvardsson, B. **261**, 255

Effects of sphericity in carbon star atmospheres
Jørgensen, U.G., Johnson, H.R., Nordlund, A. **261**, 263

The eclipsing Wolf-Rayet binary V444 Cygni: modelling the light curve and the helium spectrum consistently
Hamann, W.-R., Schwarz, E. **261**, 523

A grid of models for Wolf-Rayet stars of the carbon sequence (WC)
Koesterke, L., Hamann, W.-R., Wessolowski, U. **261**, 535

Cool star flux spectra for population studies in galaxies
Malagnini, M.L., Morossi, C., Buser, R., Parthasarathy, M. **261**, 558

An accelerated lambda iteration method for multilevel radiative transfer. II. Overlapping transitions with full continuum
Rybicki, G.B., Hummer, D.G. **262**, 209

Accelerated complete-linearization method for calculating NLTE model stellar atmospheres
Hubeny, I., Lanz, T. **262**, 501

Chromospheric heating in late-type dwarfs: acoustic or magnetic?
Mathioudakis, M., Doyle, J.G. **262**, 523

The Spacelab-1 very wide field survey of UV-excess objects. III. Analysis of the IUE high-resolution spectra of two very hot sdO stars
Deleuil, M., Viton, M. **263**, 190

The 1992 detailed analyses of α Centauri A and α Centauri B
Chmielewski, Y., Friel, E., Cayrel de Strobel, G., Bentolila, C. **263**, 219

Stratification of chemical elements in the atmosphere of the Ap star 53 Camelopardalis
Babel, J., Lanz, T. **263**, 232

On the instability parameters of stellar atmospheres
Lobel, A., Achmad, L., de Jager, C., Nieuwenhuijzen, H. **264**, 147

Non-LTE radiative transfer with lambda-acceleration: convergence properties using exact full and diagonal lambda-operators
MacFarlane, J.J. **264**, 153

The chemical composition of the high velocity post-AGB star HD 56126 (F 5I)
Parthasarathy, M., García Lario, P., Pottasch, S.R. **264**, 159

Photospheric velocity gradients in B1 supergiants
Massa, D., Shore, S.N., Wynne, D. **264**, 169

A library of theoretical stellar flux spectra. I. Synthetic *UBVRI* photometry and the metallicity scale for F- to K-type stars
Buser, R., Kurucz, R.L. **264**, 557

Spherical opacity sampling model atmospheres for *M*-giants and supergiants. II. A grid
Plez, B. **264**, 722; ***94***, *527*

Rapid optical variability in the AM Herculis object V 834 Centauri. I. Quasi-periodic oscillations
Larsson, S. **265**, 133

Radiative force on molecules and its possible role for mass loss in evolved AGB stars
Jørgensen, U.G., Johnson, H.R. **265**, 168

On the accuracy of CO line positions for high resolution IR stellar spectroscopy
Sauval, A.J., Farrenq, R., Guelachvili, G., Grevesse, N., Farmer, C.B., Norton, R.H. **265**, 355

Models of white dwarfs with high magnetic fields
Jordan, S. **265**, 570

Non-LTE line formation for iron group elements. I. Fe V
Becker, S.R., Butler, K. **265**, 647

Unified NLTE model atmospheres including spherical extension and stellar winds. III. The EUV fluxes of hot massive stars and He II emission in extragalactic giant H II regions
Gabler, R., Gabler, A., Kudritzki, R.P., Méndez, R.H. **265**, 656

Model atmospheres and radiation of magnetic neutron stars. I. The fully ionized case
Shibanov, Y.A., Zavlin, V.E., Pavlov, G.G., Ventura, J. **266**, 313

Chromospheric activity and stellar evolution: clues from IUE data
Pasquini, L., Brocato, E. **266**, 340

The Ca II K line in solar type stars
Pasquini, L. **266**, 347

The formation of weak metal lines in the atmospheres of O-stars. The role of microturbulence and transonic matter outflow
Kudritzki, R.P. **266**, 395

A semi-empirical model for the X-ray emission from single Wolf-Rayet stars
Baum, E., Hamann, W.-R., Koesterke, L., Wessolowski, U. **266**, 402

(Stars:) binaries: eclipsing

A photometric survey of the eclipsing RS CVn-type system RZ Eridani: starspot variability, circumstellar matter, tidal evolution
Burki, G., Kviz, Z., North, P. **256**, 463

A long-period eclipsing binary τ Persei
Demircan, O., Selam, S.O. **259**, 577

The eclipsing Wolf-Rayet binary V444 Cygni: modelling the light curve and the helium spectrum consistently
Hamann, W.-R., Schwarz, E. **261**, 523

A period study of AW Ursae Majoris
Demircan, O., Derman, E., Müyesseroğlu, Z. **263**, 165
A Ginga observation of the supergiant X-ray binary system 4U 1700–37/HD 153919
Haberl, F., Day, C.S.R. **263**, 241
Another look at the early-type eclipsing binary BF Aurigae
Kallrath, J., Kämper, B.-C. **265**, 613
Spectroscopic study of the atmospheric eclipsing binary VV Cephei
Hack, M., Engin, S., Yilmaz, N., Sedmak, L., Rusconi, L., Boehm, C. **266**, 637; **95**, *589*

(Stars:) binaries: general

On the nature and kinematics of wide visual binaries
Brosche, P., Denis-Karafistan, A.I., Sinachopoulos, D. **253**, 113
Quiescent radio emission in UX Arietis
Massi, M., Chiuderi-Drago, F. **253**, 403
The contributions of RSCVn systems to the diffuse X-ray background
Ottmann, R., Schmitt, J.H.M.M. **256**, 421
Binary stars: another effect contributing to the supposed abnormal extinction law in NGC 6193?
Vázquez, R.A., Feinstein, A. **257**, 411; **92**, *863*
Long-term photometric variations in DH Leonis
Aslan, Z., Derman, E., Akalin, A., Özdemir, T. **257**, 580
Photometric techniques for close binary and multiple systems
Devaney, M.N. **257**, 835
Comparison of the first results from the Hipparcos star mappers with the Hipparcos Input Catalogue
Turon, C., Arenou, F., Evans, D.W., van Leeuwen, F. **258**, 125
Detection and measurement of double stars with the Hipparcos satellite: NDAC reductions
Söderhjelm, S., Evans, D.W., van Leeuwen, F., Lindegren, L. **258**, 157
Hipparcos double star recognition and processing within the FAST consortium
Mignard, F., Froeschlé, M., Badiali, M., Cardini, D., Emanuele, A., Falin, J.L., Kovalevsky, J. **258**, 165
The treatment of Hipparcos observations of some peculiar double stars: anomalous cases
Pannunzio, R., Spagna, A., Lattanzi, M.G., Morbidelli, R., Sarasso, M. **258**, 173
The origin of the extremely metal-poor post-AGB stars
Mathis, J.S., Lamers H.J.G.L.M. **259**, L39

(Stars:) binaries (including multiple): close

Spectropolarimetry of the nova-like variable RW Trianguli
Rutten, R.G.M., Dhillon, V.S. **253**, 139
Red/infrared observations of Wolf 424 AB: are the components substellar?
Henry, T.J., Johnson, D.S., McCarthy Jr., D.W., Kirkpatrick, J.D. **254**, 116
Advantages and limitations of the bipolytrope model for computing the secular evolution of cataclysmic binaries
Kolb, U., Ritter, H. **254**, 213
Monte Carlo simulations of Raman scattered O VI emission lines in symbiotic stars
Schmid, H.M. **254**, 224
High resolution spectroscopic observations of the massive binary RY Scuti
de Martino, D., Vittone, A.A., Rossi, C., Giovannelli, F. **254**, 266
Cooling functions for hot dense gas: application to accretion discs in close binaries
Dumont, A.M. **254**, 454
Neutral particle emission from the X-ray binary 2A 1822–37 at energies above 10^{17} eV
Clay, R.W., Meyhandan, R., Horton, L., Ulrichs, J., Winn, M.M. **255**, 167
Activity modulation of the red giant HR 1105 as observed in the He I λ10830 Å
Shcherbakov, A.G., Tuominen, I. **255**, 215
Erratum: Dynamic tides in stars as forced isentropic oscillations and their effects on free oscillations
Polfliet, R., Smeyers, P. **255**, 495
Formation of a "planet" by rapid evaporation of a pulsar's companion
Rasio, F.A., Shapiro, S.L., Teukolsky, S.A. **256**, L35
New globular clusters in the bulge of M 31
Aurière, M., Coupinot, G., Hecquet, J. **256**, 95
Phase-resolved spectroscopy of the novalike cataclysmic variable RW Sextantis
Beuermann, K., Stasiewski, U., Schwope, A.D. **256**, 433
The effect of angular momentum exchange in the evolution of binary systems
Huang, R.Q., Yu, K.N., Han, Z.W. **256**, 438
A spectroscopic study of the cataclysmic variable WX Arietis = PG0244+103
Beuermann, K., Thorstensen, J.R., Schwope, A.D., Ringwald, F.A., Sahin, H. **256**, 442
Photospheric activity of HD 220140, the optical counterpart of the X-ray source H 2311+77
Mantegazza, L., Poretti, E., Antonello, E., Bossi, M. **256**, 459
A photometric survey of the eclipsing RS CVn-type system RZ Eridani: starspot variability, circumstellar matter, tidal evolution
Burki, G., Kviz, Z., North, P. **256**, 463
Particle heated atmospheres of magnetic white dwarfs
Woelk, U., Beuermann, K. **256**, 498
On the local stability of accretion disks
Dubrulle, B., Knobloch, E. **256**, 673
Reflection with limb darkening
Hadrava, P. **257**, 218
Classical novae as fast magnetic rotators
Orio, M., Trussoni, E., Ögelman, H. **257**, 548
Pulsation and binarity in β Cephei Stars. I. σ Scorpii
Chapellier, E., Valtier, J.C. **257**, 587
6 Hz quasiperiodic oscillations from low-mass X-ray binaries: the sound of an accretion disk?
Alpar, M.A., Hasinger, G., Shaham, J., Yancopoulos, S. **257**, 627
Dynamical theory of viscous tides in binary systems
Dolginov, A.Z., Smel'chakova, E.V. **257**, 783
Modelling Cygnus X-3 radio outbursts: particle injection into twin jets
Martí, J., Paredes, J.M., Estalella, R. **258**, 309
DF Hydrae: a W UMa system with spotted components
Niarchos, P., Hoffmann, M., Duerbeck, H.W. **258**, 323
The interacting binary V367 Cygni. I. Photometric solution including the influence of an accretion disk
Pavlovski, K., Schneider, H., Akan, M.C. **258**, 329
Large-scale magnetic steering of particles in X-ray binaries
Mannings, V. **258**, 335

Spectral variability of He 3-640, optical counterpart of the X-ray source A 1118-61
Villada, M., Giovannelli, F., Polcaro, V.F. **259**, L1
CX Draconis: the orbit parameters for both components
Horn, J., Hubert, A.M., Hubert, H., Koubský, P., Bailloux, N. **259**, L5
Constraints on the evolution of AM Herculis stars derived from the observed distribution of orbital periods
Ritter, H., Kolb, U. **259**, 159
Time-series photometric spot modeling. I. Parameter study and application to HD 17433=VY Arietis
Strassmeier, K.G., Bopp, B.W. **259**, 183
V1159 Orionis: a dwarf nova with very short outburst cycle
Jablonski, F.J., Cieslinski, D. **259**, 198
A new nonlinear approximation to the limb-darkening of hot stars
Díaz-Cordovés, J., Giménez, A. **259**, 227
Effects of dynamic tides on secular variations of orbital elements in close binary systems
Ruymaekers, E. **259**, 349
Astrophysical parameters of X Persei
Fabregat, J., Reglero, V., Coe, M.J., Clement, R., Gorrod, M.J., Norton, A.J., Roche, P.D., Suso, J., Unger, S.J. **259**, 522
Ekman circulation and the synchronization of binary stars
Rieutord, M. **259**, 581
On the starspot temperature of HD 12545
Strassmeier, K.G., Oláh, K. **259**, 595
Reconstruction of the accretion disk in six cataclysmic variable stars
Rutten, R.G.M., van Paradijs, J., Tinbergen, J. **260**, 213
Apsidal motion and revised photometric elements of the eccentric eclipsing binary V 477 Cygni
Giménez, A., Quintana, J.M. **260**, 227
Observation of 4U 1700-377 with the SIGMA telescope
Laurent, P., Goldwurm, A., Lebrun, F., Paul, J., Mereghetti, S., Barret, D., Bouchet, L., Roques, J.P., Churazov, E., Gilfanov, M., Kuznetzov, A., Sunyaev, R., Chulkov, I., Dyachkov, A., Khavenson, N., Novikov, B. **260**, 237
Precession in cataclysmic and X-ray binaries: star or disc?
Schwarzenberg-Czerny, A. **260**, 268
A binary evolutionary model for the progenitor of SN 1987 A
de Loore, C., Vanbeveren, D. **260**, 273
Spectroscopy of poorly known northern dwarf novae. Part II
Bruch, A., Schimpke, T. **260**, 556; ***93***, *419*
An astrometric catalogue of southern and equatorial dwarf novae
Bruch, A., Meijer, J., Naumann, M., Schimpke, T., Ungruhe, R., Vogt, N. **260**, 557; ***93***, *463*
Binary pulsars as probes of neutron star birth
Wijers, R.A.M.J., van Paradijs, J., van den Heuvel, E.P.J. **261**, 145
Detection of a photometric periodicity of the nova-like variable MV Lyrae at "active state"
Borisov, G.V. **261**, 154
Statistics of cataclysmic variable formation
de Kool, M. **261**, 188
New photometric and spectroscopic observations of the central star of Abell 35
Jasniewicz, G., Acker, A., Freire Ferrero, R., Burnet, M. **261**, 314
Pulsar-irradiated stars in dense globular clusters
Tavani, M. **261**, 472
A simplified model for the tidal effect on accretion disks in cataclysmic variables
Zhong-Yong Zhang, Jian-Sheng Chen **261**, 493
Detection of a type-I X-ray burst from 4U 0614+09
Brandt, S., Castro-Tirado, A.J., Lund, N., Dremin, V., Lapshov, I., Sunyaev, R. **262**, L15
Periodic outbursts in the peculiar X-ray binary 2S 0114+65
Finley, J.P., Belloni, T., Cassinelli, J.P. **262**, L25
A search for TeV gamma rays from Cassiopeia gamma-1
Rannot, R.C., Sapru, M.L., Tickoo, A.K., Bhat, C.L., Kaul, R.K., Rawat, H.S., Senecha, V.K., Razdan, H. **262**, L41
Accreting white dwarf models for CAL 83, CAL 87 and other ultrasoft X-ray sources in the LMC
van den Heuvel, E.P.J., Bhattacharya, D., Nomoto, K., Rappaport, S.A. **262**, 97
Light element abundances in barium stars
Barbuy, B., Jorissen, A., Rossi, S.C.F., Arnould, M. **262**, 216
A note on the radial–azimuthal instability of an isothermal accretion disk around a black hole
Xinwu Cao **262**, 350
OY Carinae: the secrets of the super-humps revealed
Hessman, F.V., Mantel, K.-H., Barwig, H., Schoembs, R. **263**, 147
A period study of AW Ursae Majoris
Demircan, O., Derman, E., Müyesseroğlu, Z. **263**, 165
Pair absorption of TeV γ-rays in accreting binaries
Carramiñana, A. **264**, 127
Evolutionary sequences for binary stars in the mass range 9 to 40 $M_\odot$
de Loore, C., De Greve, J.P. **264**, 721; ***94***, *453*
ROSAT survey observations of OB and OBe stars
Meurs, E.J.A., Piters, A.J.M., Pols, O.R., Waters, L.B.F.M., Coté, J., Van Kerkwijk, M.H., van Paradijs, J., Burki, G., Taylor, A.R., de Martino, D. **265**, L41
Orbital evolution of binaries with ultra-rapid pulsars
Ergma, E., Fedorova, A.V. **265**, 65
Quasi-periodic oscillations in TT Arietis
Hollander, A., van Paradijs, J. **265**, 77
Collisions between a white dwarf and a main-sequence star. II. Simulations using multiple-nested refined grids
Ruffert, M. **265**, 82
OY Carinae revisited: development of the accretion disk during a normal outburst
Rutten, R.G.M., Kuulkers, E., Vogt, N., van Paradijs, J. **265**, 159
Coordinated X-ray and optical observations of Scorpius X-1
Augusteijn, T., Karatasos, K., Papadakis, M., Paterakis, G., Kikuchi, S., Brosch, N., Leibowitz, E., Hertz, P., Mitsuda, K., Dotani, T., Lewin, W.H.G., van der Klis, M., van Paradijs, J. **265**, 177
Studies of late-type binaries. V. The orbit and physical parameters of V 1073 Cygni
Ahn, Y.S., Hill, G., Khalesseh, B. **265**, 597
Another look at the early-type eclipsing binary BF Aurigae
Kallrath, J., Kämper, B.-C. **265**, 613
On the possible existence of two classes of progenitors for classical novae
Della Valle, M., Bianchini, A., Livio, M., Orio, M. **266**, 232
Flickering in cataclysmic variables: its properties and origins
Bruch, A. **266**, 237
One less puzzle in β Lyrae?
Harmanec, P. **266**, 307

UBV photometry of the contact binary AM Leonis
Demircan, O., Derman, E., Dündar, H. **266**, 631; **95**, *213*
Spectroscopic study of the atmospheric eclipsing binary VV Cephei
Hack, M., Engin, S., Yilmaz, N., Sedmak, L., Rusconi, L., Boehm, C. **266**, 637; **95**, *589*
Evolutionary stellar models using Rogers & Iglesias opacities, with particular attention to internal structure constants
Claret, A., Giménez, A. **266**, 642; **96**, *255*
Evolution of massive close binaries
De Greve, J.P., de Loore, C. **266**, 650; **96**, *653*

(Stars:) binaries: spectroscopic

The surprising presence of an OI line in a Wolf-Rayet spectrum
Andrillat, Y., Vreux, J.-M. **253**, L37
On the binary status of the Cepheid SV Persei
Gieren, W.P., Brieva, E. **253**, 126
The orbit of β Cephei derived from the light-time effect
Pigulski, A., Boratyn, D.A. **253**, 178
Photometric variability of barium stars
Jorissen, A., Manfroid, J., Sterken, C. **253**, 407
Search for second-phase Wolf–Rayet binaries among WRE stars
Moffat, A.F.J. **253**, 425
Duplicity in the solar neighbourhood. VI. The highly eccentric spectroscopic binary Gl 586 A and associated multiple system
Duquennoy, A., Mayor, M., Andersen, J., Carquillat, J.-M., North, P. **254**, L13
An extremely active giant star: HD 218153
de Medeiros, R.J., Mayor, M., Simon, T. **254**, L36
Optical spectra of ζ Aurigae binary systems. III. The 1989 eclipse of τ Persei
Griffin, R.E.M., Schröder, K.-P., Misch, A., Griffin, R.F. **254**, 289
The frequency of low-mass companions to K and M stars in the solar neighbourhood
Tokovinin, A.A. **256**, 121
The spectrum of the VV Cephei star KQ Puppis (Boss 1985). III. A possible model
Rossi, C., Altamore, A., Baratta, G.B., Friedjung, M., Viotti, R. **256**, 133
Phase-resolved spectroscopy of the novalike cataclysmic variable RW Sextantis
Beuermann, K., Stasiewski, U., Schwope, A.D. **256**, 433
Photometric study of the RS CVn binary DM Ursa Majoris
Mohin, S., Raveendran, A.V. **256**, 487
Tomographic imaging of late-type stars from spectroscopic and photometric rotational modulation. I. Principle and mathematical formulation of the method
Jankov, S., Foing, B.H. **256**, 533
Studies of early-type variable stars. VII. The orbit and physical parameters for TV Cassiopeiae
Khalesseh, B., Hill, G. **257**, 199
Optical spectra of ζ Aurigae systems. IV. The January 1990 eclipse of HR 2554: detection of chromospheric absorption and extended plasma at $\approx 10^5$ K
Schröder, K.-P., Hünsch, M. **257**, 219
The spectrum of the VV Cephei star KQ Puppis (Boss 1985). II. Atlas of the optical and ultraviolet spectrum
Altamore, A., Rossi, C., Viotti, R., Baratta, G.B. **257**, 410; **92**, *685*
Pulsation and binarity in β Cephei Stars. I. σ Scorpii
Chapellier, E., Valtier, J.C. **257**, 587
The spectrum of the VV Cephei star KQ Puppis. IV. The Fe II spectrum, level population and spectral synthesis
Muratorio, G., Viotti, R., Friedjung, M., Baratta, G.B., Rossi, C. **258**, 423
A long-period eclipsing binary τ Persei
Demircan, O., Selam, S.O. **259**, 577
Orbital elements of S stars: revisiting the evolutionary status of S stars
Jorissen, A., Mayor, M. **260**, 115
Theoretical model of the binary system ϑ^2 Tauri. I. Evolutionary status of ϑ^2 Tauri and its implications for Hyades chemical composition
Królikowska, M. **260**, 183
Spectroscopic orbits of Am stars. I. Seven field stars
Margoni, R., Munari, U., Stagni, R. **260**, 559; **93**, *545*
The light-time effect as the cause of period changes in β Cephei stars. II. σ Scorpii
Pigulski, A. **261**, 203
Dynamic phenomena on the RS Canum Venaticorum binary II Pegasi in August 1989. II. An interpretation
Doyle, J.G., van den Oord, G.H.J., Kellett, B.J. **262**, 533
Investigation of the Pleiades cluster. II. Binary stars in the F5-K0 spectral region
Mermilliod, J.-C., Rosvick, J.M., Duquennoy, A., Mayor, M. **265**, 513
Studies of late-type binaries. V. The orbit and physical parameters of V 1073 Cygni
Ahn, Y.S., Hill, G., Khalesseh, B. **265**, 597
Circularly polarized spectroscopic observations of RS CVn systems
Donati, J.-F., Semel, M., Rees, D.E. **265**, 669
Photospheric imaging of the RS CVn system HR 1099
Donati, J.-F., Brown, S.F., Semel, M., Rees, D.E., Dempsey, R.C., Matthews, J.M., Henry, G.W., Hall, D.S. **265**, 682
The A and Am-Fm stars. II. Equivalent widths for the Li region, microturbulence, and comments on curious-looking line profiles
Coupry, M.F., Burkhart, C. **266**, 628; **95**, *41*
Dynamic phenomena on the RS Canum Venaticorum binary II Pegasi in August 1989. I. Observational data
Doyle, J.G., Kellett, B.J., Butler, C.J., Byrne, P.B., Neff, J.E., Brown, A., Fox, D., Linsky, J.E., Bromage, G.E., Avgoloupis, S., Mavridis, L.N., Seiradakis, J.H., Mathioudakis, M., Murphy, H.M., Krzesinski, J., Pajdosz, G., Dadonas, V., Sperauskas, J., van Wyk, F., Marang, F., Olah, K., Collier Cameron, A., Antonopoulou, E., Rovithis, P., Rovithis-Livaniou, H. **266**, 644; **96**, *351*

(Stars:) binaries: symbiotic

The long-period symbiotic binary CH Cygni. II. The M giant component: increasing pulsation period and spot-like activity
Mikolajewski, M., Mikolajewska, J., Khudyakova, T.N. **254**, 127
Monte Carlo simulations of Raman scattered O VI emission lines in symbiotic stars
Schmid, H.M. **254**, 224
Studies of symbiotic stars. V. The dust-free yellow system He2–467
Munari, U., Buson, L.M. **255**, 158
Photometric properties of symbiotic stars and the nature of the cool component
Whitelock, P.A., Munari, U. **255**, 171

Studies of symbiotic stars. VI. The eclipsing symbiotic nova AS 338
Munari, U. **257**, 163
Reflection with limb darkening
Hadrava, P. **257**, 218
High-resolution spectroscopy of the inner R Aquarii nebula: evidence for bow shock excitation by collimated wind from the symbiotic system
Solf, J. **257**, 228
The extremely deep minimum in the IR brightness of the symbiotic star CH Cygni, accompanied by new activity of its hot component
Taranova, O.G., Yudin, B.F. **257**, 615
Chemical abundances in symbiotic nebulae
de Freitas Pacheco, J.A., Costa, R.D.D. **257**, 619
The active phase of the symbiotic star BF Cygni
Cassatella, A., Fernández-Castro, T., González-Riestra, R., Fuensalida, J.J. **258**, 368
PU Vulpeculae: the outburst of a symbiotic nova
Vogel, M., Nussbaumer, H. **259**, 525
UBVRI-JHKL photometric catalogue of symbiotic stars
Munari, U., Yudin, B.F., Taranova, O.G., Massone, G., Marang, F., Roberts, G., Winkler, H., Whitelock, P.A. **259**, 725; **93**, *383*
Absolute radius of an M giant
Vogel, M., Nussbaumer, H., Monier, R. **260**, 156
A dynamical model for the outer nebula of R Aquarii
Henney, W.J., Dyson, J.E. **261**, 301
R Aquarii: an attempt at a unified model
Burgarella, D., Vogel, M., Paresce, F. **262**, 83
The quiescent phase of CH Cygni during the period 1987–1989
Kotnik-Karuza, D., Jurdana, R., Hack, M. **264**, 718; **94**, *251*
BI Crucis: a post-PN nebula?
Schwarz, H.E., Corradi, R.L.M. **265**, L37
The continuum radiation of the symbiotic star AG Draconis in quiescence and during outbursts
Leibowitz, E.M., Formiggini, L. **265**, 605

(Stars:) binaries: visual

On the nature and kinematics of wide visual binaries
Brosche, P., Denis-Karafistan, A.I., Sinachopoulos, D. **253**, 113
The orbit of β Cephei derived from the light-time effect
Pigulski, A., Boratyn, D.A. **253**, 178
Duplicity in the solar neighbourhood. VI. The highly eccentric spectroscopic binary Gl 586 A and associated multiple system
Duquennoy, A., Mayor, M., Andersen, J., Carquillat, J.-M., North, P. **254**, L13
Orbital elements of seventeen double stars (Text in French)
Baize, P. **255**, 496; **92**, *31*
On the post-T-Tauri nature of late-type visual companions to B-type stars
Martín, E.L., Magazzù, A., Rebolo, R. **257**, 186
Photometric techniques for close binary and multiple systems
Devaney, M.N. **257**, 835
Detection and measurement of double stars with the Hipparcos satellite: NDAC reductions
Söderhjelm, S., Evans, D.W., van Leeuwen, F., Lindegren, L. **258**, 157
Hipparcos double star recognition and processing within the FAST consortium
Mignard, F., Froeschlé, M., Badiali, M., Cardini, D., Emanuele, A., Falin, J.L., Kovalevsky, J. **258**, 165
The treatment of Hipparcos observations of some peculiar double stars: anomalous cases
Pannunzio, R., Spagna, A., Lattanzi, M.G., Morbidelli, R., Sarasso, M. **258**, 173
The light-time effect as the cause of period changes in β Cephei stars. II. σ Scorpii
Pigulski, A. **261**, 203
Optical spectroscopy of post-T Tauri star candidates
Pallavicini, R., Pasquini, L., Randich, S. **261**, 245
Sub-arsecond images of the young star DD Tauri at optical and near-IR wavelengths
Bouvier, J., Tessier, E., Cabrit, S. **261**, 451
The 1992 detailed analyses of α Centauri A and α Centauri B
Chmielewski, Y., Friel, E., Cayrel de Strobel, G., Bentolila, C. **263**, 219
Measurements of visual double stars made at Pic du Midi and at Nice (*Text in French*)
Ling, J., Couteau, P. **266**, 635; **95**, *423*
CCD photometry and astrometry of visual double stars
Sinachopoulos, D., Prado, P. **266**, 640; **96**, *137*
Precise equatorial coordinates of double and multiple systems: an astronomical support to the Hipparcos mission
Pannunzio, R., Morbidelli, R., Massone, G., Lattanzi, M.G., Sarasso, M., Chiumiento, G. **266**, 640; **96**, *143*
Photographic measurements of visual double stars (*Text in French*)
Scardia, M., Gellera, D. **266**, 640; **96**, *157*
A preliminary compilation of DS-programme star positions
Cvetković, Z. **266**, 641; **96**, *191*
Interferometric observations of double stars in 1986–1990
Ismailov, R.M. **266**, 644; **96**, *375*

Stars: carbon

The circumstellar envelope of the carbon star S Scuti
Olofsson, H., Carlström, U., Eriksson, K., Gustafsson, B. **253**, L17
A flux-limited sample of galactic carbon stars
Groenewegen, M.A.T., de Jong, T., van der Bliek, N.S., Slijkhuis, S., Willems, F.J. **253**, 150
High-resolution spectroscopy of the central star of the Red-Rectangle nebula
Waelkens, C., Van Winckel, H., Trams, N.R., Waters, L.B.F.M. **256**, L15
Isotopic abundances in carbon-rich circumstellar envelopes: a further iteration on the oxygen isotope puzzle
Kahane, C., Cernicharo, J., Gómez-González, J., Guélin, M. **256**, 235
Erratum: The evolution of carbon stars in the Magellanic Clouds
Westerlund, B.E., Azzopardi, M., Breysacher, J., Rebeirot, E. **256**, 326; **92**, *683*
Near-infrared photometry of a sample of IRAS point sources
Fouqué, P., Le Bertre, T., Epchtein, N., Guglielmo, F., Kerschbaum, F. **257**, 846; **93**, *151*
Interferometric observations of HCN ($v=2$) emission from IRC +10216
Lucas, R., Guilloteau, S. **259**, L23
Faint carbon stars in the Small Magellanic Cloud
Westerlund, B.E., Azzopardi, M., Breysacher, J., Rebeirot, E. **260**, L4
The molecular structure of CRL 618
Phillips, J.P., Williams, P.G., Mampaso, A., Ukita, N. **260**, 283

Effects of sphericity in carbon star atmospheres
Jørgensen, U.G., Johnson, H.R., Nordlund, A. **261**, 263
CRL 618: the nature of the 200 $km\,s^{-1}$ molecular outflow *(Plateau de Bure Series, Paper 3)*
Neri, R., García-Burillo, S., Guélin, M., Cernicharo, J., Guilloteau, S., Lucas, R. **262**, 544
Carbon-star lightcurves in the 1–20 μm range
Le Bertre, T. **264**, 720; ***94***, *377*
Interrupted mass loss on the asymptotic giant branch
Zijlstra, A.A., Loup, C., Waters, L.B.F.M., de Jong, T. **265**, L5
Circumstellar dust shells around long-period variables. I. Dynamical models of C-stars including dust formation, growth and evaporation
Fleischer, A.J., Gauger, A., Sedlmayr, E. **266**, 321
Sub-millimetre molecular lines in the circumstellar envelope IRC+10216
Williams, P.G., White G.J. **266**, 365

Stars: chemically peculiar

The third spectrum of praseodymium in magnetic Ap stars
Mathys, G., Cowley, C.R. **253**, 199
Which evolution for an Am star?
Berthet, S. **253**, 451
A search for polarization variability in Babcock's star
Berdyugin, A., Breger, M., Polosukhina, N. **255**, 149
The inhomogeneous distribution of oxygen on the surface of the magnetic Ap star HD 125248
Mathys, G. **256**, L31
Light curve of the Ap star TW Columbae
Renson, P., Manfroid, J. **256**, 104
The surface gravity of 21 Comae Berenices (A3p)
Monier, R. **256**, 166
Ap stars with resolved magnetically split lines
Mathys,G., Lanz, T. **256**, 169
The energy distribution of 21 Comae (A3p): comparison to standard stars of similar spectral types and modeling
Monier, R., Megessier, C. **256**, 205
A frequency analysis of the rapidly oscillating CP2 (roAp) star HD 12932
Schneider, H., Kreidl, T.J., Weiss, W.W. **257**, 130
The magnetic field and period of the Ap Si star 108 Aquarii
North, P., Brown, D.N., Landstreet, J.D. **258**, 389
Magnetically confined wind on the Ap star 53 Camelopardalis?
Babel, J. **258**, 449
An investigation of the effects of rotational broadening on abundance determinations. I. HgMn stars
Ansari, S.G. **259**, 211
Spectrum variations of HD 215441 (Babcock's star)
Malanushenko, V.P., Polosukhina, N.S., Weiss, W.W. **259**, 567
Spectroscopic orbits of Am stars. I. Seven field stars
Margoni, R., Munari, U., Stagni, R. **260**, 559; ***93***, *545*
The outstanding photometric variations of the Ap star HD 7676 = VV Sculptoris
Renson, P., Manfroid, J. **263**, 161
Application of the infrared flux method to 3 cool Ap stars (78 Virginis, 52 Herculis A and CS Virginis) and comparison of their energy distributions to model atmospheres
Monier, R. **263**, 175
The near-infrared variation of the magnetic star HD 125248
Catalano, F.A., Kroll, R., Leone, F. **263**, 203
Stratification of chemical elements in the atmosphere of the Ap star 53 Camelopardalis
Babel, J., Lanz, T. **263**, 232
Long-term stability of the light curves of CQ Ursae Majoris
Jetsu, L., Kokko, M., Tuominen, I. **265**, 547
The A and Am-Fm stars. II. Equivalent widths for the Li region, microturbulence, and comments on curious-looking line profiles
Coupry, M.F., Burkhart, C. **266**, 628; ***95***, *41*

Stars: chromospheres

An extremely active giant star: HD 218153
de Medeiros, R.J., Mayor, M., Simon, T. **254**, L36
Optical spectra of ζ Aurigae binary systems. III. The 1989 eclipse of τ Persei
Griffin, R.E.M., Schröder, K.-P., Misch, A., Griffin, R.F. **254**, 289
Activity modulation of the red giant HR 1105 as observed in the He I λ10830 Å
Shcherbakov, A.G., Tuominen, I. **255**, 215
Mg II absolute line profiles for late-type stars and for spatially-resolved solar regions
Cerruti-Sola, M., Cheng, C.-C., Pallavicini, R. **256**, 185
Erratum: **(RN)** Electron collisional rates for atomic hydrogen, revisited
Chang, E.S., Avrett, E.H., Loeser, R. **256**, 724
Optical spectra of ζ Aurigae systems. IV. The January 1990 eclipse of HR 2554: detection of chromospheric absorption and extended plasma at $\approx 10^5$ K
Schröder, K.-P., Hünsch, M. **257**, 219
Long-term photometric variations in DH Leonis
Aslan, Z., Derman, E., Akalin, A., Özdemir, T. **257**, 580
Magnetic structure in cool stars. XVIII. UV-line emissions from T Tauri stars
Lemmens, A.F.P., Rutten, R.G.M., Zwaan, C. **257**, 671
Nearly simultaneous observations of chromospheric and coronal radiative losses of cool stars
Schrijver, C.J., Dobson, A.K., Radick, R.R. **258**, 432
Al II as an electron density diagnostic for the upper chromosphere/lower transition region in late-type stars
Doyle, J.G., Keenan, F.P., Harra, L.K., Aggarwal, K.M., Tayal, S.S. **261**, 285
Chromospheres of late-type active and quiescent dwarfs. III. Variability of Ca II H emission profiles
García López, R.J., Crivellari, L., Beckman, J.E., Rebolo, R. **262**, 195
Chromospheric heating in late-type dwarfs: acoustic or magnetic?
Mathioudakis, M., Doyle, J.G. **262**, 523
On the choice of chromospheric activity indices for lower main-sequence stars
Teplitskaya, R.B. **265**, 701

(Stars:) circumstellar matter

Hydrogen infrared recombination line profiles in Be star winds
Waters, L.B.F.M., Marlborough, J.M. **253**, L25
The surprising presence of an O I line in a Wolf-Rayet spectrum
Andrillat, Y., Vreux, J.-M. **253**, L37
The infrared variability of SSV 13
Liseau, R., Lorenzetti, D., Molinari, S. **253**, 119
Erratum: The post-AGB evolution of low-mass stars
Alcolea, J., Bujarrabal, V. **253**, 333

Measure of the grain velocity structure in the circumstellar envelope "Frosty Leo"
Dougados, C., Rouan, D., Léna, P. **253**, 464

^{29}SiO and ^{30}SiO maser emission from evolved stars
Alcolea, J., Bujarrabal, V. **253**, 475

On the 21-μm feature of pre-planetary nebulae
Sourisseau, C., Coddens, G., Papoular, R. **254**, L1

An extremely active giant star: HD 218153
de Medeiros, R.J., Mayor, M., Simon, T. **254**, L36

A complete survey of OH/IR objects from the IRAS LRS sources within a domain of the color diagram
Le Squeren, A.M., Sivagnanam, P., Dennefeld, M., David, P. **254**, 133

Lunar occultations of southern near-infrared stellar sources
Richichi, A., Lisi, F., Di Giacomo, A. **254**, 149

High resolution spectroscopic observations of the massive binary RY Scuti
de Martino, D., Vittone, A.A., Rossi, C., Giovannelli, F. **254**, 266

Line scattering in an expanding shell: interferometric and polarimetric profiles
Lefèvre, J. **254**, 274

A modelling of circumstellar Ba II lines for the hypergiant ϱ Cassiopeiae
Gesicki, K. **254**, 280

A cloudy circumstellar dust shell around SV Cephei
Friedemann, C., Reimann, H.-G., Gürtler, J. **255**, 246

Diffuse circumstellar bands in NGC 7027 and IRAS 21282+5050
Le Bertre, T., Lequeux, J. **255**, 288

Pupil plane interferometry in the near infrared. I. Methodology of observation and first results
Mariotti, J.-M., Monin, J.-L., Ghez, P., Perrier, C., Zadrozny, A. **255**, 462

WR 134 line-profile variability revisited
Vreux, J.-M., Gosset, E., Bohannan, B., Conti, P. **256**, 148

Constraints on Be star wind geometry by linear polarisation and IR excess
Waters, L.B.F.M., Marlborough, J.M. **256**, 195

Isotopic abundances in carbon-rich circumstellar envelopes: a further iteration on the oxygen isotope puzzle
Kahane, C., Cernicharo, J., Gómez-González, J., Guélin, M. **256**, 235

Optical CCD imaging of some Herbig Ae/Be stars
Bhatt, H.C., Sagar, R. **256**, 323; ***93***, *473*

A magnitude-limited spectroscopic and photometric survey of ϱ Ophiuchus X-ray sources
Bouvier, J., Appenzeller, I. **256**, 324; ***92***, *481*

A photometric survey of the eclipsing RS CVn-type system RZ Eridani: starspot variability, circumstellar matter, tidal evolution
Burki, G., Kviz, Z., North, P. **256**, 463

Monitoring of the recombination line maser in MWC349
Thum, C., Martin-Pintado, J., Bachiller, R. **256**, 507

A high-resolution spectroscopic study of southern T Tauri stars
Franchini, M., Covino, E., Stalio, R., Terranegra, L., Chavarria-K, C. **256**, 525

High-resolution spectroscopy of the inner R Aquarii nebula: evidence for bow shock excitation by collimated wind from the symbiotic system
Solf, J. **257**, 228

A study of the optical and ultraviolet spectral characteristics and of the circumstellar material around the new luminous blue variable WRA 751
de Winter, D., Pérez, M.R., Hu, J.Y., Thé, P.S. **257**, 632

Linear polarization as a consequence of rotation in exploding stars
Steinmetz, M., Höflich, P. **257**, 641

The molecular emission of young preplanetary nebulae
Bujarrabal, V., Alcolea, J., Planesas, P. **257**, 701

A survey of circumstellar CO emission from a sample of IRAS point sources
Nyman, L.-Å., Booth, R.S., Carlström, U., Habing, H.J., Heske, A., Sahai, R., Stark, R., van der Veen, W.E.C.J., Winnberg, A. **257**, 845; ***93***, *121*

Near-infrared photometry of a sample of IRAS point sources
Fouqué, P., Le Bertre, T., Epchtein, N., Guglielmo, F., Kerschbaum, F. **257**, 846; ***93***, *151*

Discovery of a peculiar Of?-like star in the LMC
Heydari-Malayeri, M., Melnick, J. **258**, L13

Interferometric observations of HCN ($v=2$) emission from IRC +10216
Lucas, R., Guilloteau, S. **259**, L23

The origin of the extremely metal-poor post-AGB stars
Mathis, J.S., Lamers H.J.G.L.M. **259**, L39

IR survey of OB emission-line stars in the SMC: detection of a new B[e] supergiant, AV 172
Zickgraf, F.-J., Stahl, O., Wolf, B. **260**, 205

The molecular structure of CRL 618
Phillips, J.P., Williams, P.G., Mampaso, A., Ukita, N. **260**, 283

The evolutionary stage of the Herbig Ae/Be stars in the R Coronae Australis star-forming region
Bibo, E.A., Thé, P.S., Dawanas, D.N. **260**, 293

Pupil plane interferometry in the near infrared. II. Phase recovery and image reconstruction
Monin, J.-L., Mariotti, J.-M., Ghez, P., Perrier, C., Desbat, L. **260**, 510

Maser search towards young stellar objects
Henning, T., Cesaroni, R., Walmsley, M., Pfau, W. **260**, 558; ***93***, *525*

Identification of CH^+ emission in the Red Rectangle
Balm, S.P., Jura, M. **261**, L25

An optical search for β Pictoris-like disks around nearby stars
Smith, B.A., Fountain, J.W., Terrile, R.J. **261**, 499

Constraints on cosmic silicates
Ossenkopf, V., Henning, T., Mathis, J.S. **261**, 567

Supernova 1987 A: the nebular loops and "Napoleon's Hat"
Wang, L., Wampler, E.J. **262**, L9

Non-coherent scattering in vertically extended Be star disks: winebottle-type emission-line profiles
Hummel, W., Dachs, J. **262**, L17

A scenario for the selective depletion of stellar atmospheres
Waters, L.B.F.M., Trams, N.R., Waelkens, C. **262**, L37

Identification of IRAS point sources in Scorpio-Centaurus-Lupus
Carballo, R., Wesselius, P.R., Whittet, D.C.B. **262**, 106

Multiwavelength observations of RV Tauri stars. I. AC Herculis
Shenton, M., Albinson, J.S., Barrett, P., Davies, J.K., Evans, A., Goldsmith, M.J., Hutchinson, M.G., Maddison, R.C., Weight, A. **262**, 138

A spectroscopic investigation of η Carinae and the Homunculus Nebula. I. Overview of the spectra
Hillier, D.J., Allen, D.A. **262**, 153

Interferometric observations of SiO $v=0$ thermal emission from evolved stars *(Plateau de Bure Series, Paper 2)*
Lucas, R., Bujarrabal, V., Guilloteau, S., Bachiller, R., Baudry, A., Cernicharo, J., Delannoy, J., Forveille, T., Guélin, M., Radford, S.J.E. **262**, 491

Semiregular variables of types SRa and SRb. Basic properties in the visual and the IRAS-range
Kerschbaum, F., Hron, J. **263**, 97

Carbon-bearing molecules in the envelopes around oxygen-rich stars. First detection of formaldehyde in an oxygen-rich circumstellar envelope
Lindqvist, M., Olofsson, H., Winnberg, A., Nyman, L.-A. **263**, 183

Circumstellar and interstellar fullerenes and their analogues
Kroto, H.W., Jura, M. **263**, 275

The chemical composition of the high velocity post-AGB star HD 56126 (F 5I)
Parthasarathy, M., García Lario, P., Pottasch, S.R. **264**, 159

The β Pictoris circumstellar disk. XIII. Survey of the variable Ca II lines
Lagrange-Henri, A.M., Gosset, E., Beust, H., Ferlet, R., Vidal-Madjar, A. **264**, 637

Carbon-star lightcurves in the 1–20 μm range
Le Bertre, T. **264**, 720; ***94***, *377*

The circumstellar silicate dust as seen by IRAS. II. Evolution of circumstellar envelopes
David, P., Papoular, R. **265**, 195

Dust formation in winds of long-period variables. II. Dust energetics, optical properties, chemistry, time scales
Höfner, S., Dorfi, E.A. **265**, 207

The envelopes of R Coronae Borealis stars. I. A physical model of the decline events due to dust formation
Goeres, A., Sedlmayr, E. **265**, 216

Chemistry in circumstellar shells. I. Chromospheric radiation fields and dust formation in optically thin shells of M-giants
Beck, H.K.B., Gail, H.-P., Henkel, R., Sedlmayr, E. **265**, 626

K I/Na I scattering observations in circumstellar envelopes: α^1 Herculis, *o* Ceti, TX Piscium and β Pegasi
Mauron, N., Caux, E. **265**, 711

Bilateral symmetry in the supernova remnant G 296.5+10.0
Storey, M.C., Staveley-Smith, L., Manchester, R.N., Kesteven, M.J. **265**, 752

One less puzzle in β Lyrae?
Harmanec, P. **266**, 307

Circumstellar dust shells around long-period variables. I. Dynamical models of C-stars including dust formation, growth and evaporation
Fleischer, A.J., Gauger, A., Sedlmayr, E. **266**, 321

The AG Carinae nebula revisited
de Freitas Pacheco, J.A., Damineli Neto, A., Costa, R.D.D., Viotti, R. **266**, 360

Sub-millimetre molecular lines in the circumstellar envelope IRC+10216
Williams, P.G., White G.J. **266**, 365

A study of high-resolution emission-line profiles for Be stars
Dachs, J., Hummel, W., Hanuschik, R.W. **266**, 635; ***95***, *437*

SAO stars with infrared excess in the IRAS Point Source Catalog
Oudmaijer, R.D., van der Veen, W.E.C.J., Waters, L.B.F.M., Trams, N.R., Waelkens, C., Engelsmann, E. **266**, 650; ***96***, *625*

Stars: coronae

The stellar coronal component of the Galaxy. I. The X-COUNT numerical model
Favata, F., Micela, G., Sciortino, S., Vaiana, G.S. **256**, 86

Nearly simultaneous observations of chromospheric and coronal radiative losses of cool stars
Schrijver, C.J., Dobson, A.K., Radick, R.R. **258**, 432

Radio and X-ray emission from main-sequence K stars
Güdel, M. **264**, L31

Stars: distances

Absolute radius of an M giant
Vogel, M., Nussbaumer, H., Monier, R. **260**, 156

A spectroscopic study of luminous peculiar B-type stars
Lopes, D.F., Damineli Neto, A., de Freitas Pacheco, J.A. **261**, 482

Stars: early-type

The rate of mixing in semiconvective zones
Spruit, H.C. **253**, 131

Effective temperature of B-type stars from the Si II lines of the UV multiplet 13.04 at 130.5–130.9 nm
Singh, J., Castelli, F. **253**, 431

High resolution spectroscopic observations of the massive binary RY Scuti
de Martino, D., Vittone, A.A., Rossi, C., Giovannelli, F. **254**, 266

Winds from rotating, magnetic, hot stars: consequences for the rotational evolution of O and B stars
MacGregor, K.B., Friend, D.B., Gilliland, R.L. **256**, 141

Optical CCD imaging of some Herbig Ae/Be stars
Bhatt, H.C., Sagar, R. **256**, 323; ***93***, *473*

Observed evolutionary changes in the visual magnitude of the luminous blue variable P Cygni
Lamers, H.J.G.L.M., de Groot, M.J.H. **257**, 153

uvbyβ observations of 528 type *B* stars with *V* between the 8th and 9th magnitude
Knude, J. **257**, 411; ***92***, *841*

Mass loss in main-sequence A-type stars?
Lanz, T., Catala, C. **257**, 663

Radiation-driven winds of hot stars: a simplified model
Villata, M. **257**, 677

Discovery of a peculiar Of?-like star in the LMC
Heydari-Malayeri, M., Melnick, J. **258**, L13

OB associations in four stellar fields of M 31
Battinelli, P. **258**, 269

On the distance to the new luminous blue variable WRA 751 and its variability
van Genderen, A.M., Thé, P.S., de Winter, D., Hollander, A., de Jong, P.J., van den Bosch, F.C., Kolkman, O.M., Verheijen, M.A.W. **258**, 316

CX Draconis: the orbit parameters for both components
Horn, J., Hubert, A.M., Hubert, H., Koubský, P., Bailloux, N. **259**, L5

Photometry of the LMC H II region N 159 A and of its stellar content. II. Young stars, gas, and dust
Deharveng, L., Caplan, J. **259**, 480

HD 80859 (B5 V): a possible new slowly pulsating B-type star
van Genderen, A.M., van den Bosch, F.C., Dessing, F., van der Heiden, R., de Jong, J.P., van der Meer, R.L.J., van Ojik, R., Smit, J.M., Zijderveld, M.J. **259**, 574

Nonradial, nonadiabatic pulsations of evolving massive stars
Gautschy, A. **260**, 175

UV observations of LB 3193 and LB 3116: Two hot post-AGB objects in the galactic halo?
Quin, D.A., Lamers, H.J.G.L.M. **260**, 261

The effect of EUV and X-ray radiation on stellar atmospheres and the problem of helium abundance in B-stars
Mitskevich, A.S., Tsymbal, V.V. **260**, 303

Narrow band multicolor photometry of reddened and unreddened early-type stars
Bastiaansen, P.A. **260**, 557; ***93***, *449*

Intrinsic parameters of galactic luminous OB stars
Herrero, A., Kudritzki, R.P., Vilchez, J.M., Kunze, D., Butler, K., Haser, S. **261**, 209

Three periodic variables of early B spectral type
Jerzykiewicz, M., Sterken, C. **261**, 477

A spectroscopic study of luminous peculiar B-type stars
Lopes, D.F., Damineli Neto, A., de Freitas Pacheco, J.A. **261**, 482

Chemical abundances in early B-type stars. IV. He, CNO, and Si abundances
Kilian, J. **262**, 171

Variability and theoretical upper limit of the mass loss rate in OB-stars
Vilkoviskij, E.Y., Tambovtseva, L.V. **262**, 383; ***94***, *109*

Accelerated complete-linearization method for calculating NLTE model stellar atmospheres
Hubeny, I., Lanz, T. **262**, 501

Radiation-driven winds of hot luminous stars. XI. Frictional heating in a multicomponent stellar wind plasma and decoupling of radiatively accelerated ions
Springmann, U.W.E., Pauldrach, A.W.A. **262**, 515

The role of sound waves in Be-star winds
Koninx, J.P.M., Hearn, A.G. **263**, 208

Light variations of massive stars (α Cygni variables). XIII. The B-type hypergiants R81 (LBV), HD 80077 (LBV?), HD 168607 = V 4029 Sagittarii (LBV) and HD 168625 = V 4030 Sagittarii
van Genderen, A.M., van den Bosch, F.C., Dessing, F., Fehmers, G.C., van Grunsven, J., van der Heiden, R., Janssens, A.M., Kalter, R., van der Meer, R.L.J., van Ojik, R., Smit, J.M., Zijderveld, M.J. **264**, 88

Photospheric velocity gradients in B1 supergiants
Massa, D., Shore, S.N., Wynne, D. **264**, 169

Galactic B-supergiants. I. An atlas of O9-B9 supergiant spectra from 3950 AA to 4950 AA
Lennon, D.J., Dufton, P.L., Fitzsimmons, A. **264**, 722; ***94***, *569*

Helium enrichment in massive early type stars
Langer, N. **265**, L17

ROSAT survey observations of OB and OBe stars
Meurs, E.J.A., Piters, A.J.M., Pols, O.R., Waters, L.B.F.M., Coté, J., Van Kerkwijk, M.H., van Paradijs, J., Burki, G., Taylor, A.R., de Martino, D. **265**, L41

Unified NLTE model atmospheres including spherical extension and stellar winds. III. The EUV fluxes of hot massive stars and He II emission in extragalactic giant H II regions
Gabler, R., Gabler, A., Kudritzki, R.P., Méndez, R.H. **265**, 656

Ultraviolet and optical spectra of central stars of halo planetary nebulae
Peña, M., Torres-Peimbert, S., Ruiz, M.T. **265**, 757

The formation of weak metal lines in the atmospheres of O-stars. The role of microturbulence and transonic matter outflow
Kudritzki, R.P. **266**, 395

A photometric study of β Cephei stars. I. Frequency analysis of new and previously published data
Heynderickx, D. **266**, 642; ***96***, *207*

SAO stars with infrared excess in the IRAS Point Source Catalog
Oudmaijer, R.D., van der Veen, W.E.C.J., Waters, L.B.F.M., Trams, N.R., Waelkens, C., Engelsmann, E. **266**, 650; ***96***, *625*

Stars: emission-line, Be

Hydrogen infrared recombination line profiles in Be star winds
Waters, L.B.F.M., Marlborough, J.M. **253**, L25

Be star surveys with CCD photometry. I. NGC 330 and its high Be star content
Grebel, E.K., Richtler, T., de Boer, K.S. **254**, L5

Studies of symbiotic stars. V. The dust-free yellow system He2–467
Munari, U., Buson, L.M. **255**, 158

Atmospheric motions in the population II Cepheid W Virginis
Lèbre, A., Gillet, D. **255**, 221

The spectrum of the VV Cephei star KQ Puppis (Boss 1985). III. A possible model
Rossi, C., Altamore, A., Baratta, G.B., Friedjung, M., Viotti, R. **256**, 133

Constraints on Be star wind geometry by linear polarisation and IR excess
Waters, L.B.F.M., Marlborough, J.M. **256**, 195

Optical CCD imaging of some Herbig Ae/Be stars
Bhatt, H.C., Sagar, R. **256**, 323; ***93***, *473*

Intensive photometry of southern Be variables. II. Summer objects
Balona, L.A., Cuypers, J., Marang, F. **256**, 324; ***92***, *553*

The spectrum of the VV Cephei star KQ Puppis (Boss 1985). II. Atlas of the optical and ultraviolet spectrum
Altamore, A., Rossi, C., Viotti, R., Baratta, G.B. **257**, 410; ***92***, *685*

A search for Hα emission stars in regions of high latitude molecular clouds
Kun, M. **257**, 412; ***92***, *875*

Pre-shell phase photometric stability in *o* Andromedae
Sareyan, J.P., Gonzalez-Bedolla, S., Chauville, J., Morel, P.J., Alvarez, M. **257**, 567

The spectrum of the VV Cephei star KQ Puppis. IV. The Fe II spectrum, level population and spectral synthesis
Muratorio, G., Viotti, R., Friedjung, M., Baratta, G.B., Rossi, C. **258**, 423

Spectral variability of He 3-640, optical counterpart of the X-ray source A 1118-61
Villada, M., Giovannelli, F., Polcaro, V.F. **259**, L1

CX Draconis: the orbit parameters for both components
Horn, J., Hubert, A.M., Hubert, H., Koubský, P., Bailloux, N. **259**, L5

Astrophysical parameters of X Persei
Fabregat, J., Reglero, V., Coe, M.J., Clement, R., Gorrod, M.J., Norton, A.J., Roche, P.D., Suso, J., Unger, S.J. **259**, 522

IR survey of OB emission-line stars in the SMC: detection of a new B[e] supergiant, AV 172
Zickgraf, F.-J., Stahl, O., Wolf, B. **260**, 205

The evolutionary stage of the Herbig Ae/Be stars in the R Coronae Australis star-forming region
Bibo, E.A., Thé, P.S., Dawanas, D.N. **260**, 293

Photometric short-term variations of the Be star θ Coronae Borealis
Guerrero, G., Bossi, M., Scardia, M. **260**, 311
Emission-line objects in the Large Magellanic Cloud. Observations obtained with the FLAIR system
Morgan, D.H., Watson, F.G., Parker, Q.A. **260**, 558; ***93***, *495*
A spectroscopic study of luminous peculiar B-type stars
Lopes, D.F., Damineli Neto, A., de Freitas Pacheco, J.A. **261**, 482
Non-coherent scattering in vertically extended Be star disks: winebottle-type emission-line profiles
Hummel, W., Dachs, J. **262**, L17
A spectroscopic investigation of η Carinae and the Homunculus Nebula. I. Overview of the spectra
Hillier, D.J., Allen, D.A. **262**, 153
Chromospheric heating in late-type dwarfs: acoustic or magnetic?
Mathioudakis, M., Doyle, J.G. **262**, 523
The role of sound waves in Be-star winds
Koninx, J.P.M., Hearn, A.G. **263**, 208
Short-term spectroscopic variability of the Be star EW Lacertae (HD 217050)
Floquet, M., Hubert, A.M., Janot-Pacheco, E., Mekkas, A., Hubert, H., Leister, N.V. **264**, 177
ROSAT survey observations of OB and OBe stars
Meurs, E.J.A., Piters, A.J.M., Pols, O.R., Waters, L.B.F.M., Coté, J., Van Kerkwijk, M.H., van Paradijs, J., Burki, G., Taylor, A.R., de Martino, D. **265**, L41
On the long-term periodicities in Be stars
Papaloizou, J.C., Savonije, G.J., Henrichs, H.F. **265**, L45
Emission-line stars in L 1641
Wouterloot, J.G.A., Brand, J. **265**, 144
Possible detection of Lyman α emission in the A7 III star γ Bootis
Marilli, E., Catalano, S., Freire Ferrero, R., Gouttebroze, P. **265**, 643
One less puzzle in β Lyrae?
Harmanec, P. **266**, 307
The AG Carinae nebula revisited
de Freitas Pacheco, J.A., Damineli Neto, A., Costa, R.D.D., Viotti, R. **266**, 360
New probable members of the young Orion stellar population. I. The obscured regions in Cassiopeia, Vela and Scorpius
Márquez-Limón, A., López-Molina, M.G., Chavarría-K, C. **266**, 633; ***95***, *391*
A study of high-resolution emission-line profiles for Be stars
Dachs, J., Hummel, W., Hanuschik, R.W. **266**, 635; ***95***, *437*
A southern Be star survey: spectra and envelope radii
Jaschek, C., Jaschek, M. **266**, 637; ***95***, *535*

Stars: evolution

On a new, one-dimensional, time-dependent model for turbulence and convection. I. A basic discussion of the mathematical model
Gehmeyr, M., Winkler, K.-H.A. **253**, 92
On a new, one-dimensional, time-dependent model for turbulence and convection. II. An elementary comparison of the old and the new model
Gehmeyr, M., Winkler, K.-H.A. **253**, 101
The rate of mixing in semiconvective zones
Spruit, H.C. **253**, 131
A flux-limited sample of galactic carbon stars
Groenewegen, M.A.T., de Jong, T., van der Bliek, N.S., Slijkhuis, S., Willems, F.J. **253**, 150
Which evolution for an Am star?
Berthet, S. **253**, 451
IUE observations of UV-bright stars in M3
Buzzoni, A., Cacciari, C., Fusi Pecci, F., Buonanno, R., Corsi, C.E. **254**, 110
Advantages and limitations of the bipolytrope model for computing the secular evolution of cataclysmic binaries
Kolb, U., Ritter, H. **254**, 213
Studies of symbiotic stars. V. The dust-free yellow system He2–467
Munari, U., Buson, L.M. **255**, 158
High-resolution spectroscopy of the central star of the Red-Rectangle nebula
Waelkens, C., Van Winckel, H., Trams, N.R., Waters, L.B.F.M. **256**, L15
Formation of a "planet" by rapid evaporation of a pulsar's companion
Rasio, F.A., Shapiro, S.L., Teukolsky, S.A. **256**, L35
Winds from rotating, magnetic, hot stars: consequences for the rotational evolution of O and B stars
MacGregor, K.B., Friend, D.B., Gilliland, R.L. **256**, 141
Erratum: The evolution of carbon stars in the Magellanic Clouds
Westerlund, B.E., Azzopardi, M., Breysacher, J., Rebeirot, E. **256**, 326; ***92***, *683*
The effect of angular momentum exchange in the evolution of binary systems
Huang, R.Q., Yu, K.N., Han, Z.W. **256**, 438
Monitoring of the recombination line maser in MWC349
Thum, C., Martín-Pintado, J., Bachiller, R. **256**, 507
The effect of irradiation in Algol-type binaries: metallicity and position in the HR diagram
Claret, A., Giménez, A. **256**, 572
Observed evolutionary changes in the visual magnitude of the luminous blue variable P Cygni
Lamers, H.J.G.L.M., de Groot, M.J.H. **257**, 153
A study of the optical and ultraviolet spectral characteristics and of the circumstellar material around the new luminous blue variable WRA 751
de Winter, D., Pérez, M.R., Hu, J.Y., Thé, P.S. **257**, 632
Near-infrared photometry of a sample of IRAS point sources
Fouqué, P., Le Bertre, T., Epchtein, N., Guglielmo, F., Kerschbaum, F. **257**, 846; ***93***, *151*
Discovery of a peculiar Of?-like star in the LMC
Heydari-Malayeri, M., Melnick, J. **258**, L13
Weak chaos in long-period variables
Icke, V., Frank, A., Heske, A. **258**, 341
The s-process in massive stars of variable composition
Baraffe, I., El Eid, M.F., Prantzos, N. **258**, 357
A theoretical investigation of population II red giant clumps
Bono, G., Castellani, V. **258**, 385
Core overshooting and stellar evolution
Brocato, E., Castellani, V. **258**, 397
A spectacular mass-loss event of the central star of Longmore 4
Werner, K., Hamann, W.-R., Heber, U., Napiwotzki, R., Rauch, T., Wessolowski, U. **259**, L69
Constraints on the evolution of AM Herculis stars derived from the observed distribution of orbital periods
Ritter, H., Kolb, U. **259**, 159
UV-(2000 Å) imaging of globular clusters. I. The projected radial distributions and counts of the blue horizontal-branch stars in M 3, M 5, M 13 and M 92
Laget, M., Burgarella, D., Milliard, B., Donas, J. **259**, 510

The age of the Galaxy from thorium in G dwarfs, a re-analysis
Morell, O., Källander, D., Butcher, H.R. **259**, 543
Faint carbon stars in the Small Magellanic Cloud
Westerlund, B.E., Azzopardi, M., Breysacher, J., Rebeirot, E. **260**, L4
Orbital elements of S stars: revisiting the evolutionary status of S stars
Jorissen, A., Mayor, M. **260**, 115
Nonradial, nonadiabatic pulsations of evolving massive stars
Gautschy, A. **260**, 175
Theoretical model of the binary system 9^2 Tauri. I. Evolutionary status of 9^2 Tauri and its implications for Hyades chemical composition
Królikowska, M. **260**, 183
UV observations of LB 3193 and LB 3116: Two hot post-AGB objects in the galactic halo?
Quin, D.A., Lamers, H.J.G.L.M. **260**, 261
A binary evolutionary model for the progenitor of SN 1987 A
de Loore, C., Vanbeveren, D. **260**, 273
Kinematics of planetary nebulae: expansion velocities
Bianchi, L. **260**, 314
Main sequence and white dwarf stars – a consistent calculation of galactic evolution
Yuan, J.W. **261**, 105
Statistics of cataclysmic variable formation
de Kool, M. **261**, 188
Intrinsic parameters of galactic luminous OB stars
Herrero, A., Kudritzki, R.P., Vilchez, J.M., Kunze, D., Butler, K., Haser, S. **261**, 209
Optical spectroscopy of post-T Tauri star candidates
Pallavicini, R., Pasquini, L., Randich, S. **261**, 245
The reconciliation of the several calibrations of the horizontal-branch absolute magnitude as a function of metallicity: a progress report
Catelan, M. **261**, 443
The Sandage effect revisited
Catelan, M. **261**, 457
Pulsar-irradiated stars in dense globular clusters
Tavani, M. **261**, 472
A spectroscopic study of luminous peculiar B-type stars
Lopes, D.F., Damineli Neto, A., de Freitas Pacheco, J.A. **261**, 482
Near-infrared spectroscopy of Galactic Wolf-Rayet stars
Howarth, I.D., Schmutz, W. **261**, 503
A scenario for the selective depletion of stellar atmospheres
Waters, L.B.F.M., Trams, N.R., Waelkens, C. **262**, L37
CRL 618: the nature of the 200 $km\,s^{-1}$ molecular outflow *(Plateau de Bure Series, Paper 3)*
Neri, R., García-Burillo, S., Guélin, M., Cernicharo, J., Guilloteau, S., Lucas, R. **262**, 544
Semiregular variables of types SRa and SRb. Basic properties in the visual and the IRAS-range
Kerschbaum, F., Hron, J. **263**, 97
Basic relations between physical parameters of Wolf-Rayet stars
Schaerer, D., Maeder, A. **263**, 129
A period study of AW Ursae Majoris
Demircan, O., Derman, E., Müyesseroğlu, Z. **263**, 165
Stellar yields as a function of initial metallicity and mass limit for black hole formation
Maeder, A. **264**, 105
The chemical composition of the high velocity post-AGB star HD 56126 (F 5I)
Parthasarathy, M., García Lario, P., Pottasch, S.R. **264**, 159
Non-standard neutrino interactions and the evolution of red giants
Raffelt, G., Weiss, A. **264**, 536
On the depletion of lithium in the Sun
Ahrens, B., Stix, M., Thorn, M. **264**, 673
Evolutionary sequences for binary stars in the mass range 9 to 40 $M_\odot$
de Loore, C., De Greve, J.P. **264**, 721; **94**, *453*
Orbital evolution of binaries with ultra-rapid pulsars
Ergma, E., Fedorova, A.V. **265**, 65
Radiative force on molecules and its possible role for mass loss in evolved AGB stars
Jørgensen, U.G., Johnson, H.R. **265**, 168
The WO stars. I. Helium in the optical spectrum of Sand 4
Polcaro, V.F., Viotti, R., Rossi, C., Norci, L. **265**, 563
Limits on convective penetration from stellar cores
Roxburgh, I.W. **266**, 291
Chromospheric activity and stellar evolution: clues from IUE data
Pasquini, L., Brocato, E. **266**, 340
Evolutionary stellar models using Rogers & Iglesias opacities, with particular attention to internal structure constants
Claret, A., Giménez, A. **266**, 642; **96**, *255*
New grids of stellar models from 0.8 to 120 $M_\odot$ at $Z=0.020$ and $Z=0.001$
Schaller, G., Schaerer, D., Meynet, G., Maeder, A. **266**, 643; **96**, *269*
Evolution of massive close binaries
De Greve, J.P., de Loore, C. **266**, 650; **96**, *653*

Stars: flare

Quiescent radio emission in UX Arietis
Massi, M., Chiuderi-Drago, F. **253**, 403
HDE 249119 and its possible relation to the 1979 Sep 29 γ-ray burst
Borovička, J., Hudec, R., Dědoch, A. **258**, 379
Dynamic phenomena on the RS Canum Venaticorum binary II Pegasi in August 1989. II. An interpretation
Doyle, J.G., van den Oord, G.H.J., Kellett, B.J. **262**, 533
A long-duration optical flare on the FK Comae-type star HD 32918 (= YY Mensae)
Cutispoto, G., Pagano, I., Rodonò, M. **263**, L3
Rapid photometry of EZ Canis Majoris: searching for flare activity in Wolf–Rayet stars
Matthews, J.M., Moffat, A.F.J., Marchenko, S.V. **266**, 409
Dynamic phenomena on the RS Canum Venaticorum binary II Pegasi in August 1989. I. Observational data
Doyle, J.G., Kellett, B.J., Butler, C.J., Byrne, P.B., Neff, J.E., Brown, A., Fox, D., Linsky, J.E., Bromage, G.E., Avgoloupis, S., Mavridis, L.N., Seiradakis, J.H., Mathioudakis, M., Murphy, H.M., Krzesinski, J., Pajdosz, G., Dadonas, V., Sperauskas, J., van Wyk, F., Marang, F., Olah, K., Collier Cameron, A., Antonopoulou, E., Rovithis, P., Rovithis-Livaniou, H. **266**, 644; **96**, *351*

Stars: formation

The infrared variability of SSV 13
Liseau, R., Lorenzetti, D., Molinari, S. **253**, 119
Age subgroups in open clusters
Strobel, A. **253**, 374
Evolution of a self-gravitating protocloud with turbulence
Battinelli, P., Capuzzo-Dolcetta, R., Di Fazio, A., Urpin, V.A., Vereshchagin, S.V. **254**, 331

Molecular outflows and H_2O masers: what type of connection?
Felli, M., Palagi, F., Tofani, G. **255**, 293
Discovery of four Herbig-Haro objects in Serpens
Reipurth, B., Eiroa, C. **256**, L1
Star formation in Bok globules and low-mass clouds. IV. Herbig-Haro objects in B335
Reipurth, B., Heathcote, S., Vrba, F. **256**, 225
A photometric and spectroscopic study of a supposed subclustering of pre-main sequence stars towards the Scorpius OB1 association
Piers, R.P.A., Thé, P.S., van Genderen, A.M. **256**, 325; **92**, *609*
Dust emission from star-forming regions. II. The NGC 2024 cloud core – revisited
Mezger, P.G., Sievers, A.W., Haslam, C.G.T., Kreysa, E., Lemke, R., Mauersberger, R., Wilson, T.L. **256**, 631
The internal structure of molecular clouds. III. Evidence for molecular depletion in the NGC 2024 condensations
Mauersberger, R., Wilson, T.L., Mezger, P.G., Gaume, R., Johnston, K.J. **256**, 640
A search for Hα emission stars in regions of high latitude molecular clouds
Kun, M. **257**, 412; **92**, *875*
Multiple bow shocks in the HH 34 system
Reipurth, B., Heathcote, S. **257**, 693
The small-scale density and velocity structure of quiescent molecular clouds
Falgarone, E., Puget, J.-L., Pérault, M. **257**, 715
OB associations in four stellar fields of M 31
Battinelli, P. **258**, 269
A molecular outflow associated with Herbig-Haro jet HH 46/47
Olberg, M., Reipurth, B., Booth, R.S. **259**, 252
Cometary globules in the Gum nebula. II. Low mass star formation in cometary globule 22
Sahu, M., Sahu, K.C. **259**, 265
Photometry of the LMC H II region N 159 A and of its stellar content. II. Young stars, gas, and dust
Deharveng, L., Caplan, J. **259**, 480
The double nature of RCW57/IRS1
Moneti, A. **259**, 627
IRAS identification of pre-main sequence stars in the Chamaeleon II association
Prusti, T., Whittet, D.C.B., Assendorp, R., Wesselius, P.R. **260**, 151
Non-linear development of $m=1$ instabilities in a self-gravitating gaseous disc
Heemskerk, M.H.M., Papaloizou, J.C., Savonije, G.J. **260**, 161
A survey of CH emission in molecular outflows
Magnani, L., Sandell, G., Lada, E.A. **260**, 558; **93**, *509*
Maser search towards young stellar objects
Henning, T., Cesaroni, R., Walmsley, M., Pfau, W. **260**, 558; **93**, *525*
Near-infrared images of the 30 Doradus region
Rubio, M., Roth, M., García, J. **261**, L29
An optical search for β Pictoris-like disks around nearby stars
Smith, B.A., Fountain, J.W., Terrile, R.J. **261**, 499
Near-infrared images of the Serpens cloud core: the stellar cluster
Eiroa, C., Casali, M.M. **262**, 468
Models and observations of starbursts. I. Methods of evolutionary models and the starburst in M 82
Bernlöhr, K. **263**, 54
Submm/mm observations of the Monoceros R2 cloud core
Henning, T., Chini, R., Pfau, W. **263**, 285
Diffusion-generated electromotive force and seed magnetic field problem
Lazarian, A. **264**, 326
Global recent star formation in normal galaxies from a multi-wavelength study. Comparison with their gas content
Buat, V. **264**, 444
NGC 1792: surprising radio properties
Dahlem, M. **264**, 483
Star formation and molecular clouds in blue compact galaxies
Sage, L.J., Salzer, J.J., Loose, H.-H., Henkel, C. **265**, 19
A cluster of infrared sources towards M 16
Chini, R., Krügel, E., Wargau, W.F. **265**, 45
First observations of young bipolar outflows with the IRAM interferometer: 2″ resolution SiO images of the molecular jet in L 1448
Guilloteau, S., Bachiller, R., Fuente, A., Lucas, R. **265**, L49
Emission-line stars in L 1641
Wouterloot, J.G.A., Brand, J. **265**, 144
Star formation in the Vela molecular clouds. I. The IRAS-bright Class I sources
Liseau, R., Lorenzetti, D., Nisini, B., Spinoglio, L., Moneti, A. **265**, 577
Submillimeter dust continuum observations of three low luminosity protostellar IRAS sources
Zinnecker, H., Bastien, P., Arcoragi, J.-P., Yorke, H.W. **265**, 726
Carbon monoxide and far-infrared observations of the S 155–Cepheus B region
Minchin, N.R., Ward-Thompson, D., White, G.J. **265**, 733
Dust emission from star-forming regions. III. The Rho Ophiuchus cloud – where are the low-mass protostars?
Mezger, P.G., Sievers, A., Zylka, R., Haslam, C.G.T., Kreysa, E., Lemke, R. **265**, 743
Star formation efficiency in active galaxies
Chini, R., Krügel, E., Kreysa, E. **266**, 177
Possible young stellar objects in the region of the Cygnus OB2 (VI Cygni) association from IRAS observations
Parthasarathy, M., Jain, S.K., Bhatt, H.C. **266**, 202
Mid–IR spectroscopy of GGD 27-IRS: evidence for a PMS stellar cluster
Aspin, C., Geballe, T.R. **266**, 219
Near-IR observations of the bipolar outflow sources IRAS 03271+3013 and IRAS 03282+3035
Aspin, C. **266**, 416
An optical/infrared/millimetre study of HH 90/91
Gredel, R., Reipurth, B., Heathcote, S. **266**, 439
High resolution CO observations of S88-B
White, G.J., Fridlung, C.V.M. **266**, 452
New probable members of the young Orion stellar population. I. The obscured regions in Cassiopeia, Vela and Scorpius
Márquez-Limón, A., López-Molina, M.G., Chavarría-K, C. **266**, 633; **95**, *391*

Stars: fundamental parameters (classification, colors, luminosities, masses, radii, temperatures, etc.)

A flux-limited sample of galactic carbon stars
Groenewegen, M.A.T., de Jong, T., van der Bliek, N.S., Slijkhuis, S., Willems, F.J. **253**, 150
The effects of limb variation on the diameter measurements of SN 1987 A
Karovska, M., Nisenson, P. **253**, 210

Be star surveys with CCD photometry. I. NGC 330 and its high Be star content
Grebel, E.K., Richtler, T., de Boer, K.S. **254**, L5
IUE observations of UV-bright stars in M3
Buzzoni, A., Cacciari, C., Fusi Pecci, F., Buonanno, R., Corsi, C.E. **254**, 110
Lunar occultations of southern near-infrared stellar sources
Richichi, A., Lisi, F., Di Giacomo, A. **254**, 149
Photometric properties of symbiotic stars and the nature of the cool component
Whitelock, P.A., Munari, U. **255**, 171
The surface gravity of 21 Comae Berenices (A3p)
Monier, R. **256**, 166
The energy distribution of 21 Comae (A3p): comparison to standard stars of similar spectral types and modeling
Monier, R., Megessier, C. **256**, 205
Four-colour and Hβ photometry for low-mass members in open clusters. II. The Hyades
Reglero, V., Fabregat, J., Suso, J. **256**, 324; ***92***, *565*
Studies of early-type variable stars. VII. The orbit and physical parameters for TV Cassiopeiae
Khalesseh, B., Hill, G. **257**, 199
Spectral types and *UBV* magnitudes of stars in the 30 Doradus complex
Schild, H., Testor, G. **257**, 410; ***92***, *729*
uvbyβ observations of 528 type *B* stars with *V* between the 8th and 9th magnitude
Knude, J. **257**, 411; ***92***, *841*
Radiation-driven winds of hot luminous stars. X. The determination of stellar masses, radii and distances from terminal velocities and mass-loss rates
Kudritzki, R.P., Hummer, D.G., Pauldrach, A.W.A., Puls, J., Najarro, F., Imhoff, J. **257**, 655
CX Draconis: the orbit parameters for both components
Horn, J., Hubert, A.M., Hubert, H., Koubský, P., Bailloux, N. **259**, L5
Interferometric observations of Mira (*o* Ceti)
Quirrenbach, A., Mozurkewich, D., Armstrong, J.T., Johnston, K.J., Colavita, M.M., Shao, M. **259**, L19
A new nonlinear approximation to the limb-darkening of hot stars
Díaz-Cordovés, J., Giménez, A. **259**, 227
The proximity parameter
Luri, X., Torra, J., Figueras, F. **259**, 382
On the starspot temperature of HD 12545
Strassmeier, K.G., Oláh, K. **259**, 595
A photometric study on the G0-4 Ia$^+$ hypergiant HD 96918 (V 382 Carinae)
Achmad, L., Lamers, H.J.G.L.M., Nieuwenhuijzen, H., van Genderen, A.M. **259**, 600
Estimation of the ages and distances of open clusters from the Palomar Observatory Sky Survey
Strobel, A., Skaba, W., Proga, D. **259**, 723; ***93***, *271*
UBVRI-JHKL photometric catalogue of symbiotic stars
Munari, U., Yudin, B.F., Taranova, O.G., Massone, G., Marang, F., Roberts, G., Winkler, H., Whitelock, P.A. **259**, 725; ***93***, *383*
Absolute radius of an M giant
Vogel, M., Nussbaumer, H., Monier, R. **260**, 156
Apsidal motion and revised photometric elements of the eccentric eclipsing binary V 477 Cygni
Giménez, A., Quintana, J.M. **260**, 227
On central star luminosities and optical thicknesses in planetary nebulae
Méndez, R.H., Kudritzki, R.P., Herrero, A. **260**, 329
Intrinsic parameters of galactic luminous OB stars
Herrero, A., Kudritzki, R.P., Vilchez, J.M., Kunze, D., Butler, K., Haser, S. **261**, 209
A spectroscopic study of luminous peculiar B-type stars
Lopes, D.F., Damineli Neto, A., de Freitas Pacheco, J.A. **261**, 482
Near-infrared spectroscopy of Galactic Wolf-Rayet stars
Howarth, I.D., Schmutz, W. **261**, 503
A grid of models for Wolf-Rayet stars of the carbon sequence (WC)
Koesterke, L., Hamann, W.-R., Wessolowski, U. **261**, 535
Cool star flux spectra for population studies in galaxies
Malagnini, M.L., Morossi, C., Buser, R., Parthasarathy, M. **261**, 558
Application of the infrared flux method to 3 cool Ap stars (78 Virginis, 52 Herculis A and CS Virginis) and comparison of their energy distributions to model atmospheres
Monier, R. **263**, 175
The Spacelab-1 very wide field survey of UV-excess objects. III. Analysis of the IUE high-resolution spectra of two very hot sdO stars
Deleuil, M., Viton, M. **263**, 190
The 1992 detailed analyses of α Centauri A and α Centauri B
Chmielewski, Y., Friel, E., Cayrel de Strobel, G., Bentolila, C. **263**, 219
A fine analysis of calcium and iron lines in the spectrum of the subdwarf Groombridge 1830
Smith, G., Lambert, D.L., Ruck, M.J. **263**, 249
A library of theoretical stellar flux spectra. I. Synthetic *UBVRI* photometry and the metallicity scale for F- to K-type stars
Buser, R., Kurucz, R.L. **264**, 557
$UBV(RI)_c$ photometric monitoring of Orion population stars in the southern hemisphere
Covino, E., Terranegra, L., Franchini, M., Chavarría-K, C., Stalio, R. **264**, 719; ***94***, *273*
Galactic B-supergiants. I. An atlas of O9-B9 supergiant spectra from 3950 AA to 4950 AA
Lennon, D.J., Dufton, P.L., Fitzsimmons, A. **264**, 722; ***94***, *569*
Luminosities of yellow supergiants from near-infrared spectra: calibration through Magellanic Cloud stars
Mantegazza, L. **265**, 527
Accurate angular diameter and effective temperature of seven late-type stars
Richichi, A., Di Giacomo, A., Lisi, F., Calamai, G. **265**, 535
Studies of late-type binaries. V. The orbit and physical parameters of V 1073 Cygni
Ahn, Y.S., Hill, G., Khalesseh, B. **265**, 597
The calibration of Strömgren photometry for A, F and early G supergiants. III. The A and early F supergiants
Gray, R.O. **265**, 704
Ultraviolet and optical spectra of central stars of halo planetary nebulae
Peña, M., Torres-Peimbert, S., Ruiz, M.T. **265**, 757
Limits on the absolute magnitudes of faint northern dwarf novae
Schimpke, T., Bruch, A. **266**, 225
A catalogue of [Fe/H] determinations: 1991 edition
Cayrel de Strobel, G., Hauck, B., François, P., Thévenin, F., Friel, E., Mermilliod, M., Borde, S. **266**, 632; ***95***, *273*

An automated determination of the absolute magnitudes of stars in the Vilnius photometric system
Smriglio, F., Dasgupta, A.K., Boyle, R.P. **266**, 634; **95**, *417*
A library of near-IR stellar spectra from 1.428 to 2.5 μm
Lançon, A., Rocca-Volmerange, B. **266**, 649; **96**, *593*

Stars: general

Secondary spectrophotometric standards
Glushneva, I.N., Kharitonov, A.V., Knyazeva, L.N., Shenavrin, V.I. **255**, 496; **92**, *1*
The contributions of RSCVn systems to the diffuse X-ray background
Ottmann, R., Schmitt, J.H.M.M. **256**, 421

Stars: giant

Spectroscopic study of microturbulence in the atmosphere of Arcturus
Takeda, Y. **253**, 487
An extremely active giant star: HD 218153
de Medeiros, R.J., Mayor, M., Simon, T. **254**, L36
The calcium infrared triplet lines in stellar spectra
Jørgensen, U.G., Carlsson, M., Johnson, H.R. **254**, 258
Activity modulation of the red giant HR 1105 as observed in the He I λ10830 Å
Shcherbakov, A.G., Tuominen, I. **255**, 215
Spherical opacity sampling model atmospheres for M-giants. I. Techniques, data and discussion
Plez, B., Brett, J.M., Nordlund, Å. **256**, 551
Tests of the CM model for turbulent convection. I. Application to M 67
D'Antona, F., Mazzitelli, I., Gratton, R.G. **257**, 539
A theoretical investigation of population II red giant clumps
Bono, G., Castellani, V. **258**, 385
Orbital elements of S stars: revisiting the evolutionary status of S stars
Jorissen, A., Mayor, M. **260**, 115
Fluorine production in thermal pulses on the asymptotic giant branch
Forestini, M., Goriely, S., Jorissen, A., Arnould, M. **261**, 157
Fluorine in red giant stars: evidence for nucleosynthesis
Jorissen, A., Smith, V.V., Lambert, D.L. **261**, 164
Effects of sphericity in carbon star atmospheres
Jørgensen, U.G., Johnson, H.R., Nordlund, A. **261**, 263
CNO overabundances in six stars of ω Centauri
Milone, A., Barbuy, B., Spite, M., Spite, F. **261**, 551
Cool star flux spectra for population studies in galaxies
Malagnini, M.L., Morossi, C., Buser, R., Parthasarathy, M. **261**, 558
Light element abundances in barium stars
Barbuy, B., Jorissen, A., Rossi, S.C.F., Arnould, M. **262**, 216
Non-standard neutrino interactions and the evolution of red giants
Raffelt, G., Weiss, A. **264**, 536
Spherical opacity sampling model atmospheres for *M*-giants and supergiants. II. A grid
Plez, B. **264**, 722; **94**, *527*
Radiative force on molecules and its possible role for mass loss in evolved AGB stars
Jørgensen, U.G., Johnson, H.R. **265**, 168
On the accuracy of CO line positions for high resolution IR stellar spectroscopy
Sauval, A.J., Farrenq, R., Guelachvili, G., Grevesse, N., Farmer, C.B., Norton, R.H. **265**, 355
Possible detection of Lyman α emission in the A7 III star γ Bootis
Marilli, E., Catalano, S., Freire Ferrero, R., Gouttebroze, P. **265**, 643
Chromospheric activity and stellar evolution: clues from IUE data
Pasquini, L., Brocato, E. **266**, 340
Distribution and studies of the infrared stellar population in the Galaxy. Baade's window spectroscopy
Ruelas-Mayorga, R.A., Teague, P.F. **266**, 633; **95**, *379*
Membership, binarity and metallicity of red giants in the open cluster NGC 6134
Claria, J.J., Mermilliod, J.-C. **266**, 635; **95**, *429*

(Stars:) Hertzsprung-Russell (HR) diagram

Erratum: The evolution of carbon stars in the Magellanic Clouds
Westerlund, B.E., Azzopardi, M., Breysacher, J., Rebeirot, E. **256**, 326; **92**, *683*
Tests of the CM model for turbulent convection. I. Application to M 67
D'Antona, F., Mazzitelli, I., Gratton, R.G. **257**, 539
Estimation of the ages and distances of open clusters from the Palomar Observatory Sky Survey
Strobel, A., Skaba, W., Proga, D. **259**, 723; **93**, *271*
Galactic OB associations in the northern Milky Way galaxy. Longitudes 55° to 150°
Garmany, C.D., Stencel, R.E. **264**, 718; **94**, *211*
Helium enrichment in massive early type stars
Langer, N. **265**, L17

Stars: horizontal-branch

A new age–metallicity relation for Galactic globular clusters in the α-enhanced scenario: cosmological implications
Catelan, M., de Freitas Pacheco, J.A. **258**, L5
UV-(2000 Å) imaging of globular clusters. I. The projected radial distributions and counts of the blue horizontal-branch stars in M 3, M 5, M 13 and M 92
Laget, M., Burgarella, D., Milliard, B., Donas, J. **259**, 510
The reconciliation of the several calibrations of the horizontal-branch absolute magnitude as a function of metallicity: a progress report
Catelan, M. **261**, 443
The metal-rich globular cluster NGC 6553: clump morphology and age
Demarque, P., Lee, Y.-W. **265**, 40

Stars: imaging

Tomographic imaging of late-type stars from spectroscopic and photometric rotational modulation. I. Principle and mathematical formulation of the method
Jankov, S., Foing, B.H. **256**, 533
Time-series photometric spot modeling. I. Parameter study and application to HD 17433 = VY Arietis
Strassmeier, K.G., Bopp, B.W. **259**, 183
On the starspot temperature of HD 12545
Strassmeier, K.G., Oláh, K. **259**, 595
Circularly polarized spectroscopic observations of RS CVn systems
Donati, J.-F., Semel, M., Rees, D.E. **265**, 669
Photospheric imaging of the RS CVn system HR 1099
Donati, J.-F., Brown, S.F., Semel, M., Rees, D.E., Dempsey, R.C., Matthews, J.M., Henry, G.W., Hall, D.S. **265**, 682

Long-term behaviour of starspots. II. A decade of new starspot photometry of BY Draconis and EV Lacertae
Pettersen, B.R., Olah, K., Sandmann, W.H. **266**, 647; **96**, *497*

Stars: individual: . . .

A 0620-00

Additional evidence for A 0620-00 containing a black hole?
Zhong-Yong Zhang, Jian-Sheng Chen **266**, L9

AC Her

On the origin of the alternating deep and shallow light minima in RV Tauri stars: R Scuti and AC Herculis
Gillet, D. **259**, 219

Multiwavelength observations of RV Tauri stars. I. AC Herculis
Shenton, M., Albinson, J.S., Barrett, P., Davies, J.K., Evans, A., Goldsmith, M.J., Hutchinson, M.G., Maddison, R.C., Weight, A. **262**, 138

AG Car

The distance and reddening of stars near the luminous blue variable AG Carinae
Hoekzema, N.M., Lamers, H.J.G.L.M., van Genderen, A.M. **257**, 118

The AG Carinae nebula revisited
de Freitas Pacheco, J.A., Damineli Neto, A., Costa, R.D.D., Viotti, R. **266**, 360

AG Dra

The continuum radiation of the symbiotic star AG Draconis in quiescence and during outbursts
Leibowitz, E.M., Formiggini, L. **265**, 605

AH Her

Rapid oscillations in the dwarf novae SY Cancri, YZ Cancri and AH Herculis
Pezzuto, S., Bernacca, P.L., Stagni, R. **257**, 523

AM Her

Phase resolved linear polarization spectra of AM Herculis
Schaich, M., Wolf, D., Östreicher, R., Ruder, H. **264**, 529

AM Leo

UBV photometry of the contact binary AM Leonis
Demircan, O., Derman, E., Dündar, H. **266**, 631; **95**, *213*

Arcturus

Spectroscopic study of microturbulence in the atmosphere of Arcturus
Takeda, Y. **253**, 487

AS 338

Studies of symbiotic stars. VI. The eclipsing symbiotic nova AS 338
Munari, U. **257**, 163

AV 172 (SMC)

IR survey of OB emission-line stars in the SMC: detection of a new B[e] supergiant, AV 172
Zickgraf, F.-J., Stahl, O., Wolf, B. **260**, 205

AW UMa

A period study of AW Ursae Majoris
Demircan, O., Derman, E., Müyesseroğlu, Z. **263**, 165

BD-9°4395

The extreme helium star BD −9° 4395
Jeffery, C.S., Heber, U. **260**, 133

BF Aur

Another look at the early-type eclipsing binary BF Aurigae
Kallrath, J., Kämper, B.-C. **265**, 613

BF Cyg

The active phase of the symbiotic star BF Cygni
Cassatella, A., Fernández-Castro, T., González-Riestra, R., Fuensalida, J.J. **258**, 368

BI Cru

BI Crucis: a post-PN nebula?
Schwarz, H.E., Corradi, R.L.M. **265**, L37

Bretz 4

A Herbig-Haro flow associated with the T Tauri star Bretz 4 in GGD 17
Carballo, R., Eiroa, C. **262**, 295

BS 47 Tuc

Is the star 'BS' a member of the cluster 47 Tucanae?
Thejll, P.A. **264**, 86

BY Dra

Long-term behaviour of starspots. II. A decade of new starspot photometry of BY Draconis and EV Lacertae
Pettersen, B.R., Olah, K., Sandmann, W.H. **266**, 647; **96**, *497*

Cen X-3

Large-scale magnetic steering of particles in X-ray binaries
Mannings, V. **258**, 335

CH Cyg

The long-period symbiotic binary CH Cygni. II. The M giant component: increasing pulsation period and spot-like activity
Mikołajewski, M., Mikołajewska, J., Khudyakova, T.N. **254**, 127

The extremely deep minimum in the IR brightness of the symbiotic star CH Cygni, accompanied by new activity of its hot component
Taranova, O.G., Yudin, B.F. **257**, 615

The quiescent phase of CH Cygni during the period 1987–1989
Kotnik-Karuza, D., Jurdana, R., Hack, M. **264**, 718; **94**, *251*

Cir X-1

Optical and infrared observations of Circinus X-1
Moneti, A. **260**, L7

CQ UMa

Long-term stability of the light curves of CQ Ursae Majoris
Jetsu, L., Kokko, M., Tuominen, I. **265**, 547

CS Vir

Application of the infrared flux method to 3 cool Ap stars (78 Virginis, 52 Herculis A and CS Virginis) and comparison of their energy distributions to model atmospheres
Monier, R. **263**, 175

CX Dra

CX Draconis: the orbit parameters for both components
Horn, J., Hubert, A.M., Hubert, H., Koubský, P., Bailloux, N. **259**, L5

Cyg X-1

Soft gamma ray observations of Cygnus X-1 with the coded-aperture SIGMA telescope
Salotti, L., Ballet, J., Cordier, B., Lambert, A., Bonazzola, S., Mereghetti, S., Mandrou, P., Roques, J.P., Sunyaev, R., Gilfanov, M., Churazov, E., Chulkov, I., Kuznetsov, A., Dyachkov, A., Khavenson, N., Novikov, B. **253**, 145

Cyg X-3

Modelling Cygnus X-3 radio outbursts: particle injection into twin jets
Martí, J., Paredes, J.M., Estalella, R. **258**, 309
Origin of PeV gamma rays from Cygnus X-3
Apparao, K.M.V. **261**, 565
The emission mechanism of neutral particles from discrete sources in the TeV–EeV energy range
Bednarek, W. **264**, 331

CZ Tau

Sub-arsecond images of the young star DD Tauri at optical and near-IR wavelengths
Bouvier, J., Tessier, E., Cabrit, S. **261**, 451

DD Tau

Sub-arsecond images of the young star DD Tauri at optical and near-IR wavelengths
Bouvier, J., Tessier, E., Cabrit, S. **261**, 451

DF Hya

DF Hydrae: a W UMa system with spotted components
Niarchos, P., Hoffmann, M., Duerbeck, H.W. **258**, 323

DF Tau

Accretion disks around T Tauri stars. III. A χ^2 analysis of disk parameters
Bouvier, J., Bertout, C. **263**, 113

DH Leo

Long-term photometric variations in DH Leonis
Aslan, Z., Derman, E., Akalin, A., Özdemir, T. **257**, 580

DK Lac

New light on post-maximum oscillations of novae
Bianchini, A., Friedjung, M., Brinkmann, W. **257**, 599

DM UMa

Photometric study of the RS CVn binary DM Ursa Majoris
Mohin, S., Raveendran, A.V. **256**, 487

DoAr 21 (in ϱOph cloud)

Radio flares and magnetic fields on weak-line T Tauri stars
White, S.M., Pallavicini, R., Kundu, M.R. **259**, 149

EG And

Absolute radius of an M giant
Vogel, M., Nussbaumer, H., Monier, R. **260**, 156

EV Lac

Long-term behaviour of starspots. II. A decade of new starspot photometry of BY Draconis and EV Lacertae
Pettersen, B.R., Olah, K., Sandmann, W.H. **266**, 647; **96**, *497*

EW Lac

Short-term spectroscopic variability of the Be star EW Lacertae (HD 217050)
Floquet, M., Hubert, A.M., Janot-Pacheco, E., Mekkas, A., Hubert, H., Leister, N.V. **264**, 177

GK Per

New light on post-maximum oscillations of novae
Bianchini, A., Friedjung, M., Brinkmann, W. **257**, 599

Gl 490

On the polarization of GL 490
Haas, M., Leinert, C., Lenzen, R. **261**, 130

Gl 586 A

Duplicity in the solar neighbourhood. VI. The highly eccentric spectroscopic binary Gl 586 A and associated multiple system
Duquennoy, A., Mayor, M., Andersen, J., Carquillat, J.-M., North, P. **254**, L13

Groombridge 1830

A fine analysis of calcium and iron lines in the spectrum of the subdwarf Groombridge 1830
Smith, G., Lambert, D.L., Ruck, M.J. **263**, 249

GRS 1758-258

Optical imaging of the fields of the two hard X-ray sources in the galactic center region: 1E 1740.7-2942 and GRS 1758-258
Mereghetti, S., Caraveo, P., Bignami, G.F., Belloni, T. **259**, 205

GX Peg

Multi-periodicity of the δ Scuti star GX Pegasi. Second photometry campaign of the STEPHI network
Michel, E., Belmonte, J.A., Alvarez, M., Jiang, S.Y., Chevreton, M., Auvergne, M., Goupil, M.J., Baglin, A., Mangeney, A., Roca Cortés, T., Liu, Y.Y., Fu, J.N., Dolez, N. **255**, 139

HD 2724 (=HR 119)

Study of δ Scuti stars in the Geneva photometric system. II. The complex case of HD 2724(=HR 119)
Lampens, P. **266**, 636; **95**, *471*

HD 9746

Lithium observations for two extremely active giant stars
de Medeiros, J.R., Lèbre, A. **264**, L21

HD 12545

On the starspot temperature of HD 12545
Strassmeier, K.G., Oláh, K. **259**, 595

HD 12932

A frequency analysis of the rapidly oscillating CP2 (roAp) star HD 12932
Schneider, H., Kreidl, T.J., Weiss, W.W. **257**, 130

HD 17433

Time-series photometric spot modeling. I. Parameter study and application to HD 17433 = VY Arietis
Strassmeier, K.G., Bopp, B.W. **259**, 183

HD 32918

A long-duration optical flare on the FK Comae-type star HD 32918 (= YY Mensae)
Cutispoto, G., Pagano, I., Rodonò, M. **263**, L3

HD 46407

Photometric variability of barium stars
Jorissen, A., Manfroid, J., Sterken, C. **253**, 407

HD 50896

Rapid photometry of EZ Canis Majoris: searching for flare activity in Wolf–Rayet stars
Matthews, J.M., Moffat, A.F.J., Marchenko, S.V. **266**, 409

HD 56126

The chemical composition of the high velocity post-AGB star HD 56126 (F 5I)
Parthasarathy, M., García Lario, P., Pottasch, S.R. **264**, 159

HD 80859

HD 80859 (B5 V): a possible new slowly pulsating B-type star
van Genderen, A.M., van den Bosch, F.C., Dessing, F., van der Heiden, R., de Jong, J.P., van der Meer, R.L.J., van Ojik, R., Smit, J.M., Zijderveld, M.J. **259**, 574

HD 93131

Migrating optical depth enhancements in the UV wind lines of the Wolf-Rayet star HD 93131
Prinja, R.K., Smith, L.J. **266**, 377

HD 96918

A photometric study on the G0-4 Ia^+ hypergiant HD 96918 (V 382 Carinae)
Achmad, L., Lamers, H.J.G.L.M., Nieuwenhuijzen, H., van Genderen, A.M. **259**, 600

HD 125248

The inhomogeneous distribution of oxygen on the surface of the magnetic Ap star HD 125248
Mathys, G. **256**, L31
The near-infrared variation of the magnetic star HD 125248
Catalano, F.A., Kroll, R., Leone, F. **263**, 203

HD 127759

The δ Scuti star HD 127759
Li Zhiping, Jiang Shiyiang **260**, 557; ***93, 441***

HD 153919

A Ginga observation of the supergiant X-ray binary system 4U 1700–37/HD 153919
Haberl, F., Day, C.S.R. **263**, 241

HD 215441 (Babcock's star)

A search for polarization variability in Babcock's star
Berdyugin, A., Breger, M., Polosukhina, N. **255**, 149
Spectrum variations of HD 215441 (Babcock's star)
Malanushenko, V.P., Polosukhina, N.S., Weiss, W.W. **259**, 567

HD 218153

An extremely active giant star: HD 218153
de Medeiros, R.J., Mayor, M., Simon, T. **254**, L36
Lithium observations for two extremely active giant stars
de Medeiros, J.R., Lèbre, A. **264**, L21

HD 220140 = H 2311+77

Photospheric activity of HD 220140, the optical counterpart of the X-ray source H 2311+77
Mantegazza, L., Poretti, E., Antonello, E., Bossi, M. **256**, 459

HD 223460

Lithium observations for two extremely active giant stars
de Medeiros, J.R., Lèbre, A. **264**, L21

HD 283447

Radio flares and magnetic fields on weak-line T Tauri stars
White, S.M., Pallavicini, R., Kundu, M.R. **259**, 149

HDE 249119

HDE 249119 and its possible relation to the 1979 Sep 29 γ-ray burst
Borovička, J., Hudec, R., Dědoch, A. **258**, 379

HDE 332077

Orbital elements of S stars: revisiting the evolutionary status of S stars
Jorissen, A., Mayor, M. **260**, 115

He 2–467

Studies of symbiotic stars. V. The dust-free yellow system He2–467
Munari, U., Buson, L.M. **255**, 158

He 3-640

Spectral variability of He 3-640, optical counterpart of the X-ray source A 1118-61
Villada, M., Giovannelli, F., Polcaro, V.F. **259**, L1

HR Del

The unusual nature of nova HR Delphini 1967
Friedjung, M. **262**, 487

HR 1099

Photospheric imaging of the RS CVn system HR 1099
Donati, J.-F., Brown, S.F., Semel, M., Rees, D.E., Dempsey, R.C., Matthews, J.M., Henry, G.W., Hall, D.S. **265**, 682

HR 1105

Activity modulation of the red giant HR 1105 as observed in the He I λ10830 Å
Shcherbakov, A.G., Tuominen, I. **255**, 215

HR 1412

Theoretical model of the binary system ϑ^2 Tauri. I. Evolutionary status of ϑ^2 Tauri and its implications for Hyades chemical composition
Królikowska, M. **260**, 183

HR 2554

Optical spectra of ζ Aurigae systems. IV. The January 1990 eclipse of HR 2554: detection of chromospheric absorption and extended plasma at $\approx 10^5$ K
Schröder, K.-P., Hünsch, M. **257**, 219

HR 4049

The origin of the extremely metal-poor post-AGB stars
Mathis, J.S., Lamers H.J.G.L.M. **259**, L39
A scenario for the selective depletion of stellar atmospheres
Waters, L.B.F.M., Trams, N.R., Waelkens, C. **262**, L37

HR 5171A

Light variations of massive stars (α Cygni variables). XII. The photometric history of the G8Ia$^+$ hypergiant V766 Cen (=HR 5171A) during the years 1953–1991 and its interpretation
van Genderen, A.M. **257**, 177

HR 5375

Three periodic variables of early B spectral type
Jerzykiewicz, M., Sterken, C. **261**, 477

HR 5437

The δ Scuti star HR 5437
Li Zhiping, Jiang Shiyiang **257**, 845; ***93***, *87*

HR 5999

The variable Herbig Ae star HR 5999. X. Its photometric "pulse-shaped" variability
Pérez, M.R., Webb, J.R., Thé, P.S. **257**, 209

HR 6174

Three periodic variables of early B spectral type
Jerzykiewicz, M., Sterken, C. **261**, 477

HR 8752

Photometry of yellow semiregular variables: HR 8752 (=V509 Cassiopeiae)
Percy, J.R., Zsoldos, E. **263**, 123

HV Vir

HV Virginis: a new WZ-Sge-type dwarf nova
Barwig, H., Mantel, K.H., Ritter, H. **266**, L5

II Peg

Dynamic phenomena on the RS Canum Venaticorum binary II Pegasi in August 1989. II. An interpretation
Doyle, J.G., van den Oord, G.H.J., Kellett, B.J. **262**, 533
Dynamic phenomena on the RS Canum Venaticorum binary II Pegasi in August 1989. I. Observational data
Doyle, J.G., Kellett, B.J., Butler, C.J., Byrne, P.B., Neff, J.E., Brown, A., Fox, D., Linsky, J.E., Bromage, G.E., Avgoloupis, S., Mavridis, L.N., Seiradakis, J.H., Mathioudakis, M., Murphy, H.M., Krzesinski, J., Pajdosz, G., Dadonas, V., Sperauskas, J., van Wyk, F., Marang, F., Olah, K., Collier Cameron, A., Antonopoulou, E., Rovithis, P., Rovithis-Livaniou, H. **266**, 644; ***96***, *351*

IRAS 09371+1212

Measure of the grain velocity structure in the circumstellar envelope "Frosty Leo"
Dougados, C., Rouan, D., Léna, P. **253**, 464

IRAS 16342-3814

Evolved stars with high velocity H_2O maser features: bipolar outflows with velocity symmetry
Likkel, L., Morris, M., Maddalena, R.J. **256**, 581

IRAS 19134+2131

Evolved stars with high velocity H_2O maser features: bipolar outflows with velocity symmetry
Likkel, L., Morris, M., Maddalena, R.J. **256**, 581

IRAS 22343+7501

The optical counterpart of the IRAS point source 22343+7501 in L 1251
Balázs, L.G., Eislöffel, J., Holl, A., Kelemen, J., Kun, M. **255**, 281

IRC+10216

Interferometric observations of HCN ($v=2$) emission from IRC +10216
Lucas, R., Guilloteau, S. **259**, L23
Sub-millimetre molecular lines in the circumstellar envelope IRC+10216
Williams, P.G., White G.J. **266**, 365

KQ Pup

The spectrum of the VV Cephei star KQ Puppis (Boss 1985). III. A possible model
Rossi, C., Altamore, A., Baratta, G.B., Friedjung, M., Viotti, R. **256**, 133
The spectrum of the VV Cephei star KQ Puppis (Boss 1985). II. Atlas of the optical and ultraviolet spectrum
Altamore, A., Rossi, C., Viotti, R., Baratta, G.B. **257**, 410; ***92***, *685*
The spectrum of the VV Cephei star KQ Puppis. IV. The Fe II spectrum, level population and spectral synthesis
Muratorio, G., Viotti, R., Friedjung, M., Baratta, G.B., Rossi, C. **258**, 423

LB 3116

UV observations of LB 3193 and LB 3116: Two hot post-AGB objects in the galactic halo?
Quin, D.A., Lamers, H.J.G.L.M. **260**, 261

LB 3193

UV observations of LB 3193 and LB 3116: Two hot post-AGB objects in the galactic halo?
Quin, D.A., Lamers, H.J.G.L.M. **260**, 261

Longmore 4

A spectacular mass-loss event of the central star of Longmore 4
Werner, K., Hamann, W.-R., Heber, U., Napiwotzki, R., Rauch, T., Wessolowski, U. **259**, L69

LW Hya=BD-22°3467

New photometric and spectroscopic observations of the central star of Abell 35
Jasniewicz, G., Acker, A., Freire Ferrero, R., Burnet, M. **261**, 314

MV Lyr

Detection of a photometric periodicity of the nova-like variable MV Lyrae at "active state"
Borisov, G.V. **261**, 154

MWC 349 (2030+404)

Monitoring of the recombination line maser in MWC349
Thum, C., Martín-Pintado, J., Bachiller, R. **256**, 507

NGC 6712:S=X 1850-086

NTT observations of the globular cluster X-ray binary NGC 6712:S/X 1850–086
Aurière, M., Koch-Miramond, L. **263**, 82

NML Cyg

Pupil plane interferometry in the near infrared. II. Phase recovery and image reconstruction
Monin, J.-L., Mariotti, J.-M., Ghez, P., Perrier, C., Desbat, L. **260**, 510

Nova Vul 1984-2

Photometric and spectroscopic observations of QU Vulpeculae (Nova Vul 1984-2)
Rosino, L., Iijima, T., Benetti, S., D'Ambrosio, V., Di Paolantonio, A., Kolotilov, E.A. **257**, 603

Nova V443 Sct 1989

Spectral evolution of nova V 443 Scuti 1989
Anupama, G.C., Duerbeck, H.W., Prabhu, T.P., Jain, S.K. **263**, 87

OH 231.8+4.2

Carbon-bearing molecules in the envelopes around oxygen-rich stars. First detection of formaldehyde in an oxygen-rich circumstellar envelope
Lindqvist, M., Olofsson, H., Winnberg, A., Nyman, L.-A. **263**, 183

OY Car

OY Carinae: the secrets of the super-humps revealed
Hessman, F.V., Mantel, K.-H., Barwig, H., Schoembs, R. **263**, 147

OY Carinae revisited: development of the accretion disk during a normal outburst
Rutten, R.G.M., Kuulkers, E., Vogt, N., van Paradijs, J. **265**, 159

P Cyg

Observed evolutionary changes in the visual magnitude of the luminous blue variable P Cygni
Lamers, H.J.G.L.M., de Groot, M.J.H. **257**, 153

PG 1031+234

Hydrogen in the strong magnetic field of the white dwarf PG 1031+234
Östreicher, R., Seifert, W., Friedrich, S., Ruder, H., Schaich, M., Wolf, D., Wunner, G. **257**, 353

The highly magnetic ($B \sim 500$ MG) white dwarf PG 1031+234: discovery of wavelength dependent polarization and intensity variations
Piirola, V., Reiz, A. **259**, 143

PG 2303+243

The pulsating DA white dwarf PG 2303+243 revisited
Vauclair, G., Belmonte, J.A., Pfeiffer, B., Grauer, A.D., Jiménez, A., Chevreton, M., Dolez, N., Vidal, I., Herpe, G. **264**, 547

PU Vul

PU Vulpeculae: the outburst of a symbiotic nova
Vogel, M., Nussbaumer, H. **259**, 525

QU Vul

Photometric and spectroscopic observations of QU Vulpeculae (Nova Vul 1984-2)
Rosino, L., Iijima, T., Benetti, S., D'Ambrosio, V., Di Paolantonio, A., Kolotilov, E.A. **257**, 603

R Aqr

High-resolution spectroscopy of the inner R Aquarii nebula: evidence for bow shock excitation by collimated wind from the symbiotic system
Solf, J. **257**, 228

A dynamical model for the outer nebula of R Aquarii
Henney, W.J., Dyson, J.E. **261**, 301

R Aquarii: an attempt at a unified model
Burgarella, D., Vogel, M., Paresce, F. **262**, 83

R Sct

On the origin of the alternating deep and shallow light minima in RV Tauri stars: R Scuti and AC Herculis
Gillet, D. **259**, 219

A new method for filling gaps in data
Serre, T., Auvergne, M., Goupil, M.J. **259**, 404

R 136 (LMC)

Photon bias compensation in triple correlation imaging and observation of R 136
Pehlemann, E., Hofmann, K.-H., Weigelt, G. **256**, 701

RW Sex

Phase-resolved spectroscopy of the novalike cataclysmic variable RW Sextantis
Beuermann, K., Stasiewski, U., Schwope, A.D. **256**, 433

RW Tri

Spectropolarimetry of the nova-like variable RW Trianguli
Rutten, R.G.M., Dhillon, V.S. **253**, 139

RY Set

High resolution spectroscopic observations of the massive binary RY Scuti
de Martino, D., Vittone, A.A., Rossi, C., Giovannelli, F. **254**, 266

RZ Eri

A photometric survey of the eclipsing RS CVn-type system RZ Eridani: starspot variability, circumstellar matter, tidal evolution
Burki, G., Kviz, Z., North, P. **256**, 463

S Set

The circumstellar envelope of the carbon star S Scuti
Olofsson, H., Carlström, U., Eriksson, K., Gustafsson, B. **253**, L17

Sand 4 = G. 2.4+1.4

The WO stars. I. Helium in the optical spectrum of Sand 4
Polcaro, V.F., Viotti, R., Rossi, C., Norci, L. **265**, 563

Sco X-1

Coordinated X-ray and optical observations of Scorpius X-1
Augusteijn, T., Karatasos, K., Papadakis, M., Paterakis, G., Kikuchi, S., Brosch, N., Leibowitz, E., Hertz, P., Mitsuda, K., Dotani, T., Lewin, W.H.G., van der Klis, M., van Paradijs, J. **265**, 177

SS 433

Hα polarization of wind-heated optical bullets in SS 433
Brown, J.C., Fletcher, L. **259**, L43

SSV 13

The infrared variability of SSV 13
Liseau, R., Lorenzetti, D., Molinari, S. **253**, 119

SV Cep

A cloudy circumstellar dust shell around SV Cephei
Friedemann, C., Reimann, H.-G., Gürtler, J. **255**, 246

SV Per

On the binary status of the Cepheid SV Persei
Gieren, W.P., Brieva, E. **253**, 126

SY Cnc

Rapid oscillations in the dwarf novae SY Cancri, YZ Cancri and AH Herculis
Pezzuto, S., Bernacca, P.L., Stagni, R. **257**, 523

TT Ari

Quasi-periodic oscillations in TT Arietis
Hollander, A., van Paradijs, J. **265**, 77

TV Cas

Studies of early-type variable stars. VII. The orbit and physical parameters for TV Cassiopeiae
Khalesseh, B., Hill, G. **257**, 199

TW Col

Light curve of the Ap star TW Columbae
Renson, P., Manfroid, J. **256**, 104

TX Psc

K I/Na I scattering observations in circumstellar envelopes: α^1 Herculis, *o* Ceti, TX Piscium and β Pegasi
Mauron, N., Caux, E. **265**, 711

UU Her

The pulsations of yellow semiregular variables. I. Double-mode behaviour of UU Herculis
Zsoldos, E., Sasselov, D.D. **256**, 107

UX Ar

Quiescent radio emission in UX Arietis
Massi, M., Chiuderi-Drago, F. **253**, 403

V 367 Cyg

The interacting binary V367 Cygni. I. Photometric solution including the influence of an accretion disk
Pavlovski, K., Schneider, H., Akan, M.C. **258**, 329

V 404 Cyg

The spectral variability in 2–28 keV of GS2023+338 during its 1989 outburst
in 't Zand, J.J.M., Pan, H.C., Bleeker, J.A.M., Skinner, G.K., Gilfanov, M.R., Sunyaev, R. **266**, 283

V 443 Set

Spectral evolution of nova V 443 Scuti 1989
Anupama, G.C., Duerbeck, H.W., Prabhu, T.P., Jain, S.K. **263**, 87

V 444 Cyg

The eclipsing Wolf-Rayet binary V444 Cygni: modelling the light curve and the helium spectrum consistently
Hamann, W.-R., Schwarz, E. **261**, 523

V 477 Cyg

Apsidal motion and revised photometric elements of the eccentric eclipsing binary V 477 Cygni
Giménez, A., Quintana, J.M. **260**, 227

V 834 Cen

Rapid optical variability in the AM Herculis object V 834 Centauri. I. Quasi-periodic oscillations
Larsson, S. **265**, 133

V 1073 Cyg

Studies of late-type binaries. V. The orbit and physical parameters of V 1073 Cygni
Ahn, Y.S., Hill, G., Khalesseh, B. **265**, 597

V 1159 Ori

V1159 Orionis: a dwarf nova with very short outburst cycle
Jablonski, F.J., Cieslinski, D. **259**, 198

V 3890 Sgr = Nova Sgr 1992

The 1990 outburst of the recurrent nova V 3890 Sgr observed with IUE
González-Riestra, R. **265**, 71

Vela X-1

Large-scale magnetic steering of particles in X-ray binaries
Mannings, V. **258**, 335

VV Cep

Spectroscopic study of the atmospheric eclipsing binary VV Cephei
Hack, M., Engin, S., Yilmaz, N., Sedmak, L., Rusconi, L., Boehm, C. **266**, 637; **95**, *589*

VV Scl

The outstanding photometric variations of the Ap star HD 7676=VV Sculptoris
Renson, P., Manfroid, J. **263**, 161

W Vir

Atmospheric motions in the population II Cepheid W Virginis
Lèbre, A., Gillet, D. **255**, 221

Wolf 424

Red/infrared observations of Wolf 424 AB: are the components substellar?
Henry, T.J., Johnson, D.S., McCarthy Jr., D.W., Kirkpatrick, J.D. **254**, 116

WR 111

A grid of models for Wolf-Rayet stars of the carbon sequence (WC)
Koesterke, L., Hamann, W.-R., Wessolowski, U. **261**, 535

WR 134

WR 134 line-profile variability revisited
Vreux, J.-M., Gosset, E., Bohannan, B., Conti, P. **256**, 148

WR 158

The surprising presence of an OI line in a Wolf-Rayet spectrum
Andrillat, Y., Vreux, J.-M. **253**, L37

Wra 220

Cometary globules in the Gum nebula. II. Low mass star formation in cometary globule 22
Sahu, M., Sahu, K.C. **259**, 265

Wra 751

A study of the optical and ultraviolet spectral characteristics and of the circumstellar material around the new luminous blue variable Wra 751
de Winter, D., Pérez, M.R., Hu, J.Y., Thé, P.S. **257**, 632
On the distance to the new luminous blue variable Wra 751 and its variability
van Genderen, A.M., Thé, P.S., de Winter, D., Hollander, A., de Jong, P.J., van den Bosch, F.C., Kolkman, O.M., Verheijen, M.A.W. **258**, 316

WX Ari

A spectroscopic study of the cataclysmic variable WX Arietis = PG0244+103
Beuermann, K., Thorstensen, J.R., Schwope, A.D., Ringwald, F.A., Sahin, H. **256**, 442

X Cae

Pulsational behaviour of the δ Scuti star X Caeli
Mantegazza, L., Poretti, E. **255**, 153

X Per

Astrophysical parameters of X Persei
Fabregat, J., Reglero, V., Coe, M.J., Clement, R., Gorrod, M.J., Norton, A.J., Roche, P.D., Suso, J., Unger, S.J. **259**, 522

YZ Cnc

Rapid oscillations in the dwarf novae SY Cancri, YZ Cancri and AH Herculis
Pezzuto, S., Bernacca, P.L., Stagni, R. **257**, 523

α Cen A

The 1992 detailed analyses of α Centauri A and α Centauri B
Chmielewski, Y., Friel, E., Cayrel de Strobel, G., Bentolila, C. **263**, 219
Solar-like oscillations on α Centauri A
Pottasch, E.M., Butcher, H.R., van Hoesel, F.H.J. **264**, 138

α Cen B

The 1992 detailed analyses of α Centauri A and α Centauri B
Chmielewski, Y., Friel, E., Cayrel de Strobel, G., Bentolila, C. **263**, 219

α Her

K I/Na I scattering observations in circumstellar envelopes: α^1 Herculis, *o* Ceti, TX Piscium and β Pegasi
Mauron, N., Caux, E. **265**, 711

α Sco

Astrometric observations of radio stars α Scorpii A and 9 Sagittarii
Noël, F., Débarbat, S. **266**, 648; **96**, *567*

β Cas

Strömgren photometry of the low amplitude δ Scuti star β Cassiopeiae
Rodríguez, E., Rolland, A., López de Coca, P., Garrido, R., Gonzalez-Bedolla, S.F. **266**, 645; **96**, *429*

β Cep

The orbit of β Cephei derived from the light-time effect
Pigulski, A., Boratyn, D.A. **253**, 178

β Lyr

A two-wind radiation-driven model for the atmospheric features of β Lyrae
Mazzali, P.A., Pauldrach, A.W.A., Puls, J., Plavec, M.J. **254**, 241
One less puzzle in β Lyrae?
Harmanec, P. **266**, 307

β Peg

K I/Na I scattering observations in circumstellar envelopes: α^1 Herculis, *o* Ceti, TX Piscium and β Pegasi
Mauron, N., Caux, E. **265**, 711

β Pic

The β Pictoris circumstellar disk. XIII. Survey of the variable Ca II lines
Lagrange-Henri, A.M., Gosset, E., Beust, H., Ferlet, R., Vidal-Madjar, A. **264**, 637

γ Boo

Possible detection of Lyman α emission in the A7 III star γ Bootis
Marilli, E., Catalano, S., Freire Ferrero, R., Gouttebroze, P. **265**, 643

δ Cet

Mode identification of pulsating stars from line profile variations with the moment method. An example: the β Cephei star δ Ceti
Aerts, C., De Pauw, M., Waelkens, C. **266**, 294

ζ Oph

The (^{12}CO/^{13}CO) ratio toward ζ Ophiuchi
Wilson, T.L., Mauersberger, R., Langer, W.D., Glassgold, A.E., Wilson, R.W. **262**, 248

η Car

A spectroscopic investigation of η Carinae and the Homunculus Nebula. I. Overview of the spectra
Hillier, D.J., Allen, D.A. **262**, 153

η Leo

Atmospheric model and dynamical state of the atmosphere of the supergiant Eta Leonis (A0Ib)
Lobel, A., Achmad, L., de Jager, C., Nieuwenhuijzen, H. **256**, 159

κ Cnc

An investigation of the effects of rotational broadening on abundance determinations. I. HgMn stars
Ansari, S.G. **259**, 211

λ Boo

A scenario for the selective depletion of stellar atmospheres
Waters, L.B.F.M., Trams, N.R., Waelkens, C. **262**, L37

o And

Pre-shell phase photometric stability in o Andromedae
Sareyan, J.P., Gonzalez-Bedolla, S., Chauville, J., Morel, P.J., Alvarez, M. **257**, 567

o Cet

Interferometric observations of Mira (o Ceti)
Quirrenbach, A., Mozurkewich, D., Armstrong, J.T., Johnston, K.J., Colavita, M.M., Shao, M. **259**, L19

K I/Na I scattering observations in circumstellar envelopes: α^1 Herculis, o Ceti, TX Piscium and β Pegasi
Mauron, N., Caux, E. **265**, 711

θ CrB

Photometric short-term variations of the Be star θ Coronae Borealis
Guerrero, G., Bossi, M., Scardia, M. **260**, 311

ϑ^2 CrB

Theoretical model of the binary system ϑ^2 Tauri. I. Evolutionary status of ϑ^2 Tauri and its implications for Hyades chemical composition
Królikowska, M. **260**, 183

π^1 Gru

Discovery of a fast, bipolar mass-outflow from the prototype S-star π^1 Gruis
Sahai, R. **253**, L33

ϱ Cas

A modelling of circumstellar Ba II lines for the hypergiant ϱ Cassiopeiae
Gesicki, K. **254**, 280

σ CrB

High-precision VLBI astrometry of the radio-emitting star σ CrB – a step in linking the Hipparcos and extragalactic reference frames
Lestrade, J.-F., Phillips, R.B., Preston, R.A., Gabuzda, D.C. **258**, 112

σ Lup

Three periodic variables of early B spectral type
Jerzykiewicz, M., Sterken, C. **261**, 477

σ Sco

Pulsation and binarity in β Cephei Stars. I. σ Scorpii
Chapellier, E., Valtier, J.C. **257**, 587

The light-time effect as the cause of period changes in β Cephei stars. II. σ Scorpii
Pigulski, A. **261**, 203

τ Per

Optical spectra of ζ Aurigae binary systems. III. The 1989 eclipse of τ Persei
Griffin, R.E.M., Schröder, K.-P., Misch, A., Griffin, R.F. **254**, 289

A long-period eclipsing binary τ Persei
Demircan, O., Selam, S.O. **259**, 577

ω Ori

Derivation of episodic mass loss functions for hot stars from polarimetric and absorption line data
Brown, J.C., Wood, K. **265**, 663

1E 1740.7-2942

Optical imaging of the fields of the two hard X-ray sources in the galactic center region: 1E 1740.7-2942 and GRS 1758-258
Mereghetti, S., Caraveo, P., Bignami, G.F., Belloni, T. **259**, 205

High resolution I-band imaging of the 1E 1740.7-2942 region
Leahy, D.A., Langill, P., Kwok, S. **259**, 209

1E 1751+7046

The FK Comae-type candidate 1E 1751+7046: *UBVRI* photometry
Jetsu, L., Anttila, R., Dmitrienko, E., Grankin, K.N., Huovelin, J., Melnikov, S.Y., Shevchenko, V.S., Tuominen, I. **262**, 188

2S 0114+65

Periodic outbursts in the peculiar X-ray binary 2S 0114+65
Finley, J.P., Belloni, T., Cassinelli, J.P. **262**, L25

4U 0115+63=γ1 Cas

A search for TeV gamma rays from Cassiopeia gamma-1
Rannot, R.C., Sapru, M.L., Tickoo, A.K., Bhat, C.L., Kaul, R.K., Rawat, H.S., Senecha, V.K., Razdan, H. **262**, L41

4U 0614+09

Detection of a type-I X-ray burst from 4U 0614+09
Brandt, S., Castro-Tirado, A.J., Lund, N., Dremin, V., Lapshov, I., Sunyaev, R. **262**, L15

4U 1700-377

Observation of 4U 1700-377 with the SIGMA telescope
Laurent, P., Goldwurm, A., Lebrun, F., Paul, J., Mereghetti, S., Barret, D., Bouchet, L., Roques, J.P., Churazov, E., Gilfanov, M., Kuznetzov, A., Sunyaev, R., Chulkov, I., Dyachkov, A., Khavenson, N., Novikov, B. **260**, 237

9 Sgr

Astrometric observations of radio stars α Scorpii A and 9 Sagittarii
Noël, F., Débarbat, S. **266**, 648; **96**, 567

12 Lac

The atmospheric motion of the β Cephei star: 12 Lacertae
Mathias, P., Gillet, D., Crowe, R. **257**, 681

21 Com

The surface gravity of 21 Comae Berenices (A3p)
Monier, R. **256**, 166

The energy distribution of 21 Comae (A3p): comparison to standard stars of similar spectral types and modeling
Monier, R., Megessier, C. **256**, 205

44 Tau

The solution of the light curve of 44 Tauri: insights into the pulsational behaviour of δ Scuti stars
Poretti, E., Mantegazza, L., Riboni, E. **256**, 113

52 Her

Application of the infrared flux method to 3 cool Ap stars (78 Virginis, 52 Herculis A and CS Virginis) and comparison of their energy distributions to model atmospheres
Monier, R. **263**, 175

53 Cam

Magnetically confined wind on the Ap star 53 Camelopardalis?
Babel, J. **258**, 449

78 Vir

Application of the infrared flux method to 3 cool Ap stars (78 Virginis, 52 Herculis A and CS Virginis) and comparison of their energy distributions to model atmospheres
Monier, R. **263**, 175

108 Aqr

The magnetic field and period of the Ap Si star 108 Aquarii
North, P., Brown, D.N., Landstreet, J.D. **258**, 389

Stars: interiors

On a new, one-dimensional, time-dependent model for turbulence and convection. I. A basic discussion of the mathematical model
Gehmeyr, M., Winkler, K.-H.A. **253**, 92
On a new, one-dimensional, time-dependent model for turbulence and convection. II. An elementary comparison of the old and the new model
Gehmeyr, M., Winkler, K.-H.A. **253**, 101
The rate of mixing in semiconvective zones
Spruit, H.C. **253**, 131
Effect of horizontal turbulent diffusion on transport by meridional circulation
Chaboyer, B., Zahn, J.-P. **253**, 173
Carbon detonations in rapidly rotating white dwarfs
Steinmetz, M., Müller, E., Hillebrandt, W. **254**, 177
Advantages and limitations of the bipolytrope model for computing the secular evolution of cataclysmic binaries
Kolb, U., Ritter, H. **254**, 213
Rotation-induced mixing and lithium depletion in galactic clusters
Charbonnel, C., Vauclair, S., Zahn, J.-P. **255**, 191
Erratum: Dynamic tides in stars as forced isentropic oscillations and their effects on free oscillations
Polfliet, R., Smeyers, P. **255**, 495
New opacities and the origin of the β Cephei pulsations
Moskalik, P., Dziembowski, W.A. **256**, L5
Decay of weak poloidal magnetic fields in the liquid layer of neutron star envelopes
Geppert, U., Wiebicke, H.-J. **256**, L9
Artificial opacity – numerical implementation into flux-limited neutrino diffusion
Dgani, R., Janka, H.-T. **256**, 428
Flux-limited neutrino diffusion versus Monte Carlo neutrino transport
Janka, H.-T. **256**, 452
Bisystem oscillation theory of stars. I. Linear theory
Li, Y. **257**, 133
Bisystem oscillation theory of stars. II. Excitation mechanisms
Li, Y. **257**, 145
Tests of the CM model for turbulent convection. I. Application to M 67
D'Antona, F., Mazzitelli, I., Gratton, R.G. **257**, 539
The s-process in massive stars of variable composition
Baraffe, I., El Eid, M.F., Prantzos, N. **258**, 357
Core overshooting and stellar evolution
Brocato, E., Castellani, V. **258**, 397
Asymmetric explosion in SN 1987 A
Ishikawa, S., Yamada, S., Kiguchi, M., Sato, K. **258**, 415
Chemical composition effects and double-mode RR Lyrae masses
Kovács, G., Buchler, J.R., Marom, A., Iglesias, C.A., Rogers, F.J. **259**, L46
Numerical experiments on the effects of horizontal turbulent diffusion on transport by meridional circulation
Charbonneau, P. **259**, 134
Equations of state and bump Cepheids. II. Non-linear results
Kanbur, S.M. **259**, 175
Ekman circulation and the synchronization of binary stars
Rieutord, M. **259**, 581
Fourier analysis of the hydrodynamic models of classical Cepheids
Fadeyev, Y.A., Muthsam, H. **260**, 195
Apsidal motion and revised photometric elements of the eccentric eclipsing binary V 477 Cygni
Giménez, A., Quintana, J.M. **260**, 227
Solar evolution with anisotropic mixing length theory
Kiziloğlu, N., Civelek, R. **260**, 255
Near-infrared spectroscopy of Galactic Wolf-Rayet stars
Howarth, I.D., Schmutz, W. **261**, 503
Mass–luminosity relation for Wolf–Rayet stars
Beech, M., Mitalas, R. **262**, 483
Vibrational stability of an evolved 5 $M_\odot$ star towards higher-order g-modes
Degryse, K., Noels, A., Gabriel, M., Waelkens, C., Smeyers, P. **263**, 137
On the instability parameters of stellar atmospheres
Lobel, A., Achmad, L., de Jager, C., Nieuwenhuijzen,H. **264**, 147
On the rate of destruction of lithium in late-type main-sequence stars
Christensen-Dalsgaard, J., Gough, D.O., Thompson, M.J. **264**, 518
Non-standard neutrino interactions and the evolution of red giants
Raffelt, G., Weiss, A. **264**, 536
New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars and subgiants
Charbonnel, C., Vauclair, S. **265**, 55
Fermion angular distribution and maximum entropy Eddington factors
Janka, H.-T., Dgani, R., van den Horn, L.J. **265**, 345
Studies of Cepheid-type variability. X. κ-effect-functions for period ratios
Petersen, J.O. **265**, 555
Limits on convective penetration from stellar cores
Roxburgh, I.W. **266**, 291
Evolutionary stellar models using Rogers & Iglesias opacities, with particular attention to internal structure constants
Claret, A., Giménez, A. **266**, 642; **96**, *255*

Stars: kinematics

High resolution kinematics of galactic globular clusters. I
Zaggia, S.R., Capaccioli, M., Piotto, G., Stiavelli, M. **258**, 302
Effects of dynamic tides on secular variations of orbital elements in close binary systems
Ruymaekers, E. **259**, 349
Radial distribution of blue stragglers and surface brightness profile in the post-core-collapse globular cluster NGC 6397
Lauzeral, C., Ortolani, S., Aurière, M., Melnick, J. **262**, 63

Stars: late-type

Lithium in RS CVn binaries and related chromospherically active stars. I. Observational results
Pallavicini, R., Randich, S., Giampapa, M.S. **253**, 185
Photometric variability of barium stars
Jorissen, A., Manfroid, J., Sterken, C. **253**, 407
Spectroscopic study of microturbulence in the atmosphere of Arcturus
Takeda, Y. **253**, 487
Detection of compact SiO maser emission at 43 GHz using a European very long baseline interferometer
Colomer, F., Graham, D.A., Krichbaum, T.P., Rönnäng, B.O., de Vicente, P., Witzel, A., Barcia, A., Baudry, A., Booth, R.S., Gómez-González, J., Alcolea, J., Daigne, G. **254**, L17
K giant magnitude calibration from parallaxes
Gould, A., Flynn, C. **254**, 105
Lunar occultations of southern near-infrared stellar sources
Richichi, A., Lisi, F., Di Giacomo, A. **254**, 149
The stellar coronal component of the Galaxy. I. The X-COUNT numerical model
Favata, F., Micela, G., Sciortino, S., Vaiana, G.S. **256**, 86
Mg II absolute line profiles for late-type stars and for spatially-resolved solar regions
Cerruti-Sola, M., Cheng, C.-C., Pallavicini, R. **256**, 185
The contributions of RSCVn systems to the diffuse X-ray background
Ottmann, R., Schmitt, J.H.M.M. **256**, 421
Photometric study of the RS CVn binary DM Ursa Majoris
Mohin, S., Raveendran, A.V. **256**, 487
Tomographic imaging of late-type stars from spectroscopic and photometric rotational modulation. I. Principle and mathematical formulation of the method
Jankov, S., Foing, B.H. **256**, 533
Spherical opacity sampling model atmospheres for M-giants. I. Techniques, data and discussion
Plez, B., Brett, J.M., Nordlund, Å. **256**, 551
Nearly simultaneous observations of chromospheric and coronal radiative losses of cool stars
Schrijver, C.J., Dobson, A.K., Radick, R.R. **258**, 432
Time-series photometric spot modeling. I. Parameter study and application to HD 17433 = VY Arietis
Strassmeier, K.G., Bopp, B.W. **259**, 183
Optical spectroscopy of post-T Tauri star candidates
Pallavicini, R., Pasquini, L., Randich, S. **261**, 245
Al II as an electron density diagnostic for the upper chromosphere/lower transition region in late-type stars
Doyle, J.G., Keenan, F.P., Harra, L.K., Aggarwal, K.M., Tayal, S.S. **261**, 285
Chromospheres of late-type active and quiescent dwarfs. III. Variability of Ca II H emission profiles
García López, R.J., Crivellari, L., Beckman, J.E., Rebolo, R. **262**, 195
Chromospheric heating in late-type dwarfs: acoustic or magnetic?
Mathioudakis, M., Doyle, J.G. **262**, 523
A long-duration optical flare on the FK Comae-type star HD 32918 (= YY Mensae)
Cutispoto, G., Pagano, I., Rodonò, M. **263**, L3
Radio and X-ray emission from main-sequence K stars
Güdel, M. **264**, L31
A library of theoretical stellar flux spectra. I. Synthetic *UBVRI* photometry and the metallicity scale for F- to K-type stars
Buser, R., Kurucz, R.L. **264**, 557
Spherical opacity sampling model atmospheres for *M*-giants and supergiants. II. A grid
Plez, B. **264**, 722; ***94***, *527*
Chemistry in circumstellar shells. I. Chromospheric radiation fields and dust formation in optically thin shells of M-giants
Beck, H.K.B., Gail, H.-P., Henkel, R., Sedlmayr, E. **265**, 626
Circularly polarized spectroscopic observations of RS CVn systems
Donati, J.-F., Semel, M., Rees, D.E. **265**, 669
Photospheric imaging of the RS CVn system HR 1099
Donati, J.-F., Brown, S.F., Semel, M., Rees, D.E., Dempsey, R.C., Matthews, J.M., Henry, G.W., Hall, D.S. **265**, 682
On the choice of chromospheric activity indices for lower main-sequence stars
Teplitskaya, R.B. **265**, 701
The Ca II K line in solar type stars
Pasquini, L. **266**, 347
Long-term monitoring of active stars. I. 1988–89 *UBV* photometry with the Phoenix APT
Rodonó, M., Cutispoto, G. **266**, 629; ***95***, *55*
Long-term monitoring of active stars. II. $UBV\ (RI)_c$ observations at ESO during January-March 1989
Cutispoto, G. **266**, 634; ***95***, *397*

Stars: low-mass, brown dwarfs

On the nature of the dark halo of our Galaxy
De Rújula, A., Jetzer, P., Massó, E. **254**, 99
Red/infrared observations of Wolf 424 AB: are the components substellar?
Henry, T.J., Johnson, D.S., McCarthy Jr., D.W., Kirkpatrick, J.D. **254**, 116
The frequency of low-mass companions to K and M stars in the solar neighbourhood
Tokovinin, A.A. **256**, 121
Four-colour and Hβ photometry for low-mass members in open clusters. II. The Hyades
Reglero, V., Fabregat, J., Suso, J. **256**, 324; ***92***, *565*
Chromospheres of late-type active and quiescent dwarfs. III. Variability of Ca II H emission profiles
García López, R.J., Crivellari, L., Beckman, J.E., Rebolo, R. **262**, 195
Chromospheric heating in late-type dwarfs: acoustic or magnetic?
Mathioudakis, M., Doyle, J.G. **262**, 523

Stars: luminosity function, mass function

Age subgroups in open clusters
Strobel, A. **253**, 374
K giant magnitude calibration from parallaxes
Gould, A., Flynn, C. **254**, 105
Star formation histories of galaxies from their stellar luminosity functions
Mighell, K.J., Butcher, H.R. **255**, 26
A study of Scorpius OB1 and NGC 6231. III. The luminosity function for the massive stars
Perry, C.L., Hill, G. **257**, 128
Massive star population in M 31 OB associations
Cananzi, K. **259**, 17
Photometry of the LMC H II region N 159 A and of its stellar content. II. Young stars, gas, and dust
Deharveng, L., Caplan, J. **259**, 480

Estimation of the ages and distances of open clusters from the Palomar Observatory Sky Survey
Strobel, A., Skaba, W., Proga, D. **259**, 723; ***93***, *271*
The initial mass function on the Coma Berenices open cluster (Mel 111)
Bounatiro, L., Arimoto, N. **260**, 112
Galactic OB associations in the northern Milky Way galaxy. Longitudes 55° to 150°
Garmany, C.D., Stencel, R.E. **264**, 718; ***94***, *211*
Derivation of the age-metallicity relation and initial mass function of stars in the solar neighbourhood
Rana, N.C., Basu, S. **265**, 499
The stellar content of the Large Magellanic Cloud H II region N 59 A
Armand, C., Deharveng, L., Caplan, J. **265**, 504

Stars: magnetic fields

On the decay of the magnetic fields of single radio pulsars
Bhattacharya, D., Wijers, R.A.M.J., Hartman, J.W., Verbunt, F. **254**, 198
A search for polarization variability in Babcock's star
Berdyugin, A., Breger, M., Polosukhina, N. **255**, 149
Decay of weak poloidal magnetic fields in the liquid layer of neutron star envelopes
Geppert, U., Wiebicke, H.-J. **256**, L9
Winds from rotating, magnetic, hot stars: consequences for the rotational evolution of O and B stars
MacGregor, K.B., Friend, D.B., Gilliland, R.L. **256**, 141
Ap stars with resolved magnetically split lines
Mathys,G., Lanz, T. **256**, 169
Mg II absolute line profiles for late-type stars and for spatially-resolved solar regions
Cerruti-Sola, M., Cheng, C.-C., Pallavicini, R. **256**, 185
Hydrogen in the strong magnetic field of the white dwarf PG 1031+234
Östreicher, R., Seifert, W., Friedrich, S., Ruder, H., Schaich, M., Wolf, D., Wunner, G. **257**, 353
Classical novae as fast magnetic rotators
Orio, M., Trussoni, E., Ögelman, H. **257**, 548
Magnetic structure in cool stars. XVIII. UV-line emissions from T Tauri stars
Lemmens, A.F.P., Rutten, R.G.M., Zwaan, C. **257**, 671
Near-critical spherical accretion onto magnetized neutron stars: modified magnetospheric radius
Mitra, A. **257**, 807
The magnetic field and period of the Ap Si star 108 Aquarii
North, P., Brown, D.N., Landstreet, J.D. **258**, 389
Magnetically confined wind on the Ap star 53 Camelopardalis?
Babel, J. **258**, 449
The highly magnetic ($B \sim 500$ MG) white dwarf PG 1031+234: discovery of wavelength dependent polarization and intensity variations
Piirola, V., Reiz, A. **259**, 143
Radio flares and magnetic fields on weak-line T Tauri stars
White, S.M., Pallavicini, R., Kundu, M.R. **259**, 149
Photoabsorption in magnetic neutron star atmospheres
Ventura, J., Herold, H., Ruder, H., Geyer, F. **261**, 235
Surface distribution of active regions as a probe of internal stellar rotation
Belvedere, G. **261**, 475
Amplification of neutron star magnetic fields by thermoelectric effects. III. Growth limits in nonlinear calculations
Wiebicke, H.-J., Geppert, U. **262**, 125
Stratification of chemical elements in the atmosphere of the Ap star 53 Camelopardalis
Babel, J., Lanz, T. **263**, 232
Why rapid rotators have polar spots
Schüssler, M., Solanki, S.K. **264**, L13
Phase resolved linear polarization spectra of AM Herculis
Schaich, M., Wolf, D., Östreicher, R., Ruder, H. **264**, 529
Storage of magnetic flux tubes in a convective overshoot region
Moreno-Insertis, F., Schüssler, M., Ferriz Mas, A. **264**, 686
Stratification and thermodynamics in mean-field dynamos
Brandenburg, A., Moss, D., Tuominen, I. **265**, 328
Models of white dwarfs with high magnetic fields
Jordan, S. **265**, 570
Circularly polarized spectroscopic observations of RS CVn systems
Donati, J.-F., Semel, M., Rees, D.E. **265**, 669
Photospheric imaging of the RS CVn system HR 1099
Donati, J.-F., Brown, S.F., Semel, M., Rees, D.E., Dempsey, R.C., Matthews, J.M., Henry, G.W., Hall, D.S. **265**, 682
Stochastic effects in mean-field dynamos
Moss, D., Brandenburg, A., Tavakol, R., Tuominen, I. **265**, 843
On the possible existence of two classes of progenitors for classical novae
Della Valle, M., Bianchini, A., Livio, M., Orio, M. **266**, 232
Model atmospheres and radiation of magnetic neutron stars. I. The fully ionized case
Shibanov, Y.A., Zavlin, V.E., Pavlov, G.G., Ventura, J. **266**, 313
Rapid photometry of EZ Canis Majoris: searching for flare activity in Wolf–Rayet stars
Matthews, J.M., Moffat, A.F.J., Marchenko, S.V. **266**, 409

Stars: mass-loss

The circumstellar envelope of the carbon star S Scuti
Olofsson, H., Carlström, U., Eriksson, K., Gustafsson, B. **253**, L17
Hydrogen infrared recombination line profiles in Be star winds
Waters, L.B.F.M., Marlborough, J.M. **253**, L25
Discovery of a fast, bipolar mass-outflow from the prototype S-star π^1 Gruis
Sahai, R. **253**, L33
A flux-limited sample of galactic carbon stars
Groenewegen, M.A.T., de Jong, T., van der Bliek, N.S., Slijkhuis, S., Willems, F.J. **253**, 150
The hydrodynamics of aspherical planetary nebulae. II. Numerical modelling of the early evolution
Icke, V., Balick, B., Frank, A. **253**, 224
Erratum: The post-AGB evolution of low-mass stars
Alcolea, J., Bujarrabal, V. **253**, 333
Mass loss from central stars of Planetary Nebulae. II. NGC 40
Bianchi, L. **253**, 447
A complete survey of OH/IR objects from the IRAS LRS sources within a domain of the color diagram
Le Squeren, A.M., Sivagnanam, P., Dennefeld, M., David, P. **254**, 133
A two-wind radiation-driven model for the atmospheric features of β Lyrae
Mazzali, P.A., Pauldrach, A.W.A., Puls, J., Plavec, M.J. **254**, 241
A modelling of circumstellar Ba II lines for the hypergiant ϱ Cassiopeiae
Gesicki, K. **254**, 280

SiO emission as a tracer of shocked gas in molecular outflows
Martín-Pintado, J., Bachiller, R., Fuente, A. **254**, 315

Modelling the spectrum of WC-type Wolf-Rayet stars
Hamann, W.-R., Leuenhagen, U., Koesterke, L., Wessolowski, U. **255**, 200

Activity modulation of the red giant HR 1105 as observed in the He I λ10830 Å
Shcherbakov, A.G., Tuominen, I. **255**, 215

Nonradial and nonpolytropic astrophysical outflows. I. Hydrodynamic solutions with flaring streamlines
Tsinganos, K., Sauty, C. **255**, 405

Millimeter recombination lines in the planetary nebula BD+30° 3639
Bachiller, R., Huggins, P.J., Martín-Pintado, J., Cox, P. **256**, 231

Evolved stars with high velocity H_2O maser features: bipolar outflows with velocity symmetry
Likkel, L., Morris, M., Maddalena, R.J. **256**, 581

Classical novae as fast magnetic rotators
Orio, M., Trussoni, E., Ögelman, H. **257**, 548

Radiation-driven winds of hot luminous stars. X. The determination of stellar masses, radii and distances from terminal velocities and mass-loss rates
Kudritzki, R.P., Hummer, D.G., Pauldrach, A.W.A., Puls, J., Najarro, F., Imhoff, J. **257**, 655

Mass loss in main-sequence A-type stars?
Lanz, T., Catala, C. **257**, 663

Radiation-driven winds of hot stars: a simplified model
Villata, M. **257**, 677

Nonradial and nonpolytropic astrophysical outflows. II. Topology of MHD solutions with flaring streamlines
Tsinganos, K., Sauty, C. **257**, 790

A survey of circumstellar CO emission from a sample of IRAS point sources
Nyman, L.-Å., Booth, R.S., Carlström, U., Habing, H.J., Heske, A., Sahai, R., Stark, R., van der Veen, W.E.C.J., Winnberg, A. **257**, 845; ***93***, *121*

Near-infrared photometry of a sample of IRAS point sources
Fouqué, P., Le Bertre, T., Epchtein, N., Guglielmo, F., Kerschbaum, F. **257**, 846; ***93***, *151*

Properties of fast winds in hot stars in the Magellanic Clouds
Patriarchi, P., Perinotto, M. **258**, 285

Magnetically confined wind on the Ap star 53 Camelopardalis?
Babel, J. **258**, 449

Interferometric observations of HCN ($v=2$) emission from IRC +10216
Lucas, R., Guilloteau, S. **259**, L23

Hα polarization of wind-heated optical bullets in SS 433
Brown, J.C., Fletcher, L. **259**, L43

Spatially resolved spectroscopy of WR ring nebulae. III. New results and chemical properties of the sample
Esteban, C., Vilchez, J.M., Smith, L.J., Clegg, R.E.S. **259**, 629

Observation of 4U 1700-377 with the SIGMA telescope
Laurent, P., Goldwurm, A., Lebrun, F., Paul, J., Mereghetti, S., Barret, D., Bouchet, L., Roques, J.P., Churazov, E., Gilfanov, M., Kuznetzov, A., Sunyaev, R., Chulkov, I., Dyachkov, A., Khavenson, N., Novikov, B. **260**, 237

Intrinsic parameters of galactic luminous OB stars
Herrero, A., Kudritzki, R.P., Vilchez, J.M., Kunze, D., Butler, K., Haser, S. **261**, 209

CO line formation in bipolar flows. III. The energetics of molecular flows and ionized winds
Cabrit, S., Bertout, C. **261**, 274

A dynamical model for the outer nebula of R Aquarii
Henney, W.J., Dyson, J.E. **261**, 301

A spectroscopic study of luminous peculiar B-type stars
Lopes, D.F., Damineli Neto, A., de Freitas Pacheco, J.A. **261**, 482

Near-infrared spectroscopy of Galactic Wolf-Rayet stars
Howarth, I.D., Schmutz, W. **261**, 503

The eclipsing Wolf-Rayet binary V444 Cygni: modelling the light curve and the helium spectrum consistently
Hamann, W.-R., Schwarz, E. **261**, 523

A grid of models for Wolf-Rayet stars of the carbon sequence (WC)
Koesterke, L., Hamann, W.-R., Wessolowski, U. **261**, 535

A spectroscopic investigation of η Carinae and the Homunculus Nebula. I. Overview of the spectra
Hillier, D.J., Allen, D.A. **262**, 153

Herbig-Haro outflows associated with high-luminosity young stellar objects – AFGL 2591 and MWC 1080
Poetzel, R., Mundt, R., Ray, T.P. **262**, 229

Variability and theoretical upper limit of the mass loss rate in OB-stars
Vilkoviskij, E.Y., Tambovtseva, L.V. **262**, 383; ***94***, *109*

Interferometric observations of SiO $v=0$ thermal emission from evolved stars *(Plateau de Bure Series, Paper 2)*
Lucas, R., Bujarrabal, V., Guilloteau, S., Bachiller, R., Baudry, A., Cernicharo, J., Delannoy, J., Forveille, T., Guélin, M., Radford, S.J.E. **262**, 491

Radiation-driven winds of hot luminous stars. XI. Frictional heating in a multicomponent stellar wind plasma and decoupling of radiatively accelerated ions
Springmann, U.W.E., Pauldrach, A.W.A. **262**, 515

Semiregular variables of types SRa and SRb. Basic properties in the visual and the IRAS-range
Kerschbaum, F., Hron, J. **263**, 97

Basic relations between physical parameters of Wolf-Rayet stars
Schaerer, D., Maeder, A. **263**, 129

The role of sound waves in Be-star winds
Koninx, J.P.M., Hearn, A.G. **263**, 208

A Ginga observation of the supergiant X-ray binary system 4U 1700–37/HD 153919
Haberl, F., Day, C.S.R. **263**, 241

Proper motion measurements in the HH 34 jet and its associated bow shocks
Eislöffel, J., Mundt, R. **263**, 292

Carbon-star lightcurves in the 1–20 μm range
Le Bertre, T. **264**, 720; ***94***, *377*

Interrupted mass loss on the asymptotic giant branch
Zijlstra, A.A., Loup, C., Waters, L.B.F.M., de Jong, T. **265**, L5

Collisions between a white dwarf and a main-sequence star. II. Simulations using multiple-nested refined grids
Ruffert, M. **265**, 82

Radiative force on molecules and its possible role for mass loss in evolved AGB stars
Jørgensen, U.G., Johnson, H.R. **265**, 168

The applicability of the linearized theory of sound-wave driven winds
Koninx, J.-P.M., Pijpers, F.P. **265**, 183

The circumstellar silicate dust as seen by IRAS. II. Evolution of circumstellar envelopes
David, P., Papoular, R. **265**, 195
Dust formation in winds of long-period variables. II. Dust energetics, optical properties, chemistry, time scales
Höfner, S., Dorfi, E.A. **265**, 207
Unified NLTE model atmospheres including spherical extension and stellar winds. III. The EUV fluxes of hot massive stars and He II emission in extragalactic giant H II regions
Gabler, R., Gabler, A., Kudritzki, R.P., Méndez, R.H. **265**, 656
Derivation of episodic mass loss functions for hot stars from polarimetric and absorption line data
Brown, J.C., Wood, K. **265**, 663
K I/Na I scattering observations in circumstellar envelopes: α^1 Herculis, o Ceti, TX Piscium and β Pegasi
Mauron, N., Caux, E. **265**, 711
Bilateral symmetry in the supernova remnant G 296.5+10.0
Storey, M.C., Staveley-Smith, L., Manchester, R.N., Kesteven, M.J. **265**, 752
The AG Carinae nebula revisited
de Freitas Pacheco, J.A., Damineli Neto, A., Costa, R.D.D., Viotti, R. **266**, 360
Sub-millimetre molecular lines in the circumstellar envelope IRC+10216
Williams, P.G., White G.J. **266**, 365
Migrating optical depth enhancements in the UV wind lines of the Wolf-Rayet star HD 93131
Prinja, R.K., Smith, L.J. **266**, 377
The formation of weak metal lines in the atmospheres of O-stars. The role of microturbulence and transonic matter outflow
Kudritzki, R.P. **266**, 395
A semi-empirical model for the X-ray emission from single Wolf-Rayet stars
Baum, E., Hamann, W.-R., Koesterke, L., Wessolowski, U. **266**, 402
Chemistry in the molecular envelopes of the planetary nebulae NGC 6072 and IC 4406
Cox, P., Omont, A., Huggins, P.J., Bachiller, R., Forveille, T. **266**, 420
New grids of stellar models from 0.8 to 120 $M_\odot$ at $Z=0.020$ and $Z=0.001$
Schaller, G., Schaerer, D., Meynet, G., Maeder, A. **266**, 643; **96**, *269*
SAO stars with infrared excess in the IRAS Point Source Catalog
Oudmaijer, R.D., van der Veen, W.E.C.J., Waters, L.B.F.M., Trams, N.R., Waelkens, C., Engelsmann, E. **266**, 650; **96**, *625*

Stars: neutron

Search for second-phase Wolf–Rayet binaries among WRE stars
Moffat, A.F.J. **253**, 425
Discovery and early X-ray lightcurve of the transient GRS 1124–68 (Nova Muscae 1991)
Brandt, S., Castro-Tirado, A.J., Lund, N., Dremin, V., Lapshov, I., Sunyaev, R. **254**, L39
On the decay of the magnetic fields of single radio pulsars
Bhattacharya, D., Wijers, R.A.M.J., Hartman, J.W., Verbunt, F. **254**, 198
Advantages and limitations of the bipolytrope model for computing the secular evolution of cataclysmic binaries
Kolb, U., Ritter, H. **254**, 213
Another TeV gamma-ray burst from the Crab pulsar
Acharya, B.S., Bhat, P.N., Gandhi, V.N., Ramana Murthy, P.V., Sathyanarayana, G.P., Vishwanath, P.R. **254**, 412
Decay of weak poloidal magnetic fields in the liquid layer of neutron star envelopes
Geppert, U., Wiebicke, H.-J. **256**, L9
Artificial opacity – numerical implementation into flux-limited neutrino diffusion
Dgani, R., Janka, H.-T. **256**, 428
Flux-limited neutrino diffusion versus Monte Carlo neutrino transport
Janka, H.-T. **256**, 452
Near-critical spherical accretion onto magnetized neutron stars: modified magnetospheric radius
Mitra, A. **257**, 807
Another TeV gamma-ray burst from the Crab pulsar
Acharya, B.S., Bhat, P.N., Gandhi, V.N., Ramana Murthy, P.V., Sathyanarayana, G.P., Vishwanath, P.R. **258**, 412
Radial oscillations of neutron stars and strange stars
Väth, H.M., Chanmugam, G. **260**, 250
Binary pulsars as probes of neutron star birth
Wijers, R.A.M.J., van Paradijs, J., van den Heuvel, E.P.J. **261**, 145
Photoabsorption in magnetic neutron star atmospheres
Ventura, J., Herold, H., Ruder, H., Geyer, F. **261**, 235
Current adjustment in pulsars
Lyubarskii, Y.E. **261**, 544
Periodic outbursts in the peculiar X-ray binary 2S 0114+65
Finley, J.P., Belloni, T., Cassinelli, J.P. **262**, L25
Amplification of neutron star magnetic fields by thermoelectric effects. III. Growth limits in nonlinear calculations
Wiebicke, H.-J., Geppert, U. **262**, 125
Non-equilibrium neutrino emissivities and opacities of neutron star matter
Haensel, P. **262**, 131
The emission mechanism of neutral particles from discrete sources in the TeV–EeV energy range
Bednarek, W. **264**, 331
Fermion angular distribution and maximum entropy Eddington factors
Janka, H.-T., Dgani, R., van den Horn, L.J. **265**, 345
Bilateral symmetry in the supernova remnant G 296.5+10.0
Storey, M.C., Staveley-Smith, L., Manchester, R.N., Kesteven, M.J. **265**, 752
Model atmospheres and radiation of magnetic neutron stars. I. The fully ionized case
Shibanov, Y.A., Zavlin, V.E., Pavlov, G.G., Ventura, J. **266**, 313
Approximate radiative transfer by two-moment closure – when is it possible?
Körner, A., Janka, H.-T. **266**, 613

(Stars:) novae, cataclysmic variables

Spectropolarimetry of the nova-like variable RW Trianguli
Rutten, R.G.M., Dhillon, V.S. **253**, 139
Limit cycle instabilities in a free accretion disk – a source of energy in SN 1987A?
Meyer-Hofmeister, E. **253**, 459
Astrophysical implications of the direct measurement of the $^{13}N(p,\gamma)^{14}O$ cross section
Arnould, M., Paulus, G., Jorissen, A. **254**, L9

Discovery and early X-ray lightcurve of the transient GRS 1124–68 (Nova Muscae 1991)
Brandt, S., Castro-Tirado, A.J., Lund, N., Dremin, V., Lapshov, I., Sunyaev, R. **254**, L39
Advantages and limitations of the bipolytrope model for computing the secular evolution of cataclysmic binaries
Kolb, U., Ritter, H. **254**, 213
Phase-resolved spectroscopy of the novalike cataclysmic variable RW Sextantis
Beuermann, K., Stasiewski, U., Schwope, A.D. **256**, 433
A spectroscopic study of the cataclysmic variable WX Arietis = PG0244+103
Beuermann, K., Thorstensen, J.R., Schwope, A.D., Ringwald, F.A., Sahin, H. **256**, 442
Particle heated atmospheres of magnetic white dwarfs
Woelk, U., Beuermann, K. **256**, 498
On the local stability of accretion disks
Dubrulle, B., Knobloch, E. **256**, 673
Studies of symbiotic stars. VI. The eclipsing symbiotic nova AS 338
Munari, U. **257**, 163
Rapid oscillations in the dwarf novae SY Cancri, YZ Cancri and AH Herculis
Pezzuto, S., Bernacca, P.L., Stagni, R. **257**, 523
Classical novae as fast magnetic rotators
Orio, M., Trussoni, E., Ögelman, H. **257**, 548
New light on post-maximum oscillations of novae
Bianchini, A., Friedjung, M., Brinkmann, W. **257**, 599
Photometric and spectroscopic observations of QU Vulpeculae (Nova Vul 1984-2)
Rosino, L., Iijima, T., Benetti, S., D'Ambrosio, V., Di Paolantonio, A., Kolotilov, E.A. **257**, 603
Constraints on the evolution of AM Herculis stars derived from the observed distribution of orbital periods
Ritter, H., Kolb, U. **259**, 159
V1159 Orionis: a dwarf nova with very short outburst cycle
Jablonski, F.J., Cieslinski, D. **259**, 198
PU Vulpeculae: the outburst of a symbiotic nova
Vogel, M., Nussbaumer, H. **259**, 525
Reconstruction of the accretion disk in six cataclysmic variable stars
Rutten, R.G.M., van Paradijs, J., Tinbergen, J. **260**, 213
Precession in cataclysmic and X-ray binaries: star or disc?
Schwarzenberg-Czerny, A. **260**, 268
Spectroscopy of poorly known northern dwarf novae. Part II
Bruch, A., Schimpke, T. **260**, 556; ***93***, *419*
An astrometric catalogue of southern and equatorial dwarf novae
Bruch, A., Meijer, J., Naumann, M., Schimpke, T., Ungruhe, R., Vogt, N. **260**, 557; ***93***, *463*
Detection of a photometric periodicity of the nova-like variable MV Lyrae at "active state"
Borisov, G.V. **261**, 154
Statistics of cataclysmic variable formation
de Kool, M. **261**, 188
A simplified model for the tidal effect on accretion disks in cataclysmic variables
Zhong-Yong Zhang, Jian-Sheng Chen **261**, 493
Molecular opacities for solar and enhanced CNO abundances: relevance for accretion disks
Sharp, C.M. **262**, 382; ***94***, *1*
The unusual nature of nova HR Delphini 1967
Friedjung, M. **262**, 487
Spectral evolution of nova V 443 Scuti 1989
Anupama, G.C., Duerbeck, H.W., Prabhu, T.P., Jain, S.K. **263**, 87
OY Carinae: the secrets of the super-humps revealed
Hessman, F.V., Mantel, K.-H., Barwig, H., Schoembs, R. **263**, 147
Phase resolved linear polarization spectra of AM Herculis
Schaich, M., Wolf, D., Östreicher, R., Ruder, H. **264**, 529
The 1990 outburst of the recurrent nova V 3890 Sgr observed with IUE
González-Riestra, R. **265**, 71
Quasi-periodic oscillations in TT Arietis
Hollander, A., van Paradijs, J. **265**, 77
OY Carinae revisited: development of the accretion disk during a normal outburst
Rutten, R.G.M., Kuulkers, E., Vogt, N., van Paradijs, J. **265**, 159
HV Virginis: a new WZ-Sge-type dwarf nova
Barwig, H., Mantel, K.H., Ritter, H. **266**, L5
Additional evidence for A 0620-00 containing a black hole?
Zhong-Yong Zhang, Jian-Sheng Chen **266**, L9
Limits on the absolute magnitudes of faint northern dwarf novae
Schimpke, T., Bruch, A. **266**, 225
On the possible existence of two classes of progenitors for classical novae
Della Valle, M., Bianchini, A., Livio, M., Orio, M. **266**, 232
Flickering in cataclysmic variables: its properties and origins
Bruch, A. **266**, 237
The spectral variability in 2–28 keV of GS2023+338 during its 1989 outburst
in 't Zand, J.J.M., Pan, H.C., Bleeker, J.A.M., Skinner, G.K., Gilfanov, M.R., Sunyaev, R. **266**, 283

Stars: oscillations (including pulsations)

Multi-periodicity of the δ Scuti star GX Pegasi. Second photometry campaign of the STEPHI network
Michel, E., Belmonte, J.A., Alvarez, M., Jiang, S.Y., Chevreton, M., Auvergne, M., Goupil, M.J., Baglin, A., Mangeney, A., Roca Cortés, T., Liu, Y.Y., Fu, J.N., Dolez, N. **255**, 139
Pulsational behaviour of the δ Scuti star X Caeli
Mantegazza, L., Poretti, E. **255**, 153
Erratum: Dynamic tides in stars as forced isentropic oscillations and their effects on free oscillations
Polfliet, R., Smeyers, P. **255**, 495
New opacities and the origin of the β Cephei pulsations
Moskalik, P., Dziembowski, W.A. **256**, L5
The pulsations of yellow semiregular variables. I. Double-mode behaviour of UU Herculis
Zsoldos, E., Sasselov, D.D. **256**, 107
The solution of the light curve of 44 Tauri: insights into the pulsational behaviour of δ Scuti stars
Poretti, E., Mantegazza, L., Riboni, E. **256**, 113
Intensive photometry of southern Be variables. II. Summer objects
Balona, L.A., Cuypers, J., Marang, F. **256**, 324; ***92***, *553*
A frequency analysis of the rapidly oscillating CP2 (roAp) star HD 12932
Schneider, H., Kreidl, T.J., Weiss, W.W. **257**, 130
Bisystem oscillation theory of stars. I. Linear theory
Li, Y. **257**, 133
Bisystem oscillation theory of stars. II. Excitation mechanisms
Li, Y. **257**, 145

Light variations of massive stars (α Cygni variables). XII. The photometric history of the G8Ia$^+$ hypergiant V766 Cen (=HR 5171A) during the years 1953–1991 and its interpretation
van Genderen, A.M. **257**, 177
Radiation – hydrodynamic waves in an optically gray atmosphere. I. Homogeneous model
Dzhalilov, N.S., Zhugzhda, Y.D., Staude, J. **257**, 359
Rapid oscillations in the dwarf novae SY Cancri, YZ Cancri and AH Herculis
Pezzuto, S., Bernacca, P.L., Stagni, R. **257**, 523
The δ Scuti star HR 5437
Li Zhiping, Jiang Shiyiang **257**, 845; ***93***, *87*
Weak chaos in long-period variables
Icke, V., Frank, A., Heske, A. **258**, 341
Chemical composition effects and double-mode RR Lyrae masses
Kovács, G., Buchler, J.R., Marom, A., Iglesias, C.A., Rogers, F.J. **259**, L46
Nonradial oscillations of white dwarfs – variational formulation revisited
Singh, H.P. **259**, 155
The subseismic approximation for low-frequency modes of the Earth applied to low-degree, low-frequency g-modes of non-rotating stars
De Boeck, I., Van Hoolst, T., Smeyers, P. **259**, 167
Equations of state and bump Cepheids. II. Non-linear results
Kanbur, S.M. **259**, 175
Effects of dynamic tides on secular variations of orbital elements in close binary systems
Ruymaekers, E. **259**, 349
A new method for filling gaps in data
Serre, T., Auvergne, M., Goupil, M.J. **259**, 404
Spectrum variations of HD 215441 (Babcock's star)
Malanushenko, V.P., Polosukhina, N.S., Weiss, W.W. **259**, 567
HD 80859 (B5 V): a possible new slowly pulsating B-type star
van Genderen, A.M., van den Bosch, F.C., Dessing, F., van der Heiden, R., de Jong, J.P., van der Meer, R.L.J., van Ojik, R., Smit, J.M., Zijderveld, M.J. **259**, 574
Nonradial, nonadiabatic pulsations of evolving massive stars
Gautschy, A. **260**, 175
Fourier analysis of the hydrodynamic models of classical Cepheids
Fadeyev, Y.A., Muthsam, H. **260**, 195
Radial oscillations of neutron stars and strange stars
Väth, H.M., Chanmugam, G. **260**, 250
Photometric short-term variations of the Be star θ Coronae Borealis
Guerrero, G., Bossi, M., Scardia, M. **260**, 311
The Fourier decomposition as a mode discriminator: new first overtone pulsators among Cepheids with $P<5.5$ d
Mantegazza, L., Poretti, E. **261**, 137
Detection of a photometric periodicity of the nova-like variable MV Lyrae at "active state"
Borisov, G.V. **261**, 154
Surface distribution of active regions as a probe of internal stellar rotation
Belvedere, G. **261**, 475
Periodic outbursts in the peculiar X-ray binary 2S 0114+65
Finley, J.P., Belloni, T., Cassinelli, J.P. **262**, L25
Photometry of yellow semiregular variables: HR 8752 (=V509 Cassiopeiae)
Percy, J.R., Zsoldos, E. **263**, 123
Vibrational stability of an evolved 5 $M_\odot$ star towards higher-order g-modes
Degryse, K., Noels, A., Gabriel, M., Waelkens, C., Smeyers, P. **263**, 137
Light variations of massive stars (α Cygni variables). XIII. The B-type hypergiants R81 (LBV), HD 80077 (LBV?), HD 168607 = V 4029 Sagittarii (LBV) and HD 168625 = V 4030 Sagittarii
van Genderen, A.M., van den Bosch, F.C., Dessing, F., Fehmers, G.C., van Grunsven, J., van der Heiden, R., Janssens, A.M., Kalter, R., van der Meer, R.L.J., van Ojik, R., Smit, J.M., Zijderveld, M.J. **264**, 88
Solar-like oscillations on α Centauri A
Pottasch, E.M., Butcher, H.R., van Hoesel, F.H.J. **264**, 138
Short-term spectroscopic variability of the Be star EW Lacertae (HD 217050)
Floquet, M., Hubert, A.M., Janot-Pacheco, E., Mekkas, A., Hubert, H., Leister, N.V. **264**, 177
Power spectra of gapped time series: a comparison of several methods
Carbonell, M., Oliver, R., Ballester, J.L. **264**, 350
The pulsating DA white dwarf PG 2303+243 revisited
Vauclair, G., Belmonte, J.A., Pfeiffer, B., Grauer, A.D., Jiménez, A., Chevreton, M., Dolez, N., Vidal, I., Herpe, G. **264**, 547
Rapid optical variability in the AM Herculis object V 834 Centauri. I. Quasi-periodic oscillations
Larsson, S. **265**, 133
The applicability of the linearized theory of sound-wave driven winds
Koninx, J.-P.M., Pijpers, F.P. **265**, 183
Studies of Cepheid-type variability. X. κ-effect-functions for period ratios
Petersen, J.O. **265**, 555
Mode identification of pulsating stars from line profile variations with the moment method. An example: the β Cephei star δ Ceti
Aerts, C., De Pauw, M., Waelkens, C. **266**, 294
Study of δ Scuti stars in the Geneva photometric system. II. The complex case of HD 2724(=HR 119)
Lampens, P. **266**, 636; ***95***, *471*
A photometric study of β Cephei stars. I. Frequency analysis of new and previously published data
Heynderickx, D. **266**, 642; ***96***, *207*
Strömgren photometry of the low amplitude δ Scuti star β Cassiopeiae
Rodriguez, E., Rolland, A., López de Coca, P., Garrido, R., Gonzalez-Bedolla, S.F. **266**, 645; ***96***, *429*

Stars: peculiar (except chemically peculiar)

Discovery of a peculiar Of?-like star in the LMC
Heydari-Malayeri, M., Melnick, J. **258**, L13
Pulsar-irradiated stars in dense globular clusters
Tavani, M. **261**, 472
Radial distribution of blue stragglers and surface brightness profile in the post-core-collapse globular cluster NGC 6397
Lauzeral, C., Ortolani, S., Aurière, M., Melnick, J. **262**, 63

Stars: planetary systems

Formation of a "planet" by rapid evaporation of a pulsar's companion
Rasio, F.A., Shapiro, S.L., Teukolsky, S.A. **256**, L35
Planet survival?
Postnov, K.A., Prokhorov, M.E. **258**, L17

An optical search for β Pictoris-like disks around nearby stars
Smith, B.A., Fountain, J.W., Terrile, R.J. **261**, 499

Stars: Population II

Atmospheric motions in the population II Cepheid W Virginis
Lèbre, A., Gillet, D. **255**, 221
A new age–metallicity relation for Galactic globular clusters in the α-enhanced scenario: cosmological implications
Catelan, M., de Freitas Pacheco, J.A. **258**, L5
A theoretical investigation of population II red giant clumps
Bono, G., Castellani, V. **258**, 385
UV-(2000 Å) imaging of globular clusters. I. The projected radial distributions and counts of the blue horizontal-branch stars in M 3, M 5, M 13 and M 92
Laget, M., Burgarella, D., Milliard, B., Donas, J. **259**, 510
The effect of EUV and X-ray radiation on stellar atmospheres and the problem of helium abundance in B-stars
Mitskevich, A.S., Tsymbal, V.V. **260**, 303
The reconciliation of the several calibrations of the horizontal-branch absolute magnitude as a function of metallicity: a progress report
Catelan, M. **261**, 443
The Sandage effect revisited
Catelan, M. **261**, 457
Radial distribution of blue stragglers and surface brightness profile in the post-core-collapse globular cluster NGC 6397
Lauzeral, C., Ortolani, S., Aurière, M., Melnick, J. **262**, 63
Near-infrared photometry of globular clusters in the outer halo of M 31. II. New TIRGO and UKIRT data
Bònoli, F., Delpino, F., Federici, L., Fusi Pecci, F., Longmore, A.J. **266**, 641; **96**, *163*

Stars: pre-main sequence

The infrared variability of SSV 13
Liseau, R., Lorenzetti, D., Molinari, S. **253**, 119
A cloudy circumstellar dust shell around SV Cephei
Friedemann, C., Reimann, H.-G., Gürtler, J. **255**, 246
The optical counterpart of the IRAS point source 22343+7501 in L 1251
Balázs, L.G., Eislöffel, J., Holl, A., Kelemen, J., Kun, M. **255**, 281
Molecular outflows and H_2O masers: what type of connection?
Felli, M., Palagi, F., Tofani, G. **255**, 293
Discovery of four Herbig-Haro objects in Serpens
Reipurth, B., Eiroa, C. **256**, L1
Star formation in Bok globules and low-mass clouds. IV. Herbig-Haro objects in B335
Reipurth, B., Heathcote, S., Vrba, F. **256**, 225
A magnitude-limited spectroscopic and photometric survey of ϱ Ophiuchus X-ray sources
Bouvier, J., Appenzeller, I. **256**, 324; **92**, *481*
A photometric and spectroscopic study of a supposed subclustering of pre-main sequence stars towards the Scorpius OB1 association
Piers, R.P.A., Thé, P.S., van Genderen, A.M. **256**, 325; **92**, *609*
A high-resolution spectroscopic study of southern T Tauri stars
Franchini, M., Covino, E., Stalio, R., Terranegra, L., Chavarría-K, C. **256**, 525
On the post-T-Tauri nature of late-type visual companions to B-type stars
Martín, E.L., Magazzù, A., Rebolo, R. **257**, 186
The variable Herbig Ae star HR 5999. X. Its photometric "pulse-shaped" variability
Pérez, M.R., Webb, J.R., Thé, P.S. **257**, 209
A search for Hα emission stars in regions of high latitude molecular clouds
Kun, M. **257**, 412; **92**, *875*
A 5 GHz radio survey of selected post T Tauri and naked T Tauri stars
White, S.M., Pallavicini, R., Kundu, M.R. **257**, 557
Magnetic structure in cool stars. XVIII. UV-line emissions from T Tauri stars
Lemmens, A.F.P., Rutten, R.G.M., Zwaan, C. **257**, 671
Multiple bow shocks in the HH 34 system
Reipurth, B., Heathcote, S. **257**, 693
Radio flares and magnetic fields on weak-line T Tauri stars
White, S.M., Pallavicini, R., Kundu, M.R. **259**, 149
Cometary globules in the Gum nebula. II. Low mass star formation in cometary globule 22
Sahu, M., Sahu, K.C. **259**, 265
An IRAS study of pre-main sequence stars in B209
Prusti, T., Clark, F.O., Laureijs, R.J., Wakker, B.P., Wesselius, P.R. **259**, 537
The double nature of RCW57/IRS1
Moneti, A. **259**, 627
IRAS identification of pre-main sequence stars in the Chamaeleon II association
Prusti, T., Whittet, D.C.B., Assendorp, R., Wesselius, P.R. **260**, 151
Radiative unstable modes in the jets of young stellar objects
Massaglia, S., Trussoni, E., Bodo, G., Rossi, P., Ferrari, A. **260**, 243
Physical conditions of the molecular gas and dust associated with the Herbig Ae/Be stars
Fuente, A., Martin-Pintado, J., Cernicharo, J., Brouillet, N., Duvert, G. **260**, 341
On the polarization of GL 490
Haas, M., Leinert, C., Lenzen, R. **261**, 130
Optical spectroscopy of post-T Tauri star candidates
Pallavicini, R., Pasquini, L., Randich, S. **261**, 245
CO line formation in bipolar flows. III. The energetics of molecular flows and ionized winds
Cabrit, S., Bertout, C. **261**, 274
Sub-arcsecond images of the young star DD Tauri at optical and near-IR wavelengths
Bouvier, J., Tessier, E., Cabrit, S. **261**, 451
Young stellar objects in the IRAS point source catalog
Prusti, T., Adorf, H.-M., Meurs, E.J.A. **261**, 685
Identification of IRAS point sources in Scorpio-Centaurus-Lupus
Carballo, R., Wesselius, P.R., Whittet, D.C.B. **262**, 106
Herbig-Haro outflows associated with high-luminosity young stellar objects – AFGL 2591 and MWC 1080
Poetzel, R., Mundt, R., Ray, T.P. **262**, 229
A Herbig-Haro flow associated with the T Tauri star Bretz 4 in GGD 17
Carballo, R., Eiroa, C. **262**, 295
Near-infrared images of the Serpens cloud core: the stellar cluster
Eiroa, C., Casali, M.M. **262**, 468
Molecular hydrogen emission in Herbig–Haro complexes. III. Outflows with jets
Zealey, W.J., Williams, P.M., Sandell, G., Taylor, K.N.R., Ray, T.P. **262**, 570

Accretion disks around T Tauri stars. III. A χ^2 analysis of disk parameters
Bouvier, J., Bertout, C. **263**, 113
Proper motion measurements in the HH 34 jet and its associated bow shocks
Eislöffel, J., Mundt, R. **263**, 292
$UBV(RI)_c$ photometric monitoring of Orion population stars in the southern hemisphere
Covino, E., Terranegra, L., Franchini, M., Chavarría-K, C., Stalio, R. **264**, 719; ***94***, *273*
A cluster of infrared sources towards M 16
Chini, R., Krügel, E., Wargau, W.F. **265**, 45
Emission-line stars in L 1641
Wouterloot, J.G.A., Brand, J. **265**, 144
Star formation in the Vela molecular clouds. I. The IRAS-bright Class I sources
Liseau, R., Lorenzetti, D., Nisini, B., Spinoglio, L., Moneti, A. **265**, 577
Submillimeter dust continuum observations of three low luminosity protostellar IRAS sources
Zinnecker, H., Bastien, P., Arcoragi, J.-P., Yorke, H.W. **265**, 726
Apparent alignment of stellar outflows due to selective extinction
Raga, A.C. **265**, 767
Possible young stellar objects in the region of the Cygnus OB2 (VI Cygni) association from IRAS observations
Parthasarathy, M., Jain, S.K., Bhatt, H.C. **266**, 202
Mid–IR spectroscopy of GGD 27-IRS: evidence for a PMS stellar cluster
Aspin, C., Geballe, T.R. **266**, 219
An optical/infrared/millimetre study of HH 90/91
Gredel, R., Reipurth, B., Heathcote, S. **266**, 439
New probable members of the young Orion stellar population. I. The obscured regions in Cassiopeia, Vela and Scorpius
Márquez-Limón, A., López-Molina, M.G., Chavarría-K, C. **266**, 633; ***95***, *391*

(Stars:) pulsars: general

On the decay of the magnetic fields of single radio pulsars
Bhattacharya, D., Wijers, R.A.M.J., Hartman, J.W., Verbunt, F. **254**, 198
Separation of the polarization modes in several pulsars
Gil, J.A., Lyne, A.G., Rankin, J.M., Snakowski, J.K., Stinebring, D.R. **255**, 181
Decay of weak poloidal magnetic fields in the liquid layer of neutron star envelopes
Geppert, U., Wiebicke, H.-J. **256**, L9
Geometry of pulsar emission regions
Gil, J., Kijak, J. **256**, 477
Curvature radiation and subpulse polarization characteristics in the observed emission of PSR 2303+30
Gil, J.A. **256**, 495
Planet survival?
Postnov, K.A., Prokhorov, M.E. **258**, L17
Binary pulsars as probes of neutron star birth
Wijers, R.A.M.J., van Paradijs, J., van den Heuvel, E.P.J. **261**, 145
Pulsar-irradiated stars in dense globular clusters
Tavani, M. **261**, 472
Current adjustment in pulsars
Lyubarskii, Y.E. **261**, 544
Is there a comet cloud around PSR 1257+12?
Chakrabarti, S.K., Krishna Swamy, K.S. **263**, L1
Charged particle dynamics within the spherical wave field of a rotating magnetic dipole beyond the acceleration boundary
Tolan, M. **264**, 708
Possible mechanism of pulsar radio emission
Lyubarskii, Y.E. **265**, L33
Orbital evolution of binaries with ultra-rapid pulsars
Ergma, E., Fedorova, A.V. **265**, 65
Instrumental origin of a 180° phase shift in polarization data
McKinnon, M.M. **266**, 113
Model atmospheres and radiation of magnetic neutron stars. I. The fully ionized case
Shibanov, Y.A., Zavlin, V.E., Pavlov, G.G., Ventura, J. **266**, 313

(Stars:) pulsars: individual: . . .

Crab pulsar

Another TeV gamma-ray burst from the Crab pulsar
Acharya, B.S., Bhat, P.N., Gandhi, V.N., Ramana Murthy, P.V., Sathyanarayana, G.P., Vishwanath, P.R. **258**, 412

MXB 1820-30

Orbital evolution of binaries with ultra-rapid pulsars
Ergma, E., Fedorova, A.V. **265**, 65

PSR 0329+54

Geometry of pulsar emission regions
Gil, J., Kijak, J. **256**, 477

PSR 1257+122

Is there a comet cloud around PSR 1257+12?
Chakrabarti, S.K., Krishna Swamy, K.S. **263**, L1

PSR 1829-10

Formation of a "planet" by rapid evaporation of a pulsar's companion
Rasio, F.A., Shapiro, S.L., Teukolsky, S.A. **256**, L35
Planet survival?
Postnov, K.A., Prokhorov, M.E. **258**, L17

PSR 1957+20

Orbital evolution of binaries with ultra-rapid pulsars
Ergma, E., Fedorova, A.V. **265**, 65

PSR 2303+30

Curvature radiation and subpulse polarization characteristics in the observed emission of PSR 2303+30
Gil, J.A. **256**, 495

X 1822-371

Orbital evolution of binaries with ultra-rapid pulsars
Ergma, E., Fedorova, A.V. **265**, 65

1 E 10481-5937

CCD imaging and spectroscopy in the field of the X-ray pulsar 1 E 1048.1-5937
Mereghetti, S., Caraveo, P., Bignami, G.F. **263**, 172

Stars: rotation

Effect of horizontal turbulent diffusion on transport by meridional circulation
Chaboyer, B., Zahn, J.-P. **253**, 173

Rotation-induced mixing and lithium depletion in galactic clusters
Charbonnel, C., Vauclair, S., Zahn, J.-P. **255**, 191
A photometric survey of the eclipsing RS CVn-type system RZ Eridani: starspot variability, circumstellar matter, tidal evolution
Burki, G., Kviz, Z., North, P. **256**, 463
Radiative transfer in rotating stars
Hadrava, P. **256**, 519
The magnetic field and period of the Ap Si star 108 Aquarii
North, P., Brown, D.N., Landstreet, J.D. **258**, 389
An investigation of the effects of rotational broadening on abundance determinations. I. HgMn stars
Ansari, S.G. **259**, 211
Spectrum variations of HD 215441 (Babcock's star)
Malanushenko, V.P., Polosukhina, N.S., Weiss, W.W. **259**, 567
Ekman circulation and the synchronization of binary stars
Rieutord, M. **259**, 581
On the free precession of white dwarfs
Leins, M., Soffel, M.H., Lay, W., Ruder, H. **261**, 658
Why rapid rotators have polar spots
Schüssler, M., Solanki, S.K. **264**, L13
Lithium observations for two extremely active giant stars
de Medeiros, J.R., Lèbre, A. **264**, L21
$UBV(RI)_c$ photometric monitoring of Orion population stars in the southern hemisphere
Covino, E., Terranegra, L., Franchini, M., Chavarría-K, C., Stalio, R. **264**, 719; ***94***, *273*
Helium enrichment in massive early type stars
Langer, N. **265**, L17
On the long-term periodicities in Be stars
Papaloizou, J.C., Savonije, G.J., Henrichs, H.F. **265**, L45
New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars and subgiants
Charbonnel, C., Vauclair, S. **265**, 55
Circulation and turbulence in rotating stars
Zahn, J.-P. **265**, 115

Stars: statistics

The stellar coronal component of the Galaxy. I. The X-COUNT numerical model
Favata, F., Micela, G., Sciortino, S., Vaiana, G.S. **256**, 86

(Stars:) subdwarfs

The Spacelab-1 very wide field survey of UV-excess objects. III. Analysis of the IUE high-resolution spectra of two very hot sdO stars
Deleuil, M., Viton, M. **263**, 190
A fine analysis of calcium and iron lines in the spectrum of the subdwarf Groombridge 1830
Smith, G., Lambert, D.L., Ruck, M.J. **263**, 249
Non-LTE line formation for iron group elements. I. Fe v
Becker, S.R., Butler, K. **265**, 647

(Stars:) supergiants

New opacities and the origin of the β Cephei pulsations
Moskalik, P., Dziembowski, W.A. **256**, L5
Atmospheric model and dynamical state of the atmosphere of the supergiant Eta Leonis (A0Ib)
Lobel, A., Achmad, L., de Jager, C., Nieuwenhuijzen, H. **256**, 159
Observed evolutionary changes in the visual magnitude of the luminous blue variable P Cygni
Lamers, H.J.G.L.M., de Groot, M.J.H. **257**, 153
Light variations of massive stars (α Cygni variables). XII. The photometric history of the G8Ia$^+$ hypergiant V766 Cen (=HR 5171A) during the years 1953–1991 and its interpretation
van Genderen, A.M. **257**, 177
A study of the optical and ultraviolet spectral characteristics and of the circumstellar material around the new luminous blue variable WRA 751
de Winter, D., Pérez, M.R., Hu, J.Y., Thé, P.S. **257**, 632
On the distance to the new luminous blue variable WRA 751 and its variability
van Genderen, A.M., Thé, P.S., de Winter, D., Hollander, A., de Jong, P.J., van den Bosch, F.C., Kolkman, O.M., Verheijen, M.A.W. **258**, 316
Massive star population in M 31 OB associations
Cananzi, K. **259**, 17
A photometric study on the G0-4 Ia$^+$ hypergiant HD 96918 (V 382 Carinae)
Achmad, L., Lamers, H.J.G.L.M., Nieuwenhuijzen, H., van Genderen, A.M. **259**, 600
IR survey of OB emission-line stars in the SMC: detection of a new B[e] supergiant, AV 172
Zickgraf, F.-J., Stahl, O., Wolf, B. **260**, 205
UV observations of LB 3193 and LB 3116: Two hot post-AGB objects in the galactic halo?
Quin, D.A., Lamers, H.J.G.L.M. **260**, 261
A spectroscopic investigation of η Carinae and the Homunculus Nebula. I. Overview of the spectra
Hillier, D.J., Allen, D.A. **262**, 153
Photometry of yellow semiregular variables: HR 8752 (=V509 Cassiopeiae)
Percy, J.R., Zsoldos, E. **263**, 123
Light variations of massive stars (α Cygni variables). XIII. The B-type hypergiants R81 (LBV), HD 80077 (LBV?), HD 168607 = V 4029 Sagittarii (LBV) and HD 168625 = V 4030 Sagittarii
van Genderen, A.M., van den Bosch, F.C., Dessing, F., Fehmers, G.C., van Grunsven, J., van der Heiden, R., Janssens, A.M., Kalter, R., van der Meer, R.L.J., van Ojik, R., Smit, J.M., Zijderveld, M.J. **264**, 88
On the instability parameters of stellar atmospheres
Lobel, A., Achmad, L., de Jager, C., Nieuwenhuijzen,H. **264**, 147
Photospheric velocity gradients in B1 supergiants
Massa, D., Shore, S.N., Wynne, D. **264**, 169
Galactic OB associations in the northern Milky Way galaxy. Longitudes 55° to 150°
Garmany, C.D., Stencel, R.E. **264**, 718; ***94***, *211*
Galactic B-supergiants. I. An atlas of O9-B9 supergiant spectra from 3950 AA to 4950 AA
Lennon, D.J., Dufton, P.L., Fitzsimmons, A. **264**, 722; ***94***, *569*
Luminosities of yellow supergiants from near-infrared spectra: calibration through Magellanic Cloud stars
Mantegazza, L. **265**, 527
Unified NLTE model atmospheres including spherical extension and stellar winds. III. The EUV fluxes of hot massive stars and He II emission in extragalactic giant H II regions
Gabler, R., Gabler, A., Kudritzki, R.P., Méndez, R.H. **265**, 656
The calibration of Strömgren photometry for A, F and early G supergiants. III. The A and early F supergiants
Gray, R.O. **265**, 704

The AG Carinae nebula revisited
de Freitas Pacheco, J.A., Damineli Neto, A., Costa, R.D.D., Viotti, R. **266**, 360
New grids of stellar models from 0.8 to 120 $M_\odot$ at $Z=0.020$ and $Z=0.001$
Schaller, G., Schaerer, D., Meynet, G., Maeder, A. **266**, 643; **96**, *269*

(Stars:) supernovae: general

Type Ia supernovae: theoretical light curves with a slow pre-maximum rise
Khokhlov, A., Müller, E., Höflich, P. **253**, L9
The effects of limb variation on the diameter measurements of SN 1987 A
Karovska, M., Nisenson, P. **253**, 210
Resonance transitions to inert neutrinos in supernovae
Peltoniemi, J.T. **254**, 121
Carbon detonations in rapidly rotating white dwarfs
Steinmetz, M., Müller, E., Hillebrandt, W. **254**, 177
Evidence for heavy element dust clumps from the increasing 1300 μm emission from Supernova 1987 A
Biermann, P.L., Chini, R., Haslam, C.G.T., Kreysa, E., Lemke, R., Sievers, A. **255**, L5
Artificial opacity – numerical implementation into flux-limited neutrino diffusion
Dgani, R., Janka, H.-T. **256**, 428
Earliest photometry of SN 1987 A
West, R.M., McNaught, R.H. **256**, 447
Flux-limited neutrino diffusion versus Monte Carlo neutrino transport
Janka, H.-T. **256**, 452
2CG 353+16 and the fourteenth century B.C. supernova
Xu, J.J., Wang, Z.R., Qu, Q.Y. **256**, 483
On the contribution of ^{22}Ne to the synthesis of ^{54}Fe and ^{58}Ni in thermonuclear supernovae
Bravo, E., Isern, J., Canal, R., Labay, J. **257**, 534
Upper limit to the 45-MHz flux density of SN 1987A
Alvarez, H., Aparici, J., May, J., Olmos, F. **257**, 575
Linear polarization as a consequence of rotation in exploding stars
Steinmetz, M., Höflich, P. **257**, 641
Barium and other s-process elements in the early-time spectrum of SN 1987 A
Mazzali, P.A., Lucy, L.B., Butler, K. **258**, 399
Asymmetric explosion in SN 1987 A
Ishikawa, S., Yamada, S., Kiguchi, M., Sato, K. **258**, 415
The SN 1986 G in Centaurus A
Cristiani, S., Cappellaro, E., Turatto, M., Bergeron, J., Bues, I., Buson, L., Danziger, J., Di Serego-Alighieri, S., Duerbeck, H.W., Heydari-Malayeri, M., Krautter, J., Schmutz, W., Schulte-Ladbeck, R.E. **259**, 63
Gamma-ray light curves and spectra for Type Ia supernovae
Höflich, P., Khokhlov, A., Müller, E. **259**, 549
A binary evolutionary model for the progenitor of SN 1987 A
de Loore, C., Vanbeveren, D. **260**, 273
Binary pulsars as probes of neutron star birth
Wijers, R.A.M.J., van Paradijs, J., van den Heuvel, E.P.J. **261**, 145
The far-infrared properties of parent galaxies of supernovae
Petrosian, A.R., Turatto, M. **261**, 433
The r-process in the light of a microscopic model for nuclear masses
Goriely, S., Arnould, M. **262**, 73
Stellar yields as a function of initial metallicity and mass limit for black hole formation
Maeder, A. **264**, 105
The radial distribution of supernovae in galaxies
Bartunov, O.S., Makarova, I.N., Tsvetkov, D.Y. **264**, 428
On the early light curve of Supernova 1987A
Mair, G., Hillebrandt, W., Höflich, P., Dorfi, A. **266**, 266
Approximate radiative transfer by two-moment closure – when is it possible?
Körner, A., Janka, H.-T. **266**, 613
Warm IRAS sources. II. Optical spectroscopy of objects from the Point Source Catalog
de Grijp, M.H.K., Keel, W.C., Miley, G.K., Goudfrooij, P., Lub, J. **266**, 645; **96**, *389*

(Stars:) supernovae: individual: . . .

SN 14th century B.C.

2CG 353+16 and the fourteenth century B.C. supernova
Xu, J.J., Wang, Z.R., Qu, Q.Y. **256**, 483

SN 1972E

The distance to NGC 5253 and the absolute magnitude at maximum of SN 1972 E
Della Valle, M., Melnick, J. **257**, L1

SN 1986G

The SN 1986 G in Centaurus A
Cristiani, S., Cappellaro, E., Turatto, M., Bergeron, J., Bues, I., Buson, L., Danziger, J., Di Serego-Alighieri, S., Duerbeck, H.W., Heydari-Malayeri, M., Krautter, J., Schmutz, W., Schulte-Ladbeck, R.E. **259**, 63

SN 1987A

The effects of limb variation on the diameter measurements of SN 1987 A
Karovska, M., Nisenson, P. **253**, 210
Limit cycle instabilities in a free accretion disk – a source of energy in SN 1987A?
Meyer-Hofmeister, E. **253**, 459
Resonance transitions to inert neutrinos in supernovae
Peltoniemi, J.T. **254**, 121
Electron acceleration at a supernova blast wave. A model for the prompt radio flare from SN 1987 A
Kirk, J.G., Wassmann, M. **254**, 167
Erratum: Instability and clumping in SN 1987 A
Müller, E., Fryxell, B., Arnett, D. **256**, 322
Earliest photometry of SN 1987 A
West, R.M., McNaught, R.H. **256**, 447
Upper limit to the 45-MHz flux density of SN 1987A
Alvarez, H., Aparici, J., May, J., Olmos, F. **257**, 575
Linear polarization as a consequence of rotation in exploding stars
Steinmetz, M., Höflich, P. **257**, 641
Barium and other s-process elements in the early-time spectrum of SN 1987 A
Mazzali, P.A., Lucy, L.B., Butler, K. **258**, 399
Asymmetric explosion in SN 1987 A
Ishikawa, S., Yamada, S., Kiguchi, M., Sato, K. **258**, 415
A binary evolutionary model for the progenitor of SN 1987 A
de Loore, C., Vanbeveren, D. **260**, 273
Supernova 1987 A: the nebular loops and "Napoleon's Hat"
Wang, L., Wampler, E.J. **262**, L9

On the early light curve of Supernova 1987A
Mair, G., Hillebrandt, W., Höflich, P., Dorfi, A. **266**, 266

(Stars: variables:) Cepheids

On the binary status of the Cepheid SV Persei
Gieren, W.P., Brieva, E. **253**, 126
Atmospheric motions in the population II Cepheid W Virginis
Lèbre, A., Gillet, D. **255**, 221
JHKL observations of galactic Cepheids
Laney, C.D., Stobie, R.S. **257**, 845; ***93***, *93*
Equations of state and bump Cepheids. II. Non-linear results
Kanbur, S.M. **259**, 175
Fourier analysis of the hydrodynamic models of classical Cepheids
Fadeyev, Y.A., Muthsam, H. **260**, 195
The Fourier decomposition as a mode discriminator: new first overtone pulsators among Cepheids with $P<5.5$ d
Mantegazza, L., Poretti, E. **261**, 137
Studies of Cepheid-type variability. X. κ-effect-functions for period ratios
Petersen, J.O. **265**, 555
The calibration of Strömgren photometry for A, F and early G supergiants. III. The A and early F supergiants
Gray, R.O. **265**, 704

Stars: variables: other

The orbit of β Cephei derived from the light-time effect
Pigulski, A., Boratyn, D.A. **253**, 178
Photometric variability of barium stars
Jorissen, A., Manfroid, J., Sterken, C. **253**, 407
RR Lyrae variables in dwarf galaxies
Finzi, A. **255**, 115
A search for polarization variability in Babcock's star
Berdyugin, A., Breger, M., Polosukhina, N. **255**, 149
Studies of symbiotic stars. V. The dust-free yellow system He2–467
Munari, U., Buson, L.M. **255**, 158
A cloudy circumstellar dust shell around SV Cephei
Friedemann, C., Reimann, H.-G., Gürtler, J. **255**, 246
New opacities and the origin of the β Cephei pulsations
Moskalik, P., Dziembowski, W.A. **256**, L5
The pulsations of yellow semiregular variables. I. Double-mode behaviour of UU Herculis
Zsoldos, E., Sasselov, D.D. **256**, 107
WR 134 line-profile variability revisited
Vreux, J.-M., Gosset, E., Bohannan, B., Conti, P. **256**, 148
Intensive photometry of southern Be variables. II. Summer objects
Balona, L.A., Cuypers, J., Marang, F. **256**, 324; ***92***, *553*
Photometric study of the RS CVn binary DM Ursa Majoris
Mohin, S., Raveendran, A.V. **256**, 487
A high-resolution spectroscopic study of southern T Tauri stars
Franchini, M., Covino, E., Stalio, R., Terranegra, L., Chavarría-K, C. **256**, 525
Light variations of massive stars (α Cygni variables). XII. The photometric history of the G8Ia$^+$ hypergiant V766 Cen (=HR 5171A) during the years 1953–1991 and its interpretation
van Genderen, A.M. **257**, 177
Pre-shell phase photometric stability in *o* Andromedae
Sareyan, J.P., Gonzalez-Bedolla, S., Chauville, J., Morel, P.J., Alvarez, M. **257**, 567
Pulsation and binarity in β Cephei Stars. I. σ Scorpii
Chapellier, E., Valtier, J.C. **257**, 587
The extremely deep minimum in the IR brightness of the symbiotic star CH Cygni, accompanied by new activity of its hot component
Taranova, O.G., Yudin, B.F. **257**, 615
The atmospheric motion of the β Cephei star: 12 Lacertae
Mathias, P., Gillet, D., Crowe, R. **257**, 681
JHKL observations of galactic Cepheids
Laney, C.D., Stobie, R.S. **257**, 845; ***93***, *93*
Computation of ephemerides for long-period variable stars for the Hipparcos mission
Mennessier, M.O., Barthés, D., Boughaleb, H., Figueras, F., Mattei, J.A. **258**, 99
On the distance to the new luminous blue variable WRA 751 and its variability
van Genderen, A.M., Thé, P.S., de Winter, D., Hollander, A., de Jong, P.J., van den Bosch, F.C., Kolkman, O.M., Verheijen, M.A.W. **258**, 316
The magnetic field and period of the Ap Si star 108 Aquarii
North, P., Brown, D.N., Landstreet, J.D. **258**, 389
Spectral variability of He 3-640, optical counterpart of the X-ray source A 1118-61
Villada, M., Giovannelli, F., Polcaro, V.F. **259**, L1
Interferometric observations of Mira (*o* Ceti)
Quirrenbach, A., Mozurkewich, D., Armstrong, J.T., Johnston, K.J., Colavita, M.M., Shao, M. **259**, L19
Chemical composition effects and double-mode RR Lyrae masses
Kovács, G., Buchler, J.R., Marom, A., Iglesias, C.A., Rogers, F.J. **259**, L46
Time-series photometric spot modeling. I. Parameter study and application to HD 17433=VY Arietis
Strassmeier, K.G., Bopp, B.W. **259**, 183
On the origin of the alternating deep and shallow light minima in RV Tauri stars: R Scuti and AC Herculis
Gillet, D. **259**, 219
A new method for filling gaps in data
Serre, T., Auvergne, M., Goupil, M.J. **259**, 404
HD 80859 (B5 V): a possible new slowly pulsating B-type star
van Genderen, A.M., van den Bosch, F.C., Dessing, F., van der Heiden, R., de Jong, J.P., van der Meer, R.L.J., van Ojik, R., Smit, J.M., Zijderveld, M.J. **259**, 574
Optical and infrared observations of Circinus X-1
Moneti, A. **260**, L7
Photometric short-term variations of the Be star θ Coronae Borealis
Guerrero, G., Bossi, M., Scardia, M. **260**, 311
Spectroscopy of poorly known northern dwarf novae. Part II
Bruch, A., Schimpke, T. **260**, 556; ***93***, *419*
The δ Scuti star HD 127759
Li Zhiping, Jiang Shiyiang **260**, 557; ***93***, *441*
The light-time effect as the cause of period changes in β Cephei stars. II. σ Scorpii
Pigulski, A. **261**, 203
The reconciliation of the several calibrations of the horizontal-branch absolute magnitude as a function of metallicity: a progress report
Catelan, M. **261**, 443
The Sandage effect revisited
Catelan, M. **261**, 457
Three periodic variables of early B spectral type
Jerzykiewicz, M., Sterken, C. **261**, 477
Periodic outbursts in the peculiar X-ray binary 2S 0114+65
Finley, J.P., Belloni, T., Cassinelli, J.P. **262**, L25

Multiwavelength observations of RV Tauri stars. I. AC Herculis
Shenton, M., Albinson, J.S., Barrett, P., Davies, J.K., Evans, A., Goldsmith, M.J., Hutchinson, M.G., Maddison, R.C., Weight, A. **262**, 138

The FK Comae-type candidate 1E 1751+7046: *UBVRI* photometry
Jetsu, L., Anttila, R., Dmitrienko, E., Grankin, K.N., Huovelin, J., Melnikov, S.Y., Shevchenko, V.S., Tuominen, I. **262**, 188

Spectral evolution of nova V 443 Scuti 1989
Anupama, G.C., Duerbeck, H.W., Prabhu, T.P., Jain, S.K. **263**, 87

Semiregular variables of types SRa and SRb. Basic properties in the visual and the IRAS-range
Kerschbaum, F., Hron, J. **263**, 97

Photometry of yellow semiregular variables: HR 8752 (=V509 Cassiopeiae)
Percy, J.R., Zsoldos, E. **263**, 123

Vibrational stability of an evolved 5 $M_\odot$ star towards higher-order g-modes
Degryse, K., Noels, A., Gabriel, M., Waelkens, C., Smeyers, P. **263**, 137

The outstanding photometric variations of the Ap star HD 7676=VV Sculptoris
Renson, P., Manfroid, J. **263**, 161

The near-infrared variation of the magnetic star HD 125248
Catalano, F.A., Kroll, R., Leone, F. **263**, 203

Light variations of massive stars (α Cygni variables). XIII. The B-type hypergiants R81 (LBV), HD 80077 (LBV?), HD 168607 = V 4029 Sagittarii (LBV) and HD 168625 = V 4030 Sagittarii
van Genderen, A.M., van den Bosch, F.C., Dessing, F., Fehmers, G.C., van Grunsven, J., van der Heiden, R., Janssens, A.M., Kalter, R., van der Meer, R.L.J., van Ojik, R., Smit, J.M., Zijderveld, M.J. **264**, 88

Carbon-star lightcurves in the 1–20 μm range
Le Bertre, T. **264**, 720; ***94***, *377*

Long-term stability of the light curves of CQ Ursae Majoris
Jetsu, L., Kokko, M., Tuominen, I. **265**, 547

Studies of Cepheid-type variability. X. κ-effect-functions for period ratios
Petersen, J.O. **265**, 555

Flickering in cataclysmic variables: its properties and origins
Bruch, A. **266**, 237

Mode identification of pulsating stars from line profile variations with the moment method. An example: the β Cephei star δ Ceti
Aerts, C., De Pauw, M., Waelkens, C. **266**, 294

Long-term monitoring of active stars. I. 1988–89 *UBV* photometry with the Phoenix APT
Rodonó, M., Cutispoto, G. **266**, 629; ***95***, *55*

UBV photometry of the contact binary AM Leonis
Demircan, O., Derman, E., Dündar, H. **266**, 631; ***95***, *213*

Long-term monitoring of active stars. II. $UBV\ (RI)_c$ observations at ESO during January-March 1989
Cutispoto, G. **266**, 634; ***95***, *397*

A study of high-resolution emission-line profiles for Be stars
Dachs, J., Hummel, W., Hanuschik, R.W. **266**, 635; ***95***, *437*

A photometric study of β Cephei stars. I. Frequency analysis of new and previously published data
Heynderickx, D. **266**, 642; ***96***, *207*

Long-term behaviour of starspots. II. A decade of new starspot photometry of BY Draconis and EV Lacertae
Pettersen, B.R., Olah, K., Sandmann, W.H. **266**, 647; ***96***, *497*

(Stars: variables:) δ Sct

Multi-periodicity of the δ Scuti star GX Pegasi. Second photometry campaign of the STEPHI network
Michel, E., Belmonte, J.A., Alvarez, M., Jiang, S.Y., Chevreton, M., Auvergne, M., Goupil, M.J., Baglin, A., Mangeney, A., Roca Cortés, T., Liu, Y.Y., Fu, J.N., Dolez, N. **255**, 139

Pulsational behaviour of the δ Scuti star X Caeli
Mantegazza, L., Poretti, E. **255**, 153

The solution of the light curve of 44 Tauri: insights into the pulsational behaviour of δ Scuti stars
Poretti, E., Mantegazza, L., Riboni, E. **256**, 113

The δ Scuti star HR 5437
Li Zhiping, Jiang Shiyiang **257**, 845; ***93***, *87*

Strömgren photometry of three double mode high amplitude δ Scuti stars
Rodriguez, E., Rolland, A., López de Coca, P., García-Lobo, E., Sedano, J.L. **257**, 846; ***93***, *189*

The δ Scuti star HD 127759
Li Zhiping, Jiang Shiyiang **260**, 557; ***93***, *441*

Studies of Cepheid-type variability. X. κ-effect-functions for period ratios
Petersen, J.O. **265**, 555

Study of δ Scuti stars in the Geneva photometric system. II. The complex case of HD 2724(=HR 119)
Lampens, P. **266**, 636; ***95***, *471*

(Stars:) white dwarfs

Carbon detonations in rapidly rotating white dwarfs
Steinmetz, M., Müller, E., Hillebrandt, W. **254**, 177

Influence of ion-atom collisions on the absorption of radiation in white dwarfs
Mihajlov, A.A., Dimitrijević, M.S. **256**, 305

Particle heated atmospheres of magnetic white dwarfs
Woelk, U., Beuermann, K. **256**, 498

Studies of symbiotic stars. VI. The eclipsing symbiotic nova AS 338
Munari, U. **257**, 163

Hydrogen in the strong magnetic field of the white dwarf PG 1031+234
Östreicher, R., Seifert, W., Friedrich, S., Ruder, H., Schaich, M., Wolf, D., Wunner, G. **257**, 353

On the contribution of ^{22}Ne to the synthesis of ^{54}Fe and ^{58}Ni in thermonuclear supernovae
Bravo, E., Isern, J., Canal, R., Labay, J. **257**, 534

Classical novae as fast magnetic rotators
Orio, M., Trussoni, E., Ögelman, H. **257**, 548

Theoretical profiles of Lyman α satellites and application to synthetic spectra of DA white dwarfs
Allard, N.F., Koester, D. **258**, 464

A spectacular mass-loss event of the central star of Longmore 4
Werner, K., Hamann, W.-R., Heber, U., Napiwotzki, R., Rauch, T., Wessolowski, U. **259**, L69

The highly magnetic ($B \sim 500$ MG) white dwarf PG 1031+234: discovery of wavelength dependent polarization and intensity variations
Piirola, V., Reiz, A. **259**, 143

Nonradial oscillations of white dwarfs – variational formulation revisited
Singh, H.P. **259**, 155

Main sequence and white dwarf stars – a consistent calculation of galactic evolution
Yuan, J.W. **261**, 105

On the free precession of white dwarfs
Leins, M., Soffel, M.H., Lay, W., Ruder, H. **261**, 658
Accreting white dwarf models for CAL 83, CAL 87 and other ultrasoft X-ray sources in the LMC
van den Heuvel, E.P.J., Bhattacharya, D., Nomoto, K., Rappaport, S.A. **262**, 97
The pulsating DA white dwarf PG 2303+243 revisited
Vauclair, G., Belmonte, J.A., Pfeiffer, B., Grauer, A.D., Jiménez, A., Chevreton, M., Dolez, N., Vidal, I., Herpe, G. **264**, 547
Collisions between a white dwarf and a main-sequence star. II. Simulations using multiple-nested refined grids
Ruffert, M. **265**, 82
Models of white dwarfs with high magnetic fields
Jordan, S. **265**, 570
On the possible existence of two classes of progenitors for classical novae
Della Valle, M., Bianchini, A., Livio, M., Orio, M. **266**, 232
Stark broadening of spectral lines of multicharged ions of astrophysical interest. VI. C IV lines of large principal quantum number
Dimitrijević, M.S., Sahal-Bréchot, S. **266**, 649; **96**, *613*

Stars: Wolf-Rayet

The surprising presence of an O I line in a Wolf-Rayet spectrum
Andrillat, Y., Vreux, J.-M. **253**, L37
Search for second-phase Wolf–Rayet binaries among WRE stars
Moffat, A.F.J. **253**, 425
Mass loss from central stars of Planetary Nebulae. II. NGC 40
Bianchi, L. **253**, 447
Cavities around progenitors of Ib SNe: Effelsberg H I observations towards six galactic Wolf-Rayet stars
Arnal, E.M. **254**, 305
Modelling the spectrum of WC-type Wolf-Rayet stars
Hamann, W.-R., Leuenhagen, U., Koesterke, L., Wessolowski, U. **255**, 200
Diffuse circumstellar bands in NGC 7027 and IRAS 21282+5050
Le Bertre, T., Lequeux, J. **255**, 288
Upgrading the Accelerated Lambda Iteration technique by means of "least change secant methods"
Koesterke, L., Hamann, W.-R., Kosmol, P. **255**, 490
WR 134 line-profile variability revisited
Vreux, J.-M., Gosset, E., Bohannan, B., Conti, P. **256**, 148
Spectral types and *UBV* magnitudes of stars in the 30 Doradus complex
Schild, H., Testor, G. **257**, 410; **92**, *729*
Massive star population in M 31 OB associations
Cananzi, K. **259**, 17
Spectroscopic evolutionary synthesis of the emission lines He II λ4686 and C III λ4650 in Wolf-Rayet galaxies
Krüger, H., Fritze-v. Alvensleben, U., Fricke, K.J., Loose, H.-H. **259**, L73
Spatially resolved spectroscopy of WR ring nebulae. III. New results and chemical properties of the sample
Esteban, C., Vilchez, J.M., Smith, L.J., Clegg, R.E.S. **259**, 629
Emission-line objects in the Large Magellanic Cloud. Observations obtained with the FLAIR system
Morgan, D.H., Watson, F.G., Parker, Q.A. **260**, 558; **93**, *495*
Optical spectroscopy of WR stars in M 33 and M 31. II. The WO population and discovery of an Ofp/WN 9 star in M 33
Willis, A.J., Schild, H., Smith, L.J. **261**, 419
Near-infrared spectroscopy of Galactic Wolf-Rayet stars
Howarth, I.D., Schmutz, W. **261**, 503
The eclipsing Wolf-Rayet binary V444 Cygni: modelling the light curve and the helium spectrum consistently
Hamann, W.-R., Schwarz, E. **261**, 523
A grid of models for Wolf-Rayet stars of the carbon sequence (WC)
Koesterke, L., Hamann, W.-R., Wessolowski, U. **261**, 535
Accreting white dwarf models for CAL 83, CAL 87 and other ultrasoft X-ray sources in the LMC
van den Heuvel, E.P.J., Bhattacharya, D., Nomoto, K., Rappaport, S.A. **262**, 97
Mass–luminosity relation for Wolf–Rayet stars
Beech, M., Mitalas, R. **262**, 483
Basic relations between physical parameters of Wolf-Rayet stars
Schaerer, D., Maeder, A. **263**, 129
Stellar yields as a function of initial metallicity and mass limit for black hole formation
Maeder, A. **264**, 105
Evolutionary sequences for binary stars in the mass range 9 to 40 $M_\odot$
de Loore, C., De Greve, J.P. **264**, 721; **94**, *453*
The WO stars. I. Helium in the optical spectrum of Sand 4
Polcaro, V.F., Viotti, R., Rossi, C., Norci, L. **265**, 563
Ten little Wolf-Rayet stars in NGC 300
Schild, H., Testor, G. **266**, 145
Migrating optical depth enhancements in the UV wind lines of the Wolf-Rayet star HD 93131
Prinja, R.K., Smith, L.J. **266**, 377
A semi-empirical model for the X-ray emission from single Wolf-Rayet stars
Baum, E., Hamann, W.-R., Koesterke, L., Wessolowski, U. **266**, 402
Rapid photometry of EZ Canis Majoris: searching for flare activity in Wolf–Rayet stars
Matthews, J.M., Moffat, A.F.J., Marchenko, S.V. **266**, 409
New grids of stellar models from 0.8 to 120 $M_\odot$ at $Z=0.020$ and $Z=0.001$
Schaller, G., Schaerer, D., Meynet, G., Maeder, A. **266**, 643; **96**, *269*
A study of the neutral hydrogen in direction to the Gum nebula
Dubner, G., Giacani, E., Cappa de Nicolau, C., Reynoso, E. **266**, 647; **96**, *505*
Evolution of massive close binaries
De Greve, J.P., de Loore, C. **266**, 650; **96**, *653*

Sun: abundances

On the analysis of collision strengths and rate coefficients
Burgess, A., Tully, J.A. **254**, 436
Radiative lifetimes in B I using ultraviolet and vacuum-ultraviolet laser-induced fluorescence
O'Brian, T.R., Lawler, J.E. **255**, 420
Oscillator strengths and branching ratios of transitions between low-lying levels in the barium II spectrum
Davidson, M.D., Snoek, L.C., Volten, H., Dönszelmann, A. **255**, 457
Intensities and transition probabilities for selected Dy I and Dy II lines emitted from a ferroelectric plasma source
Kusz, J. **256**, 324; **92**, *517*
Lifetimes in Fe II and the solar abundance of iron
Hannaford, P., Lowe, R.M., Grevesse, N., Noels, A. **259**, 301

On the rate of destruction of lithium in late-type main-sequence stars
Christensen-Dalsgaard, J., Gough, D.O., Thompson, M.J. **264**, 518
On the depletion of lithium in the Sun
Ahrens, B., Stix, M., Thorn, M. **264**, 673
Influence of non-thermal broadening on the He 3889/H_8 emission ratio in prominence fine-structures
Stellmacher, G., Wiehr, E., Grupe, D. **265**, 781

Sun: activity

Stochastic fluctuations of the solar dynamo
Choudhuri, A.R. **253**, 277
The relationship between global X-ray luminosity and flaring on the Sun
Pearce, G., Harrison, R.A., Bromage, B.J.I., Pickering, A.G.M. **253**, 601
The periodic behaviour of solar activity: the near 155-day periodicity in sunspot areas
Carbonell, M., Ballester, J.L. **255**, 350
The low *l* solar p-mode spectrum at maximum and minimum solar activity
Anguera Gubau, M., Pallé, P.L., Pérez Hernández, F., Régulo, C., Roca Cortés, T. **255**, 363
γ-ray and X-ray time profiles expected from a trap-plus-precipitation model for the 7 June 1980 and 27 April 1981 solar flares
Hulot, E., Vilmer, N., Chupp, E.L., Dennis, B.R., Kane, S.R. **256**, 273
Two-dimensional model maps of flaring loops at cm-wavelengths
Preka-Papadema, P., Alissandrakis, C.E. **257**, 307
On the relation between the intensities of bright features and the local background in sunspot umbrae
Sobotka, M., Bonet, J.A., Vázquez, M. **257**, 757
The basal and strong-field components of the solar atmosphere
Schrijver, C.J. **258**, 507
Spectroscopic determination of intensities of umbral bright features and adjacent background
Sobotka, M., Bonet, J.A., Vázquez, M. **260**, 437
Infrared lines as probes of solar magnetic features. IV. Discovery of a siphon flow
Rüedi, I., Solanki, S.K., Rabin, D. **261**, L21
Surface distribution of active regions as a probe of internal stellar rotation
Belvedere, G. **261**, 475
Time evolution of arch filaments
Tsiropoula, G., Georgakilas, A.A., Alissandrakis, C.E., Mein, P. **262**, 587
Speckle observations of abnormal solar granulation
de Boer, C.R., Kneer, F. **264**, L24
Polarimetry and spectroscopy of a simple sunspot. I. On the magnetic field of a sunspot penumbra
Schmidt, W., Hofmann, A., Balthasar, H., Tarbell, T.D., Frank, Z.A. **264**, L27
Variations in solar Lyman alpha irradiance on short time scales
Pap, J.M. **264**, 249
Coronal photometry and analysis of the eclipse corona of July 22, 1990
Koutchmy, S., Altrock, R.C., Darvann, T.A., Dzubenko, N.I., Henry, T.W., Kim, I., Koutchmy, O., Martinez, P., Nitschelm, C., Rubo, G.A., Vial, J.C. **266**, 641; **96**, *169*

Sun: atmosphere

The formation of the Mg I emission features near 12 μm
Carlsson, M., Rutten, R.J., Shchukina, N.G. **253**, 567
A nonlocal convection model of the solar convection zone
Xiong, D.R., Chen, Q.L. **254**, 362
The low *l* solar p-mode spectrum at maximum and minimum solar activity
Anguera Gubau, M., Pallé, P.L., Pérez Hernández, F., Régulo, C., Roca Cortés, T. **255**, 363
Is mesogranulation a distinct regime of convection?
Straus, T., Deubner, F.-L., Fleck, B. **256**, 652
Characteristics of solar p-modes: results from the IPHIR experiment
Toutain, T., Fröhlich, C. **257**, 287
Radiation – hydrodynamic waves in an optically gray atmosphere. I. Homogeneous model
Dzhalilov, N.S., Zhugzhda, Y.D., Staude, J. **257**, 359
Solar hydrogen lines in the infrared
Carlsson, M., Rutten, R.J. **259**, L53
An integral on the shape of isolated magnetic loops
Cheng, J. **259**, 296
On the reflection of linear hydrodynamic waves at continuous temperature steps in stellar atmospheres
Schmitz, F., Fleck, B. **260**, 447
The effect of a tapered magnetic field on the modal structure in a flux tube
Nasiri, S. **261**, 615
Spectral analysis of a white-light flare
Sotirovski, P., Boyer, R., Hiei, E., Vince, I. **262**, 597
The formation of helioseismology lines. I. NLTE effects in alkali spectra
Bruls, J.H.M.J., Rutten, R.J., Shchukina, N.G. **265**, 237
The formation of helioseismology lines. II. Modeling of alkali resonance lines with granulation
Bruls, J.H.M.J., Rutten, R.J. **265**, 257
The formation of helioseismology lines. III. Partial redistribution effects in weak solar resonance lines
Uitenbroek, H., Bruls, J.H.M.J. **265**, 268
On the accuracy of CO line positions for high resolution IR stellar spectroscopy
Sauval, A.J., Farrenq, R., Guelachvili, G., Grevesse, N., Farmer, C.B., Norton, R.H. **265**, 355
On the solar p-mode spectrum excited by convection
Gabriel, M. **265**, 771
On the acoustic cut-off frequency of the Sun
Fossat, E., Régulo, C., Roca Cortés, T., Ehgamberdiev, S., Gelly, B., Grec, G., Khalikov, S., Khamitov, I., Lazrek, M., Pallé, P.L., Sánchez Duarte, L. **266**, 532
Fluid motions in the solar atmosphere. I. On the origin and decay of spicules
Cheng, Q.-Q. **266**, 537
Fluid motions in the solar atmosphere. II. A spicule model with emission lines
Cheng, Q.-Q. **266**, 549
Dynamics of the solar atmosphere. V. Partial reflection and forced oscillation, and their signature in phase diagrams
Deubner, F.-L., Fleck, B., Schmitz, F., Straus, T. **266**, 560

Sun: chromosphere

The formation of the Mg I emission features near 12 μm
Carlsson, M., Rutten, R.J., Shchukina, N.G. **253**, 567

Acoustic waves in the solar atmosphere. IX. Three minute pulsations driven by shock overtaking
Rammacher, W., Ulmschneider, P. **253**, 586
Mg II absolute line profiles for late-type stars and for spatially-resolved solar regions
Cerruti-Sola, M., Cheng, C.-C., Pallavicini, R. **256**, 185
Analysis of the optical spectra of the solar flares. VI. Velocity field in the 13 June 1980 flare area
Falchi, A., Falciani, R., Smaldone, L.A. **256**, 255
Excitation of the solar flare far-ultraviolet continuum by line irradiation
Doyle, J.G., Phillips, K.J.H. **257**, 773
Hanle effect with partial frequency redistribution. II. Linear polarization of the solar Ca I 4227 Å line
Faurobert-Scholl, M. **258**, 521
The properties of sources and sinks of a linear force-free field
Démoulin, P., Priest, E.R. **258**, 535
Solar hydrogen lines in the infrared
Carlsson, M., Rutten, R.J. **259**, L53
Oscillations of the solar chromosphere
Kulaczewski, J. **261**, 602
The effect of a non-Maxwellian distribution on excitation and ionization of hydrogen in solar flares
Peyraud-Cuenca, N. **261**, 633
Line polarization observed in chromospheric flares: calculations for electron impact excitation of Hα
Aboudarham, J., Berrington, K., Callaway, J., Feautrier, N., Hénoux, J.-C., Peach, G., Saraph, H.E. **262**, 302
Fluid motions in the solar atmosphere. III. A possible explanation of the downflows
Qing-Qi Cheng **262**, 581
Time evolution of arch filaments
Tsiropoula, G., Georgakilas, A.A., Alissandrakis, C.E., Mein, P. **262**, 587
Chromospheric fine structure revisited
Grossmann-Doerth, U., Schmidt, W. **264**, 236
On the effects of chromospheric magnetic perturbations on solar oscillation frequencies
Wright, A.N., Thompson, M.J. **264**, 701
On the solar p-mode spectrum excited by convection
Gabriel, M. **265**, 771
The Ca II K line in solar type stars
Pasquini, L. **266**, 347
On the acoustic cut-off frequency of the Sun
Fossat, E., Régulo, C., Roca Cortés, T., Ehgamberdiev, S., Gelly, B., Grec, G., Khalikov, S., Khamitov, I., Lazrek, M., Pallé, P.L., Sánchez Duarte, L. **266**, 532
Spectral diagnostics for a thermal hydrodynamical model of a solar flare loop
Gan, W.Q., Rieger, E., Fang, C., Zhang, H.Q. **266**, 573

Sun: corona

Dynamics of flaring loops. II. Flare evolution in the density-temperature diagram
Jakimiec, J., Sylwester, B., Sylwester, J., Serio, S., Peres, G., Reale, F. **253**, 269
A computer simulation study of Type III radio burst propagation through the solar corona
Itkina, M.A., Levin, B.N. **253**, 521
The morphological characteristics and cooling mechanisms of the post-flare loop system of April 28, 1980
Lin, J., Zhang, Z., Wang, Z., Smartt, R.N. **253**, 557
The coronal-sounding experiment
Bird, M.K., Asmar, S.W., Brenkle, J.P., Edenhofer, P., Pätzold, M., Volland, H. **255**, 502; **92**, *425*
The white-light coronograph for KORONAS-I
Buzaši, J., Klocok, L., Rybanský, M. **257**, L7
Linear force-free magnetic field around quiescent solar prominences computed from observable boundary conditions
Démoulin, P., Raadu, M.A., Malherbe, J.M. **257**, 278
Structural changes in the solar corona during the July 1991 eclipse
Zirker, J.B., Koutchmy, S., Nitschelm, C., Stellmacher, G., Zimmermann, J.P., Martinez, P., Kim, I., Dzubenko, N., Kurochka, L., Makarov, V., Fatianov, M., Rusin, V., Klocok, L., Matsuura, O.T. **258**, L1
Relaxation processes in magnetohydrodynamics: a triad-interaction model
Carbone, V., Veltri, P. **259**, 359
Time evolution of a two-ribbon flare: characteristics of post-flare loops
Xiao-Ma, G., Lin Jun, Luan Ti, Schmieder, B. **259**, 649
Theoretical analysis of the Fe XVIII X-ray spectrum and application to solar coronal observations
Cornille, M., Dubau, J., Loulergue, M., Bely-Dubau, F., Faucher, P. **259**, 669
Determination of plasma parameters in a quiescent prominence
Wiik, J.E., Heinzel, P., Schmieder, B. **260**, 419
The solar F-corona: calculations of the optical and infrared brightness of circumsolar dust
Mann, I. **261**, 329
Fluid motions in the solar atmosphere. III. A possible explanation of the downflows
Qing-Qi Cheng **262**, 581
Determination of force-free magnetic fields above the photosphere using three-component boundary conditions. II. Analysis and minimization of scale-related growing modes and of computational induced singularities
Démoulin, P., Cuperman, S., Semel, M. **263**, 351
Magnetic shear-based removal of the 180° ambiguity in the observed transverse photospheric magnetic field: feasibility and limitations
Cuperman, S., Li, J., Semel, M. **265**, 296
Towards a consistent treatment of thermally conductive magnetohydrodynamic flows in helmet-streamer coronal structures
Cuperman, S., Detman, T.R., Bruma, C., Dryer, M. **265**, 785
Extended massive current sheet in a two-dimensional constant-α force-free field: a model for quiescent prominences. II. Existence and properties of inverse configurations
Amari, T., Aly, J.J. **265**, 791
Spectral diagnostics for a thermal hydrodynamical model of a solar flare loop
Gan, W.Q., Rieger, E., Fang, C., Zhang, H.Q. **266**, 573
Coronal photometry and analysis of the eclipse corona of July 22, 1990
Koutchmy, S., Altrock, R.C., Darvann, T.A., Dzubenko, N.I., Henry, T.W., Kim, I., Koutchmy, O., Martinez, P., Nitschelm, C., Rubo, G.A., Vial, J.C. **266**, 641; **96**, *169*

Sun: faculae, flocculi

Infrared lines as probes of solar magnetic features. IV. Discovery of a siphon flow
Rüedi, I., Solanki, S.K., Rabin, D. **261**, L21
Continuum brightness of solar magnetic elements
Solanki, S.K., Brigljević, V. **262**, L29

Variations in solar Lyman alpha irradiance on short time scales
Pap, J.M. **264**, 249

Sun: filaments

Infrared lines as probes of solar magnetic features. III. Strong and weak magnetic fields in plages
Rüedi, I., Solanki, S.K., Livingston, W., Stenflo, J.O. **263**, 323

Sun: flares

The effects of magnetic field geometry on the confinement of energetic electrons in solar flares
McClements, K.G. **253**, 253
Dynamics of flaring loops. II. Flare evolution in the density-temperature diagram
Jakimiec, J., Sylwester, B., Sylwester, J., Serio, S., Peres, G., Reale, F. **253**, 269
The morphological characteristics and cooling mechanisms of the post-flare loop system of April 28, 1980
Lin, J., Zhang, Z., Wang, Z., Smartt, R.N. **253**, 557
The relationship between global X-ray luminosity and flaring on the Sun
Pearce, G., Harrison, R.A., Bromage, B.J.I., Pickering, A.G.M. **253**, 601
Analysis of the optical spectra of the solar flares. VI. Velocity field in the 13 June 1980 flare area
Falchi, A., Falciani, R., Smaldone, L.A. **256**, 255
γ-ray and X-ray time profiles expected from a trap-plus-precipitation model for the 7 June 1980 and 27 April 1981 solar flares
Hulot, E., Vilmer, N., Chupp, E.L., Dennis, B.R., Kane, S.R. **256**, 273
On the efficiency of electron cyclotron maser instability in solar flares
Mackinnon, A., Vlahos, L., Vilmer, N. **256**, 613
Peculiar photospheric velocity fields and magnetic energy build-up
Zuccarello, F. **257**, 298
Excitation of the solar flare far-ultraviolet continuum by line irradiation
Doyle, J.G., Phillips, K.J.H. **257**, 773
The properties of sources and sinks of a linear force-free field
Démoulin, P., Priest, E.R. **258**, 535
The simultaneous effects of collisions, reverse currents and magnetic trapping on the temporal evolution of energetic electrons in a flaring coronal loop
McClements, K.G. **258**, 542
Time evolution of a two-ribbon flare: characteristics of post-flare loops
Xiao-Ma, G., Lin Jun, Luan Ti, Schmieder, B. **259**, 649
Millisecond microwave spikes at 8 GHz during solar flares
Benz, A.O., Su, H., Magun, A., Stehling, W. **260**, 558; **93**, *539*
The effect of a non-Maxwellian distribution on excitation and ionization of hydrogen in solar flares
Peyraud-Cuenca, N. **261**, 633
Line polarization observed in chromospheric flares: calculations for electron impact excitation of Hα
Aboudarham, J., Berrington, K., Callaway, J., Feautrier, N., Hénoux, J.-C., Peach, G., Saraph, H.E. **262**, 302
Spectral analysis of a white-light flare
Sotirovski, P., Boyer, R., Hiei, E., Vince, I. **262**, 597
Return current losses in pulse beam heating of the solar atmosphere
Karlický, M., Hénoux, J.-C. **264**, 679
Inference of non-thermal electron energy distributions from hard X-ray spectra
Thompson, A.M., Brown, J.C., Craig, I.J.D., Fulber, C. **265**, 278
A magnetic flare model for X-ray variability in AGN
de Vries, M., Kuijpers, J. **266**, 77
Spectral diagnostics for a thermal hydrodynamical model of a solar flare loop
Gan, W.Q., Rieger, E., Fang, C., Zhang, H.Q. **266**, 573

Sun: general

Amplitude modulation of low-degree solar p-modes
Ehgamberdiev, S., Khalikov, S., Lazrek, M., Fossat, E. **253**, 252
The low *l* solar p-mode spectrum at maximum and minimum solar activity
Anguera Gubau, M., Pallé, P.L., Pérez Hernández, F., Régulo, C., Roca Cortés, T. **255**, 363
The Ulysses mission
Wenzel, K.-P., Marsden, R.G., Page, D.E., Smith, E.J. **255**, 498; **92**, *207*
A new instrument for high resolution, two-dimensional solar spectroscopy
Bendlin, C., Volkmer, R., Kneer, F. **257**, 817
Relaxation processes in magnetohydrodynamics: a triad-interaction model
Carbone, V., Veltri, P. **259**, 359
Solar evolution with anisotropic mixing length theory
Kiziloğlu, N., Civelek, R. **260**, 255
Variations in solar Lyman alpha irradiance on short time scales
Pap, J.M. **264**, 249

Sun: granulation

Dynamics of the solar granulation. I. A phenomenological approach
Nesis, A., Hanslmeier, A., Hammer, R., Komm, R., Mattig, W., Staiger, J. **253**, 561
Is mesogranulation a distinct regime of convection?
Straus, T., Deubner, F.-L., Fleck, B. **256**, 652
Speckle observations of solar granulation
de Boer, C.R., Kneer, F., Nesis, A. **257**, L4
Speckle observations of abnormal solar granulation
de Boer, C.R., Kneer, F. **264**, L24
Centre-to-limb variation of solar granulation along the equator and the central meridian
Rodriguez Hidalgo, I., Collados, M., Vázquez **264**, 661
The formation of helioseismology lines. II. Modeling of alkali resonance lines with granulation
Bruls, J.H.M.J., Rutten, R.J. **265**, 257

Sun: interior

A nonlocal convection model of the solar convection zone
Xiong, D.R., Chen, Q.L. **254**, 362
The low *l* solar p-mode spectrum at maximum and minimum solar activity
Anguera Gubau, M., Pallé, P.L., Pérez Hernández, F., Régulo, C., Roca Cortés, T. **255**, 363
Characteristics of solar p-modes: results from the IPHIR experiment
Toutain, T., Fröhlich, C. **257**, 287
Gravity wave and convection interaction in the solar interior
Andreassen, Ø., Andersen, B.N., Wasberg, C.E. **257**, 763

Solar evolution with anisotropic mixing length theory
Kiziloğlu, N., Civelek, R. **260**, 255
Faster formulations of the optimally localized averages method for helioseismic inversions
Pijpers, F.P., Thompson, M.J. **262**, L33
On the depletion of lithium in the Sun
Ahrens, B., Stix, M., Thorn, M. **264**, 673
The solar tachocline
Spiegel, E.A., Zahn, J.-P. **265**, 106
Circulation and turbulence in rotating stars
Zahn, J.-P. **265**, 115

Sun: magnetic fields

Patterns in the photospheric magnetic field and percolation theory
Schrijver, C.J., Zwaan, C., Balke, A.C., Tarbell, T.D., Lawrence, J.K. **253**, L1
The effects of magnetic field geometry on the confinement of energetic electrons in solar flares
McClements, K.G. **253**, 253
Stochastic fluctuations of the solar dynamo
Choudhuri, A.R. **253**, 277
Formation of electric-current sheets in the magnetostatic atmosphere
Low, B.C. **253**, 311
High spatial resolution magnetograms of solar active regions
Keller, C.U., Stenflo, J.O., von der Lühe, O. **254**, 355
The magnetic field investigation on the Ulysses mission: instrumentation and preliminary scientific results
Balogh, A., Beek, T.J., Forsyth, R.J., Hedgecock, P.C., Marquedant, R.J., Smith, E.J., Southwood, D.J., Tsurutani, B.T. **255**, 498; **92**, *221*
Linear force-free magnetic field around quiescent solar prominences computed from observable boundary conditions
Démoulin, P., Raadu, M.A., Malherbe, J.M. **257**, 278
Hanle effect with partial frequency redistribution. II. Linear polarization of the solar Ca I 4227 Å line
Faurobert-Scholl, M. **258**, 521
The properties of sources and sinks of a linear force-free field
Démoulin, P., Priest, E.R. **258**, 535
An integral on the shape of isolated magnetic loops
Cheng, J. **259**, 296
MHD equilibria with flows in uniform gravity. I. 1-D prominence- and arcade-type solutions
Tsinganos, K., Surlantzis, G. **259**, 585
Solar differential rotation due to magnetic stresses
Volland, H. **259**, 663
Stokes *V* asymmetry due to stationary siphon flows
Degenhardt, D., Kneer, F. **260**, 411
Magnetic-field advection in inhomogeneous turbulence
Kichatinov, L.L., Rüdiger, G. **260**, 494
Infrared lines as probes of solar magnetic features. IV. Discovery of a siphon flow
Rüedi, I., Solanki, S.K., Rabin, D. **261**, L21
Solar speckle polarimetry
Keller, C.U., von der Lühe, O. **261**, 321
Surface distribution of active regions as a probe of internal stellar rotation
Belvedere, G. **261**, 475
The effect of a tapered magnetic field on the modal structure in a flux tube
Nasiri, S. **261**, 615
Continuum brightness of solar magnetic elements
Solanki, S.K., Brigljević, V. **262**, L29
Infrared lines as probes of solar magnetic features. I. A many-line analysis of a network region
Muglach, K., Solanki, S.K. **263**, 301
Infrared lines as probes of solar magnetic features. II. Diagnostic capabilities of Fe I 15648.5 Å and 15652.9 Å
Solanki, S.K., Rüedi, I., Livingston, W. **263**, 312
Infrared lines as probes of solar magnetic features. III. Strong and weak magnetic fields in plages
Rüedi, I., Solanki, S.K., Livingston, W., Stenflo, J.O. **263**, 323
Infrared lines as probes of solar magnetic features. V. The magnetic structure of a simple sunspot and its canopy
Solanki, S.K., Rüedi, I., Livingston, W. **263**, 339
Determination of force-free magnetic fields above the photosphere using three-component boundary conditions. II. Analysis and minimization of scale-related growing modes and of computational induced singularities
Démoulin, P., Cuperman, S., Semel, M. **263**, 351
Polarimetry and spectroscopy of a simple sunspot. I. On the magnetic field of a sunspot penumbra
Schmidt, W., Hofmann, A., Balthasar, H., Tarbell, T.D., Frank, Z.A. **264**, L27
On the photospheric temperature in small-scale magnetic flux concentrations
Fabiani Bendicho, P., Kneer, F., Trujillo Bueno, J. **264**, 229
Equations for the motion of an isolated thin magnetic flux tube
Cheng, J. **264**, 243
Storage of magnetic flux tubes in a convective overshoot region
Moreno-Insertis, F., Schüssler, M., Ferriz Mas, A. **264**, 686
On the effects of chromospheric magnetic perturbations on solar oscillation frequencies
Wright, A.N., Thompson, M.J. **264**, 701
Magnetic shear-based removal of the 180° ambiguity in the observed transverse photospheric magnetic field: feasibility and limitations
Cuperman, S., Li, J., Semel, M. **265**, 296
Stratification and thermodynamics in mean-field dynamos
Brandenburg, A., Moss, D., Tuominen, I. **265**, 328
Towards a consistent treatment of thermally conductive magnetohydrodynamic flows in helmet-streamer coronal structures
Cuperman, S., Detman, T.R., Bruma, C., Dryer, M. **265**, 785
Extended massive current sheet in a two-dimensional constant-α force-free field: a model for quiescent prominences. II. Existence and properties of inverse configurations
Amari, T., Aly, J.J. **265**, 791
Stochastic effects in mean-field dynamos
Moss, D., Brandenburg, A., Tavakol, R., Tuominen, I. **265**, 843

Sun: oscillations

Amplitude modulation of low-degree solar p-modes
Ehgamberdiev, S., Khalikov, S., Lazrek, M., Fossat, E. **253**, 252
Acoustic waves in the solar atmosphere. IX. Three minute pulsations driven by shock overtaking
Rammacher, W., Ulmschneider, P. **253**, 586
Solar radial velocity and oscillations as measured by sodium and potassium resonant scattering spectrometers
Pallé, P.L., Régulo, C., Roca Cortés, T., Sánchez Duarte, L., Schmider, F.X. **254**, 348

The periodic behaviour of solar activity: the near 155-day periodicity in sunspot areas
Carbonell, M., Ballester, J.L. **255**, 350
The low *l* solar p-mode spectrum at maximum and minimum solar activity
Anguera Gubau, M., Pallé, P.L., Pérez Hernández, F., Régulo, C., Roca Cortés, T. **255**, 363
The modes of oscillation of a prominence. I. The slab with longitudinal magnetic field
Joarder, P.S., Roberts, B. **256**, 264
Characteristics of solar p-modes: results from the IPHIR experiment
Toutain, T., Fröhlich, C. **257**, 287
Radiation – hydrodynamic waves in an optically gray atmosphere. I. Homogeneous model
Dzhalilov, N.S., Zhugzhda, Y.D., Staude, J. **257**, 359
Gravity wave and convection interaction in the solar interior
Andreassen, Ø., Andersen, B.N., Wasberg, C.E. **257**, 763
On the reflection of linear hydrodynamic waves at continuous temperature steps in stellar atmospheres
Schmitz, F., Fleck, B. **260**, 447
Surface distribution of active regions as a probe of internal stellar rotation
Belvedere, G. **261**, 475
Oscillations of the solar chromosphere
Kulaczewski, J. **261**, 602
The effect of a tapered magnetic field on the modal structure in a flux tube
Nasiri, S. **261**, 615
The modes of oscillation of a prominence. II. The slab with transverse magnetic field
Joarder, P.S., Roberts, B. **261**, 625
Faster formulations of the optimally localized averages method for helioseismic inversions
Pijpers, F.P., Thompson, M.J. **262**, L33
IRIS data merging. I. A solution to minimize the low and intermediate frequency noise
Fossat, E. **263**, 443
Power spectra of gapped time series: a comparison of several methods
Carbonell, M., Oliver, R., Ballester, J.L. **264**, 350
On the effects of chromospheric magnetic perturbations on solar oscillation frequencies
Wright, A.N., Thompson, M.J. **264**, 701
The formation of helioseismology lines. I. NLTE effects in alkali spectra
Bruls, J.H.M.J., Rutten, R.J., Shchukina, N.G. **265**, 237
The formation of helioseismology lines. III. Partial redistribution effects in weak solar resonance lines
Uitenbroek, H., Bruls, J.H.M.J. **265**, 268
Estimating the Sun's rotation from solar oscillations by regularisation
Thompson, A.M. **265**, 289
On the solar p-mode spectrum excited by convection
Gabriel, M. **265**, 771
On the acoustic cut-off frequency of the Sun
Fossat, E., Régulo, C., Roca Cortés, T., Ehgamberdiev, S., Gelly, B., Grec, G., Khalikov, S., Khamitov, I., Lazrek, M., Pallé, P.L., Sánchez Duarte, L. **266**, 532
Fluid motions in the solar atmosphere. I. On the origin and decay of spicules
Cheng, Q.-Q. **266**, 537
Fluid motions in the solar atmosphere. II. A spicule model with emission lines
Cheng, Q.-Q. **266**, 549
Dynamics of the solar atmosphere. V. Partial reflection and forced oscillation, and their signature in phase diagrams
Deubner, F.-L., Fleck, B., Schmitz, F., Straus, T. **266**, 560

Sun: particle emission

The effects of magnetic field geometry on the confinement of energetic electrons in solar flares
McClements, K.G. **253**, 253
The ULYSSES energetic particle composition experiment EPAC
Keppler, E., Blake, J.B., Hovestadt, D., Korth, A., Quenby, J., Umlauft, G., Woch, J. **255**, 500; **92**, *317*
Heliosphere instrument for spectra, composition and anisotropy at low energies
Lanzerotti, L.J., Gold, R.E., Anderson, K.A., Armstrong, T.P., Lin, R.P., Krimigis, S.M., Pick, M., Roelof, E.C., Sarris, E.T., Simnett, G.M., Frain, W.E. **255**, 500; **92**, *349*
The Ulysses cosmic ray and solar particle investigation
Simpson, J.A., Anglin, J.D., Balogh, A., Bercovitch, M., Bouman, J.M., Budzinski, E.E., Burrows, J.R., Carvell, R., Connell, J.J., Ducros, R., Ferrando, P., Firth, J., Garcia-Munoz, M., Henrion, J., Hynds, R.J., Iwers, B., Jacquet, R., Kunow, H., Lentz, G., Marsden, R.G., McKibben, R.B., Mueller-Mellin, R., Page, D.E., Perkins, M., Raviart, A., Sanderson, T.R., Sierks, H., Treguer, L., Tuzzolino, A.J., Wenzel, K.-P., Wibberenz, G. **255**, 501; **92**, *365*
Magnetic-drift-driven instability and cosmic-ray acceleration
Pajot-el Abed, P., Melikidze, G., Tagger, M. **257**, L9
Return current losses in pulse beam heating of the solar atmosphere
Karlický, M., Hénoux, J.-C. **264**, 679

Sun: photosphere

Patterns in the photospheric magnetic field and percolation theory
Schrijver, C.J., Zwaan, C., Balke, A.C., Tarbell, T.D., Lawrence, J.K. **253**, L1
Dynamics of the solar granulation. I. A phenomenological approach
Nesis, A., Hanslmeier, A., Hammer, R., Komm, R., Mattig, W., Staiger, J. **253**, 561
The formation of the Mg I emission features near 12 μm
Carlsson, M., Rutten, R.J., Shchukina, N.G. **253**, 567
About spectroscopic measurements of the solar meridional motion
Cavallini, F., Ceppatelli, G., Righini, A. **254**, 381
Is mesogranulation a distinct regime of convection?
Straus, T., Deubner, F.-L., Fleck, B. **256**, 652
On the relation between the intensities of bright features and the local background in sunspot umbrae
Sobotka, M., Bonet, J.A., Vázquez, M. **257**, 757
Excitation of the solar flare far-ultraviolet continuum by line irradiation
Doyle, J.G., Phillips, K.J.H. **257**, 773
Very high spatial resolution two-dimensional solar spectroscopy with video CCDs
Johannesson, A., Bida, T., Lites, B., Scharmer, G.B. **258**, 572
Solar hydrogen lines in the infrared
Carlsson, M., Rutten, R.J. **259**, L53

Spectroscopic determination of intensities of umbral bright features and adjacent background
Sobotka, M., Bonet, J.A., Vázquez, M. **260**, 437

Solar speckle polarimetry
Keller, C.U., von der Lühe, O. **261**, 321

Continuum brightness of solar magnetic elements
Solanki, S.K., Brigljević,V. **262**, L29

On the photospheric temperature in small-scale magnetic flux concentrations
Fabiani Bendicho, P., Kneer, F., Trujillo Bueno, J. **264**, 229

Centre-to-limb variation of solar granulation along the equator and the central meridian
Rodríguez Hidalgo, I., Collados, M., Vázquez **264**, 661

The formation of helioseismology lines. I. NLTE effects in alkali spectra
Bruls, J.H.M.J., Rutten, R.J., Shchukina, N.G. **265**, 237

The formation of helioseismology lines. II. Modeling of alkali resonance lines with granulation
Bruls, J.H.M.J., Rutten, R.J. **265**, 257

Magnetic shear-based removal of the 180° ambiguity in the observed transverse photospheric magnetic field: feasibility and limitations
Cuperman, S., Li, J., Semel, M. **265**, 296

Sun: prominences

The modes of oscillation of a prominence. I. The slab with longitudinal magnetic field
Joarder, P.S., Roberts, B. **256**, 264

Linear force-free magnetic field around quiescent solar prominences computed from observable boundary conditions
Démoulin, P., Raadu, M.A., Malherbe, J.M. **257**, 278

MHD equilibria with flows in uniform gravity. I. 1-D prominence- and arcade-type solutions
Tsinganos, K., Surlantzis, G. **259**, 585

Determination of plasma parameters in a quiescent prominence
Wiik, J.E., Heinzel, P., Schmieder, B. **260**, 419

The modes of oscillation of a prominence. II. The slab with transverse magnetic field
Joarder, P.S., Roberts, B. **261**, 625

Influence of non-thermal broadening on the He 3889/H_8 emission ratio in prominence fine-structures
Stellmacher, G., Wiehr, E., Grupe, D. **265**, 781

Extended massive current sheet in a two-dimensional constant-α force-free field: a model for quiescent prominences. II. Existence and properties of inverse configurations
Amari, T., Aly, J.J. **265**, 791

Coronal photometry and analysis of the eclipse corona of July 22, 1990
Koutchmy, S., Altrock, R.C., Darvann, T.A., Dzubenko, N.I., Henry, T.W., Kim, I., Koutchmy, O., Martinez, P., Nitschelm, C., Rubo, G.A., Vial, J.C. **266**, 641; **96**, *169*

Sun: radio radiation

A computer simulation study of Type III radio burst propagation through the solar corona
Itkina, M.A., Levin, B.N. **253**, 521

The unified radio and plasma wave investigation
Stone, R.G., Bougeret, J.L., Caldwell, J., Canu, P., de Conchy, Y., Cornilleau-Wehrlin, N., Desch, M.D., Fainberg, J., Goetz, K., Goldstein, M.L., Harvey, C.C., Hoang, S., Howard, R., Kaiser, M.L., Kellogg, P.J., Klein, B., Knoll, R., Lecacheux, A., Lengyel-Frey, D., MacDowall, R.J., R.J., Manning, R.., Meetre, C.A., Meyer, A., Monge, N., Monson, S., Nicol, G., Reiner, M.J., Steinberg, J.L., Torres, E., de Villedary, C., Wouters, F., Zarka, P. **255**, 499; **92**, *291*

γ-ray and X-ray time profiles expected from a trap-plus-precipitation model for the 7 June 1980 and 27 April 1981 solar flares
Hulot, E., Vilmer, N., Chupp, E.L., Dennis, B.R., Kane, S.R. **256**, 273

On the efficiency of electron cyclotron maser instability in solar flares
Mackinnon, A., Vlahos, L., Vilmer, N. **256**, 613

Two-dimensional model maps of flaring loops at cm-wavelengths
Preka-Papadema, P., Alissandrakis, C.E. **257**, 307

Millisecond microwave spikes at 8 GHz during solar flares
Benz, A.O., Su, H., Magun, A., Stehling, W. **260**, 558; **93**, *539*

Sun: rotation

Characteristics of solar p-modes: results from the IPHIR experiment
Toutain, T., Fröhlich, C. **257**, 287

Peculiar photospheric velocity fields and magnetic energy build-up
Zuccarello, F. **257**, 298

Solar differential rotation due to magnetic stresses
Volland, H. **259**, 663

The maintenance of the Sun's differential rotation and its temporal variations
Chiu, H.-Y., Paternò, L. **260**, 441

Faster formulations of the optimally localized averages method for helioseismic inversions
Pijpers, F.P., Thompson, M.J. **262**, L33

The solar tachocline
Spiegel, E.A., Zahn, J.-P. **265**, 106

Circulation and turbulence in rotating stars
Zahn, J.-P. **265**, 115

Estimating the Sun's rotation from solar oscillations by regularisation
Thompson, A.M. **265**, 289

(Sun:) solar wind

Nonradial and nonpolytropic astrophysical outflows. I. Hydrodynamic solutions with flaring streamlines
Tsinganos, K., Sauty, C. **255**, 405

The Ulysses solar wind plasma experiment
Bame, S.J., McComas, D.J., Barraclough, B.L., Phillips, J.L., Sofaly, K.J., Chavez, J.C., Goldstein, B.E., Sakurai, R.K. **255**, 498; **92**, *237*

The Solar Wind Ion Composition Spectrometer
Gloeckler, G., Geiss, J., Balsiger, H., Bedini, P., Cain, J.C., Fischer, J., Fisk, L.A., Galvin, A.B., Gliem, F., Hamilton, D.C., Hollweg, J.V., Ipavich, F.M., Joos, R., Livi, S., Lundgren, R., Mall, U., McKenzie, J.F., Ogilvie, K.W., Ottens, F., Rieck, W., Tums, E.O., von Steiger, R., Weiss, W., Wilken, B. **255**, 499; **92**, *267*

The unified radio and plasma wave investigation
Stone, R.G., Bougeret, J.L., Caldwell, J., Canu, P., de Conchy, Y., Cornilleau-Wehrlin, N., Desch, M.D., Fainberg, J., Goetz, K., Goldstein, M.L., Harvey, C.C., Hoang, S., Howard, R., Kaiser, M.L., Kellogg, P.J., Klein, B., Knoll, R., Lecacheux, A., Lengyel-Frey, D., MacDowall, R.J., R.J., Manning, R., Meetre, C.A., Meyer, A., Monge, N., Monson, S., Nicol, G., Reiner, M.J., Steinberg, J.L., Torres, E., de Villedary, C., Wouters, F., Zarka, P. **255**, 499; **92**, *291*

Nonradial and nonpolytropic astrophysical outflows. II. Topology of MHD solutions with flaring streamlines
Tsinganos, K., Sauty, C. **257**, 790

Relaxation processes in magnetohydrodynamics: a triad-interaction model
Carbone, V., Veltri, P. **259**, 359

A Boltzmann-kinetic approach to describe the entrance of neutral interstellar hydrogen into the heliosphere
Osterbart, R., Fahr, H.J. **264**, 260

Towards a consistent treatment of thermally conductive magnetohydrodynamic flows in helmet-streamer coronal structures
Cuperman, S., Detman, T.R., Bruma, C., Dryer, M. **265**, 785

Coronal photometry and analysis of the eclipse corona of July 22, 1990
Koutchmy, S., Altrock, R.C., Darvann, T.A., Dzubenko, N.I., Henry, T.W., Kim, I., Koutchmy, O., Martinez, P., Nitschelm, C., Rubo, G.A., Vial, J.C. **266**, 641; **96**, *169*

(Sun:) sunspots

High spatial resolution magnetograms of solar active regions
Keller, C.U., Stenflo, J.O., von der Lühe, O. **254**, 355

The periodic behaviour of solar activity: the near 155-day periodicity in sunspot areas
Carbonell, M., Ballester, J.L. **255**, 350

Peculiar photospheric velocity fields and magnetic energy build-up
Zuccarello, F. **257**, 298

On the relation between the intensities of bright features and the local background in sunspot umbrae
Sobotka, M., Bonet, J.A., Vázquez, M. **257**, 757

Very high spatial resolution two-dimensional solar spectroscopy with video CCDs
Johannesson, A., Bida, T., Lites, B., Scharmer, G.B. **258**, 572

High resolution observations of the Evershed flow
Börner, P., Kneer, F. **259**, 307

Spatial structure of the Evershed effect
Wiehr, E., Degenhardt, D. **259**, 313

Spectroscopic determination of intensities of umbral bright features and adjacent background
Sobotka, M., Bonet, J.A., Vázquez, M. **260**, 437

The effect of a tapered magnetic field on the modal structure in a flux tube
Nasiri, S. **261**, 615

Infrared lines as probes of solar magnetic features. II. Diagnostic capabilities of Fe I 15648.5 Å and 15652.9 Å
Solanki, S.K., Rüedi, I., Livingston, W. **263**, 312

Infrared lines as probes of solar magnetic features. V. The magnetic structure of a simple sunspot and its canopy
Solanki, S.K., Rüedi, I., Livingston, W. **263**, 339

Polarimetry and spectroscopy of a simple sunspot. I. On the magnetic field of a sunspot penumbra
Schmidt, W., Hofmann, A., Balthasar, H., Tarbell, T.D., Frank, Z.A. **264**, L27

Variations in solar Lyman alpha irradiance on short time scales
Pap, J.M. **264**, 249

Sun: transition region

Return current losses in pulse beam heating of the solar atmosphere
Karlický, M., Hénoux, J.-C. **264**, 679

Coronal photometry and analysis of the eclipse corona of July 22, 1990
Koutchmy, S., Altrock, R.C., Darvann, T.A., Dzubenko, N.I., Henry, T.W., Kim, I., Koutchmy, O., Martinez, P., Nitschelm, C., Rubo, G.A., Vial, J.C. **266**, 641; **96**, *169*

Sun: UV radiation

The basal and strong-field components of the solar atmosphere
Schrijver, C.J. **258**, 507

Variations in solar Lyman alpha irradiance on short time scales
Pap, J.M. **264**, 249

Sun: X-rays, gamma rays

The effects of magnetic field geometry on the confinement of energetic electrons in solar flares
McClements, K.G. **253**, 253

The relationship between global X-ray luminosity and flaring on the Sun
Pearce, G., Harrison, R.A., Bromage, B.J.I., Pickering, A.G.M. **253**, 601

The solar X-ray/cosmic gamma-ray burst experiment aboard Ulysses
Hurley, K., Sommer, M., Atteia, J.-L., Boer, M., Cline, T., Cotin, F., Henoux, J.-C., Kane, S., Lowes, P., Niel, M., Van Rooijen, J., Vedrenne, G. **255**, 501; **92**, *401*

Analysis of the optical spectra of the solar flares. VI. Velocity field in the 13 June 1980 flare area
Falchi, A., Falciani, R., Smaldone, L.A. **256**, 255

γ-ray and X-ray time profiles expected from a trap-plus-precipitation model for the 7 June 1980 and 27 April 1981 solar flares
Hulot, E., Vilmer, N., Chupp, E.L., Dennis, B.R., Kane, S.R. **256**, 273

On the efficiency of electron cyclotron maser instability in solar flares
Mackinnon, A., Vlahos, L., Vilmer, N. **256**, 613

The simultaneous effects of collisions, reverse currents and magnetic trapping on the temporal evolution of energetic electrons in a flaring coronal loop
McClements, K.G. **258**, 542

Theoretical analysis of the Fe XVIII X-ray spectrum and application to solar coronal observations
Cornille, M., Dubau, J., Loulergue, M., Bely-Dubau, F., Faucher, P. **259**, 669

Inference of non-thermal electron energy distributions from hard X-ray spectra
Thompson, A.M., Brown, J.C., Craig, I.J.D., Fulber, C. **265**, 278

Spectral diagnostics for a thermal hydrodynamical model of a solar flare loop
Gan, W.Q., Rieger, E., Fang, C., Zhang, H.Q. **266**, 573

Surveys

HS 1946+7658: the most luminous QSO so far
Hagen, H.-J., Cordis, L., Engels, D., Groote, D., Haug, U., Heber, U., Köhler, T., Wiskotzki, L., Reimers, D. **253**, L5

A complete survey of OH/IR objects from the IRAS LRS sources within a domain of the color diagram
Le Squeren, A.M., Sivagnanam, P., Dennefeld, M., David, P. **254**, 133
OH/IR stars close to the galactic centre. I. Observational data
Lindqvist, M., Winnberg, A., Habing, H.J., Matthews, H.E. **255**, 496; **92**, *43*
The DRAO galactic-plane survey. III. Field at $l=85°$
Normandeau, M., Joncas, G., Green, D.A. **255**, 497; **92**, *63*
Galaxy counts at ultraviolet wavelengths (2000 Å)
Milliard, B., Donas, J., Laget, M., Armand, C., Vuillemin, A. **257**, 24
Deep Hα survey of the Milky Way. I. Instrument description and detection of a distant H II region
Le Coarer, E., Amram, P., Boulesteix, J., Georgelin, Y.M., Georgelin, Y.P., Marcelin, M., Joulié, P., Urios, J. **257**, 389
A 5 GHz radio survey of selected post T Tauri and naked T Tauri stars
White, S.M., Pallavicini, R., Kundu, M.R. **257**, 557
A survey of circumstellar CO emission from a sample of IRAS point sources
Nyman, L.-Å, Booth, R.S., Carlström, U., Habing, H.J., Heske, A., Sahai, R., Stark, R., van der Veen, W.E.C.J., Winnberg, A. **257**, 845; **93**, *121*
Tycho data analysis. Overview of the adopted reduction software and first results
Høg, E., Bastian, U., Egret, D., Grewing, M., Halbwachs, J.L., Wicenec, A., Bässgen, G., Bernacca, P.L., Donati, F., Kovalevsky, J., van Leeuwen, F., Lindegren, L., Pedersen, H., Perryman, M.A.C., Petersen, C., Scales, D., Snijders, M.A.J., Wesselius, P.R. **258**, 177
Tycho star recognition
Halbwachs, J.L., Høg, E., Bastian, U., Hansen, P.C., Schwekendiek, P. **258**, 193
Optical identifications of faint ultra-steep spectrum radio sources
Wieringa, M.H., Katgert, P. **260**, 556; **93**, *399*
ROSAT All Sky Survey observations of IRAS galaxies
Boller, T., Meurs, E.J.A., Brinkmann, W., Fink, H.H., Zimmermann, U., Adorf, H.-M. **261**, 57
Young stellar objects in the IRAS point source catalog
Prusti, T., Adorf, H.-M., Meurs, E.J.A. **261**, 685
The distribution and nature of small-diameter radio sources along the southern galactic plane
Whiteoak, J.B.Z. **262**, 251
The identification problem in asteroid surveys
Kristensen, L.K. **262**, 606
Polarized arcs near the galactic centre
Haynes, R.F., Stewart, R.T., Gray, A.D., Reich, W., Reich, P., Mebold, U. **264**, 500
The gas distribution in the central region of the Galaxy. V. ^{12}CO in the direction of the Sagittarius source complex
Burton, W.B., Liszt, H.S. **266**, 628; **95**, *9*
New probable members of the young Orion stellar population. I. The obscured regions in Cassiopeia, Vela and Scorpius
Márquez-Limón, A., López-Molina, M.G., Chavarría-K, C. **266**, 633; **95**, *391*
A southern Be star survey: spectra and envelope radii
Jaschek, C., Jaschek, M. **266**, 637; **95**, *535*
H_2CO survey in the Galactic Center: $0°.5 \leqq l \leqq 4°.0$
Zylka, R., Güsten, R., Henkel, C., Batria, W. **266**, 647; **96**, *525*

Techniques: image processing

Soft gamma ray observations of Cygnus X-1 with the coded-aperture SIGMA telescope
Salotti, L., Ballet, J., Cordier, B., Lambert, A., Bonazzola, S., Mereghetti, S., Mandrou, P., Roques, J.P., Sunyaev, R., Gilfanov, M., Churazov, E., Chulkov, I., Kuznetsov, A., Dyachkov, A., Khavenson, N., Novikov, B. **253**, 145
The effects of limb variation on the diameter measurements of SN 1987 A
Karovska, M., Nisenson, P. **253**, 210
The Cramér-Rao lower bound and stellar photometry with aberrated HST images
Jakobsen, P., Greenfield, P., Jedrzejewski, R. **253**, 329
Modelling the stellar intensity and radial velocity fields in triaxial galaxies by sums of Gaussian functions
Monnet, G., Bacon, R., Emsellem, E. **253**, 366
The object-image relationship in Michelson stellar interferometry
Tallon, M., Tallon-Bosc, I. **253**, 641
High spatial resolution magnetograms of solar active regions
Keller, C.U., Stenflo, J.O., von der Lühe, O. **254**, 355
Estimating the degradation of brightness power spectra of solar granulation from images outside the disk centre
Rodríguez Hidalgo, I., Collados, M., Vázquez, M. **254**, 371
Pupil plane interferometry in the near infrared. I. Methodology of observation and first results
Mariotti, J.-M., Monin, J.-L., Ghez, P., Perrier, C., Zadrozny, A. **255**, 462
On the correction of stellar spectra for the loss of radiation during its passage through the Earth's atmosphere and through the spectrograph-slit
Fluks, M.A., Thé, P.S. **255**, 477
Disk morphology of NGC 628 from large field CCD *UBVRI* photometry
Natali, G., Pedichini, F., Righini, M. **256**, 79
Photometric calibration of the International Ultraviolet Explorer (IUE) at low resolution: the LWP camera
Cassatella, A., Gonzalez-Riestra, R., Imhoff, C., Oliversen, N., Lloyd, C. **256**, 309
Tomographic imaging of late-type stars from spectroscopic and photometric rotational modulation. I. Principle and mathematical formulation of the method
Jankov, S., Foing, B.H. **256**, 533
Photon bias compensation in triple correlation imaging and observation of R 136
Pehlemann, E., Hofmann, K.-H., Weigelt, G. **256**, 701
Speckle observations of solar granulation
de Boer, C.R., Kneer, F., Nesis, A. **257**, L4
Deep Hα survey of the Milky Way. I. Instrument description and detection of a distant H II region
Le Coarer, E., Amram, P., Boulesteix, J., Georgelin, Y.M., Georgelin, Y.P., Marcelin, M., Joulié, P., Urios, J. **257**, 389
Photometric techniques for close binary and multiple systems
Devaney, M.N. **257**, 835
Radio-interferometric imaging of spectral lines. The problem of continuum subtraction
Cornwell, T.J., Uson, J.M., Haddad, N. **258**, 583
Visible and infrared wavefront sensing for astronomical adaptive optics
Rigaut, F., Cuby, J.G., Caes, M., Monin, J.L., Vittot, M., Richard, J.C., Rousset, G., Léna, P. **259**, L57

Photometric analysis of astronomical images by the wavelet transform
Coupinot, G., Hecquet, J., Aurière, M., Futaully, R. **259**, 701
The evolution of the sub-parsec structure of 3C 84 at 43 GHz
Krichbaum, T.P., Witzel, A., Graham, D.A., Alef, W., Pauliny-Toth, I.I.K., Hummel, C.A., Quirrenbach, A., Inoue, M., Hirabayashi, H., Morimoto, M., Rogers, A.E.E., Zensus, J.A., Lawrence, C.R., Readhead, A.C.S., Booth, R.S., Rönnäng, B.O., Kus, A.J., Johnston, K.J., Spencer, J.H., Burke, B.F., Dhawan, V., Bartel, N., Shapiro, I.I., Alberdi, A., Marcaide, J.M. **260**, 33
Pupil plane interferometry in the near infrared. II. Phase recovery and image reconstruction
Monin, J.-L., Mariotti, J.-M., Ghez, P., Perrier, C., Desbat, L. **260**, 510
Fourier analysis of structure in spiral galaxies
Puerari, I., Dottori, H.A. **260**, 557; **93**, *469*
Radio-interferometric imaging of very large fields. The problem of non-coplanar arrays
Cornwell, T.J., Perley, R.A. **261**, 353
Background events in optical transient searches on astronomical plates
Varady, M., Hudec, R. **261**, 365
A simple method to enhance radio polarization features
Milne, D.K. **261**, 694
Galaxy classification using pattern recognition methods
Burda, P., Feitzinger, J.V. **261**, 697
Statistical limits to superresolution
Lucy, L.B. **261**, 706
Automatic strategies for astrophysical inverse problems
Thompson, A.M., Craig, I.J.D. **262**, 359
Near-ultraviolet imaging of Jupiter's satellite Io with the Hubble Space Telescope
Paresce, F., Sartoretti, P., Albrecht, R., Barbieri, C., Blades, J.C., Boksenberg, A., Crane, P., Deharveng, J.M., Disney, M.J., Jakobsen, P., Kamperman, T.M., King, I.R., Macchetto, F., Mackay, C.D., Weigelt, G., Baxter, D., Greenfield, P., Jedrzejewski, R., Nota, A., Sparks, W.B. **262**, 617
Speckle observations of abnormal solar granulation
de Boer, C.R., Kneer, F. **264**, L24
Possible detection of Lyman α emission in the A7 III star γ Bootis
Marilli, E., Catalano, S., Freire Ferrero, R., Gouttebroze, P. **265**, 643
Two *BV* and *GR* CCD stellar sequences in the galactic open clusters Haffner 18ab and 19
Labhardt, L., Spaenhauer, A., Schwengeler, H. **265**, 869
Kinematics of the [O III]-emitting gas in the 1-arcsecond circumnuclear core of the Seyfert galaxy NGC 1068
Afanasyev, V.L., Balega, Y.Y., Orlov, V.G., Vasyuk, V.A. **266**, 15
First CCD observations of mutual phenomena of the Galilean satellites
Le Campion, J.-F., Montignac, G., Chauvet, F., Colin, J., Desbats, J.M., Dourneau, G., Rapaport, M. **266**, 568
Astrometric observations of Phobos and Deimos during the 1988 opposition of Mars
Colas, F. **266**, 646; **96**, *485*

Techniques: interferometric

The object-image relationship in Michelson stellar interferometry
Tallon, M., Tallon-Bosc, I. **253**, 641
Detection of compact SiO maser emission at 43 GHz using a European very long baseline interferometer
Colomer, F., Graham, D.A., Krichbaum, T.P., Rönnäng, B.O., de Vicente, P., Witzel, A., Barcia, A., Baudry, A., Booth, R.S., Gómez-González, J., Alcolea, J., Daigne, G. **254**, L17
Is there a megaparsec component to 3C 48?
Woan, G. **254**, 25
Red/infrared observations of Wolf 424 AB: are the components substellar?
Henry, T.J., Johnson, D.S., McCarthy Jr., D.W., Kirkpatrick, J.D. **254**, 116
Pupil plane interferometry in the near infrared. I. Methodology of observation and first results
Mariotti, J.-M., Monin, J.-L., Ghez, P., Perrier, C., Zadrozny, A. **255**, 462
Compact Steep-Spectrum 3 CR sources: VLA observations at 1.5, 15 and 22.5 GHz
van Breugel, W.J.M., Fanti, C., Fanti, R., Stanghellini, C., Schilizzi, R.T., Spencer, R.E. **256**, 56
Photon bias compensation in triple correlation imaging and observation of R 136
Pehlemann, E., Hofmann, K.-H., Weigelt, G. **256**, 701
Optical aperture synthesis and wave-front sensing
Tallon, M., Tallon-Bosc, I. **256**, 715
VLBI observations of active galactic nuclei at 3 mm
Bååth, L.B., Rogers, A.E.E., Inoue, M., Padin, S., Wright, M.C.H., Zensus, A., Kus, A.J., Backer, D.C., Booth, R.S., Carlstrom, J.E., Dickman, R.L., Emerson, D.T., Hirabayashi, H., Hodges, M.W., Kobayashi, H., Lamb, J., Moran, J.M., Morimoto, M., Plambeck, R.L., Predmore, C.R., Rönnäng, B., Woody, D. **257**, 31
A method for characterizing transient ionospheric disturbances using a large radiotelescope array
Jacobson, A.R., Erickson, W.C. **257**, 401
The curved jets in 3C216 and 3C446
Fejes, I., Porcas, R.W., Akujor, C.E. **257**, 459
High-precision VLBI astrometry of the radio-emitting star σ CrB – a step in linking the Hipparcos and extragalactic reference frames
Lestrade, J.-F., Phillips, R.B., Preston, R.A., Gabuzda, D.C. **258**, 112
Position and morphology of the compact non-thermal radio source at the galactic center
Marcaide, J.M., Alberdi, A., Bartel, N., Clark, T.A., Corey, B.E., Elósegui, P., Gorenstein, M.V., Guirado, J.C., Kardashev, N., Popov, M., Preston, R., Ratner, M.I., Rioja, M.J., Rogers, A.E.E., Shapiro, I.I. **258**, 295
Radio-interferometric imaging of spectral lines. The problem of continuum subtraction
Cornwell, T.J., Uson, J.M., Haddad, N. **258**, 583
High dynamic range VLBI observations of 3C 345 at 18 cm wavelength
Rantakyrö, F.T., Bååth, L.B., Pauliny-Toth, I.I.K., Matveyenko, L.I., Unwin, S.C. **259**, 8
Interferometric observations of Mira (*o* Ceti)
Quirrenbach, A., Mozurkewich, D., Armstrong, J.T., Johnston, K.J., Colavita, M.M., Shao, M. **259**, L19

The evolution of the sub-parsec structure of 3C 84 at 43 GHz
Krichbaum, T.P., Witzel, A., Graham, D.A., Alef, W., Pauliny-Toth, I.I.K., Hummel, C.A., Quirrenbach, A., Inoue, M., Hirabayashi, H., Morimoto, M., Rogers, A.E.E., Zensus, J.A., Lawrence, C.R., Readhead, A.C.S., Booth, R.S., Rönnäng, B.O., Kus, A.J., Johnston, K.J., Spencer, J.H., Burke, B.F., Dhawan, V., Bartel, N., Shapiro, I.I., Alberdi, A., Marcaide, J.M. **260**, 33

The compact radio structure of the high redshift quasars 0642 + 449, 1402 + 044, 1614 + 051
Gurvits, L.I., Kardashev, N.S., Popov, M.V., Schilizzi, R.T., Barthel, P.D., Pauliny-Toth, I.I.K., Kellermann, K.I. **260**, 82

Pupil plane interferometry in the near infrared. II. Phase recovery and image reconstruction
Monin, J.-L., Mariotti, J.-M., Ghez, P., Perrier, C., Desbat, L. **260**, 510

Point source polarization calibration of a phased array
McKinnon, M.M. **260**, 533

Monitoring of the superluminal quasar 4C 34.47
Hooimeyer, J.R.A., Barthel, P.D., Schilizzi, R.T., Miley, G.K. **261**, 1

Two new candidate superluminal quasars: 4C 28.45 and 4C 21.35
Hooimeyer, J.R.A., Schilizzi, R.T., Miley, G.K., Barthel, P.D. **261**, 5

The radio structure of extended quasars. I. A VLBI survey of the nuclear emission
Hooimeyer, J.R.A., Barthel, P.D., Schilizzi, R.T., Miley, G.K. **261**, 18

The radio structure of extended quasars. II. The radio emission on pc- and kpc-scales
Hooimeyer, J.R.A., Schilizzi, R.T., Miley, G.K., Barthel, P.D. **261**, 25

On the polarization of GL 490
Haas, M., Leinert, C., Lenzen, R. **261**, 130

Solar speckle polarimetry
Keller, C.U., von der Lühe, O. **261**, 321

Radio-interferometric imaging of very large fields. The problem of non-coplanar arrays
Cornwell, T.J., Perley, R.A. **261**, 353

Sub-arsecond images of the young star DD Tauri at optical and near-IR wavelengths
Bouvier, J., Tessier, E., Cabrit, S. **261**, 451

Images of the BL Lacertae object 1749+701 at 5 GHz
Bååth, L.B., Zhang, F.J. **262**, 1

Potential of long-baseline infrared interferometry for narrow-angle astrometry
Shao, M., Colavita, M.M. **262**, 353

The structure of the hot spots in 3C 295
Taylor, G.B., Perley, R.A. **262**, 417

Interferometric observations of SiO $v=0$ thermal emission from evolved stars *(Plateau de Bure Series, Paper 2)*
Lucas, R., Bujarrabal, V., Guilloteau, S., Bachiller, R., Baudry, A., Cernicharo, J., Delannoy, J., Forveille, T., Guélin, M., Radford, S.J.E. **262**, 491

The IRAM interferometer on Plateau de Bure *(Plateau de Bure Series, Paper 1)*
Guilloteau, S., Delannoy, J., Downes, D., Greve, A., Guélin, M., Lucas, R., Morris, D., Radford, S.J.E., Wink, J., Cernicharo, J., Forveille, T., Garcia-Burillo, S., Neri, R., Blondel, J., Perrigouard, A., Plathner, D., Torres, M. **262**, 624

Interferometric measurement of tropospheric phase fluctuations at 86 GHz on antenna spacings of 24 m to 288 m *(Plateau de Bure Series, Paper 5)*
Olmi, L., Downes, D. **262**, 634

Speckle masking observations of the Seyfert galaxy NGC 1386
Mauder, W., Appenzeller, I., Hofmann, K.-H., Wagner, S.J., Weigelt, G., Zeidler, P. **264**, L9

Speckle observations of abnormal solar granulation
de Boer, C.R., Kneer, F. **264**, L24

MERLIN and VLBI observations of the quasar 0836+710: morphology of a parsec-kiloparsec scale jet
Hummel, C.A., Muxlow, T.W.B., Krichbaum, T.P., Quirrenbach, A., Schalinski, C.J., Witzel, A., Johnston, K.J. **266**, 93

A northern 2 Jy sample of compact extragalactic radio sources suitable for millimeter and space VLBI observations
Valtaoja, E., Lähteenmäki, A., Teräsranta, H. **266**, 629; **95**, *73*

Interferometric observations of double stars in 1986–1990
Ismailov, R.M. **266**, 644; **96**, *375*

Techniques: miscellaneous

Milliarcsecond proper motion measurements with MAMA
Soubiran, C. **259**, 394

Laser guide star in adaptive optics: the tilt determination problem
Rigaut, F., Gendron, E. **261**, 677

Accurate wavelength determination of vacuum ultraviolet lines in chlorine and argon
Raassen, A.J.J., Snoek, L.C., Volten, H., Uylings, P.H.M., Meijer, F.G., Joshi, Y.N. **266**, 631; **95**, *223*

Techniques: photometric

The Cramér-Rao lower bound and stellar photometry with aberrated HST images
Jakobsen, P., Greenfield, P., Jedrzejewski, R. **253**, 329

Metallicities from CCD Strömgren photometry of the young cluster NGC 330 and nearby field stars in the Small Magellanic Cloud
Grebel, E.K., Richtler, T. **253**, 359

A magnitude, colour, and proper-motion probe of the Galaxy at an intermediate galactic latitude
Bienaymé, O., Mohan, V., Crézé, M., Considère, S., Robin, A.C. **253**, 389

Lunar occultations of southern near-infrared stellar sources
Richichi, A., Lisi, F., Di Giacomo, A. **254**, 149

Pulsational behaviour of the δ Scuti star X Caeli
Mantegazza, L., Poretti, E. **255**, 153

Improvements to photometry. V. High-order moments in transformation theory
Young, A.T. **257**, 366

uvbyβ observations of 528 type *B* stars with *V* between the 8th and 9th magnitude
Knude, J. **257**, 411; **92**, *841*

Photometric techniques for close binary and multiple systems
Devaney, M.N. **257**, 835

Coordinated visible and infrared monitoring of rapid variations of Markarian 501-first results with FOVIA
Kidger, M.R., Diego, J.A. **257**, 844; **93**, *1*

The FAST Hipparcos Data Reduction Consortium: overview of the reduction software
Kovalevsky, J., Falin, J.L., Pieplu, J.L., Bernacca, P.L., Donati, F., Froeschlé, M., Galligani, I., Mignard, F., Morando, B., Perryman, M.A.C., Schrijver, H., van Daalen, D.T., van der Marel, H., Villenave, M., Walter, H.G., Badiali, M., Borriello, L., Brouw, W.N., Canuto, E., Guerry, A., Hering, R., Huc, C., Iorio-Fili, D., Lacroute, P., Lattanzi, M., Le Poole, R.S., Murgolo, F.P., Preston, R.A., Röser, S., Sansò, F., Wielen, R., Belforte, P., Bernstein, H.H., Bucciarelli, B., Cardini, D., Emanuele, A., Fassino, B., Lenhart, H., Lestrade, J.F., Prezioso, G., Tommasini Montanari, T. **258**, 7
The NDAC Hipparcos data analysis consortium. Overview of the reduction methods
Lindegren, L., Høg, E., van Leeuwen, F., Murray, C.A., Evans, D.W., Penston, M.J., Perryman, M.A.C., Petersen, C., Ramamani, N., Snijders, M.A.J., Söderhjelm, S., Andreasen, G.K., Cruise, A.M., Elton, N., Lund, N., Poder, K. **258**, 18
The Hipparcos Input Catalogue. III. Photometry
Grenon, M., Mermilliod, M., Mermilliod, J.C. **258**, 88
Hipparcos photometry: FAST main mission reduction
Mignard, F., Froeschlé, M., Falin, J.L. **258**, 142
Hipparcos photometry: NDAC reductions
Evans, D.W., van Leeuwen, F., Penston, M.J., Ramamani, N., Høg, E. **258**, 149
Tycho data analysis. Overview of the adopted reduction software and first results
Høg, E., Bastian, U., Egret, D., Grewing, M., Halbwachs, J.L., Wicenec, A., Bässgen, G., Bernacca, P.L., Donati, F., Kovalevsky, J., van Leeuwen, F., Lindegren, L., Pedersen, H., Perryman, M.A.C., Petersen, C., Scales, D., Snijders, M.A.J., Wesselius, P.R. **258**, 177
Tycho transit detection
Bässgen, G., Wicenec, A., Andreasen, G.K., Høg, E., Wagner, K., Wesselius, P.R. **258**, 186
Tycho star recognition
Halbwachs, J.L., Høg, E., Bastian, U., Hansen, P.C., Schwekendiek, P. **258**, 193
Tycho background determination and monitoring
Wicenec, A., Bässgen, G. **258**, 206
Tycho photometry calibration and first results
Scales, D.R., Snijders, M.A.J., Andreasen, G.K., Grenon, M., Grewing, M., Høg, E., van Leeuwen, F., Lindegren, L., Mauder, H. **258**, 211
Systematic color transformation effects in Strömgren photometry
Manfroid, J., Sterken, C. **258**, 600
Three-beam chopping: an efficient infrared observing technique
Landau, R., Grasdalen, G, Sloan, G.C. **259**, 696
Estimation of the ages and distances of open clusters from the Palomar Observatory Sky Survey
Strobel, A., Skaba, W., Proga, D. **259**, 723; ***93***, *271*
Galaxy photometry at millimetric wavelengths
Andreani, P., Franceschini, A. **260**, 89
Physical constraints on color transformations
Manfroid, J. **260**, 517
Narrow band multicolor photometry of reddened and unreddened early-type stars
Bastiaansen, P.A. **260**, 557; ***93***, *449*
The Fourier decomposition as a mode discriminator: new first overtone pulsators among Cepheids with $P < 5.5$ d
Mantegazza, L., Poretti, E. **261**, 137
Image diameter-magnitude relations for stars on ESO/SERC *R* and *J* films
Hörtnagl, A.M., Kimeswenger, S., Weinberger, R. **262**, 369
Physical studies asteroids. XXIV. Phase relations for 48 asteroids obtained with the Carlsberg Meridian Circle
Lagerkvist, C.-I., Magnusson, P., Williams, I.P., Buontempo, M.E., Argyle, R.W., Morrison, L.V. **262**, 383; ***94***, *43*
Photometric accuracy. The impact of extrapolation in differing color-transformation schemes
Manfroid, J., Sterken, C., Gosset, E. **264**, 345
A catalogue of absolute fluxes and distances of planetary nebulae
Cahn, J.H., Kaler, J.B., Stanghellini, L. **264**, 721; ***94***, *399*
Atmospheric extinction and meteorological conditions: a long time photometric study
Reimann, H.-G., Ossenkopf, V., Beyersdorfer, S. **265**, 360
The calibration of Strömgren photometry for A, F and early G supergiants. III. The A and early F supergiants
Gray, R.O. **265**, 704
Two *BV* and *GR* CCD stellar sequences in the galactic open clusters Haffner 18ab and 19
Labhardt, L., Spaenhauer, A., Schwengeler, H. **265**, 869
Rapid photometry of EZ Canis Majoris: searching for flare activity in Wolf–Rayet stars
Matthews, J.M., Moffat, A.F.J., Marchenko, S.V. **266**, 409
The evolution of atmospheric extinction at La Silla derived from measurements in the Strömgren photometric system
Sterken, C., Manfroid, J. **266**, 619
Long-term monitoring of active stars. I. 1988–89 *UBV* photometry with the Phoenix APT
Rodonó, M., Cutispoto, G. **266**, 629; ***95***, *55*
An automated determination of the absolute magnitudes of stars in the Vilnius photometric system
Smriglio, F., Dasgupta, A.K., Boyle, R.P. **266**, 634; ***95***, *417*
Membership, binarity and metallicity of red giants in the open cluster NGC 6134
Claria, J.J., Mermilliod, J.-C. **266**, 635; ***95***, *429*

Techniques: polarimetric

Optimal estimation of Stokes' parameters
Maronna, R., Feinstein, C., Clocchiatti, A. **260**, 525
Point source polarization calibration of a phased array
McKinnon, M.M. **260**, 533
Instrumental polarization in the focal plane of telescopes
Sánchez Almeida, J., Martínez Pillet, V. **260**, 543
Solar speckle polarimetry
Keller, C.U., von der Lühe, O. **261**, 321
Simultaneous *UBVRI* photopolarimetric observations of blazars. II
Takalo, L.O., Sillanpää, A., Nilsson, K., Kidger, M., de Diego, J.A., Piirola, V. **262**, 382; ***94***, *37*
Infrared lines as probes of solar magnetic features. I. A many-line analysis of a network region
Muglach, K., Solanki, S.K. **263**, 301
Infrared lines as probes of solar magnetic features. II. Diagnostic capabilities of Fe I 15648.5 Å and 15652.9 Å
Solanki, S.K., Rüedi, I., Livingston, W. **263**, 312
Infrared lines as probes of solar magnetic features. III. Strong and weak magnetic fields in plages
Rüedi, I., Solanki, S.K., Livingston, W., Stenflo, J.O. **263**, 323
Infrared lines as probes of solar magnetic features. V. The magnetic structure of a simple sunspot and its canopy
Solanki, S.K., Rüedi, I., Livingston, W. **263**, 339

Pattern recognition of the regular magnetic field in disks of spiral galaxies
Sokoloff, D., Shukurov, A., Krause, M. **264**, 396
Phase resolved linear polarization spectra of AM Herculis
Schaich, M., Wolf, D., Östreicher, R., Ruder, H. **264**, 529
Faraday effects in the spiral galaxy M 51
Horellou, C., Beck, R., Berkhuijsen, E.M., Krause, M., Klein, U. **265**, 417
Instrumental origin of a 180° phase shift in polarization data
McKinnon, M.M. **266**, 113

Techniques: radar astronomy

Resonant asteroids and the equivalence principle
Plastino, A.R., Vucetich, H. **262**, 321

Techniques: radial velocities

On the binary status of the Cepheid SV Persei
Gieren, W.P., Brieva, E. **253**, 126
Search for second-phase Wolf–Rayet binaries among WRE stars
Moffat, A.F.J. **253**, 425
Duplicity in the solar neighbourhood. VI. The highly eccentric spectroscopic binary Gl 586 A and associated multiple system
Duquennoy, A., Mayor, M., Andersen, J., Carquillat, J.-M., North, P. **254**, L13
Investigation of the Pleiades cluster. I. Radial velocities of corona stars
Rosvick, J.M., Mermilliod, J.-C., Mayor, M. **255**, 130
The frequency of low-mass companions to K and M stars in the solar neighbourhood
Tokovinin, A.A. **256**, 121
Erratum: Investigation of the Pleiades cluster. I. Radial velocities of corona stars
Rosvick, J.M., Mermilliod, J.-C., Mayor, M. **259**, 720
Radial velocities. V. Ground based measurements for Hipparcos (*Text in French*)
Duflot, M., Fehrenbach, C., Mannone, C., Burnage, R., Genty, V. **264**, 721; ***94***, *479*
Multiple stars and the velocity dispersion measurements inside galactic globular clusters
Zaggia, S.R., Capaccioli, M., Piotto, G. **265**, 43
Investigation of the Pleiades cluster. II. Binary stars in the F5-K0 spectral region
Mermilliod, J.-C., Rosvick, J.M., Duquennoy, A., Mayor, M. **265**, 513
On the acoustic cut-off frequency of the Sun
Fossat, E., Régulo, C., Roca Cortés, T., Ehgamberdiev, S., Gelly, B., Grec, G., Khalikov, S., Khamitov, I., Lazrek, M., Pallé, P.L., Sánchez Duarte, L. **266**, 532
Membership, binarity and metallicity of red giants in the open cluster NGC 6134
Claria, J.J., Mermilliod, J.-C. **266**, 635; ***95***, *429*
Radial velocities. VI. Ground based measurements for Hipparcos (*Text in French*)
Fehrenbach, C., Burnage, R., Figuière, J. **266**, 637; ***95***, *541*

Techniques: spectroscopic

Spectral lines in the beryllium sequence
Eissner, W.B., Tully, J.A. **253**, 625
Red/infrared observations of Wolf 424 AB: are the components substellar?
Henry, T.J., Johnson, D.S., McCarthy Jr., D.W., Kirkpatrick, J.D. **254**, 116
The calcium infrared triplet lines in stellar spectra
Jørgensen, U.G., Carlsson, M., Johnson, H.R. **254**, 258
Solar radial velocity and oscillations as measured by sodium and potassium resonant scattering spectrometers
Pallé, P.L., Régulo, C., Roca Cortés, T., Sánchez Duarte, L., Schmider, F.X. **254**, 348
About spectroscopic measurements of the solar meridional motion
Cavallini, F., Ceppatelli, G., Righini, A. **254**, 381
Non-equilibrium, non-LTE ionization in supernova remnants
Brinkmann, W. **254**, 460
The OH airglow spectrum: a calibration source for infrared spectrometers
Oliva, E., Origlia, L. **254**, 466
On the correction of stellar spectra for the loss of radiation during its passage through the Earth's atmosphere and through the spectrograph-slit
Fluks, M.A., Thé, P.S. **255**, 477
Secondary spectrophotometric standards
Glushneva, I.N., Kharitonov, A.V., Knyazeva, L.N., Shenavrin, V.I. **255**, 496; ***92***, *1*
Photometric calibration of the International Ultraviolet Explorer (IUE) at low resolution: the LWP camera
Cassatella, A., Gonzalez-Riestra, R., Imhoff, C., Oliversen, N., Lloyd, C. **256**, 309
Erratum: Jupiter's atmospheric parameters derived from spectroscopic observations in the red region during the 1988 opposition
Moreno, F., Molina, A. **256**, 321
Very high spatial resolution two-dimensional solar spectroscopy with video CCDs
Johannesson, A., Bida, T., Lites, B., Scharmer, G.B. **258**, 572
MUSICOS: a fiber-fed spectrograph for multi-site observations
Baudrand, J., Böhm, T. **259**, 711
Faint carbon stars in the Small Magellanic Cloud
Westerlund, B.E., Azzopardi, M., Breysacher, J., Rebeirot, E. **260**, L4
Kinematics of planetary nebulae: expansion velocities
Bianchi, L. **260**, 314
Spectroscopy of poorly known northern dwarf novae. Part II
Bruch, A., Schimpke, T. **260**, 556; ***93***, *419*
Hα velocity fields and rotation curves of galaxies in clusters
Amram, P., Le Coarer, E., Marcelin, M., Balkowski, C., Sullivan III, W.T., Cayatte, V. **262**, 384; ***94***, *175*

Telescopes

The gamma-ray burst of 3 May 1991 observed by COMPTEL on board GRO
Winkler, C., Bennett, K., Bloemen, H., Collmar, W., Connors, A., Diehl, R., van Dordrecht, A., den Herder, J.W., Hermsen, W., Kippen, M., Kuiper, L., Lichti, G., Lockwood, J., McConnell, M., Morris, D., Ryan, J., Schönfelder, V., Stacy, G., Steinle, H., Strong, A., Swanenburg, B., Taylor B.G., Varendorff, M., de Vries, C. **255**, L9
Optical seeing at La Palma Observatory. I. General guidelines and preliminary results at the Nordic Optical Telescope
Vernin, J., Muñoz-Tuñón, C. **257**, 811
A Fourier-Bessel telescope for hard X-ray astronomy
Cardini, D., Poulsen, J.M., Costa, E., Dal Fiume, D., Emanuele, A., Frontera, F., Basili, A., Franceschini, T., Frutti, M., Landini, G., Silvestri, S. **257**, 824
Calibration of radioastronomical observations in the presence of a radome
Abraham, Z., Kokubun, F. **257**, 831

Visible and infrared wavefront sensing for astronomical adaptive optics
Rigaut, F., Cuby, J.G., Caes, M., Monin, J.L., Vittot, M., Richard, J.C., Rousset, G., Léna, P. **259**, L57
Point source polarization calibration of a phased array
McKinnon, M.M. **260**, 533
Instrumental polarization in the focal plane of telescopes
Sánchez Almeida, J., Martínez Pillet, V. **260**, 543
Laser guide star in adaptive optics: the tilt determination problem
Rigaut, F., Gendron, E. **261**, 677
The IRAM interferometer on Plateau de Bure *(Plateau de Bure Series, Paper 1)*
Guilloteau, S., Delannoy, J., Downes, D., Greve, A., Guélin, M., Lucas, R., Morris, D., Radford, S.J.E., Wink, J., Cernicharo, J., Forveille, T., García-Burillo, S., Neri, R., Blondel, J., Perrigouard, A., Plathner, D., Torres, M. **262**, 624
Observations of radio lines from unresolved sources: telescope coupling, Doppler effects, and cosmological corrections
Gordon, M.A., Baars, J.W.M., Cocke, W.J. **264**, 337
Instrumental origin of a 180° phase shift in polarization data
McKinnon, M.M. **266**, 113
Balloon-borne far-infrared imaging of the Cygnus-X region
Holenstein, A.P., Schenker, G., Huguenin, D., Kneubühl, F.K. **266**, 639; **96**, *115*

Time

Why new time scales?
Seidelmann, P.K., Fukushima, T. **265**, 833
Improved observations of periodic UT1 variations caused by ocean tides
Wünsch, J., Bußhoff, J. **266**, 588

Turbulence

On a new, one-dimensional, time-dependent model for turbulence and convection. I. A basic discussion of the mathematical model
Gehmeyr, M., Winkler, K.-H.A. **253**, 92
On a new, one-dimensional, time-dependent model for turbulence and convection. II. An elementary comparison of the old and the new model
Gehmeyr, M., Winkler, K.-H.A. **253**, 101
Effect of horizontal turbulent diffusion on transport by meridional circulation
Chaboyer, B., Zahn, J.-P. **253**, 173
How to monitor optimum exposure times for high resolution imaging modes?
Lopez, B. **253**, 635
A possible explanation for intraday variability in active galactic nuclei. Magnetic reconnection and coherent plasma emission
Lesch, H., Pohl, M. **254**, 29
Evolution of a self-gravitating protocloud with turbulence
Battinelli, P., Capuzzo-Dolcetta, R., Di Fazio, A., Urpin, V.A., Vereshchagin, S.V. **254**, 331
The effect of coupling of a corona to the turbulence in an accretion disk
Geertsema, G.T., Kuperus, M. **254**, 426
On the quadrisymmetric ($m=2$) magnetic fields in spiral galaxies
Vallée, J.P. **255**, 100
Rotation-induced mixing and lithium depletion in galactic clusters
Charbonnel, C., Vauclair, S., Zahn, J.-P. **255**, 191
Turbulence in differentially rotating thin disks: a multi-component cascade model
Geertsema, G.T., Achterberg, A. **255**, 427
Mg II absolute line profiles for late-type stars and for spatially-resolved solar regions
Cerruti-Sola, M., Cheng, C.-C., Pallavicini, R. **256**, 185
Tests of the CM model for turbulent convection. I. Application to M 67
D'Antona, F., Mazzitelli, I., Gratton, R.G. **257**, 539
The small-scale density and velocity structure of quiescent molecular clouds
Falgarone, E., Puget, J.-L., Pérault, M. **257**, 715
Numerical experiments on the effects of horizontal turbulent diffusion on transport by meridional circulation
Charbonneau, P. **259**, 134
Magnetic diffusion in clumpy molecular clouds
Elmegreen, B.G., Combes, F. **259**, 232
Relaxation processes in magnetohydrodynamics: a triad-interaction model
Carbone, V., Veltri, P. **259**, 359
The jet/interstellar medium interaction and the radiation properties of extragalactic jets
Fraix-Burnet, D. **259**, 445
Dynamos in discs and halos of galaxies
Brandenburg, A., Donner, K.J., Moss, D., Shukurov, A., Sokoloff, D.D., Tuominen, I. **259**, 453
Combined first- and second-order Fermi acceleration in radio galaxy hot spots
Krülls, W.M. **260**, 49
Magnetic-field advection in inhomogeneous turbulence
Kichatinov, L.L., Rüdiger, G. **260**, 494
Dynamo effect at high order approximation
Carvalho, J.C. **261**, 348
Consequences of rotation in energetics of accretion disks
Dubrulle, B., Valdettaro, L. **263**, 387
The influence of Alfvénic cross and magnetic helicity on the phase space distribution of charged particles. I. The spatial convection term of the anisotropy
Dung, R. **263**, 433
A fast simulation method for particle acceleration
Achterberg, A., Krülls, W.M. **265**, L13
New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars and subgiants
Charbonnel, C., Vauclair, S. **265**, 55
The solar tachocline
Spiegel, E.A., Zahn, J.-P. **265**, 106
Circulation and turbulence in rotating stars
Zahn, J.-P. **265**, 115
Stratification and thermodynamics in mean-field dynamos
Brandenburg, A., Moss, D., Tuominen, I. **265**, 328
Stochastic effects in mean-field dynamos
Moss, D., Brandenburg, A., Tavakol, R., Tuominen, I. **265**, 843
Flickering in cataclysmic variables: its properties and origins
Bruch, A. **266**, 237
A turbulent closure model for thin accretion disks
Dubrulle, B. **266**, 592
Strömgren photometry of the low amplitude δ Scuti star β Cassiopeiae
Rodríguez, E., Rolland, A., López de Coca, P., Garrido, R., Gonzalez-Bedolla, S.F. **266**, 645; **96**, *429*

Ultraviolet: galaxies

Fitting the broad line spectrum and UV continuum by accretion discs in active galactic nuclei
Rokaki, E., Boisson, C., Collin-Souffrin, S. **253**, 57

Galaxy counts at ultraviolet wavelengths (2000 Å)
Milliard, B., Donas, J., Laget, M., Armand, C., Vuillemin, A. **257**, 24

The expected ionization of H I by line-of-sight neighbour quasars: measuring the quasar beaming
Møller, P., Kjærgaard, P. **258**, 234

A link between X-ray variability and ultraviolet emission in Seyfert 1 type AGN
Walter, R., Courvoisier, T.J.-L. **266**, 65

Multiwavelength observations of the quasar Q 1821+643 during the ROSAT All Sky Survey
Ulrich, M.-H., Fink, H.H., Schaeidt, S., Baganoff, F., Malkan, M.A., Heidt, J., Wagner, S. **266**, 183

Ultraviolet: general

Oscillator strength measurements in the vacuum-ultraviolet. V. Neutral nitrogen lines in the 950–1200 Å range
Goldbach, C., Lüdtke, T., Martin, M., Nollez, G. **266**, 605

Ultraviolet: interstellar

Far UV nonlinear rise extinction in relation to CH and CH^+ abundances
Jenniskens, P., Ehrenfreund, P., Désert, F.-X. **265**, L1

New clues for ionized polycyclic aromatic hydrocarbons as possible carriers of diffuse interstellar bands
Parisel, O., Berthier, G., Ellinger, Y. **266**, L1

Fine structure lines of C^+ and N^+ in the galaxy
Gry, C., Lequeux, J., Boulanger, F. **266**, 457

Oscillator strength measurements in the vacuum-ultraviolet. V. Neutral nitrogen lines in the 950–1200 Å range
Goldbach, C., Lüdtke, T., Martin, M., Nollez, G. **266**, 605

Ultraviolet: solar system

The hydrogen coma of comet P/Halley observed in Lyman α using sounding rockets
McCoy, R.P., Meier, R.R., Keller, H.U., Opal, C.B., Carruthers, G.R. **258**, 555

Near-ultraviolet imaging of Jupiter's satellite Io with the Hubble Space Telescope
Parese, F., Sartoretti, P., Albrecht, R., Barbieri, C., Blades, J.C., Boksenberg, A., Crane, P., Deharveng, J.M., Disney, M.J., Jakobsen, P., Kamperman, T.M., King, I.R., Macchetto, F., Mackay, C.D., Weigelt, G., Baxter, D., Greenfield, P., Jedrzejewski, R., Nota, A., Sparks, W.B. **262**, 617

Ultraviolet: stars

IUE observations of UV-bright stars in M3
Buzzoni, A., Cacciari, C., Fusi Pecci, F., Buonanno, R., Corsi, C.E. **254**, 110

Evidence for heavy element dust clumps from the increasing 1300 μm emission from Supernova 1987 A
Biermann, P.L., Chini, R., Haslam, C.G.T., Kreysa, E., Lemke, R., Sievers, A. **255**, L5

Studies of symbiotic stars. V. The dust-free yellow system He2–467
Munari, U., Buson, L.M. **255**, 158

The spectrum of the VV Cephei star KQ Puppis (Boss 1985). III. A possible model
Rossi, C., Altamore, A., Baratta, G.B., Friedjung, M., Viotti, R. **256**, 133

The spectrum of the VV Cephei star KQ Puppis (Boss 1985). II. Atlas of the optical and ultraviolet spectrum
Altamore, A., Rossi, C., Viotti, R., Baratta, G.B. **257**, 410; **92**, *685*

Properties of fast winds in hot stars in the Magellanic Clouds
Patriarchi, P., Perinotto, M. **258**, 285

The active phase of the symbiotic star BF Cygni
Cassatella, A., Fernández-Castro, T., González-Riestra, R., Fuensalida, J.J. **258**, 368

UV-(2000 Å) imaging of globular clusters. I. The projected radial distributions and counts of the blue horizontal-branch stars in M 3, M 5, M 13 and M 92
Laget, M., Burgarella, D., Milliard, B., Donas, J. **259**, 510

PU Vulpeculae: the outburst of a symbiotic nova
Vogel, M., Nussbaumer, H. **259**, 525

Al II as an electron density diagnostic for the upper chromosphere/lower transition region in late-type stars
Doyle, J.G., Keenan, F.P., Harra, L.K., Aggarwal, K.M., Tayal, S.S. **261**, 285

Cool star flux spectra for population studies in galaxies
Malagnini, M.L., Morossi, C., Buser, R., Parthasarathy, M. **261**, 558

Multiwavelength observations of RV Tauri stars. I. AC Herculis
Shenton, M., Albinson, J.S., Barrett, P., Davies, J.K., Evans, A., Goldsmith, M.J., Hutchinson, M.G., Maddison, R.C., Weight, A. **262**, 138

Dynamic phenomena on the RS Canum Venaticorum binary II Pegasi in August 1989. II. An interpretation
Doyle, J.G., van den Oord, G.H.J., Kellett, B.J. **262**, 533

Photospheric velocity gradients in B1 supergiants
Massa, D., Shore, S.N., Wynne, D. **264**, 169

A recalculation of the line emissivities for the strongest UV and extreme-UV lines in the 400–2800 Å wavelength range
Doyle, J.G., Keenan, F.P. **264**, 173

The β Pictoris circumstellar disk. XIII. Survey of the variable Ca II lines
Lagrange-Henri, A.M., Gosset, E., Beust, H., Ferlet, R., Vidal-Madjar, A. **264**, 637

The 1990 outburst of the recurrent nova V 3890 Sgr observed with IUE
González-Riestra, R. **265**, 71

Chromospheric activity and stellar evolution: clues from IUE data
Pasquini, L., Brocato, E. **266**, 340

Dynamic phenomena on the RS Canum Venaticorum binary II Pegasi in August 1989. I. Observational data
Doyle, J.G., Kellett, B.J., Butler, C.J., Byrne, P.B., Neff, J.E., Brown, A., Fox, D., Linsky, J.E., Bromage, G.E., Avgoloupis, S., Mavridis, L.N., Seiradakis, J.H., Mathioudakis, M., Murphy, H.M., Krzesinski, J., Pajdosz, G., Dadonas, V., Sperauskas, J., van Wyk, F., Marang, F., Olah, K., Collier Cameron, A., Antonopoulou, E., Rovithis, P., Rovithis-Livaniou, H. **266**, 644; **96**, *351*

Stark broadening of spectral lines of multicharged ions of astrophysical interest. VI. C IV lines of large principal quantum number
Dimitrijević, M.S., Sahal-Bréchot, S. **266**, 649; **96**, *613*

X-rays: bursts

The effect of coupling of a corona to the turbulence in an accretion disk
Geertsema, G.T., Kuperus, M. **254**, 426

The solar X-ray/cosmic gamma-ray burst experiment aboard Ulysses
Hurley, K., Sommer, M., Atteia, J.-L., Boer, M., Cline, T., Cotin, F., Henoux, J.-C., Kane, S., Lowes, P., Niel, M., Van Rooijen, J., Vedrenne, G. **255**, 501; **92**, *401*

Detection of a type-I X-ray burst from 4U 0614+09
Brandt, S., Castro-Tirado, A.J., Lund, N., Dremin, V., Lapshov, I., Sunyaev, R. **262**, L15

X-rays: galaxies

Gamma-ray flaring of 3C 279: a proton-initiated cascade in the jet?
Mannheim, K., Biermann, P.L. **253**, L21

The soft X-ray excess in Einstein quasar spectra
Masnou, J.L., Wilkes, B.J., Elvis, M., McDowell, J.C., Arnaud, K.A. **253**, 35

Physical and dynamical properties of two clusters of galaxies derived from X-ray data
Gerbal, D., Durret, F., Lima-Neto, G., Lachièze-Rey, M. **253**, 77

ROSAT active galactic nuclei identified on objective prism plates
Bade, N., Engels, D., Fink, H.H., Hagen, H.-J., Reimers, D., Voges, W., Wisotzki, L. **254**, L21

A possible explanation for intraday variability in active galactic nuclei. Magnetic reconnection and coherent plasma emission
Lesch, H., Pohl, M. **254**, 29

Some constraints on the origin of the iron enriched intra-cluster medium
Arnaud, M., Rothenflug, R., Boulade, O., Vigroux, L., Vangioni-Flam, E. **254**, 49

X-ray spectrum of NGC 3783: detection of soft excess and an emission line
Ghosh, K.K., Soundararajaperumal, S., Kalai Selvi, M., Sivarani, T. **255**, 119

The structure of the intracluster medium of the Perseus cluster
Schwarz, R.A., Edge, A.C., Voges, W., Böhringer, H., Ebeling, H., Briel, U.G. **256**, L11

SIGMA observation of a steep spectral shape in NGC 4151 above 35 keV
Jourdain, E., Bassani, L., Bouchet, L., Mandrou, P., Ballet, J., Lebrun, F., Paul, J., Laurent, P., Churazov, E., Gilfanov, M., Sunyaev, R., Dyachkov, A., Khavenson, N., Chulkov, I., Kuznetsov, A., Novikov, B. **256**, L38

A statistical analysis of complete samples of BL Lacertae objects
Padovani, P. **256**, 399

Iron Kα line from X-ray illuminated relativistic disks
Matt, G., Perola, G.C., Piro, L., Stella, L. **257**, 63

A Fourier-Bessel telescope for hard X-ray astronomy
Cardini, D., Poulsen, J.M., Costa, E., Dal Fiume, D., Emanuele, A., Frontera, F., Basili, A., Franceschini, T., Frutti, M., Landini, G., Silvestri, S. **257**, 824

The origin of the X-ray emission in 3C 273 and 3C 120
Walter, R., Courvoisier, T.J.-L. **258**, 255

Discovery of intermediate redshift galaxy clusters in the ROSAT NEP field
Burg, R., Giacconi, R., Huchra, J., MacKenty, J., McLean, B., Geller, M., Hasinger, G., Marzke, R., Schmidt, M., Trümper, J. **259**, L9

Observation of the Coma cluster of galaxies with ROSAT during the All-Sky Survey
Briel, U.G., Henry, J.P., Böhringer, H. **259**, L31

Supervised selection of galaxy candidates from the IRAS PSC: the quality of the selection and the infrared properties of the galaxy candidates
Boller, T., Meurs, E.J.A., Adorf, H.-M. **259**, 101

ROSAT All Sky Survey observations of IRAS galaxies
Boller, T., Meurs, E.J.A., Brinkmann, W., Fink, H.H., Zimmermann, U., Adorf, H.-M. **261**, 57

On the possibility of cyclic phase changes in the interstellar medium of elliptical galaxies
Kritsuk, A.G. **261**, 78

The X-ray variability of the Seyfert galaxy NGC 6814
Fiore, F., Massaro, E., Barone, P. **261**, 405

X-ray clusters in open universes
Oukbir, J., Blanchard, A. **262**, L21

Time-resolved spectral analysis of three Seyfert galaxies observed with Ginga
Fiore, F., Perola, G.C., Matsuoka, M., Yamauchi, M., Piro, L. **262**, 37

EXOSAT measurement of the spectrum of Markarian 382
Singh, K.P., Rao, A.R., Vahia, M.N. **262**, 49

Analysis of X-ray galaxy clusters in the framework of modified Newtonian dynamics
Gerbal, D., Durret, F., Lachièze-Rey, M., Lima-Neto, G. **262**, 395

HEXE observations of active galactic nuclei: constraints on pairs and Compton reflection
Maisack, M., Kendziorra, E., Mony, B., Staubert, R., Doebereiner, S., Englhauser, J., Pietsch, W., Reppin, C., Trümper, J., Efremov, V., Kaniovsky, S., Kusnetzov, A., Sunyaev, R. **262**, 433

Erratum: Iron Kα line from X-ray illuminated relativistic disks
Matt, G., Perola, G.C., Piro, L., Stella, L. **263**, 453

The contribution of star-forming galaxies to the X-ray background
Treyer, M.A., Mouchet, M., Blanchard, A., Silk, J. **264**, 11

SIGMA observations of the Virgo cluster
Lebrun, F., Ballet, J., Paul, J., Laurent, P., Jourdain, E., Bassani, L., Roques, J.-P., Mandrou, P., Finogenov, A., Sunyaev, R., Churazov, E., Gilfanov, M., Khavenson, N., Kovtunenko, V., Kremnev, R., Sukhanov, K. **264**, 22

Tailed radio sources as probes of the intergalactic medium pressure
Feretti, L., Perola, G.C., Fanti, R. **265**, 9

First X-ray spectrum of the most luminous quasar PKS 2126–158
Ghosh, K.K., Soundararajaperumal, S. **265**, 413

X-ray variability in a sample of Seyfert 1 type AGN
Walter, R., Courvoisier, T.J.-L. **266**, 57

A link between X-ray variability and ultraviolet emission in Seyfert 1 type AGN
Walter, R., Courvoisier, T.J.-L. **266**, 65

A magnetic flare model for X-ray variability in AGN
de Vries, M., Kuijpers, J. **266**, 77

Multiwavelength observations of the quasar Q 1821+643 during the ROSAT All Sky Survey
Ulrich, M.-H., Fink, H.H., Schaeidt, S., Baganoff, F., Malkan, M.A., Heidt, J., Wagner, S. **266**, 183

X-ray observations of flat spectrum radio sources with the HEAO-A, Einstein and EXOSAT observatories
Biermann, P.L., Schaaf, R., Pietsch, W., Schmutzler, T., Witzel, A., Kühr, H. **266**, 643; **96**, *339*

X-rays: general

The structure of the intracluster medium of the Perseus cluster
Schwarz, R.A., Edge, A.C., Voges, W., Böhringer, H., Ebeling, H., Briel, U.G. **256**, L11
SIGMA observation of a steep spectral shape in NGC 4151 above 35 keV
Jourdain, E., Bassani, L., Bouchet, L., Mandrou, P., Ballet, J., Lebrun, F., Paul, J., Laurent, P., Churazov, E., Gilfanov, M., Sunyaev, R., Dyachkov, A., Khavenson, N., Chulkov, I., Kuznetsov, A., Novikov, B. **256**, L38
The contributions of RSCVn systems to the diffuse X-ray background
Ottmann, R., Schmitt, J.H.M.M. **256**, 421
Theoretical analysis of the Fe XVIII X-ray spectrum and application to solar coronal observations
Cornille, M., Dubau, J., Loulergue, M., Bely-Dubau, F., Faucher, P. **259**, 669
The contribution of star-forming galaxies to the X-ray background
Treyer, M.A., Mouchet, M., Blanchard, A., Silk, J. **264**, 11
A magnetic flare model for X-ray variability in AGN
de Vries, M., Kuijpers, J. **266**, 77

X-rays: interstellar

Non-equilibrium, non-LTE ionization in supernova remnants
Brinkmann, W. **254**, 460
The Hercules H I shell: distances of the gas clouds and topography of the shell
Lilienthal, D., Hirth, W., Mebold, U., de Boer, K.S. **255**, 323
A very dense H I filament within the Local Hot Bubble
Wennmacher, A., Lilienthal, D., Herbstmeier, U. **261**, L9
Extended X-ray emission from planetary nebulae
Kreysing, H.C., Diesch, C., Zweigle, J., Staubert, R., Grewing, M., Hasinger, G. **264**, 623
X-ray spectroscopy of the young supernova remnant RCW 86
Kaastra, J.S., Asaoka, I., Koyama, K., Yamauchi, S. **264**, 654

X-rays: stars

Soft gamma ray observations of Cygnus X-1 with the coded-aperture SIGMA telescope
Salotti, L., Ballet, J., Cordier, B., Lambert, A., Bonazzola, S., Mereghetti, S., Mandrou, P., Roques, J.P., Sunyaev, R., Gilfanov, M., Churazov, E., Chulkov, I., Kuznetsov, A., Dyachkov, A., Khavenson, N., Novikov, B. **253**, 145
The candidates for the Great Attractor and the fluctuations in the microwave background radiation
Goicoechea, L.J., Martín-Mirones, J.M. **254**, 1
ROSAT active galactic nuclei identified on objective prism plates
Bade, N., Engels, D., Fink, H.H., Hagen, H.-J., Reimers, D., Voges, W., Wisotzki, L. **254**, L21
Discovery and early X-ray lightcurve of the transient GRS 1124–68 (Nova Muscae 1991)
Brandt, S., Castro-Tirado, A.J., Lund, N., Dremin, V., Lapshov, I., Sunyaev, R. **254**, L39
The effect of coupling of a corona to the turbulence in an accretion disk
Geertsema, G.T., Kuperus, M. **254**, 426
Neutral particle emission from the X-ray binary 2A 1822–37 at energies above 10^{17} eV
Clay, R.W., Meyhandan, R., Horton, L., Ulrichs, J., Winn, M.M. **255**, 167
Turbulence in differentially rotating thin disks: a multi-component cascade model
Geertsema, G.T., Achterberg, A. **255**, 427
The stellar coronal component of the Galaxy. I. The X-COUNT numerical model
Favata, F., Micela, G., Sciortino, S., Vaiana, G.S. **256**, 86
A magnitude-limited spectroscopic and photometric survey of ϱ Ophiuchus X-ray sources
Bouvier, J., Appenzeller, I. **256**, 324; **92**, *481*
The contributions of RSCVn systems to the diffuse X-ray background
Ottmann, R., Schmitt, J.H.M.M. **256**, 421
Photospheric activity of HD 220140, the optical counterpart of the X-ray source H 2311+77
Mantegazza, L., Poretti, E., Antonello, E., Bossi, M. **256**, 459
On the light curve of an orbiting spot
Karas, V., Bao, G. **257**, 531
The signature of corotating spots in accretion disks
Bao, G. **257**, 594
6 Hz quasiperiodic oscillations from low-mass X-ray binaries: the sound of an accretion disk?
Alpar, M.A., Hasinger, G., Shaham, J., Yancopoulos, S. **257**, 627
Near-critical spherical accretion onto magnetized neutron stars: modified magnetospheric radius
Mitra, A. **257**, 807
Large-scale magnetic steering of particles in X-ray binaries
Mannings, V. **258**, 335
Nearly simultaneous observations of chromospheric and coronal radiative losses of cool stars
Schrijver, C.J., Dobson, A.K., Radick, R.R. **258**, 432
Spectral variability of He 3-640, optical counterpart of the X-ray source A 1118-61
Villada, M., Giovannelli, F., Polcaro, V.F. **259**, L1
Optical imaging of the fields of the two hard X-ray sources in the galactic center region: 1E 1740.7-2942 and GRS 1758-258
Mereghetti, S., Caraveo, P., Bignami, G.F., Belloni, T. **259**, 205
Astrophysical parameters of X Persei
Fabregat, J., Reglero, V., Coe, M.J., Clement, R., Gorrod, M.J., Norton, A.J., Roche, P.D., Suso, J., Unger, S.J. **259**, 522
Optical and infrared observations of Circinus X-1
Moneti, A. **260**, L7
Observation of 4U 1700-377 with the SIGMA telescope
Laurent, P., Goldwurm, A., Lebrun, F., Paul, J., Mereghetti, S., Barret, D., Bouchet, L., Roques, J.P., Churazov, E., Gilfanov, M., Kuznetzov, A., Sunyaev, R., Chulkov, I., Dyachkov, A., Khavenson, N., Novikov, B. **260**, 237
Precession in cataclysmic and X-ray binaries: star or disc?
Schwarzenberg-Czerny, A. **260**, 268
The effect of EUV and X-ray radiation on stellar atmospheres and the problem of helium abundance in B-stars
Mitskevich, A.S., Tsymbal, V.V. **260**, 303
Photoabsorption in magnetic neutron star atmospheres
Ventura, J., Herold, H., Ruder, H., Geyer, F. **261**, 235
Pulsar-irradiated stars in dense globular clusters
Tavani, M. **261**, 472

Detection of a type-I X-ray burst from 4U 0614+09
Brandt, S., Castro-Tirado, A.J., Lund, N., Dremin, V., Lapshov, I., Sunyaev, R. **262**, L15

Periodic outbursts in the peculiar X-ray binary 2S 0114+65
Finley, J.P., Belloni, T., Cassinelli, J.P. **262**, L25

Accreting white dwarf models for CAL 83, CAL 87 and other ultrasoft X-ray sources in the LMC
van den Heuvel, E.P.J., Bhattacharya, D., Nomoto, K., Rappaport, S.A. **262**, 97

The distribution and nature of small-diameter radio sources along the southern galactic plane
Whiteoak, J.B.Z. **262**, 251

Dynamic phenomena on the RS Canum Venaticorum binary II Pegasi in August 1989. II. An interpretation
Doyle, J.G., van den Oord, G.H.J., Kellett, B.J. **262**, 533

NTT observations of the globular cluster X-ray binary NGC 6712:S/X 1850–086
Aurière, M., Koch-Miramond, L. **263**, 82

CCD imaging and spectroscopy in the field of the X-ray pulsar 1 E 1048.1-5937
Mereghetti, S., Caraveo, P., Bignami, G.F. **263**, 172

A Ginga observation of the supergiant X-ray binary system 4U 1700–37/HD 153919
Haberl, F., Day, C.S.R. **263**, 241

Radio and X-ray emission from main-sequence K stars
Güdel, M. **264**, L31

Pair absorption of TeV γ-rays in accreting binaries
Carramiñana, A. **264**, 127

Extended X-ray emission from planetary nebulae
Kreysing, H.C., Diesch, C., Zweigle, J., Staubert, R., Grewing, M., Hasinger, G. **264**, 623

ROSAT survey observations of OB and OBe stars
Meurs, E.J.A., Piters, A.J.M., Pols, O.R., Waters, L.B.F.M., Coté, J., Van Kerkwijk, M.H., van Paradijs, J., Burki, G., Taylor, A.R., de Martino, D. **265**, L41

Quasi-periodic oscillations in TT Arietis
Hollander, A., van Paradijs, J. **265**, 77

Coordinated X-ray and optical observations of Scorpius X-1
Augusteijn, T., Karatasos, K., Papadakis, M., Paterakis, G., Kikuchi, S., Brosch, N., Leibowitz, E., Hertz, P., Mitsuda, K., Dotani, T., Lewin, W.H.G., van der Klis, M., van Paradijs, J. **265**, 177

Additional evidence for A 0620-00 containing a black hole?
Zhong-Yong Zhang, Jian-Sheng Chen **266**, L9

The spectral variability in 2–28 keV of GS2023+338 during its 1989 outburst
in 't Zand, J.J.M., Pan, H.C., Bleeker, J.A.M., Skinner, G.K., Gilfanov, M.R., Sunyaev, R. **266**, 283

Model atmospheres and radiation of magnetic neutron stars. I. The fully ionized case
Shibanov, Y.A., Zavlin, V.E., Pavlov, G.G., Ventura, J. **266**, 313

A semi-empirical model for the X-ray emission from single Wolf-Rayet stars
Baum, E., Hamann, W.-R., Koesterke, L., Wessolowski, U. **266**, 402

Dynamic phenomena on the RS Canum Venaticorum binary II Pegasi in August 1989. I. Observational data
Doyle, J.G., Kellett, B.J., Butler, C.J., Byrne, P.B., Neff, J.E., Brown, A., Fox, D., Linsky, J.E., Bromage, G.E., Avgoloupis, S., Mavridis, L.N., Seiradakis, J.H., Mathioudakis, M., Murphy, H.M., Krzesinski, J., Pajdosz, G., Dadonas, V., Sperauskas, J., van Wyk, F., Marang, F., Olah, K., Collier Cameron, A., Antonopoulou, E., Rovithis, P., Rovithis-Livaniou, H. **266**, 644; **96**, *351*